

IPA Digital Conference 2020

Online
14 - 17 September 2020

Volume 1 of 2

ISBN: 978-1-7138-1931-8

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2020) by Indonesian Petroleum Association
All rights reserved.

Printed by Curran Associates, Inc. (2021)

For permission requests, please contact Indonesian Petroleum Association
at the address below.

Indonesian Petroleum Association
Indonesia Stock Exchange
Building Tower II, 20th Floor (Suite 2001)
Jl. Jendral Sudirman Kav.52-53
Jakarta 12190
Indonesia

Phone: +62 21 515-5959
Fax: +62 215140-2545/6

inquiries@ipa.or.id

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

| | |
|---|------------|
| ANNULUS CEMENTING WITH COIL TUBING PACKER METHODS WITH CASE STUDY ON SISI NUBI FIELD..... | 1 |
| <i>Rachman, R.; Abidy, I.</i> | |
| DELIVERING A SUCCESSFUL ACID FRACTURING JOB THROUGH INTEGRATED GGR ANALYSIS AND STIMULATION STUDY, CASE STUDY OF A TIGHT GAS-CONDENSATE RESERVOIR IN CENTRAL KALIMANTAN, INDONESIA..... | 11 |
| <i>Rizkiaputra, R.; Goesmiyarso, S.; Ramadhan, D.; Laya, K. P.; Subekti, A.</i> | |
| A SUCCESS STORY OF UNLOCKING DEPLETED CHANNEL RESERVES IN TUNU GAS FIELD, MAHAKAM DELTA, INDONESIA..... | 25 |
| <i>Gumilar, D. D.; Santo, A.; Priskila, L. M.; Danurwenda, A.; Amar, R. A.; Sitorus, A. I. J.</i> | |
| INCREASING OIL PRODUCTION BY GAS LIFT INJECTION POINT DETECTION BASED ON WELL TEST DATA: FIELD EXPERIENCE IN THE HANDIL FIELD..... | 46 |
| <i>Andari, A. M.; Kusuma, D. H.; Putro, R. W. S.</i> | |
| WATERFLOOD IN A TIGHT, HETEROGENEOUS, WATER-SENSITIVE, AND MASSIVELY FRACTURED RESERVOIR..... | 57 |
| <i>Arnold, R.; Asrul, F.</i> | |
| MARGINAL FIELD WITH LOW RESISTIVITY PAY ZONE IN CENTRAL SUMATRA BASIN: WHAT WE CAN LEARN..... | 66 |
| <i>Arief, A.; Setiawan, A. J.</i> | |
| MAHAKAM FIELD CHARACTERIZATION USING PRODUCTION TYPE-CURVE WITH BUSINESS INTELLIGENCE APPLICATION..... | 82 |
| <i>Noverri, P.; Utama, F.</i> | |
| SUCCESSFUL WELL INTEGRITY ASSURANCE WITH ESP PACKER UTILIZATION – A CASE IN SOUTH SUMATRA ON-SHORE..... | 95 |
| <i>Adi, M.; Zulhen, A.; Sedayu, A.; Jalasatriya, A. B.; Huda, A. I.</i> | |
| SUCCESSFUL GEOLOGICAL STRATEGY FOR SETTING INTERMEDIATE CASING PRIOR APPROACHING KUJUNG CARBONATE IN JAMBARAN FIELD, CEPU BLOCK..... | 106 |
| <i>Fikri, R.; Aulia, F.; Natawijaya, M. A.; Ditya, A.; Prakasa, Y.</i> | |
| AN INTEGRATED APPROACH TO MAP TUBULAR DEGRADATION IN ONWJ FIELD..... | 118 |
| <i>Sajjad, F.; Chandra, S.; Ompusunggu, J. Z. M.; Suganda, W.</i> | |
| ACHIEVING OPERATIONAL EXCELLENCE FOR GAS LIFT MODELING IN HIGH ANGLE WELLS WITH MULTIDISCIPLINARY APPROACH..... | 124 |
| <i>Sajjad, F. M.; Santoso, M.; Rahmawati, S. D.; Chandra, S.; Prawesti, A.</i> | |
| THE SUCCESS STORY OF SECONDARY RECOVERY USING PERIPHERAL METHOD WATERFLOODING IN CARBONATE RESERVOIR NORTH EAST AIR SERDANG (NEASD) AND GURUH (GRH) FIELD PERTAMINA HULU ENERGI OGAN KOMERING..... | 133 |
| <i>Mulyono, J.; Fitriana, B. S.; Rivaldi, G.; Simpari, E.</i> | |
| SUCCESS STORY OF SINGLE-JOB MULTIPLE ZONES CHEMICAL SAND CONSOLIDATION IN MAHAKAM DELTA..... | 143 |
| <i>Warsito, S.; Kurniawati, P. S.; Hidayat, R.; Rahman, R.; Marindha, R.</i> | |
| FIT-FOR-PURPOSE HISTORY MATCHING APPROACH FOR A LOW-QUALITY RESERVOIR UNDER WATERFLOOD: INTEGRATION OF UNCERTAIN PRODUCTION ALLOCATION..... | 151 |
| <i>Syafwan, M.; Dujardin, B. O.; Bhark, R. W.; Rahman, Y.; Anggaraini, H.</i> | |
| EVIDENCES AND NEW METHOD TO SOLVE TORTUOSITY PROBLEM OF HYDRAULIC FRACTURING JOB IN THE ROKAN BLOCK..... | 163 |
| <i>Trisnadi, M. A.; Pranadipa, I.</i> | |
| 5 YEARS APPLICATION OF ACOUSTIC SAND DETECTION TOOL IN SANDY WELLS ENVIRONMENT..... | 177 |
| <i>Widarena, T.; Permana, I. G.; Kusuma, D. K.; Wahyudi, R.; Sinuraya, D.</i> | |
| FULL FIELD EOR IMPLEMENTATION OF A LOW COST SURFACTANT CONTINUOUS INJECTION AT ARAHAN-BANJARSARI, SOUTH SUMATRA..... | 191 |
| <i>Ariadji, T.; Nugroho, W.; Manaf, N. A.; Mulyoadi, K. A.; Suzalin, A.</i> | |
| ESP OPTIMIZATION GOES FURTHER: OPERATING FREQUENCY BEYOND 60 HZ..... | 201 |
| <i>Muklas, A. N.; Ariwibowo, B.; Kusuma, H.; Amijaya, W.; Darmawan, D.</i> | |

| | |
|---|-----|
| HPHT ZONAL ISOLATION AND TRIPLE TUBULAR PERFORATION: A SUCCESS STORY OF RE-ACCESSING OLD RESERVOIR WITHOUT RECOMPLETION WITH RIG | 216 |
| <i>Satiawarman, A.; Simatupang, A. R. J.; Yudha, L. P.; Hartanto, R.; Fibisono, B.</i> | |
| SUCCESS STORY FROM DRILLING PROGRAM EVALUATION OF DEVELOPMENT WELLS IN 2018 & 2019, AND HOW TO PROMOTE AN EFFECTIVE DRILLING PROGRAM FOR 2020 AND BEYOND FOR INDONESIA | 231 |
| <i>Faisal, S. A.; Prilyanata, C.</i> | |
| QUADRANT MAPPING ARTIFICIAL LIFT CONCEPT | 239 |
| <i>Rohman, A. F.; Hanggoro, R. E.; Febriana, C.; Sany, S.</i> | |
| MULTI-CYCLE SHEAR FRACTURING TECHNIQUE AS A PRODUCTION ENHANCEMENT APPROACH FOR A THIN, SHALLOW AND UNCONSOLIDATED FORMATION | 246 |
| <i>Palupi, A.; Susanta, P.; Fatah, M. Y. A.; Efriza, I.; Prabowo, D. H.</i> | |
| SAND FREE PRODUCTION SUCCESS THROUGH PROVEN TECHNOLOGY ENABLER FROM AN UNTAPPED HETEROGENEOUS RESERVOIR ZONE UTILIZING GRAVEL PACK REPLACEMENT METHODOLOGY | 253 |
| <i>Anggoro, Y.; Pracoyo, D.; Jackson, S. R.; Gundemoni, B. R.; Barth, P.</i> | |
| IDLE WELLS REVIVAL GUIDANCE TO OPTIMIZE REMAINING GAS IN SHALLOW ZONE OF TUNU FIELD, MAHAKAM: TAKING ADVANTAGE FROM RESERVOIR RE-EQUILIBRIUM | 268 |
| <i>Ashfahani, A. S.; Dading, A. M. R.; Wiendyahwati, S.; Amar, R. A.; Grahadiningrat, F.</i> | |
| BOTTOM HOLE ASSEMBLY DESIGN ENHANCEMENT SUCCESSFULLY ELIMINATE HOLE PROBLEMS AND REDUCE SIGNIFICANT DRILLING TIME : SOUTH S FIELD CASE STUDY | 294 |
| <i>Mulia, Y. D.; Anandaputra, S. H.; Haurissa, P.; Subroto, B.; Hadinata, D.</i> | |
| BANYU URIP UPPER PERFORATION SHUT-OFF: A SUCCESS STORY OF HYDROFORMED EXPANDABLE CASING PATCH INSTALLATION TO REDUCE GOR AND MAXIMIZE OIL PRODUCTION | 317 |
| <i>Saputra, D.; Nugraha, P. K. A.; Patel, N. C.; Albouy, C.</i> | |
| DIGITALIZATION IN OFFLOADING FOR MATURE WELL REVIVAL OPTIMIZATION: CASE STUDY OF PECIKO GAS FIELD | 330 |
| <i>Hidayat, D.; Rusdi, R. K.; Garmana, I. A. A.</i> | |
| INTEGRATED RESERVOIR MANAGEMENT STRATEGY IN SISI NUBI MATURE GAS FIELD TO UNLOCK RESERVES AND PRODUCTION OPTIMIZATION | 344 |
| <i>Azhar, R. M. P.; Dodiono, S. T.; Hayati, I. F. H.</i> | |
| INTEGRATED TUBULARS SUPPLY MODEL PROVIDES COST SAVINGS TO DRILLING PROJECTS | 364 |
| <i>Hamzah, M.; Revanur, C.; Fikuspati, A.</i> | |
| COMPREHENSIVE SURFACE FACILITIES DEBOTTLENECKING STRATEGY TO MAXIMIZE DELIVERY POTENTIAL IN SOUTH MAHAKAM – PERTAMINA HULU MAHAKAM | 372 |
| <i>Rusdi, R. K.; Afia, N.; Bachtiar, R.; Guciano, M. F.; Sia, S.</i> | |
| CONCEPT SELECTION METHODOLOGY FOR CONTAMINATED GAS FIELDS IN OFFSHORE MALAYSIA | 383 |
| <i>Saad, S.</i> | |
| IMPLEMENTATION OF ADVANCED OFFSHORE STRUCTURE INTEGRITY MANAGEMENT BASED ON API RP2SIM IN MEDCO E&P OFFSHORE | 396 |
| <i>Islami, E.</i> | |
| INTEGRATED OPTIMIZATION OF SIMOPS (DRILLING, WELL INTERVENTION, AND PRODUCTION) ON JACKUP RIG : A CASE STUDY OF UNDER CANTILEVER OPERATIONS AT X-1 PLATFORM IN MAHAKAM ASSET | 412 |
| <i>Hidayat, R.; Hutahaean, R.; Redjeki, A. S.; Kurniawati, P. S.; Pancawisna, G.</i> | |
| SEVEN PILLARS IN COST EFFECTIVENESS FOR SUSTAINING THE LIFE OF MATURE FIELDS: AN EXAMPLE FROM MAHAKAM BLOCK | 428 |
| <i>Herwin, H.; Anis, J.; Purwanto, E. Y.; Dharma, W. S.</i> | |
| SOLVING SHEAR-WAVE SPLITTING IN PS DATA PROCESSING OF 3D 4C OBN SEISMIC SURVEY OFFSHORE NUNUKAN, INDONESIA | 440 |
| <i>Waluyo, A.; Tilling, D.; Supriyono, S. R.; Rasa, A. W.</i> | |
| ABNORMAL PRESSURE DELINEATION IN THE EAST JAVA BASIN AND ITS IMPLICATION FOR HYDROCARBON EXPLORATION | 447 |
| <i>Bernando, N. H.</i> | |
| SHALLOW GAS IDENTIFICATION USING LWD MONOPOLE SONIC: A-NON RADIOACTIVE FOR SAFE AND EFFECTIVE LOGS ACQUISITION IN TUNU FIELD, MAHAKAM DELTA | 470 |
| <i>Santoso, A. T.; Mukmin, H.; Hidayat, H. K.=Supriady</i> | |

| | |
|---|-----|
| 3D NATURAL FRACTURE PREDICTION USING INTEGRATED METHOD OF STRUCTURAL RESTORATION AND GEOMECHANICAL FORWARD MODELLING: CASE STUDY IN SOUTH SUMATRA BASIN, INDONESIA | 485 |
| <i>Risyad, M.; Brata, R.; Muhtar, B. I.; Purwanto, A. H.</i> | |
| UNLOCKING HYDROCARBON RESERVES BY OPTIMIZING PORE PRESSURE AND FRACTURE PRESSURE PREDICTIONS IN MATURE MAHAKAM DELTA FIELDS | 497 |
| <i>Pramono, W.; Fadlan, D.; Lesmana, R.; Rosa, G.</i> | |
| GEOCHEMISTRY EVALUATION AND OIL TO SOURCE ROCK CORRELATION OF LHOKSEUMAWE AREA, NORTH SUMATRA BASIN | 508 |
| <i>Aditya, M.; Akmal, N.; Shamlan, A. H.</i> | |
| REJUVENATING THE CONCEPT OF THE SALODIK GROUP RESERVOIR OF THE BANGGAI BASIN THROUGH SURFACE GEOLOGICAL MAPPING AND MULTI-METHOD ANALYSES | 520 |
| <i>Prabawa, G.; Jambak, M. A.; Harnest, B.; Irano, T.; Ibrahim, I.</i> | |
| NOVEL APPROACH ON THIN BED RESERVOIR CASE STUDY FROM MUDA FORMATION, NATUNA BASIN | 535 |
| <i>Panjaitan, J. P.; Saripudin, A.; Widyasari, A.; Dewanda, R.; Xu, J.</i> | |
| OIL SATURATION LOG PREDICTION USING NEURAL NETWORK IN NEW STEAMFLOOD AREA | 553 |
| <i>Syahputra, A.</i> | |
| IMPROVING PROSPECT EVALUATION BY INTEGRATION SATURATION HEIGHT FUNCTION INTO THE RESOURCE ASSESSMENT WORKFLOW | 558 |
| <i>Sugiharto, Y. E.; Ralphie, B.</i> | |
| ENHANCE SEISMIC QUALITY WITH A FAST, ROBUST AND ECONOMIC SOLUTION USING BROADBAND TECHNOLOGY | 568 |
| <i>Syarif, M.; IqSORA, V.; Avrino, A.; Abdullah, A.</i> | |
| PETROLEUM SYSTEMS ANALYSIS OF THE TUNGKAL PSC AREA, SOUTH SUMATRA – A MEANS OF ADDING NEW LIFE TO A MATURE AREA | 582 |
| <i>Livsey, A.</i> | |

VOLUME 2

| | |
|---|-----|
| THE SIGNIFICANT IMPACT OF INTRAFORMATIONAL SEAL TO HYDROCARBON ACCUMULATION OF MIXED CARBONATE - SILICICLASTIC SEQUENCES IN OLIGO-MIOCENE INTERVAL, NORTH MADURA PLATFORM, EAST JAVA BASIN | 605 |
| <i>Wijaya, A. K.; Juliansyah, M. N.</i> | |
| “PIRAMIDA TINGGI, A STATE OF THE ART TO FULFILL OBLIGATION OF FORESTRY PERMIT ON WATERSHED REHABILITATION AT PT PERTAMINA HULU MAHAKAM” | 613 |
| <i>Sarwanto, P.; Akbar, R. G.</i> | |
| SIGNIFICANCE IMPACT OF STATE AND LOCAL GOVERNMENT ENGAGEMENTS IN OVERCOMING SPILL CASES DUE TO ILLEGAL TAPPING | 619 |
| <i>Hadi, F.; Pradana, M. A.</i> | |
| COST EFFECTIVE PERMANENT WELL PLUG & ABANDON ON CLUSTER-X WITH COMPLEX WELL CONDITIONS | 630 |
| <i>Biondi, B.; Lukmana, A. H.; Putradianto, R. R.</i> | |
| CORROSION MODELLING OF GAS WELLS WITH EXCESSIVE SAND PRODUCTION: CASE STUDY OF FIELD Y IN INDONESIA | 639 |
| <i>Biladi, A. I.; Chandra, S.; Utama, M. E. A.; Widagdo, J. A.; Chandra, V.</i> | |
| CASE STUDY: MAXIMIZING BUSINESS PERFORMANCE BY OPTIMIZING SUPPLY CHAIN OF LNG-C DISTRIBUTION OF 9 GAS POWER PLANTS WITH A CAPACITY OF 780 MW IN EASTERN INDONESIA | 649 |
| <i>Wara, A. D.; Nurajifah, D.; Zein, I. A. T. Y.</i> | |
| STRUCTURAL HEALTH MONITORING OF AN OFFSHORE PLATFORM TREND OF CORROSION AND MARINE GROWTH WITH PREDICTIVE MAINTENANCE | 663 |
| <i>Suharto, K. S.</i> | |
| DETERMINATION OF OPTIMUM PARAMETERS FOR ANAEROBIC THERMOPHILIC BACTERIUM INJECTION USING COMMERCIAL SIMULATOR: CORE FLOODING VALIDATION AND SENSITIVITY | 671 |
| <i>Koto, A.; Sudarmoyo, Hamdan, H.; Adipta, A.</i> | |

| | |
|--|-----|
| INTEGRATING WIRELINE LOGS AND SEISMIC DATA TO ANALYSE THE FACIES AND PALEOGEOGRAPHY OF TANJUNG FORMATION, BARITO BASIN, SOUTH KALIMANTAN | 678 |
| <i>Rosa, E. A.; Rahmadio, K.; Nafi, F.; Sherafim, J. M.</i> | |
| CHARACTERISTICS OF FACIES ASSOCIATIONS, ICHNOFACIES AND MICROFOSSILS FOR DEPOSITIONAL ENVIRONMENT INTERPRETATION OF THE CLASTIC PULAU BALANG FORMATION, SAMARINDA | 690 |
| <i>Andika, B.; Setiawan, A.; Muhtadin, M. Z.; Balfas, M. D.; Sasmito, K.</i> | |
| CHARACTERIZATION OF DEPOSITIONAL FACIES USING ARTIFICIAL INTELLIGENCE METHOD BASED ON ELECTRICAL LOG DATA | 701 |
| <i>Mahendra, M. D.; Pramesti, M. A.; Utami, V.; Septyandy, M. R.; Adityo, R.</i> | |
| BIOGENIC GAS RESERVOIR DISTRIBUTION ANALYSIS USING AI INVERSION AND SEISMIC ATTRIBUTES IN THE NIAS BASIN, NORTH SUMATRA | 711 |
| <i>Haris, N. A.; Mustafa, N. S.; Rifai, F. Y.; Zulivandama, S. R.; Aswad, S.</i> | |
| OVERPRESSURE IDENTIFICATION USING THE EATON METHOD ON THE GUMAI FORMATION OF GERAGAI GRABEN, JAMBI SUB BASIN | 728 |
| <i>Marnila, A. O.; Fahrudi, Y.; Nursina, M. I.; Resta, I. L.; Utama, H.W.</i> | |
| SEQUENCE STRATIGRAPHY ANALYSIS BASED ON WIRELINE LOG, MUDLOG, AND 2D SEISMIC OF GHC FIELD, BAONG FORMATION, ARU SUB BASIN, NORTH SUMATRA BASIN | 738 |
| <i>Yulitha, G. C.; Utama, H. W.; Kurniawan, F. H.</i> | |
| GEOCHEMICAL CHARACTERISTICS OF OIL AND RESERVOIR DEPOSITIONAL ENVIRONMENT ANALYSIS OF TALANG AKAR FORMATION (TAF) IN THE “AMP” FIELD, JABUNG BLOCK, JAMBI SUB-BASIN, SOUTH SUMATRA BASIN | 749 |
| <i>Prayoga, A.; Muthasyabiha, S. R.; Surjono, S. S.; Purwanto, A. H.; Ketaren, L. R.</i> | |
| OIL TO SOURCE ROCK CORRELATION USING BIOMARKER DATA THROUGH PATTERN MATCHING AND FINGERPRINTING ANALYSIS IN “KITKAT” FIELD, JABUNG BLOCK, SOUTH SUMATRA BASIN | 762 |
| <i>Muthasyabiha, S. R.; Prayoga, A.; Setyawan, R.; Syam, B.; Fahrudi, Y.</i> | |
| MORPHOTECTONIC ANALYSIS OF TANJUNG BUNGO AREA BASED ON GEOLOGICAL STRUCTURE CONTROL, CENTRAL SUMATERA BASIN | 781 |
| <i>Putri, D. A. L. A.; Hastuti, E. W. D.</i> | |
| DEPOSITIONAL ENVIRONMENT DRIVE AS OVERPRESSURE GENERATION: STUDY CASE IN “GAP” FIELD, NORTH WEST JAVA BASIN | 797 |
| <i>Prasetyo, A. C.; Gilang, A.; Nurramdhan, P.; Cafreza, T.; Syaifuddin</i> | |
| DEPOSITIONAL ENVIRONMENT AND VERTICAL DISTRIBUTION BASED ON CORE ANALYSIS TO EVALUATE THE PRODUCTION RATE OF THE RESERVOIR (CASE STUDY: ARUN CARBONATE RESERVOIR, NORTH SUMATRA, INDONESIA) | 807 |
| <i>Perdana, M. W.; Princessca, C.; Kusumawati, N.; Zahra, K. H.</i> | |
| BIOMARKER CHARACTERISTIC OF KELESA OIL SHALE AS EVIDENCE OF THE SOURCE OF ORGANIC MATTER, DEPOSITIONAL ENVIRONMENT, AND MATURITY INTERPRETATION | 816 |
| <i>Hartono, B. M.; Zajuli, M. H. H.; Subroto, E. A.; Pangestu, A. B.</i> | |
| REMBANG ZONE PETROLEUM PLAY, STRATIGRAPHIC AND PETROGRAPHIC ANALYSIS OF NGRAYONG FORMATION AS RESERVOIR, JAMPRONG AREA, TUBAN, EAST JAVA | 825 |
| <i>Reka, D. S.; Izah, K. N.; Mahdi, T. A.; Novian, M. I.</i> | |
| DEPOSITIONAL ENVIRONMENT AND PETROLEUM SYSTEM ANALYSIS BASED ON OUTCROP ANALOGUE IN SUKOLILO OUTCROP, TUBAN REGENCY, EAST JAVA PROVINCE | 834 |
| <i>Putri, D. A. L. A.; Hastuti, E. W. D. H.</i> | |
| THE GROBOGAN MUD VOLCANO COMPLEX: AN IDENTIFICATION TO REVEAL THE OPPORTUNITY OF HYDROCARBON EXPLORATION | 843 |
| <i>Jatu, C.; Adventino</i> | |
| REMOTE SENSING APPLICATION AND GEOCHEMICAL STUDIES FOR HYDROCARBON-INDUCED ALTERATIONS DISCOVERIES IN WESTERN KENDENG ZONE | 851 |
| <i>Maulana, F. R.; Yogiswara, G.; Fairuz, S. N.; Maudysha, A. F.; Nugroho, U. C.</i> | |
| WHAT WILL BE NEXT? AFTER A DECADE OF EXPLORATION ACTIVITIES TOWARDS GIANT DISCOVERY IN INDONESIA | 860 |
| <i>Wiratno, J.; Ernata, W. M.</i> | |
| THE JOURNEY TO ESTABLISH JACK-UP DRILLING RIG CONTRACT IN INDONESIA DURING UPWARD DEMAND | 872 |
| <i>Akbar, M. I.; Tobing, J. M. L.; Setiawan, T.</i> | |

| | |
|---|-------------|
| MANAGING OIL AND GAS PROJECT VALUE BY PRIME (PERTAMINA INVESTMENT MANAGEMENT ENGINE) | 883 |
| <i>Febrian, F.; Nurwinahyu, H.; Makarim, F.; Astari, A.</i> | |
| MULTI ZONE SINGLE TRIP GRAVEL PACK SYSTEM DEPLOYED ON HYDRAULIC WORKOVER UNIT: HOLISTIC APPROACH TO OPTIMIZE DRILLING AND COMPLETION COST IN THE MAHAKAM DELTA | 889 |
| <i>Maharanoe, M. I.; Wijaya, R.; Muryanto, B. H.; Manalu, D.; Tokoh, K. W.</i> | |
| NO WAIT-ON-CEMENT (NO WOC) SUCCESSFULLY APPLIED IN PERTAMINA HULU MAHAKAM (PHM) AND CREATING SIGNIFICANT WELL RIG TIME SAVING | 906 |
| <i>Sinaga, H. A.; Sardjono, H.; Manalu, D. S.; Agriawan, C.</i> | |
| BREAKTHROUGH ON ROUTINE SERVICE CYCLE TIME IMPROVEMENT – LEAP FROG CONCEPT, DURI FIELD, INDONESIA | 917 |
| <i>Irawan, R.; Kusumah, A. W.</i> | |
| PRESSURE ACTIVATED SEALANT TO RESTORE TUBING INTEGRITY – CASE STUDY OF WELL TN-X IN MAHAKAM | 927 |
| <i>Dahnil, G. T.; Wibowo, A. S.; Marindha, R.; Kurniawati, P. S.; Rahman, R.; Hidayat, R.</i> | |
| UNLOCKING OIL RESOURCES WITHOUT ARTIFICIAL LIFT USING TESTING BARGE IN TAMBORA GAS FIELD | 940 |
| <i>Anggoro, J. A.; Saragih, B.; Pradityo, R.</i> | |
| SURFACE CASING PERFORATION, A PROMISING AND RELIABLE SOLUTION FOR PRODUCING MARGINAL RESERVES OF SHALLOW RESERVOIR LAYER IN SHALLOW GAS PRONE TUNU FIELD | 946 |
| <i>Putro, R. W. S.; Sayogyo, B.; Dahnil, G. T.; Warsito, S.</i> | |
| THE EFFECT OF ANIONIC AND ALKALINE SURFACTANT SYNTHESIS IN SPONTANEOUS IMBIBITION ON SANDSTONE | 960 |
| <i>Latief, F. W.; Dedi P. D.; Nurdiana, U. I.</i> | |
| AN INNOVATIVE WELL INTERVENTION FOR PRODUCTION OPTIMIZATION IN DEPLETED GAS RESERVOIRS THRU COIL TUBING | 966 |
| <i>Wijayanto, D.; Ghozali, F.; Rianasari, R.; Parulian, R.; Hidayat, S. N.; Bong, F.</i> | |
| GEOMECHANICAL MODELING AND EQUIVALENT CIRCULATING DENSITY (ECD) MANAGEMENT- AN INTEGRATED APPROACH FOR SUCCESSFULLY DRILLING AND MANAGING LOSSES IN HIGHLY DEPLETED SANDS | 973 |
| <i>Chatterjee, A.; Ghosh, A.; Moorthy, P. R. S.</i> | |
| INTEGRATED PROCESS SAFETY TOOLS FOR MANAGING RISK OF ABNORMAL OPERATIONS CONDITION IN MEDCO E&P | 986 |
| <i>Ismail, D.; Delianti, A.; Kusuma, E. D.; Sitanggang, M.; Anindita, C.</i> | |
| CONCEPT+ 2.0 - THE REVOLUTION OF SMALL AND MARGINAL FIELDS | 997 |
| <i>Nordin, N.; Azmi, N. A. M.</i> | |
| ANALYSIS OF THE HIDROCARBON SANDSTONE DISTRIBUTION USING ROCK PHYSICS AND PETROPHYSIC CALCULATIONS, SIMULTANEOUS INVERSION, EXTENDED ELASTIC IMPEDANCE (EEI) AND CURVED PSEUDO-ELASTIC IMPEDANCE (CPEI) IN X FIELD BONAPARTE BASIN | 1003 |
| <i>Kusuma, A. H.; Syafitri, M. N.; Fahrurrozi, Z.</i> | |
| PREDICTION OF HYDROCARBON SOURCES IN THE WALIO AREA, SALAWATI BASIN, WEST PAPUA, INDONESIA | 1017 |
| <i>Ozza, T.; Sompie, M.; Utoro, E. S.; Seneshen, D.; Kurniawan, A. A.</i> | |
| PRESSURE INDEX (PI): A NOVEL PRACTICAL METHOD FOR EVALUATING PRESSURE IN OFFSHORE MALAYSIA | 1032 |
| <i>Sugiharto, Y. E.; Gaafar, G. R.; Ishak, I. F.; Ralphie, B.; Banuri, M.</i> | |
| UNDERSTANDING THE MESOZOICS BEYOND BASALT: A CASE STUDY OF SUB-BASALT IMAGING | 1045 |
| <i>Sengupta, S.; Goswami, S. K.; Jones, G. M.; Chowdhury, B.; Sazykin, A.</i> | |
| NEW TECTONIC RECONSTRUCTIONS OF NEW GUINEA DERIVED FROM BIOSTRATIGRAPHY AND GEOCHRONOLOGY' | 1050 |
| <i>Gold, D. P.; Gallego, M.; Holm, C., R.; Webb, M.; White, L. T.</i> | |
| THE IMPORTANCE OF IDENTIFYING THE EVIDENCE OF HYDRODYNAMIC TRAPPING FOR NEW WELL PLACEMENT IN MATURE OFFSHORE STUPA FIELD | 1076 |
| <i>Anshariy, A. H.; Endarto, W.; Irawan, A.; Utama, F.</i> | |
| BIOSURFACTANT ADDITION INTO SOLVENT EXTRACTION PROCESS OF OILY CONTAMINATED SOLID WASTE | 1089 |
| <i>Fitriyani, L.; Kardena, E.; Sukandar=Helmy, Q.</i> | |

| | |
|--|-------------|
| A LABORATORY EXPERIMENTAL AND RESERVOIR SIMULATION ESTIMATION ON MINIMUM MISCIBLE PRESSURE (MMP) FOR CO₂ INJECTION IN HIL OIL FIELD | 1100 |
| <i>Hilal, H.; Suranto; Damayandri, D.; Koto, A.</i> | |
| DISTRIBUTION AND MECHANISM FORMING OF OVERPRESSURE SHALE GUMAI ON JAMBI SUBBASIN, SOUTH SUMATERA BASIN | 1110 |
| <i>Sumarsono, R. G.; Utama, H. W.; Asral, N. I.; Achnopha, Y.; Indryanto, Y.</i> | |
| INTEGRATED SUBSURFACE TO SURFACE MODELING TO ASSESS RESERVOIR UNCERTAINTY QUANTIFICATION TO A CARBONATE RESERVOIR..... | 1119 |
| <i>Chaterine, A.; Perwira, A.; Azhar, A. R.; Rahmawati, S. D.</i> | |
| INTEGRATED SEDIMENTOLOGY CHARACTERS AND SEISMIC GEOMORPHOLOGY FOR RESERVOIR PREDICTION OF TIDAL SHELF RIDGE: THE UPPER CIBULAKAN FORMATION AS A SHALLOW MARINE RESERVOIR ANALOGUE | 1127 |
| <i>Rasyid, F. N.; Azen, M.; Ramadhan, R.; Setiawan, P. K. D.</i> | |
| COMPARISON OF INTERVAL VELOCITY AND INVERSION VELOCITY USAGE TO BUILD 3D PORE PRESSURE MODELS – CASE STUDY: JA FIELD, EAST JAVA BASIN..... | 1143 |
| <i>Arief, J. H.; Juwono, A. M.; Muhajir</i> | |
| BETTER UNDERSTANDING ON DIAGENETIC PROCESSES IN THE LOW PRODUCTIVITY RESERVOIRS: AN OPENER APPROACH FOR FURTHER TAMBORA G ZONE DEVELOPMENT STRATEGY | 1153 |
| <i>Said, D. K.; Cahyaningtyas, D. R.; Jong, Y.; Supriady</i> | |
| NEW INSIGHT INTO BERAU SUB-BASIN NORTH EAST BORNEO: BASIN EVOLUTION AND TECTONOSTRATIGRAPHY AND THEIR IMPLICATION TO NEW EXPLORATION PLAY CONCEPT | 1168 |
| <i>Krisnabudhi, A.; Gunawan, A.; Putra, Y. A.; Amal, A. N.; Ardiansyah, B. F.</i> | |
| STRUCTURAL EVOLUTION USING SEISMIC LOW FREQUENCY MAGNITUDE APPROACH: A CASE STUDY ON DEFINING STRIKE-SLIP DEVELOPMENT IN WEST NATUNA BASIN, INDONESIA..... | 1175 |
| <i>Riadini, P.; Rizaldi, O.; Ritonga, A. B.; Abdurahman, B.</i> | |

Author Index