

---

# Chemical Sensors 8: Chemical (Gas, Ion, Bio) Sensors and Analytical Systems

---

## Editors:

### **R. Mukundan**

Alamos National Laboratory  
Los Alamos, New Mexico, USA

### **Z. Aguilar**

Vegrandis LLC  
Fayetteville Arkansas, USA

### **C. Bruckner-Lea**

Pacific Northwest National Laboratory  
Richland, Washington, USA

### **N. Miura**

Kyushu University  
Fukuoka, Japan

### **G. Hunter**

NASA Glenn Research Center  
Cleveland, Ohio, USA

### **M. Carter**

Eltron Research and Development, Inc  
Boulder, Colorado, USA

### **F. Mizutani**

University of Hyogo  
Hyogo, Japan

### **Y. Shimizu**

Nagasaki University  
Nagasaki, Japan

## Sponsoring Division:



Sensor



Published by

**The Electrochemical Society**

65 South Main Street, Building D  
Pennington, NJ 08534-2839, USA

tel 609 737 1902

fax 609 737 2743

[www.electrochem.org](http://www.electrochem.org)

**ecstransactions**™

**Vol. 16 No. 11**

---

Copyright 2008 by The Electrochemical Society.  
All rights reserved.

This book has been registered with Copyright Clearance Center.  
For further information, please contact the Copyright Clearance Center,  
Salem, Massachusetts.

Published by:

The Electrochemical Society  
65 South Main Street  
Pennington, New Jersey 08534-2839, USA

Telephone 609.737.1902  
Fax 609.737.2743  
e-mail: [ecs@electrochem.org](mailto:ecs@electrochem.org)  
Web: [www.electrochem.org](http://www.electrochem.org)

ISSN 1938-6737 (online)  
ISSN 1938-5862 (print)

ISBN 978-1-56677-657-8 (Hardcover)  
ISBN 978-1-60768-010-9 (PDF)

Printed in the United States of America.

---

## Table of Contents

<i>Preface</i>	<i>iii</i>
<b>Chapter 1</b> <b>Bio Sensors</b>	
Applications of Thick Film Screen Printing and Ink Jet Printing for the Manufacturing of Single Use, Disposable Biosensors * <i>C. Liu</i>	3
Inkjet Printing Glucose Oxidase for Biosensor Applications <i>T. Wang, C. Cook and B. Derby</i>	15
Screen-printed Algal Biosensor with Flow Injection Analysis System for Toxicity Test <i>I. Shitanda, S. Takamatsu, M. Itagaki and K. Watanabe</i>	21
Immunoassay for Insulin Using Highly-Sensitive Hydrogen Peroxide Sensors Based on Charge Accumulation Systems <i>T. Yasukawa, E. Ohta, Y. Mie, O. Niwa and F. Mizutani</i>	27
Development of a High-Sensitive Immunosensor Based on Monitoring Redox Signal of Gold Nanoparticle <i>K. Idegami, M. Chikae, K. Kerman and Y. Takamura</i>	37
A Fiber-Optic Fluorometric Immunoassay for Determination of Dermatophagoides Farinae Allergen (Der f1) <i>K. Miyajima, T. Koshida, H. Saito, H. Kudo, K. Yano and K. Mitsubayashi</i>	49
Surface Plasmon Resonance (SPR) based Immunosensor for Sensitive Detection of Thyroxine <i>S. Kim, R. Dhesingh, T. Kawaguchi and N. Miura</i>	55
Simultaneous On-chip Surface Plasmon Resonance Measurement of Disease Marker Protein and Small Metabolite <i>R. Kurita, K. Nakamoto, N. Sekioka and O. Niwa</i>	61
Immuno-chromatographic Test-strip for Skin Cathepsin L Analysis <i>M. Yamaguchi, S. Kosaka, Y. Tahara and A. Date</i>	67

Artificial Siderophore-Modified Au electrode for Adsorption and Sensing Microbe <i>H. Tanabashi, T. Inomata, H. Eguchi, Y. Funahashi, T. Ozawa and H. Masuda</i>	75
Investigation of Microencapsulated Laccase as Enzyme Immobilization Template for Application in Bio-fuel Cell <i>M. Hébert and D. Rochefort</i>	85
A Flexible and Wearable Biosensor for Continuous Glucose Monitoring on Eye Site <i>H. Kudo, S. Iguchi, K. Miyajima, H. Saito and K. Mitsubayashi</i>	99
Study of Ferrocene-modified G4 PAMAM Dendrimer for Reagentless Biosensor Development <i>D. Deriu, G. Favero, A. D'Annibale and F. Mazzei</i>	105
Highly Sensitive Detection of Influenza Virus Hemagglutinin by Electrochemiluminescence Using Immunoliposome <i>N. Egashira, S. Morita, Y. Mitoma, E. Hifumi and T. Uda</i>	115
Centrifugal Flow Device for High-throughput Detection of Cancer Marker CEA <i>N. Matsunaga, S. Furutani and I. Kubo</i>	123
Measurement of Endocrine Disruptors in Plastic Container (Styrofoam) by Capillary Electrophoresis Amperometric Method <i>K. Ha, G. Joo, S. Jha, H. Lee, T. Yoon and Y. Kim</i>	129

## Chapter 2 Microfabrication and Microfluidics

Photothermal Spectroscopy using Microfabricated Cantilever Sensors <i>T. G. Thundat, L. R. Senesac, C. Van Neste, A. Krause and E. Finot</i>	137
Microcantilever with Carboxyl-Functionalization for Mercury Ion Detection <i>Y. Chou, W. Tseng, C. Wu, T. Lee and S. Lai</i>	143
Voltammetry of the Pb/Pb <sup>2+</sup> Redox Couple using a Gold Microcantilever Electrode <i>A. F. Bange, G. Brown, L. R. Senesac and T. G. Thundat</i>	147
Mass Sensitive, Lorentz-Force Actuated, MEMS Preconcentrator and Chemical Sensor <i>R. P. Manginell, D. Adkins, M. Moorman, R. Hadizadeh, D. Copic, D. Porter, J. Anderson, D. Wheeler, K. Pfeifer and A. Rumpf</i>	155

Development of Self-contained Microelectrochemical Array Assays for Whole Organisms <i>Z. Aguilar, M. Sirisena, J. Gertsch, E. Pacsial-Ong, P. Y. Narasimhan, C. Wansapura, G. Kuzmicheva, A. Henrichs, J. Aday, M. Norman, Y. Aguilar and L. Estorninos</i>	165
Microfabricated Magnetoelastic Biosensors for the Detection of Bacillus Anthracis Spores <i>S. Li, M. Johnson, J. Wan, V. Petrenko and B. A. Chin</i>	177
A Novel Microfluidic Whole Cell Biosensor Based on Electrochemical Detection for Water Toxicity Analysis <i>H. Ben-Yoav, Y. Shacham-Diamand, A. Freeman, A. Biran, R. Pedahzur, S. Belkin, S. Buchinger and G. Reifferscheid</i>	187
Advanced Conductivity Detection for Microfluidics <i>W. E. Hoffmann, H. Muehlberger, W. Hwang, L. P. Petrova, T. Mootz, M. Saumer, A. E. Guber and V. Saile</i>	199
Topographic Effects of Microstructured Biosensors <i>H. D. Wanzenboeck, S. Forouzan, E. Bertagnolli, I. Guell, M. Wirth and F. Gabor</i>	209
Development of Microelectrodes for Integrated CMOS Chemical Sensors <i>F. Cao, D. Greve and I. Oppenheim</i>	217

### **Chapter 3** **High Temperature Sensors**

Measurement of Total Concentration of Hydrocarbon by Using Zirconia-based Sensor Attached with ZnCr <sub>2</sub> O <sub>4</sub> Sensing-Electrode <i>Y. Fujio, V. Plashnitsa, P. Elumalai and N. Miura</i>	229
Sensors for Environmental Compliance of Diesel Engines <i>S. M. Zemskova, C. F. Habeger, T. E. Paulson, E. Wimmer, A. Mavromaras and A. Kolmakov</i>	237
High Temperature Mixed-potential-type Ammonia Sensor Using Stabilized Zirconia and Oxide-based Sensing Electrode <i>P. Elumalai, V. Plashnitsa, Y. Fujio and N. Miura</i>	247

A New Solid Electrolyte Type Ammonia Gas Sensor Applying Praseodymium Ammonium Sulfate Based Auxiliary Sensing Electrode <i>T. Nagai, S. Tamura and N. Imanaka</i>	257
Development of a Zirconia-Based Electrochemical Sensor for the Detection of Hydrogen in Air <i>E. L. Brosha, R. Mukundan, R. Lujan and F. H. Garzon</i>	265
Zeolite Modified Discriminating Gas Sensors <i>R. Binions, H. Davis, A. Afonja, S. Dungey, D. Lewis, D. Williams and I. Parkin</i>	275
Hydrogen Gas Sensor using Nano-sized R-MnO <sub>2</sub> Powder <i>Y. Ueda, M. Tsujimoto, K. Takeuchi, H. Koyanaka and M. Takano</i>	287
Hydrogen Sensing Properties of an Anodized TiO <sub>2</sub> Film Equipped with a Pd-Pt Electrode <i>M. Nakaoka, T. Hyodo, Y. Shimizu and M. Egashira</i>	293
Detection of SO <sub>2</sub> at High Temperature with Electrically Biased, Solid-Electrolyte Sensing Elements <i>D. West, F. Montgomery and T. Armstrong</i>	301
Sulfur Dioxide Gas Sensor Based on Al <sup>3+</sup> and O <sup>2-</sup> Ion Conducting Solid Electrolytes <i>S. Tamura, T. Nagai, Y. Inaba and N. Imanaka</i>	309
H <sub>2</sub> S Sensing Properties and Mechanism of Macroporous Semiconductor Sensors <i>T. Hyodo, S. Nonaka, Y. Shimizu and M. Egashira</i>	317
Odor Source Localization for Early Fire Detection by using MOS-type Gas Sensor Array with Infrared Vision <i>Y. Takei, T. Fuma, H. Kawai, M. Uneda, H. Nanto and S. Koyama</i>	325

#### **Chapter 4 Sensor Applications**

Smart Sensor Systems for Aerospace Applications: From Sensor Development to Application Testing <i>G. Hunter, J. Xu, L. Dungan, B. Ward, S. Rowe, J. Williams, D. B. Makel, C. Liu and C. Chang</i>	333
--	-----

Chemical Threat Point Sensors Based on Infrared Spectrophotometry and Adsorptive Preconcentrators <i>M. Carter, C. Marotta, J. Trimboli and M. Pierce</i>	345
Development of Electrochemical Blister Agent Sensor Using Carbon Fiber or Paper Electrode Modified with Au Nano Particles <i>K. Nishiyama, H. Yamada, H. Matsuura, R. Asada, N. Nakano, Y. Seto and I. Taniguchi</i>	353
Agricultural Ammonia Monitoring Technology <i>M. Carter, J. Faull, J. Trimboli and M. Pierce</i>	359
Enhanced Ammonia (NH <sub>3</sub> ) Sensing Response of UV-Light Treated Organic Thin-Film Transistors(OTFTs) <i>H. Zan, W. Tasi, Y. Wu, K. Yen, Y. Lo and Y. Yang</i>	371
Fabrication of Poly-Silicon Sensor Device and Its Application to Ammonia Detection <i>C. Wu, Y. Chou and S. Lai</i>	375
Porous Silicon Gas Sensors for Room Temperature Detection of Ammonia and Phosphine <i>S. Ozdemir and J. L. Gole</i>	379
Development of High-sensitive Gas-sensor for B <sub>2</sub> H <sub>6</sub> using Gas-permeable Conductive DLC Membrane <i>Y. Tanaka, M. Furata, H. Mastuura, N. Nakano, A. Fujishima and K. Honda</i>	387
Stability of Oxime Based Microsensor for Organo-Phosphate Vapor Detection <i>N. J. Londono, I. Oh and R. I. Masel</i>	393
Organic Molecular Sensor with Plasmon Antenna <i>M. Yanagisawa, N. Shimamoto, T. Nakanishi, M. Saito and T. Osaka</i>	397
Tunneling Junctions as Molecular Sensors <i>N. Prokopuk and K. Son</i>	411
Resonances of Soft Films under Liquid on the QCM <i>K. K. Kanazawa, C. Frank and J. Hardesty</i>	419
Conductometric Sensors for Detection of Elemental Mercury Vapor <i>M. Ryan, M. Homer, A. V. Shevade, L. Lara, S. Yen, A. Kisor and K. Manatt</i>	431

Hafnium Silicate Gate Insulators in Field Effect Sensors Used to Detect DNA Hybridization	441
<i>W. Jiang, D. Landheer, G. Lopinski, W. McKinnon, A. Rankin, E. Ghias-Begloo, R. Griffin, N. Tarr, N. Tait, J. Liu and W. Lennard</i>	
Long-term Stability of Oxygen Sensitive Membrane using Ruthenium Complex for Corrosion Monitoring of Radioactive-waste Repository	451
<i>Y. Nakamura, Y. Koshiba, D. Ito, T. Yokoyama, S. Okazaki, H. Nakagawa and T. Arai</i>	
Discontinuous Palladium Nanostructures for H <sub>2</sub> Sensing	457
<i>C. Fournier, T. Kiefer, G. Villanueva, F. Fargier, R. Penner, J. Brugger and F. Favier</i>	
High Sensitivity Electrochemical Detection of Hydrogen Peroxide at a Cobalt Phthalocyanine-Modified Boron-Doped Diamond Electrode	465
<i>T. Kondo, A. Tamura, A. Fujishima and T. Kawai</i>	

## **Chapter 5 Synthesis, Characterization, and Theory**

Nanoparticles for Enhanced Sensitivity in Electrochemical Immunoassays	477
<i>Y. Lin, J. Wang, H. Wang, H. Wu and Z. Tang</i>	
Pegylated Polyurethane Nanoparticles as Support for a Biosensor Construction based on Peroxidase Extracted from Pine Kernel ( <i>Araucaria Angustifolia</i> )	483
<i>I. R. Oliveira, M. B. Fritzen-Garcia, B. G. Zanetti-Ramos, O. Fatibello-Filho, A. A. Pasa and T. B. Creczynski-Pasa</i>	
Nano Gold / Phytic Acid Layer-by-layer Assembly for Fabrication of Horseradish Peroxidase Biosensor	491
<i>X. Ma, Y. Zheng, G. Duan, Z. Zhang and H. Yang</i>	
Self-Assembled Monolayers of Non-Heme Diiron Model Complexes: Binding and Activating Dioxygen on a Gold Electrode Surface	497
<i>T. Inomata, Y. Hayashi, K. Shinozaki, Y. Funahashi, T. Ozawa and H. Masuda</i>	
Effect of Surface Morphology of a SiO <sub>2</sub> /Si Reference Electrode Modified by ODMS on the Responses to pH and Ionic Strength	507
<i>J. Wang, J. Sasano and T. Osaka</i>	

Thermodynamic Characterization of Reference Electrode Systems for Galvanic Cells Comprising Alkali Ion Conducting Solid Electrolytes <i>H. Nafe</i>	517
Experimental and Theoretical Studies for Optimization of Polythiophene Gas Sensor Arrays <i>F. Liao and V. Subramanian</i>	529
Conductivities of Lithium Doped Lanthanoid Silicates as Gas Sensing Materials <i>Y. Itagaki, N. Takeda and Y. Sadaoka</i>	539
Synthesis and Characterization of Cobalt(III) Complexes with High Selectivity for NO Sensing <i>T. Ozawa, T. Yano, Z. Zhang, T. Inomata, Y. Funahashi and H. Mausda</i>	545
Fabrication of Bisphenol A Sensor Utilizing Electrode Modified with Molecularly Imprinted Polymer <i>N. Yokota, Y. Fuchiwaki and I. Kubo</i>	551
Bismuth/Glassy Carbon Composite Electrode for the Determination of Trace Lead and Cadmium <i>G. Hwang, S. Hong, W. Han, J. Park and S. Kang</i>	557
Electrochemical Switching Driven by Structural Change in Secondary Structure and by Complexation to Ligand at the Modified Au(111) Electrode with Polylysine having Phenanthroline and Terpyridine as Ligands <i>K. Nishiyama, K. Shimamura, T. Sakurai and I. Taniguchi</i>	567
Author Index	573

\* *Sensor Division Outstanding Achievement Award Paper*