2020 International Conference on Actual Problems of Electron Devices Engineering (APEDE 2020)

Saratov, Russia 24 – 25 September 2020



IEEE Catalog Number: ISBN:

CFP20521-POD 978-1-7281-4310-1

Copyright © 2020 by the Institute of Electrical and Electronics Engineers, Inc. All Rights Reserved

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

*** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

 IEEE Catalog Number:
 CFP20521-POD

 ISBN (Print-On-Demand):
 978-1-7281-4310-1

 ISBN (Online):
 978-1-7281-4309-5

Additional Copies of This Publication Are Available From:

Curran Associates, Inc 57 Morehouse Lane Red Hook, NY 12571 USA Phone: (845) 758-0400

Phone: (845) 758-0400 Fax: (845) 758-2633

E-mail: curran@proceedings.com Web: www.proceedings.com



Table of Contents

Microwave Electronics, Vacuum Microelectronics and Nanoelectronics

Khabitueva E.I., Malyshev V.M., Nikitin A.B. Phase noise measurement of the microwave VCO with linearized wideband tuning characteristic.	5
Shalaev P.D. Traveling wave tube with energy recovery of an additional microwave signal.	Ģ
Volosova A., Almaev I., Danilov A., Miroshnichenko A. Investigation of solid-phase connection technologies and assessment of the heat dissipation capacity of the SWS TWT centimeter range.	12
Alekseeva N.A., Afonin I.N., Kivokurtsev A.Yu., Rogovin V.I. Features of focusing electron beams by guns with a field at the cathode.	14
Rogovin V.I., Simonova I.V. Investigation of rods shapes and materials influence on Q-Band travelling wave tube high frequency characteristics.	17
Adilova A.B., Ryskin N.M. Study of synchronization of delay-coupled oscillators with hard excitation.	20
Baikov A., Baikova O. On optimization of multiparametric systems with distributed global extremum.	24
Atkishkin S. Microwave behavioral modeling with nonlinear large signal scattering parameters.	28
Baiburin V.B. Basics of ultra-fast numerical solution of some differential equations of mathematical physics.	31
Davidovich M., Sayapin K., Yafarov R. Simulation of field emission in a heated-less magnetron.	34
Shvachko A.A., Zaharov A.A., Potapov A.A. Periodic magnet focusing system: a mathematical model.	37
Shvachko A.A., Zaharov A.A., Potapov A.A. Periodic magnet focusing system: a numerical experiment.	40
Fedyaev V.K., Marankin N.M. The electron efficiency of a plane construction diotron.	43
Mazinov A.SA., Tyutyunik A.S., Gurchenko V.S., Fitaev I.S., Vasilchenko V.M. Absorbing and conductive properties of thin fullerene and aluminum films.	47
Baiburin V.B., Kolomin A.M., Rozov A.S., Khorovodova N.Yu. Influence of variable magnetic induction amplitude value on parametric generation in crossed fields.	51
Muchkaev V., Onishchenko A., Tsarev V. High-power multiple-beam generator with double-gap cavity.	53

Muchkaev V., Onishchenko A., Tsarev V., Senchurov V. Double-gap multiple-beam resonator with a higher order mode.	56
Emelyanov A., Shumihin K. Application of the piezoelectric quartz microweighting method to control the evaporation rate of the active substance of impregnated cathodes.	59
Zhyravlev S., Shesterkin V., Bessonov D. Formation and investigation of the mechanical strength of pyrolytic graphite grid structures for electronic devices.	62
Zhyravlev S., Manzhosin M., Shesterkin V., Shalaev P., Kirichenko D. Study of miniature Ku-band multiple - beam klystron with built-in shadow grid of high-density pyrolytic graphite.	65
Zhyravlev S., Shesterkin V. The infleunce of jumper height of the shadow grid on the efective emission area of the dispenser cathode in cathode-grid assembly of high-power pulsed TWT.	68
Apin M., Krachkovskaya T., Shalaev P. Life test performance of nanocarbon-modified metal-porous cathode in the traveling wave tube.	71
Melnikova M.M., Rodina A.A., Rozhnev A.G., Ryskin N.M. Self-consistent calculation of start-oscillation conditions in a gyrotron with reflections.	73
Navrotskiy I.A., Titov V.N., Ryskin N.M. Study of multivelocity sheet-electron-beam transportation in uniform and reversal magnetic fields.	78
Galdetskiy A., Scherbakov S., Golovanov N. On the use of output cavity overloading and depressed collector for bandwidth increasing of klystron output resonator.	82
Galdetsky A.V., Vostrov M.S., Golovanov N.A., Donchenko I.R., Vahlamova S.V. Development and investigation of W-band extended interaction klystron.	85
Kulikova I.V. Methods of electronic optics simulation based on numerical solving the Vlasov-Poisson equation.	88
Komarov D.A., Kalashnikov D.A., Serov O.M., Paramonov Yu.N., Surkov S.V. The effect of absorbers on the operation of a coaxial magnetron.	92
Pristupchik N. Open-source CAE for electron beam optics design: challenges and opportunities.	95
Morev S., Komarov D., Muraviev E., Sablin V., Danilov D. Estimation of the focusing magnetic field in high-power multibeam klystrons with electron beam dynamic defocusing factor.	100
Darmaev A., Ivanov A., Morev S., Suhoverhiy A. Development of an electron-optical system for compact Ka-band TWT.	103
Tsarev V.A. A new concept of designing PBG fractal double-gap resonators for miniature low voltage X-band cluster super multi-beam klystrons.	106

Microwave Theory and Techniques

Galdetskiy A., Ganyushkina N., Vasilyew A. Modal analysis of the design microstrip ferrite valve mounted in the module.	113
Belyaev B., Khodenkov S., Nazarov G., Gaipov K. Investigation of microwave bandpass filter based on three-mode resonator.	117
Suchilin A.V., Nikishin E.L., Pavlova M.V. Investigation of attenuation of high-frequency elastic waves when passing acoustic binding layer of two crystals.	121
Letavin D.A. Common-mode-anti-phase coupler with a wide band and reduced dimensions.	123
Letavin D.A. The use of slots as part of a compact directional coupler.	126
Atkishkin S. Flexible 3D slabline and stripline microwave delay lines on polymer substrate.	129
Atkishkin S. Conversion rules between nonlinear large signal S-parameters and T-parameters for linear two-port network.	134
Atoev M.D., Babichev R.K., Natkhin I.I. Experimental study of bandpass filter, tunable in wide frequency range by electromagnetic system, containing samarium cobalt permanent magnets.	138
Atoev M.D., Babichev R.K., Natkhin I.I. Experimental study of bandstop filter, tunable in wide frequency range by electromagnetic system, containing samarium cobalt permanent magnets.	142
Davidovich M., Savin A., Bogomolova E. Investigation of electromagnetic wave propagation in a decelerating system of the «double two-step comb» type.	146
Grigoriev A.D. Simulation of the electromagnetic field of 5G mobile telecommunication systems by quasi-optical methods.	149
Sedankin M.K., Nelin I.V., Leushin V.Yu., Skuratov V.A., Mershin L.Y., Vesnin S.G. System of rational parameters of antennas for designing a multi-channel multi-frequency medical radiometer.	154
Korchagin S.A., Klinaev Yu.V., Terin D.V., Romanchuk S.P. Modeling the dielectric constant of silicon-based nanocomposites using machine learning.	160
Komarov V.V., Korchagin A.I., Meschanov V.P. Broad-band coaxial-to-waveguide transition.	163
Zeyde K., Ronkin M., Hong D. An alternative approach to the direct scattering problems in presence of electrically small bodies.	166
Davidovich M., Kobetz A., Yavchunovsky V. Cutting filter for conveyor equipment for high-power microwave heating.	169

Surkov S.V., Komarov D.A., Paramonov Yu.N., Kalashnikov D.A., Matveev A.V., Serov O.M. High-power waveguide load for microwave devices testing.	172
Yelizarov A.A., Nazarov I.V., Skuridin A.A., Zakirova E.A. Waveguide structures with magnetic walls on the basis of the mushroom-shaped metamaterials.	175
Kuznetsov A.D., Yelizarov A.A., Nazarov I.V., Lavrukhin I.R. Development of meander type antenna on flexible substrate.	180
Letavin D.A. The use of a multilayer substrate for a small directional coupler.	184
Lonkina D.V., Zemlyakov V.V., Gubsky D.S., Krutiev S.V. Efficient analysis of circular waveguides with metal ridges and inhomogeneous dielectric filling by partial region method.	187
Krutiev S.V., Zemlyakov V.V, Lonkina D.V. Electrodynamic analysis of a band-pass waveguide filter on thin metal complex resonant diaphragms.	190
Rebrov A.N., Grigoriev A.D. Power microwave load with 40 GHz bandwidth.	194
Manuilov M., Rudakov V., Kobrin K., Sledkov V., Li Z. Wideband dual-polarized dielectric rod antenna array with near-constant beam width.	196
Meshcheriakov V.V., Grigoriuev A.D., Semenov S.N., Iurmanov P.D. Wideband antennas with elliptic aperture for the Inspection systems.	200
Cherevko A., Morgachev Yu. An equivalent circuit of a graphene conical spiral antenna.	203
Cherevko A., Morgachev Yu. Critical bending radius of flexible eco-friendly graphene antennas.	207
Presnyakov S., Kravchenko N., Kasatkin A., Mukhin S. Theoretical analysis of coaxial-radial type slow-wave structure electrodynamic characteristics and its modifications.	210
Nguyen Khac Khiem, Luu Quang Hung. Design of reduced broadband power divider in marine communication systems.	214
Luu Quang Hung. Maritime communications uses directional coupler topology based on artificial transmission lines.	217
Luu Quang Hung. Equal power division directional coupler and compact dimensions in modern maritime communications.	220
Dudko G., Kozhevnikov A., Sakharov V., Khivintsev Yu., Vysotskii S., Madami M., Gubbiotti G., Khitun A., Filimonov Yu. Spin waves focused beams in YIG films.	223
Tsarev V.A., Miroshnichenko A.Yu., Gnusarev A.V., Akafyeva N.A., Chernyshev M.A. Calculation of electrodynamic parameters of photonic crystal resonator for low-voltage multi-beam klystrons.	227
Tsarev V.A., Miroshnichenko A.Yu., Gnusarev A.V., Akafyeva N.A. Influence of fractal strip elements Sierpinski carpet on the frequency spectrum of a PBG fractal double-gap resonator.	231

Electron Devices and Instruments Application and Technology, Power Electronics

Mirgorodskaya E., Kolchev V., Mityashin N., Tomashevskiy Yu., Alkaravi Raad, Golembiovsky Yu. Selection of inverter modules for converters in autonomous power supply systems.	237
Mirgorodskaya E., Mityashin N., Tomashevskiy Yu., Miroshnichenko A., Kalistratov N., Mamonychev M. Current inverter with two-channel regulation of the output voltage.	244
Hein Zaw Htet, Mytsyk G. S. Structural-algorithmic synthesis of single phase voltage source inverter with pulse-width modulation for solar power system.	251
Starodubov A., Serdobintsev A., Galkin A., Galushka V., Torgashov R., Bessonov D., Pavlov A., Rozhnev A., Torgashov G., Kozhevnikov I., Sakharov V., Ryskin N., Rasulov I. Technological approaches to the microfabrication of planar slow-wave structures for millimeter- and THz-band vacuum electron devices.	256
Frolov I., Radaev O., Sergeev V. Installation for measuring of the slope of the P-I characteristic of the LED in the range of the electroluminescence start.	262
Malygin I., Ivanov V. The study of electromagnetic compatibility of meteorological radiosondes.	265
Lerer A.M., Makeeva G.S., Cherepanov V.V. Electronically tunable broadband THz frequency multipliers based on multilayer nonlinear graphene metasurfaces.	269
Oleynik A.S., Andreev V.S. Absorption of NiCr and Cr films in the millimeter wavelength range.	274
Akhobadze G. De-Icing power transmission wires.	276
Bakhtina V.A., Goncharov D.E., Khomchenkova A.A., Levitskiy A.A., Marinushkin P.S., Novikova N.V. Encoder-controlled stimulation system for assisting elbow extension in post-stroke individuals: a pilot study.	279
Borisov Yu. Apparatus for measuring the reflection spectrum of a fiber Bragg grating with high resolution.	282
Volobuev P.S., Poryadina M.V., Korshunov A.V. CMOS oscillators for systems with autonomous power.	284
Voronkov A.A., Bardin V.M., Pyanzin D.V. The application of the theory of multifactorial experiment to determine the value of the short-circuit current in a transistor inverter.	290
Gubsky D.S., Ivanova I.N., Kleschenkov A.B., Prihodko G.I., Vyatkina S.A. Creating computer models of radio engineering devices for a virtual laboratory.	295

Gubsky D.S., Daineko Y.A., Ipalakova M.T., Seitnur A.M., Tsoy D.D. The use of new information technologies for the development of training programs for the training of future engineers. experience SFedU and IITU.	298
Bolshakov A.A., Klyuchikov A.V., Kovylov N.V. Building a system architecture for displaying data in a complex of output devices.	302
Koval V.A., Torgashova O.Yu., Solomin M.A. Mathematical model of non-stationary thermal conditions for electronic device elements.	305
Belobrovaya O., Galushka V., Polyanskaya V., Sidorov V., Terin D., Mashkov A. Optical properties of silicon nanowhiskers obtained by metal-assisted chemical etching under gamma irradiation.	309
Kochnev D., Terin D. Raman scattering and photoluminescence of porous GaAs.	313
Perov A., Terin D. Study of the influence of a constructive solution on heat transfer in the case of a laser diode array.	316
Plastun I.L., Zakharov A.A., Naumov A.A. Features of silver sulfide nanoparticles bacterial synthesis: molecular modeling.	318
Kirsha A.V., Gaynutdinov R.R., Chermoshentsev S.F. Investigation of the Influence of electromagnetic interference from generator power lines on the equipment in the engine nacelle of an aircraft.	323
Egorov N., Sysoev I., Sysoeva M. Epileptiform activity simulation by a network of neural-like radioengineering oscillators.	327
Morozov O., Morozov A., Prokopenko A. Research and development of chamber type industrial microwave defroster.	332