

46th Annual Waste Management Conference (WM2020)

Education & Opportunity in
Radwaste Management

Papers only

Phoenix, Arizona, USA
8-12 March 2020

Volume 1 of 6

ISBN: 978-1-7138-2200-4

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2020) by Waste Management Symposia, Inc.
All rights reserved.

Printed with permission by Curran Associates, Inc. (2021)

For permission requests, please contact Waste Management Symposia, Inc.
at the address below.

Waste Management Symposia, Inc.
P.O. Box 27646
Tempe, Arizona 85285-7646
USA

Phone: +1 480-557-0263
Fax: +1 520-829-3550

www.wmsym.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

| | |
|--|-----|
| NEW BEGINNINGS: OPTIMISING WASTE AND END-STATE AT UK NUCLEAR SITES TO ENABLE ENVIRONMENTAL PERMIT SURRENDER (THE GRR) | 1 |
| <i>R. Clarke, A. Fairhurst</i> | |
| A FACILITATOR’S PERSPECTIVE ON GOVERNMENT PUBLIC MEETINGS ON THE ENVIRONMENTAL AND ENERGY ISSUES: THE U.S. NUCLEAR REGULATORY COMMISSION EXAMPLE | 16 |
| <i>F. Cameron</i> | |
| A SYSTEMATIC EVIDENCE BASED PERFORMANCE APPROACH TO REGULATION OF NUCLEAR SITES IN ENGLAND AND WALES | 22 |
| <i>R. Cleverley, M. Emptage, A. Fairhurst, J. Longman, S. Hardy, P. Orr</i> | |
| DEVELOPING MATERIALS FOR EXTREME ENVIRONMENTS AND THEIR USE IN NUCLEAR WASTE CANISTERS AND REACTORS | 32 |
| <i>S. Kumar</i> | |
| AEROSOL MEASUREMENT FROM PLASMA ARC TORCH CUTS ON VARIOUS METAL FOR D&D WORKERS' INTERNAL DOSE CALCULATION | 49 |
| <i>W. Yang, M. Lee, N. Chae, S. Choi</i> | |
| MANAGEMENT OF FISSIONABLE EQUIVALENT MASS MATERIALS AT ORNL | 54 |
| <i>S. Robinson, B. Patton</i> | |
| MANAGING HANFORD’S DIRECT FEED LOW ACTIVITY WASTE PROGRAM | 62 |
| <i>T. Fletcher</i> | |
| SPENT NUCLEAR FUEL STORAGE AND RADIOACTIVE WASTE DISPOSAL IN THE UNITED STATES: A LAW AND POLICY ANALYSIS | 68 |
| <i>M. McBride, R. Rotman</i> | |
| EROSION-CORROSION DETECTION IN CARBON STEEL PIPE LOOPS USING SRNLS THICKNESS AND MASS LOSS MEASUREMENT COUPONS | 76 |
| <i>A. Aravelli, D. McDaniel, M. Thompson, K. Imrich, B. Wiersma</i> | |
| ACCELERATED AGING AND EVALUATION OF HOSE-IN-HOSE TRANSFER LINES IN THE HANFORD WASTE TRANSFER SYSTEM | 83 |
| <i>A. Awwad, D. McDaniel, J. Rivera</i> | |
| ASSESSMENT OF THE CORROSION RISKS TO A DOUBLE SHELL TANK DURING THE SELECTIVE REMOVAL OF A CESIUM-RICH SUPERNATE LAYER | 90 |
| <i>B. Wiersma, R. Wyrwas</i> | |
| NOVEL FOAMING SOLUTIONS FOR HIGH LEVEL WASTE (HLW) PROCESSING | 106 |
| <i>A. Howe, D. Lambert</i> | |
| MERCURY SPECIATION OF HANFORD 241-AP-107 TANK WASTE SAMPLES | 116 |
| <i>M. Fountain, S. Branch, J. Wood, G. Gill</i> | |

| | |
|--|-----|
| DEVELOPING AND IMPLEMENTING NEW WASTE CHEMISTRY CONTROLS FOR HANFORD'S DOUBLE-SHELL TANKS | 124 |
| <i>S. Campbell, C. Girardot, T. Venetz, B. Wiersma</i> | |
| QUALIFICATION OF PROCESSING BATCHES FOR TANK CLOSURE CESIUM REMOVAL THROUGH IN-TANK BATCH CONTACT TESTING | 138 |
| <i>K. Pashow, C. Nash, T. Hang, W. King, D. Harris, T. Fellingner, M. Keefer</i> | |
| DOE HANFORD TANK SIDE CESIUM REMOVAL SYSTEM (TSCR) UPDATE: FABRICATION AND FACTORY ACCEPTANCE TESTING | 151 |
| <i>T. Barker, R. Wilson, B. Chamberlain</i> | |
| TCCR OPERATIONAL SUMMARY AND OPTIMIZATION FOR TANK 9 PROCESSING | 162 |
| <i>R. Seeley, T. Fellingner, A. Silker, A. Luzzatti, R. Voegtlen, G. Arthur</i> | |
| TANK SIDE CESIUM REMOVAL SYSTEM PROJECT AND TECHNOLOGY MATURATION PROGRAM | 176 |
| <i>M. Landon, K. Ard, B. Chamberlain, D. Herman, D. McCabe, R. Peterson, P. Schonewill, I. Pegg, R. Wilson, S. Smith</i> | |
| TECHNOLOGY DEVELOPMENT FOR DRY STORAGE OF ALUMINUM-CLAD SPENT NUCLEAR FUEL | 183 |
| <i>R. Sindelar, M. Connolly, J. Jarrell, D. Herman, W. Bates</i> | |
| (OXY)HYDROXIDES FORMED ON ALUMINUM FUEL MATERIALS AFTER IRRADIATION AND LONG-TERM WET STORAGE | 197 |
| <i>A. D'Entremont, L. Olson, C. Verst, R. Fuentes, R. Sindelar</i> | |
| SPENT NUCLEAR FUEL EXPLORATORY ROADMAPS | 212 |
| <i>J. Rovira, B. Carlsen, E. Moore</i> | |
| AN EXPERIMENTAL FEASIBILITY STUDY ON APPLYING NEUTRON TOMOGRAPHY TO ENCAPSULATED SPENT NUCLEAR FUEL | 224 |
| <i>J. Jeon, M. Kim, S. Kim, H. Chung</i> | |
| DEVELOPMENT OF A TESTBED FOR PIPELINE FLUSHING | 231 |
| <i>A. Baharanchi, E. Nina, D. McDaniel, M. Poirier</i> | |
| TANK SIDE CESIUM REMOVAL FOR HANFORD TANK WASTE – ACTUAL WASTE DEMONSTRATIONS | 239 |
| <i>J. Allred, J. Geeting, S. Fiskum, H. Colburn, A. Rovira, R. Peterson, K. Colosi</i> | |
| SYSTEM HEALTH AND STATUS REPORTING IS USED TO IMPROVE INFRASTRUCTURE SYSTEMS AT THE HANFORD SITE | 247 |
| <i>G. Ryan</i> | |
| UPDATE ON FULL-SCALE RETRIEVAL AND TRANSFER SYSTEM TESTING FOR PNEUMATIC CONVEYANCE OF HIGH-LEVEL CLACINE WASTE | 252 |
| <i>T. O'Connor</i> | |
| THE IMPACT OF ETHYLENEDIAMINETETRAACETIC ACID (EDTA) ON THE SORPTION OF ND(III), TH(IV), AND U(VI) ONTO DOLOMITE IN WIPP-RELEVANT BRINES, GWB AND ERDA-6 | 261 |
| <i>A. Sockwell, F. Zengotita, A. Vento, J. Swanson, D. Reed, Y. Katsenovich, H. Emerson</i> | |
| SOLUBILITY PREDICTIONS FOR HANFORD TANK CONCENTRATES WITH HSC | 270 |
| <i>S. Agnew, K. Welsch, U. Zaher</i> | |

| | |
|---|-----|
| IN-SITU DETECTION OF GLOVEBOX GLOVE DEGRADATION PRIOR TO GLOVE FAILURE; EFFECTS ON SAFETY, WASTE, AND OPERATIONAL COSTS | 279 |
| <i>M. Beu, C. Keil, S. Chunglo</i> | |
| INFLUENCES OF MG IONS AND AL IONS ON DEPOSITION BEHAVIOR OF SUPERSATURATED SILICIC ACID | 285 |
| <i>A. Ohmukai, T. Chida, Y. Niibori</i> | |
| BRINE AVAILABILITY TEST IN SALT, A HEATED BOREHOLE EXPERIMENT AT THE WASTE ISOLATION PILOT PLANT | 293 |
| <i>T. Rahn, K. Kuhlman, H. Boukhalfa, B. Dozier, D. Ware, S. Otto, D. Weaver, M. Mills, C. Herrick, J. Rutqvist, Y. Wu, E. Guiltinan, P. Stauffer</i> | |
| ESTIMATION OF SORPTION BEHAVIOR OF EUROPIUM TO CALCIUM SILICATE HYDRATE BY THERMAL ANALYSIS..... | 299 |
| <i>K. Suto, T. Chida, Y. Niibori</i> | |
| DEPOSITION BEHAVIOR OF SUPERSATURATED SILICIC ACID ON THE SURFACES OF CHLORITE AND SERICITE AROUND GEOLOGICAL REPOSITORY | 307 |
| <i>T. Saito, T. Chida, Y. Niibori</i> | |
| EFFICIENT MESOFLUIDIC SEPARATION OF LARAR E PARTICSES IN CUCSEAR SSURRIES | 315 |
| <i>L. Pease, T. Veldman, J. Serkowski, N. Phillips, R. Daniel, M. Minette, X.-Y. Yu, C. Burns</i> | |
| EXTRACTION OF LN(III) AND AN(III) FROM ALKALINE SOLUTIONS BY SULFONAMIDE LIGANDS AND ANALOGS | 324 |
| <i>K. Kavallieratos, E. Govor, A. Morozov, O. Adedoyin, A. Rains, R. Raptis, A. Mebel</i> | |
| ANALYSIS OF USING A HYBRID ZIRCEX PROCESS TO GENERATE HIGH-ASSAY LOW-ENRICHED URANIUM (HALEU) | 330 |
| <i>L. Pincock, M. Patterson</i> | |
| REVIEW OF SAFETY ANALYSES OF THE KONRAD REPOSITORY | 342 |
| <i>V. Kunze, C. Vieh., Stockmaier</i> | |
| WASTE SHIELDED CASKS TRANSFER BY FUNICULAR FROM THE SURFACE TO DISPOSAL LEVEL IN CIGEO | 349 |
| <i>R. Neveu, J.-F. Herve, M. Rabardy, M.-D. Salsac</i> | |
| POSIVA'S ONKALO® FST (FULL-SCALE IN SITU SYSTEM TEST) | 360 |
| <i>T. Jalonen, M. Pohjonen</i> | |
| CIGEO DESIGN OPTIONS, RISKS AND OPPORTUNITIES MANAGEMENT: A CONTINUOUS PROJECT MANAGEMENT GOAL..... | 370 |
| <i>C. Bauer, T. Lassabatere, F. Launeau, D. Delort</i> | |
| REDUCTION OF THE WASTE OCCUPIED AREA BY NUCLIDE SEPARATION AND HORIZONTAL EMPLACEMENT OF THE WASTE PACKAGES | 376 |
| <i>T. Okamura, E. Minari, M. Nakase, H. Asano, K. Takeshita</i> | |
| CRITICALITY CONSIDERATION FOR GEOLOGIC DISPOSAL OF DOE-OWNED SPENT NUCLEAR FUELS..... | 384 |
| <i>A. Alsaed, B. Carlsen, D. Thomas, J. Jarrell</i> | |
| THE GERMAN SITE SELECTION PROCESS – IMPLEMENTATION AND CHALLENGES..... | 391 |
| <i>A. Gobel, M. Wengler</i> | |

| | |
|--|-----|
| SORBMATECH [®] CS, AN INNOVATIVE HIGHLY SELECTIVE CS SORBENT FOR WASTEWATER DECONTAMINATION | 397 |
| <i>Y. Barre, A. Grandjean, N. Segond, H. Orefice, A. Ragouilliaux, D. Dhaler</i> | |
| INITIAL TESTING OF ALKALINE EARTH METAL ION ABSORPTION ON CRYSTALLINE SILICOTITANATE | 407 |
| <i>D. McCabe, K. Taylor-Pashow, T. Hang, W. King, C. Nash</i> | |
| CESIUM REMOVAL AND HYDRAULIC PERFORMANCE COMPARISONS OF CST ION EXCHANGE MEDIA BATCHES IN SUPPORT OF THE TANK CLOSURE CESIUM REMOVAL PROJECT | 422 |
| <i>W. King, L. Mathurin, L. Hamm, S. Aleman, T. Hang, K. Taylor-Pashow, D. McCabe, C. Nash</i> | |
| TESTING OF CRYSTALLINE SILICOTITANATE TO SUPPORT TANK-SIDE CESIUM REMOVAL SYSTEM OPERATIONS | 432 |
| <i>P. Schonewill, H. Colburn, P. Gauglitz, C. Bottenus, A. Rovira, C. Burns, S. Bryan, M. Landon, B. Chamberlain</i> | |
| CONDUCTING INDUSTRIAL HYGIENE EXPOSURE ASSESSMENTS AT SCALE USING NON-PARAMETRIC UPPER TOLERANCE LIMITS AT THE HANFORD SITE..... | 446 |
| <i>M. Triplett, B. Simpson, E. McCann, N. Betzsold, R. Toth, S. Clingenpeel, M. Zabel</i> | |
| RESPIRATOR CARTRIDGE PERFORMANCE ON MIXED VAPORS FROM HANFORD TANK HEADSPACES AND EXHAUSTERS..... | 455 |
| <i>T. Brouns, C. Freeman, L. Mahoney, J. Liu, M. Minette, Z. Way, R. Stoner, P. Jones</i> | |
| HANFORD TANK VAPORS IN WORKER BREATHING ZONES – SOURCE, DISPERSION, AND RECEPTOR DATA..... | 470 |
| <i>J. Flaherty, T. Brouns, L. Mahoney, E. Golovich, J. Meacham, S. Killoy</i> | |
| RETRIEVAL OF TRANSURANIC DRUMS WITH DEFLAGRATION TO DETONATION POTENTIAL FROM A VAULT AT THE OAK RIDGE NATIONAL LABORATORY | 482 |
| <i>M. Magleby, J. Wrapp, C. Caldwell, S. Kubinski</i> | |
| VIABILITY OF IN-DRUM TREATMENT FOR TRANSURANIC WASTES CONTAINING NITRATES AND ORGANICS..... | 494 |
| <i>N. Mehta</i> | |
| A PRELIMINARY RADIOLOGICAL RISK ASSESSMENT MODEL FOR DISPOSITION OF REMOTE-HANDLED TRANSURANIC WASTES AT LOS ALAMOS NATIONAL LABORATORY AREA G | 503 |
| <i>J. Tauxe, D. Anderson, A. Bandler, P. Black, H. Brittingham, K. Crowell, P. Duffy, A. Fleury, L. Gains-Germain, T. Jennings, A. Jordan, R. Lee, D. Levitt, P. Meeks, G. Occhiogrosso, R. Perona, A. Rice, R. Ryti, C. Schaupp</i> | |
| DISPOSITION OF NEWLY GENERATED TRANSURANIC WASTE AT ORNL | 518 |
| <i>T. Forrester, B. Oakley, B. Patton, S. Robinson</i> | |
| FLAMMABLE GAS GENERATION AND CONTROL AT THE IDAHO COMPLETION PROJECT LEGACY COMBUSTIBLE GAS GENERATION | 524 |
| <i>J. Giebel, B. Reid, S. Perry, R. Arbon</i> | |
| WIPP SAFETY SIGNIFICANT CONFINEMENT VENTILATION SYSTEM (SSCVS) HEPA FILTRATION SYSTEM..... | 539 |
| <i>C. Fuhlage, S. Smith, J. O'Brien</i> | |

| | |
|--|-----|
| ON TEMPERATURE LIMITS FOR THE OUTER SURFACE OF A CONTAINER IN A DISPOSAL FACILITY | 545 |
| <i>G. Bracke, E. Hartwig-Thurat, J. Larue, A. Meleshyn, T. Weyand</i> | |
| OVERVIEW OF SALT REPOSITORY RESEARCH AND DEVELOPMENT FOR SPENT NUCLEAR FUEL AND HIGH-LEVEL NUCLEAR WASTE IN THE UNITED STATES | 558 |
| <i>P. Stauffer, K. Kuhlman, S. Sevougian, J. Rutqvist</i> | |
| TEN-YEAR REVIEW OF US/GERMAN COLLABORATION IN SALT REPOSITORY RESEARCH | 571 |
| <i>W. Bollingerfehr, M. Buhler, S. Dunagan, F. Hansen</i> | |
| PRELIMINARY EVALUATION OF LOADING DOE STANDARD CANISTERS IN THE INL CPP-603 IRRADIATED FUEL STORAGE FACILITY | 583 |
| <i>D. Thomas</i> | |
| THERMAL DEHYDRATION OF ALUMINUM (OXY)HYDROXIDES ON FUEL CLADDING MATERIAL | 597 |
| <i>A. D'Entremont, R. Fuentes, M. Shalloo, T. Knight, R. Sindelar</i> | |
| AUGMENTED MONITORING & CONDITION ASSESSMENT PROGRAM FOR SNF WET STORAGE LIFE EXTENSION | 611 |
| <i>M. Hromyak, C. Verst, A. Colebeck, J. Boerstler, D. Craigo, D. Rose, K. Zeigler, R. Sindelar</i> | |
| START-UP OF SILO 130 WASTE RETRIEVAL AT LA HAGUE: 1ST STEP TOWARDS REDUCING LEGACY INVENTORY | 626 |
| <i>B. Viltard, S. Lagha, F. Hourcade</i> | |
| OPTIMIZATION OF DRY STORAGE CANISTER CUTTING OPERATIONS | 638 |
| <i>S. Bader, M. Smith</i> | |
| CONSEQUENCE ANALYSIS OF RESIDUAL WATER IN A STORAGE CANISTER..... | 648 |
| <i>P. Shukla, R. Sindelar, P.-S. Lam, C. Bryan, B. Hanson</i> | |
| CO-DISPOSAL WASTE PACKAGE LOADING OPTIONS FOR DOE SNF AND HLW | 665 |
| <i>G. Petersen</i> | |
| USE OF MICRO-GRAVITY SENSORS FOR EXTERNAL FLUID LEVEL MONITORING IN WASTE AND NUCLEAR RELATED APPLICATIONS..... | 676 |
| <i>J. Ridgway, B. Slater</i> | |
| PROGRESS ON ADVANCING THE ROBOTIC AIR-SLOT VOLUMETRIC INSPECTION SYSTEM (RAVIS) FOR HANFORD UNDER-TANK INSPECTION..... | 682 |
| <i>K. Denslow, T. Moran, G. Boeringa, S. Glass, K. Boomer, T. Wooley, J. Bunter, J. Rice, D. Stewart, C. Borigo, R. Love, G. Hamilton, K. Warder</i> | |
| TECHNOLOGY DEVELOPMENT FOR UNDER TANK INSPECTION OF DOUBLE-SHELL TANKS..... | 715 |
| <i>T. Wooley, J. Vitali, J. Gunter, K. Boomer, K. Denslow, D. Stewart</i> | |
| HISTORY OF ULTRASONIC INSPECTION OF HIGH-LEVEL WASTE TANKS AT SRS | 733 |
| <i>J. Elder, S. Plummer, R. Waltz</i> | |
| IN-CAN INCINERATION AND VITRIFICATION PROCESS FOR THE TREATMENT OF TRANSURANIC WASTES..... | 736 |
| <i>R. Didierlaurent, S. Pelletier, H. Pablo, A. Quintas, H. Turc, P. Charvin, S. Lamonnier, B. Frasca</i> | |

| | |
|--|-----|
| VITRIFICATION OF INACTIVE INCINERATION ASH IN A FULL INDUSTRIAL SCALE IN CAN MELTER..... | 743 |
| <i>N. Massoni, M. Fournier, J.-F. Hollebecque, Y. Papin</i> | |

| | |
|---|-----|
| LABORATORY-SCALE MELTER SYSTEMS FOR SIMULATED AND REAL AP-107 TANK WASTE..... | 753 |
| <i>D. Dixon, W. Eaton, M. Hall, J. Venarsky, C. Stewart, D. Cutforth, J. Lang, R. Peterson, K. Colosi</i> | |

VOLUME 2

| | |
|--|-----|
| COMPUTATIONALLY AIDED DESIGN OF A SMALL-SCALE WASTE-GLASS MELTER..... | 765 |
| <i>D. Guillen, A. Abboud, R. Pokorny, M. Hall, W. Eaton, A. Kruger</i> | |

| | |
|--|-----|
| EFFECTS OF HE ION IRRADIATION IN SIMPLE BOROSILICATE GLASSES FOR HLW IMMOBILISATION | 777 |
| <i>P. Rautiyal, R. Edge, L. Leay, A. Daubner, M. Patel, P. Kulriya, A. Jones, P. Bingham</i> | |

| | |
|--|-----|
| OXIDATION OF GLYCOLATE IN THE DEFENSE WASTE PROCESSING FACILITY (DWPF) RECYCLE COLLECTION TANK | 787 |
| <i>M. Siegfried, G. Chen, D. Lambert, W. Ramsey</i> | |

| | |
|---|-----|
| IMPLEMENTATION OF THE GLYCOLATE DESTRUCTION PROCESS WITH SODIUM PERMANGANATE IN THE DEFENSE WASTE PROCESSING FACILITY (DWPF)..... | 800 |
| <i>G. Chen, B. Holtzscheiter, T. Colleran, M. Siegfried</i> | |

| | |
|--|-----|
| ALTERNATIVE TREATMENT OF DEFENSE WASTE PROCESSING FACILITY RECYCLE VIA REUSE OF EXISTING LIQUID WASTE FACILITIES | 810 |
| <i>A. Staub, R. Edwards</i> | |

| | |
|--|-----|
| ANDRA'S UNDERGROUND RESEARCH LABORATORY IN BURE: MAJOR ROLE IN THE CIGÉO DEVELOPMENT | 816 |
| <i>J. Delay, M.-D. Salsac, E. Huret, S. Dewonck, J.-M. Bosgiraud, G. Armand</i> | |

| | |
|---|-----|
| BRINE AVAILABILITY TEST IN SALT: THERMAL-HYDROLOGICAL-MECHANICAL-CHEMICAL SIMULATIONS OF A HEATED BOREHOLD IN SALT..... | 830 |
| <i>E. Guiltinan, T. Miller, K. Kuhlman, J. Rutqvist, P. Stauffer</i> | |

| | |
|--|-----|
| TECHNICAL EVALUATION OF THE DEPARTMENT OF ENERGY RESEARCH AND DEVELOPMENT ACTIVITIES IN UNDERGROUND RESEARCH LABORATORIES..... | 840 |
| <i>M. Zoback, T. Illangasekare, J. Bahr, B. Leslie, R. Pabalan</i> | |

| | |
|--|-----|
| GRIMSEL TEST SITE – A SUCCESSFUL INTERNATIONAL UNDERGROUND RESEARCH LABORATORY FOR MANY DECADES..... | 855 |
| <i>I. Blechschmidt, A. Martin, F. Kober, S. Vomvoris</i> | |

| | |
|---|-----|
| PROGRESS IN DEMONSTRATING THE PERFORMANCE OF ENGINEERED BARRIERS FOR THE DISPOSAL OF HLW AND SNF: LAB STUDIES AND DEMONSTRATION EXPERIMENTS | 869 |
| <i>C. Padovani, B. Reddy, A. Rance, N. Smart, S. Swanton, J. Schofield, A. Milodowski, L. Field, S. Kemp, N. Diomidis, A. Martin, A. Johansson, R. Winsley, M. Cowley</i> | |

| | |
|--|-----|
| RESUMPTION-LIKE INCREASES OF GLASS CORROSION RATE IN LONG-TERM EXPERIMENTS | 884 |
| <i>M. Ojovan</i> | |

| | |
|--|------|
| GALVANIC CORROSION OF CARBON STEEL AND STAINLESS STEEL COUPLES: EFFECTS OF $\dot{\gamma}$ -RADIATION AND SOLUTION ENVIRONMENT | 889 |
| <i>M. Li, D. Guo, J. Joseph, O. Yong, J. Wren</i> | |
| STRUCTURAL EFFECTS OF POSTULATED HYDROGEN EXPLOSIONS IN PROCESS PIPING AND VESSELS..... | 901 |
| <i>C. Keilers Jr.</i> | |
| EFFECT OF EVAPORATION ON VAPOR SPACE FLAMABILITY IN DWPF PROCESS VESSELS | 915 |
| <i>F. Armstead III, C. Keilers</i> | |
| SAVANNAH RIVER SITE HIGH LEVEL RADIOACTIVE WASTE TANK SAMPLE THERMOLYTIC HYDROGEN GENERATION..... | 929 |
| <i>C. Martino, W. Woodham, J. Pareizs, J. Newell, T. Edwards</i> | |
| ACCELERATING NUCLEAR FACILITY MISSION COMPLETION THROUGH AN IMPROVED CHEMICAL HAZARD CONTROL STRATEGY | 940 |
| <i>B. McKibbin</i> | |
| ION-EXCHANGE MODELING OF CRYSTALLINE SILICOTITANATE FOR CESIUM REMOVAL | 955 |
| <i>T. Hang, D. McCabe, L. Hamm</i> | |
| SRS STRATEGY FOR TANK 3 SALT DISSOLUTION – PERFORMANCE AND LESSONS LEARNED | 968 |
| <i>A. Herd, J. Tihey, S. Worthy</i> | |
| DEVELOPMENT OF METHODS FOR IN-LINE MONITORING OF YIELD STRESS DURING THE TRANSFER OF RADIOACTIVE WASTE..... | 980 |
| <i>A. Baharanchi, A. Saha, B. Cintas, D. McDaniel, M. Poirier</i> | |
| UTILIZING COMMERCIAL SUBMERSIBLE MIXER PUMPS FOR SLUDGE REMOVAL IN SAVANNAH RIVER SITE'S TANK | 990 |
| <i>D. Hicks</i> | |
| PROGRESS TOWARDS THE POCO OF UK HIGHLY ACTIVE STORAGE TANKS..... | 1003 |
| <i>S. Thomson, J. Cheeswright, R. Lynn, J. Dodds, B. Dunnnett, R. Jarvis, J. Spencer</i> | |
| THE CORRECTIVE MAINTENANCE PARADIGM SHIFT AT HANFORD'S TANK FARMS | 1022 |
| <i>T. Brown</i> | |
| CHALLENGES AND SOLUTIONS IN OPERATION AND LAY-UP OF THE MODULAR CAUSTIC SIDE SOLVENT EXTRACTION UNIT | 1032 |
| <i>P. Fogelman, C. Santos, E. Brass</i> | |
| REPURPOSING HANFORD WASTE TANK AP-106 FOR INTERIM STORAGE OF TREATED LOW-ACTIVITY WASTE | 1051 |
| <i>T. Wagnon, N. Kirch, B. Gallaher</i> | |
| INFRASTRUCTURE AND DFLAW SUPPORT AT HANFORD | 1057 |
| <i>R. Moren</i> | |
| CSM, 50 YEARS ANNIVERSARY: RETROSPECTIVE | 1066 |
| <i>J. Bolia, P. Torres, C. Dressayre</i> | |

| | |
|--|------|
| USING FLAC® A MODELING SOFTWARE TO ANALYZE THE STABILITY OF A LLRW DISPOSAL FACILITY | 1081 |
| <i>J. Diercksen, M. Day, E. Dawson, B. Mason</i> | |
| MODELING STRESS-INDUCED PORE WATER PRESSURES IN THE VADOSE ZONE BENEATH A COMPOSITE-LINED LANDFILL | 1094 |
| <i>J. Chen, C. Benson, K. Tian</i> | |
| WASTE INFORMATION MANAGEMENT SYSTEM WITH 2019-20 WASTE STREAMS..... | 1104 |
| <i>H. Upadhyay, W. Quintero, L. Lagos</i> | |
| IMPROVING PCM WASTE MANAGEMENT THROUGH NEW APPROACHES TO SCREENING FOR LLW TREATMENT AND DISPOSAL..... | 1115 |
| <i>A. Bell, M. Towers, E. Littler</i> | |
| CALCULATING POTENTIAL RADIOLOGICAL EMISSIONS FOR WASTE MANAGEMENT ACTIVITIES AT INL | 1123 |
| <i>G. Krauszer II</i> | |
| APPLICATION OF ON-LINE MONITORING AND REAL-TIME CHARACTERIZATION OF LOW LEVEL WASTE SAMPLES FROM HANFORD TANKS | 1133 |
| <i>A. Lines, S. Bryan, P. Tse, K. Denslow, M. Fountain, K. Boomer, D. Stewart</i> | |
| CURRENT STATUS OF THE SYNROC WASTE TREATMENT FACILITY | 1142 |
| <i>R. Holmes, A. Abboud, B. Biggrigg, D. Gregg, M. Deura, W. Townsend, P. Fleming, G. Triani</i> | |
| TECHNOLOGY MATURATION OF HOT ISOSTATIC PRESSING FOR NUCLEAR WASTE TREATMENT..... | 1150 |
| <i>R. Thunholm, J. Shipley, R. Holmes, D. Gregg, B. Biggrigg, P. Fleming, G. Triani</i> | |
| TREATMENT OF PROBLEMATIC REACTIVE METAL WASTES USING THE GEOMELT® IN-CONTAINER VITRIFICATION (ICV™) PROCESS..... | 1161 |
| <i>B. Garrett, B. Campbell, K. Finucane, S. Woosley, B. Gaither, R. Mitchell, R. Miklos, M. Connolly, S. Butler</i> | |
| ADVANCED RETRIEVAL AND DISPOSITION TECHNIQUES FOR REMOTE HANDLED MIXED LOW-LEVEL WASTE | 1176 |
| <i>B. Gaither, B. Campbell, R. Mitchell, E. Lloyd, R. Miklos, M. Connolly, S. Butler</i> | |
| GEOMELT® IN-CONTAINER VITRIFICATION (ICV). FOR FUKUSHIMA DAIICHI WATER TREATMENT SECONDARY WASTES..... | 1191 |
| <i>K. Finucane, B. Campbell, B. Parruzot, J. Reister, J. Vienna</i> | |
| 3D STRUCTURE OF OIL DROPLETS IN HARDENED GEOPOLYMER EMULSIONS: IMPACT OF VARIOUS COMMERCIAL LIQUID OILS..... | 1208 |
| <i>D. Lambertin, B. Planel, C. Davy</i> | |
| DEFINING A METRIC TO ASSESS LEACHABILITY OF CONTAMINANTS FROM CEMENTITIOUS WASTE FORMS IN LAB TESTING RELATED TO HANFORD | 1216 |
| <i>R. Asmussen, Y. Fang, X. Song, G. Tartakovsky, J. Westsik Jr., G. Smith, E. Brown, R. Mabrouki, R. Skeen, D. Swanberg</i> | |
| KEY TECHNICAL ISSUES FOR GREATER-THAN-CLASS-C (GTCC) WASTE DISPOSAL | 1223 |
| <i>D. Esh, A. Ridge, T. McCartin, H. Arlt, C. McKenney, P. Laplante, G. Wittmeyer</i> | |
| ADVANCES IN RESIN MANAGEMENT USING 3R_SCAN..... | 1238 |
| <i>J. Bohnsack, D. James, T. Kalinowski</i> | |

| | |
|---|------|
| A DECADE OF INNOVATIVE APPROACHES TO TREATING AND DIPOSITIONING RADIOACTIVE WASTE AT THE SAVANNAH RIVER SITE..... | 1250 |
| <i>T. Foster, B. Witt, J. Freeman-Pollard, J. Gregory, J. Kirk, P. Allen, S. Thomas, D. Chew</i> | |
| FUNDAMENTAL STUDY OF MIGRATION BEHAVIOR OF CESIUM UNDER THE UNSATURATED CONDITION THROUGH ONE-DIMENSIONAL COLUMN SIMULATING SOIL AROUND THE DISPOSAL SITE | 1261 |
| <i>M. Kogure, T. Ozutsumi, Y. Niibori, T. Chida</i> | |
| LOW LEVEL RADON CONCENTRATION AND RADON DAUGHTER DOSE MONITORING IN AN ARID-ZONE WASTE STORE | 1268 |
| <i>D. Mallants, J. Kvasnicka</i> | |
| COMPREHENSIVE BASELINE ENVIRONMENTAL MONITORING OF AN INTERIM LEGACY WASTE STORE IN ARID ZONE AUSTRALIA..... | 1280 |
| <i>D. Mallants, G. McLachlan, R. Rossel, S. Werczynski</i> | |
| LESSONS LEARNED FROM MORE THAN THREE DECADES OF DECOMMISSIONING AND RAW MANAGEMENT IN SLOVAKIA..... | 1290 |
| <i>T. Hrnecir, R. Strazovec, O. Uhrík, P. Gerhart</i> | |
| RECOVERY OF CS-137 FROM ELECTRIC ARC FURNACE DUST | 1300 |
| <i>F. Monroy-Guzman</i> | |
| LOW COUNT AND BACKGROUND RADIONUCLIDES ANALYSIS..... | 1307 |
| <i>P. Black, K. Lockhart, K. Black</i> | |
| WHEN EVERY DRUM IS A WIN – TACKLING A THIRTY-FIVE THOUSAND DRUM LEGACY..... | 1325 |
| <i>T. Smith, C. Lee, L. Southern, R. Peters</i> | |
| THE IMPORTANCE OF INVENTORY FOR INFORMING WASTE STRATEGY..... | 1336 |
| <i>M. Dickinson, A. Tuxworth, B. Ripper, B. Miller, A. Guida</i> | |
| REQUALIFICATION AND DECLARATION OF HIGH-ALPHA CEMENTED TRU-WASTE FROM THE LATE 70IES AND EARLY 80IES | 1341 |
| <i>F. Himmerkus, T. Limbach</i> | |
| A DATABASE FOR RADWASTE MANAGEMENT IN GERMANY-30 YEARS OF EXPERIENCE BY TÜV NORD..... | 1350 |
| <i>G. Bandt, S. Alraun</i> | |
| VERIFICATION OF REACTOR ACTIVATION MODELLING WITH PHYSICAL CHARACTERIZATION DATA AND THE IMPACT ON LONG TERM ASSESSMENT | 1360 |
| <i>J. Miller</i> | |
| EVALUATION OF MATERIAL BALANCE APPROACHES FOR HANFORD DIRECT-FEED LOW ACTIVITY WASTE PROCESSING | 1370 |
| <i>M. Stone, R. Wyrwas, I. Wheeler, D. Kim, N. Lumetta, M. Minette, J. Vienna</i> | |
| LIFECYCLE MANAGEMENT OF 324 PROJECT HIGH-ACTIVITY, MIXED/LOW-LEVEL RADIOACTIVE WASTE..... | 1388 |
| <i>T. Hobbes, L. West, B. Vannah, J. Westcott</i> | |
| DECLARATION OF THE CHEMICAL COMPOSITION OF WASTE-PRODUCTS FOR THE GERMAN REPOSITORY KONRAD USING SUBSTANCE VECTORS..... | 1401 |
| <i>F. Himmerkus</i> | |

| | |
|---|------|
| ORIGINS AND CONTENTS OF THE WASTE SPECIFICATIONS: THE EXAMPLE OF THE FRENCH LLW-SL DISPOSAL FACILITY | 1409 |
| <i>N. Solente, J. Recarte, P. Torres, C. Dressayre</i> | |
| UPDATES TO A PRELIMINARY PROBABILISTIC PERFORMANCE ASSESSMENT MODEL FOR RADIOLOGICAL AND CHEMICAL CONTAMINATION AT THE WEST VALLEY SITE, NEW YORK | 1416 |
| <i>K. Catlett, S. McCandless, D. Anderson, A. Bandler, P. Black, H. Brittingham, K. Broms, K. Crowell, P. Duffy, A. Fleury, T. Jennings, D. Levitt, P. Meeks, G. Occhiogrosso, R. Perona, C. Schaupp, T. Stockton, J. Tauxe</i> | |
| SPECIAL ANALYSES FOR THE HANFORD INTEGRATED DISPOSAL FACILITY PERFORMANCE ASSESSMENT | 1431 |
| <i>K. Lee, W. Zhou</i> | |
| A DOSE ASSESSMENT MODEL FOR RADIOACTIVE WASTE EXPOSED BY GULLY EROSION AT WEST VALLEY | 1445 |
| <i>R. Perona, S. McCandless, K. Catlett, P. Black, D. Levitt, C. Schaupp, G. Occhiogrosso, A. Fleury</i> | |
| UPDATE TO THE PERFORMANCE ASSESSMENT FOR THE SAVANNAH RIVER SITE SALTSTONE DISPOSAL FACILITY | 1460 |
| <i>S. Hommel</i> | |
| PREDICTING SATURATED HYDRAULIC CONDUCTIVITY OVER TIME FOR DEGRADING SALTSTONE VAULT CONCRETE | 1476 |
| <i>K. Brown, A. Garrabrants, D. Kosson</i> | |
| ENCAPSULATION OF WASTES USING ADAPTED GEOPOLYMER FORMULATIONS | 1491 |
| <i>J. Rodriguez-Sanchez, M. Fedorciuc-Onisa, S. Maclachlan</i> | |
| A STUDY OF A MONITORING PROGRAM FOR INTERMEDIATE DEPTH DISPOSAL OF LOW-RADIOACTIVE WASTE | 1498 |
| <i>T. Sasaki, M. Imai, H. Fujihara, T. Waki, Y. Hironaka, K. Terada</i> | |
| DEVELOPMENT OF ELECTROCHEMICAL DETECTORS FOR ELEMENTAL CHARACTERIZATION OF ACTINIDES | 1513 |
| <i>F. Guzman, R. Almeida, C. Juarez, E. Bustos</i> | |
| ASGS - AN INNOVATIVE APPROACH FOR WASTE CHARACTERIZATION - FROM THE FIRST STUDY TO EXPERIMENTAL VALIDATION | 1520 |
| <i>M. Fritzsche, P. Chard, S. Philips, A. Havenith, M. Duerr</i> | |

VOLUME 3

| | |
|--|------|
| IMPROVEMENT OF QUANTIFICATION IN NON-DESTRUCTIVE CHARACTERIZATION OF RADIOACTIVE WASTE PACKAGES - INTRODUCTION TO THE IDEAS OF A CURRENTLY STARTED PROJECT | 1530 |
| <i>T. Bucherl, S. Rummel, M. Blaszczyński, C. Gostomski</i> | |
| IDENTIFICATION AND QUANTIFICATION OF BETA-EMITTERS IN WASTE PACKAGES BY SEGMENTED GAMMA-SCANNING | 1541 |
| <i>T. Bucherl, C. Lierse Von Gostomski, M. Blaszczyński</i> | |

| | |
|--|------|
| NON-DESTRUCTIVE MATERIAL CHARACTERIZATION OF RADIOACTIVE WASTE PACKAGES WITH QUANTOM® | 1549 |
| <i>L. Coquard, A. Havenith, J. Kettler, K. Krycki, B. Fu, G. Nordhardt, J. Hummel, T. Veltkamp, S. Wegener, O. Schumann, T. Koeble</i> | |
| A RAPID SEQUENTIAL SEPARATION METHOD FOR DETERMINATION OF ACTINIDES AND TENORM IN FRACKING WASTES | 1560 |
| <i>P. Thakur, A. Ward, A. Gonzalez-Delgado</i> | |
| MULTIVARIATE LINEAR MODELS FOR IN SITU MONITORING OF LOW-ACTIVITY NUCLEAR WASTE USING INFRARED AND RAMAN SPECTROSCOPY | 1567 |
| <i>S. Kocevskaja, R. Rousseau, M. Grover, G. Maggioni</i> | |
| INVESTIGATING URANIUM CORROSION IN MAGNESIUM-CONTAINING SLUDGE USING X-RAY TOMOGRAPHY | 1576 |
| <i>C. Paraskevoulakos, K. Hallam, T. Scott</i> | |
| THE LONG-TERM STORAGE OF ILW: BUILDING STORES WITH THE APPROPRIATE ENVIRONMENTAL CONTROLS | 1583 |
| <i>C. Padovani, A. Cook, C. Harris, A. Davenport, O. Albores-Silva, E. Charles, Y. Zhang, S. Zhou, A. Turnbull, F. King, P. Fennell, M. Cowley</i> | |
| ZERO VALENT IRON FOR REDUCTIVE REMOVAL OF TECHNETIUM-99 FROM AQUEOUS SULFATE SOLUTIONS | 1599 |
| <i>S. Kandel, Y. Katsenovich, D. Boglaienko, H. Emerson, T. Levitskaia</i> | |
| CSA, THE FRENCH LILW DISPOSAL FACILITY: TAKING STOCK OF THE 30 YEARS' OPERATING EXPERIENCE | 1605 |
| <i>P. Torres, C. Dressayre</i> | |
| THERMAL PROCESS TECHNOLOGY FOR NUCLEAR APPLICATIONS..... | 1624 |
| <i>P. Witting, R. Vacek, J. Gwin, T. O'Connor, R. Holmes, A. Abboud, W. Townsend, M. Deura, G. Triani</i> | |
| OVERVIEW OF UPCOMING PROCESS IMPROVEMENT EFFORTS AT THE SALTSTONE FACILITIES AT THE SAVANNAH RIVER SITE | 1637 |
| <i>S. Mast, D. Kucab, A. Staub</i> | |
| NOCHAR TECHNOLOGIES FOR THE SOLIDIFICATION OF COMPLEX LIQUID RADIOACTIVE WASTE (LRW): GLOBAL CASE STUDIES OF APPLICATIONS AND DISPOSAL OPTIONS | 1645 |
| <i>D. Kelley, D. Campbell</i> | |
| THE HRA/SOLARIUM PROJECT: FEEDBACK BASED ON 20 YEARS OF EXPERIENCE IN TREATMENT OF MEDIUM LEVEL WASTE | 1656 |
| <i>R. Tuerlinckx, D. Vanherck, P. Vandervoort, T. Huys</i> | |
| SUCCESSES AND CHALLENGES OF THE INTEGRATED WASTE TREATMENT UNIT'S 50-DAY DEMONSTRATION RUN | 1665 |
| <i>A. Ferry, R. Farnsworth, B. Eldredge</i> | |
| PYROLYSIS OF RADIOACTIVE SPENT RESINS IN THE PRIME INSTALLATION | 1678 |
| <i>J. Hansen, J. Deckers</i> | |
| TEST FOR RECONDITIONING RA WASTE WITH SIMULATED BITUMEN AND CONCRETE IN A 1,2MW PLASMA TEST FACILITY | 1689 |
| <i>J. Deckers, G. Hanus</i> | |

| | |
|---|------|
| OPERATIONS AND RECENT UPGRADES TO A TRITIUM RECYCLING FACILITY..... | 1697 |
| <i>C. Shmayda, W. Shmayda, K. Page</i> | |
| INVESTIGATION INTO REDUCTIVE SEPARATION OF TC-99 FROM LOW ACTIVITY WASTE OFF-GAS CONDENSATE BY ZERO VALENT IRON MATERIALS | 1709 |
| <i>Y. Katsenovich, D. Boglaienko, H. Emerson, J. Williams, A. Maria, A. Gebru, S. Kandel, T. Levitskaia</i> | |
| QUEST FOR CONTINUOUS DESIGN AND SAFETY OPTIMIZATION: A LOOK AT CIRES, THE FRENCH VERY LOW LEVEL WASTE DISPOSAL | 1717 |
| <i>P. Torres, C. Dressayre</i> | |
| SORPTION OF ANIONIC IODINE AND MOLYBDENUM TO MULTISORBING BARRIER (MSB) MATERIALS..... | 1728 |
| <i>H. Lin, J. Chen, C. Benson, B. Clark</i> | |
| ISSUE RESOLUTION DURING THE DEVELOPMENT OF THE PERFORMANCE ASSESSMENT FOR THE SAVANNAH RIVER SITE SALTSTONE DISPOSAL FACILITY | 1735 |
| <i>S. Hommel</i> | |
| FIELD-SCALE LYSIMETER STUDIES OF GLASS AND CEMENTITIOUS WASTE FORMS AT THE HANFORD SITE | 1747 |
| <i>P. Meyer, R. Asmussen, J. Neeway, J. Thomle, R. Ekre, D. Bacon, G. Smith, R. Mabrouki, D. Swanberg</i> | |
| A COMPARISON OF RESRAD AND GOLDSIM MODELS FOR ASSESSING RADIOLOGICAL DOSE FOR A RCRA LANDFILL..... | 1761 |
| <i>K. Catlett, R. Perona, P. Black, J. Weissman, A. Tauxe, G. Occhiogrosso</i> | |
| DEVELOPMENT OF A CONDITIONED SYSTEM-LEVEL GROUNDWATER MODEL TO EVALUATE LONG-TERM GROUNDWATER IMPACTS WITHIN A PERFORMANCE ASSESSMENT | 1774 |
| <i>B. Hiergesell, N. Hasan, M. Kozak, S. Mehta, W. McMahon, D. Watson, M. Bergeron, R. Childress, K. Singleton, M. Connelly</i> | |
| MODELING INTERFACES TO SUPPORT LOW-LEVEL WASTE DISPOSAL SYSTEM PERFORMANCE ASSESSMENTS..... | 1792 |
| <i>C. Gruber, K. Brown, A. Garrabrants, J. Meeussen, H. Van Der Sloot, D. Kosson</i> | |
| CONSIDERATIONS FOR REGULATION AND PRACTICAL IMPLEMENTATION OF ANALYSES OF INADVERTENT HUMAN INTRUSION..... | 1803 |
| <i>R. Seitz, L. Bailey, A. De Hoyos, E. Andersson, A. Guskov</i> | |
| AUTONOMOUS NAVIGATION AND CONTROL OF UGVs' IN NUCLEAR POWER PLANTS..... | 1814 |
| <i>S. Dekkata, T. Okore-Hanson, S. Yi, S. Hamoush, Y. Seong, J. Plummer</i> | |
| INFLUENCE OF BORAETE ON SORTPTION OF STRONTIUM AND BARIUM TO CALCIUM SILICATE HYDRATE..... | 1825 |
| <i>T. Chida, N. Hara, Y. Niibori</i> | |
| STABILIZATION/SOLIDIFCATION OF TRITIATED WATER..... | 1834 |
| <i>S. Yim, W. Shon, M. Kim, C. Lee</i> | |
| DEVELOPMENT OF GUIDANCE FOR THE DISPOSITION OF USED OIL AND OIL SAMPLES AT THE COLUMBIA GENERATING STATION | 1840 |
| <i>M. Nolan, T. Hedges</i> | |

| | |
|--|------|
| USING RESIN TO REDUCE SILICA IN BORATED FLUID..... | 1854 |
| <i>H. Baxter</i> | |
| EXPERIENCES WITH MOBILE UNITS FOR LIQUID RAW MANAGEMENT IN SLOVAK AND CZECH NUCLEAR POWER PLANTS..... | 1862 |
| <i>P. Tatransky, S. Pecko, M. Sedlak</i> | |
| AVANTECH'S LIQUID RADWASTE (LRW) PROCESSING SYSTEM UPGRADE AT THE FARLEY NUCLEAR PLANT..... | 1870 |
| <i>L. Beets, J. Braun, M. Ping</i> | |
| DEVELOPMENT OF GUIDANCE FOR THE DISPOSITION OF USED OIL AND OIL SAMPLES AT THE COLUMBIA GENERATING STATION..... | 1877 |
| <i>M. Nolan, T. Hedges</i> | |
| DRYING WET STORED AND CORRODED MAGNOX FUEL FOR INTERIM DRY STORAGE..... | 1892 |
| <i>M. Jackson, T. Hunter, J. Goode, B. Hanson</i> | |
| THE COST OF (IN-) ACCURATE WASTE CHARACTERIZATION IN THE U.S. NUCLEAR POWER INDUSTRY..... | 1907 |
| <i>T. Kalinowski, D. James</i> | |
| MACHINE VISION-BASED ROBOT MANIPULATORS FOR NUCLEAR APPLICATIONS..... | 1917 |
| <i>T. Okore-Hanson, S. Yi, Y. Seong</i> | |
| FISSION PRODUCT GAS MONITORING DURING FUEL DRYING OPERATIONS..... | 1927 |
| <i>D. Brehm</i> | |
| USE OF MULTI-ATTRIBUTE UTILITY ANALYSES TO ASSESS TRANSPORTATION ROUTES FROM ISFSIS..... | 1936 |
| <i>S. Bader, A. Niemoller</i> | |
| DAMAGED FUEL IN THE UNITED STATES..... | 1944 |
| <i>G. Petersen</i> | |
| A SIMPLE, REVOLUTIONARY APPROACH TO WASTE PACKAGING UTILIZING PROVEN TECHNOLOGY..... | 1953 |
| <i>R. Weber</i> | |
| HANFORD IMMOBILIZED LOW-ACTIVITY WASTE TRANSPORTATION SYSTEM TESTING RESULTS..... | 1960 |
| <i>R. Keller, R. Tedeschi, G. Buss</i> | |
| TRANSPORTING NON-COMPLIANT TRU WASTES IN THE OPTIMUSTM PACKAGES..... | 1975 |
| <i>J. England, S. Sisley, P. Sewell</i> | |
| PRELIMINARY EVALUATION OF REMOVING SNF FROM NUCLEAR POWER PLANT SITES – PILGRIM SITE VISIT..... | 1981 |
| <i>S. Maheras, E. Bickford, L. Massaro, M. Feldman</i> | |
| ANALYSIS OF EXPOSURE DURING TRANSPORTATION OF WASTE TO THE NEVADA NATIONAL SECURITY SITE (NNSS)..... | 1993 |
| <i>D. Linkenheil</i> | |
| TECHNICAL ISSUES THAT NEED TO BE ADDRESSED IN PREPARING A LARGE PROGRAM TO TRANSPORT SNF AND HLW..... | 2008 |
| <i>D. Ogg</i> | |

| | |
|--|------|
| FABRICATION LESSONS LEARNED OF TRANSPORTATION PACKAGING FROM THE PERSPECTIVE OF A DESIGN AUTHORITY | 2013 |
| <i>T. Blowe, E. Conley, R. Smith</i> | |
| COMBINED EFFORT TO DE-INVENTORY THE NEW BRUNSWICK LABORATORY OF PLUTONIUM CERTIFIED REFERENCE MATERIALS..... | 2019 |
| <i>E. Ketusky, B. Loftin, D. Pancake, N. Hotz, K. Hanson, D. Tinnin, J. England</i> | |
| PACKAGING AND TRANSPORTATION REGULATORY INCONSISTENCIES AND CHALLENGES..... | 2034 |
| <i>P. Jones, C. Brandjes</i> | |
| DEVELOPMENT OF THE 3 M ³ LOW LEVEL RADIOACTIVE WASTE CONTAINER IN TAIWAN..... | 2040 |
| <i>K.-J. Cheng, C.-C. Peng, Y.-Y. Shen, P.-Y. Chen</i> | |
| HBU R&D CASK TRANSPORTATION OPTIONS | 2051 |
| <i>J. McEntire, D. McGee, G. Clark</i> | |
| NEW DESIGNED CONTAINERS FOR ACTIVATED ILW FROM NPP DECOMMISSIONING..... | 2060 |
| <i>K. Kristofova, H. Mrazova, J. Homola</i> | |
| CASK RT-100 TYPE B(U) SELF-CERTIFICATION FOR DOT 7A, TYPE A NUCLEAR WASTE TRANSPORTATION..... | 2068 |
| <i>A. Shakhathreh, J. Bower</i> | |
| OPTIMUS™ PACKAGING FOR INTERMEDIATE LEVEL WASTES AND SPENT FUEL..... | 2077 |
| <i>S. Sisley, J. England</i> | |
| UPDATE ON DEVELOPMENT OF A U.S. RAIL TRANSPORT CAPABILITY FOR SPENT NUCLEAR FUEL AND HIGH-LEVEL WASTE | 2084 |
| <i>P. Schwab, M. Feldman, B. Reich, S. Maheras, S. Dam</i> | |
| PLANNING FOR NUCLEAR POWER PLANT SITE VISITS..... | 2097 |
| <i>L. Rodman, S. Maheras, E. Bickford, E. Kennedy</i> | |
| THE NAC LWT FOR RESEARCH REACTOR SPENT FUEL SHIPMENTS | 2107 |
| <i>J. Adam, J. England</i> | |
| STUDY ON THE STRATEGY FOR FINAL DISPOSAL AND REUSE OF DECONTAMINATION WASTES AFTER THE FUKUSHIMA DAIICHI NPP ACCIDENT..... | 2112 |
| <i>K. Yamada, M. Osako, T. Yasutaka</i> | |
| DISMANTLING OF THE BOHUNICE V1 REACTOR COOLANT SYSTEM..... | 2122 |
| <i>J. Boucau, M. Stubna, S. Mila, M. Zachar, T. Rapant</i> | |
| DECOMMISSIONING OF THE V1 NUCLEAR POWER PLANT JASLOVSKE BOHUNICE | 2129 |
| <i>T. Klein</i> | |
| FEEDBACK FROM INTERNATIONAL DECOMMISSIONING PLANNING PROJECTS..... | 2135 |
| <i>N. Bergh</i> | |
| THE EVALUATION OF CHEMICAL DECONTAMINATION FOR CONTAMINATED CARBON STEEL SCRAP BY MULTIPHASE TREATMENT PROCESS | 2143 |
| <i>H.-C. Kuo, H.-T. Hsieh, Y.-C. Shen</i> | |

| | |
|---|------|
| MH-1A STURGIS DECOMMISSIONING AND DISMANTLEMENT | 2151 |
| <i>B. Barber, H. Honerlah, S. Moran, S. Matlapudi, G. Norden</i> | |
| LESSONS LEARNED IN THE DEVELOPMENT OF INDUSTRY GUIDANCE | 2164 |
| <i>M. Dickinson, P. Arthur, N. Jefferies, R. Davies, C. Padovani, A. Guida</i> | |
| DEVELOPMENT OF ROBOTIC INSPECTION SYSTEMS FOR IN-SITU CHARACTERISATION PRIOR TO DECOMMISSIONING | 2169 |
| <i>C. Hutson, A. Banos, D. Connor, K. Zhang, S. Kaluvan, S. White, Y. Verbelen, M. Tucker, J. Knighton, K. Wood, D. Megson-Smith, E. Holland, P. Martin, T. Scott</i> | |
| USE OF THE MANUELA 3D/RADIATION SCANNING TOOL AT NUCLEAR FACILITIES | 2180 |
| <i>J. McEntire, D. McGee</i> | |
| COLORIMETRIC DETECTION AND SURFACE DECONTAMINATION OF METAL IONS BY USING STRIPPABLE POLYMERS..... | 2187 |
| <i>O. Tal, S. Gelfer</i> | |
| THE ARGONNE SUPERGEL FOR CBRN DECONTAMINATION | 2197 |
| <i>M. Kaminski, C. Mertz, M. Finck, M. Kalensky, N. Kivenas, P. De Lurgio, J. Reed</i> | |
| USING ROBOTIC MANIPULATORS FOR RADIOACTIVE WASTE INSPECTION..... | 2210 |
| <i>S. White, D. Megson-Smith, S. Kuluvan, D. Burns, T. Scott</i> | |
| MONITORING THE POSSIBLE EFFECTS OF CORRODING FUEL CLADDING IN NUCLEAR PONDS: A MODIFIED ROV FOR STORAGE PONDS | 2218 |
| <i>J. Barnes, G. John, D. Invernizzi, I. Beadle</i> | |
| THE STUDY OF TRR RADIAL THERMAL SHIELDING DISMANTLING PROCESS | 2230 |
| <i>P.-Y. Chen, B.-H. Chang</i> | |
| EPRI DEMONSTRATION OF AN AUTONOMOUS SITE CHARACTERIZATION VEHICLE..... | 2241 |
| <i>R. McGrath, R. Reid</i> | |
| DEVELOPMENT OF THE UNDERWATER DISC SAW USED TO SEGMENT THE INTERNALS OF TAIWAN RESEARCH REACTOR | 2259 |
| <i>K.-J. Cheng, C.-C. Peng, H.-Y. Lee, P.-Y. Chen</i> | |
| NUCLEAR DECONTAMINATION EVOLUTION AND REVOLUTION..... | 2268 |
| <i>J. Fortkamp, G. Henderson, J. Owoc, D. Garber, C. Norton</i> | |
| INNOVATIVE APPROACHES TO THE DECOMMISSIONING OF A REDUNDANT PLUTONIUM PROCESSING FACILITY | 2280 |
| <i>M. Williams, R. Turnock, C. Pether</i> | |

VOLUME 4

| | |
|--|------|
| ADVANCEMENT OF COMMERCIAL INTUMESCENT EXPANDING FOAMS FOR DEACTIVATION AND DECOMMISSIONING IN THE NUCLEAR SECTOR..... | 2294 |
| <i>T. Donoclift, J. Nicholson, B. Peters, L. Mathurin, M. Komninakis, T. Simoes-Ponce, M. Serrato, J. Sinicrope</i> | |
| SYSTEMATIC ANALYSIS OF DRIVERS AND BARRIERS OF CROSS-SECTORIAL LEARNING BETWEEN NUCLEAR AND OIL&GAS DECOMMISSIONING PROJECTS..... | 2306 |
| <i>D. Invernizzi, N. Higginson, R. Howells, W. Van Es, I. Beadle</i> | |

| | |
|---|------|
| INNOVATIVE PROJECTS ON RW RECYCLING FROM THE FRENCH “INVESTMENTS FOR THE FUTURE” PROGRAM..... | 2318 |
| <i>R. Mandoki, B. Frasca, G. Hermand, M.-D. Salsac</i> | |
| ENHANCED SUSTAINABILITY IN TREATMENT OF CONTAMINATED METALS FOR CLEARANCE AND RECYCLING..... | 2331 |
| <i>A. Larsson, W. Eek, G. Krause, F. Nilsson</i> | |
| THE NEED FOR INTERNATIONAL CONSENSUS AND ACCEPTANCE OF FREE RELEASED MATERIAL..... | 2341 |
| <i>M. Pieraccini, A. Larsson, D. Kerr, K. Buettner, C. Sanders</i> | |
| MODULAR, MOBILE SYSTEMS FOR THE TREATMENT OF CONTAMINATED WATER AT THREE MAGNOX SITES IN THE UNITED KINGDOM..... | 2354 |
| <i>P. Sylvester, B. Garrett</i> | |
| APPLICATION OF FREMES TO CHARACTERIZE AND SORT SOIL DURING SITE REMEDIATION..... | 2360 |
| <i>K. Buttner, F. Langer, M. Sokcic-Kostic</i> | |
| RADIOLOGICAL CHARACTERIZATION OF HARD TO MEASURE NUCLIDES USING ACCELERATOR MASS SPECTROMETRY..... | 2367 |
| <i>M. Dewald, B. Dittmann, R. Spanier, S. Heinze, M. Schiffer, C. Muller-Gattermann, G. Hackenberg, S. Herb, A. Stolz, A. Dewald, R. Margreiter, E. Strub, K. Eberhardt</i> | |
| EXPERIMENTAL STUDY ON THE TRANSFER OF CS, SR, PU AND WATER IN CONCRETE FOR THE ESTIMATION OF CONTAMINATION..... | 2373 |
| <i>K. Yamada, I. Maruyama, M. Ida, H. Aihara, R. Kiran, S. Tomita, G. Igarashi, K. Haga, K. Shibuya, A. Shibata, Y. Koma</i> | |
| ISOCS-BASED EXTENDED IN SITU GAMMA SPECTROMETRY SERVICES TOOL SUPERISOCS FOR WASTE MEASUREMENTS..... | 2383 |
| <i>L. Leong, P. Chard, S. Philips, A. Ulmann, J. Beaujoin, D. Sullivan, A. Suzuki, M. Isse, X. Ducoux, J. Singh, H. Persson, C. Binnersley</i> | |
| A STUDY ON RADIONUCLIDES SELECTION FOR DCGLS DEVELOPMENT FOR SITE RELEASE OF KRR UNITS 1 AND 2 SITE IN KOREA..... | 2395 |
| <i>J. Chung, M. Ju, T. Jeon, J. Song, G. Kim, J. Moon, Y. Kim, J. Chung</i> | |
| STUDY OF WASTE GENERATED BY RETRIEVAL OF FUEL DEBRIS AT FUKUSHIMA DAIICHI NUCLEAR POWER STATION..... | 2403 |
| <i>J. Iwasa, T. Mori, N. Kanno, T. Asano</i> | |
| LASER CLEANING FOR DECONTAMINATION OF A NUCLEAR FACILITY..... | 2409 |
| <i>R. Mani, S. Lavoie, M. Robichaud</i> | |
| ARTIFICIAL INTELLIGENCE AS D&D ENABLER..... | 2419 |
| <i>A. Kabbadj, M. Assaad, A. Mangeot, E. Nassara, Y. Lereclus, D. Kien, B. Zakaria, A. Rait, H. Deroui, A. Aumont, A. Iancheruk, R. Plana</i> | |
| D&D RESEARCH ON KM-IT PLATFORM..... | 2426 |
| <i>W. Quintero</i> | |
| ADHESION CAPABILITIES OF PERMANENT FOAMING FIXATIVES FOR DEACTIVATION & DECOMMISSIONING ACTIVITIES..... | 2435 |
| <i>T. Simoes-Ponce, J. Sinicrope, L. Lagos, J. Nicholson</i> | |

| | |
|--|------|
| AGING OF CONCRETE FOR THE EVALUATION OF REPAIR MATERIALS TO PROTECT THE WALLS OF THE HCAEX TUNNEL AT SAVANNAH RIVER..... | 2443 |
| <i>M. Boan, A. Abreu, L. Lagos, D. McDaniel</i> | |
| CERTIFYING THE PERFORMANCE OF FIXATIVE TECHNOLOGIES UNDER OPEN AIR DEMOLITION ACTIVITIES FOR D&D..... | 2458 |
| <i>M. Komminakis, J. Sinicrope, T. Donoclift, J. Nicholson</i> | |
| DECOMMISSIONING R&D AT NNL - CHARACTERISATION, DECONTAMINATION AND DEPLOYMENT | 2464 |
| <i>T. Carey, N. Smith, L. O'Brien</i> | |
| DEM&MELT: A MODULAR AND COMPACT IN-CAN MELTING TECHNOLOGY DEDICATED TO D&D AND REMEDIATION WASTE | 2473 |
| <i>R. Didierlaurent, H. Orefice, H.-A. Turc, J.-F. Hollebecque, L. Nicollet, B. Frasca, L. David, C. Chapuzet, J.-Y. Amisse</i> | |
| ELECTROLYTICALLY ASSISTED SURFACE DECONTAMINATION (EASD™) FOR POCO OPERATIONS | 2483 |
| <i>T. Carey, L. O'Brien, S. Wilson, J. Collins, A. Wade, R. Bell</i> | |
| SLUDGE REMOVAL: SUCCESS AND PARTNERSHIP WITH T PLANT | 2496 |
| <i>J. Rush, T. Dillsi, M. St. Germaine</i> | |
| IS THERE A PERFECT D&D PLAN..... | 2503 |
| <i>B. Bailey, T. Rodovsky, M. Morton, G. Macfarlan</i> | |
| DEVELOPMENT OF A REGULATORY STRATEGY FOR POST OPERATIONAL CLEAN OUT ACTIVITIES AT SELLAFIELD LIMITED NUCLEAR LICENSED SITE | 2510 |
| <i>K. Chandler, P. Hudson</i> | |
| CHARACTERIZATION STRATEGY OF A LIMITED NUMBER OF RADIOACTIVE WASTE EFFLUENT TANKS IN VIEW OF DECOMMISSIONING A LARGE NUMBER OF TANKS | 2517 |
| <i>F. Iche, S. Tillard, J. Comte</i> | |
| OPTIMIZATION OF THE POST-OPERATIONAL PHASE ON TWO BELGIAN MULTI-UNIT NUCLEAR POWER PLANTS: THE CFASE OF THE NON-FISSILE IRRADIATED CORE ITEMS..... | 2530 |
| <i>D. Maloir, S. Vanderperre, C. De Jonghe</i> | |
| THE USE OF LONG-WAVE INFRARED CAMERAS FOR HAZARDOUS WASTE REMEDIATION | 2541 |
| <i>K. Young</i> | |
| INVESTIGATION OF POLYURETHANE AND FIRE-RETARDANT FOAMS AS A RADIOLOGICAL CONTAMINATION FIXATIVES..... | 2566 |
| <i>J. Nicholson, N. Groden, J. Sinicrope, B. Peters, T. Simoes-Ponce</i> | |
| FX HG FOGGING FIXATIVE DEPLOYMENT FOR MERCURY VAPOR SUPPRESSION | 2580 |
| <i>S. Reese, R. Demmer</i> | |
| DESIGN AND DEVELOPMENT OF A ROBOTIC EXOSKELETON DEVICE FOR USE IN GLOVE BOXES | 2588 |
| <i>A. Aravelli, L. Lagos, O. Bai, R. Ramon, C. Nataros, C. Garcia, T. Yi</i> | |

| | |
|--|------|
| EXPEDITED WALKDOWNS AND PREPARATION OF COST ESTIMATES FOR DECONTAMINATION AND DEMOLITION OF EXCESS FACILITIES | 2593 |
| <i>M. Costella, R. Plienness, A. Bradley, J. Patterson</i> | |
| DEVELOPING DECOMMISSIONING COST ESTIMATING RELATIONSHIPS AND THE DECOMMISSIONING ESTIMATE ANALYSIS LIBRARY ESTIMATING SYSTEM..... | 2603 |
| <i>P. Sanford, M. Moe, M. Mills, W. Hombach</i> | |
| AMPHIPHILIC BLOCK COPOLYMERS FOR FLOCCULATION AND HYDROPHOBIZATION OF LEGACY WASTE SUSPENSIONS IN FLOTATION DRIVEN DEWATERING OPERATIONS..... | 2618 |
| <i>A. Lockwood, G. Wadsley, N. Warren, D. Harbottle, T. Hunter, J. Peakall, G. Randall, M. Barnes</i> | |
| LESSONS LEARNED FROM HANFORD'S PUREX TUNNEL 2 STRUCTURAL STABILIZATION PROJECT | 2641 |
| <i>A. Farabee, A. Labonty</i> | |
| DEM&MELT IN-CAN VITRIFICATION PROCESS FOR FUKUSHIMA DAIICHI WATER TREATMENT SECONDARY WASTE | 2654 |
| <i>R. Didierlaurent, H. Orefice, H.-A. Turc, J.-F. Hollebecque, M. Fournier, K. Shibata, L. David</i> | |
| INVESTIGATION OF PROCESS EMISSIONS DURING THERMAL CUTTING OF CLAD METALS FROM THE NUCLEAR SECTOR | 2664 |
| <i>K. Buettner, P. Brueggemann, T. Hassel</i> | |
| DEVELOPMENT OF REMOTE CUTTING TOOLS FOR USE AT ATR..... | 2671 |
| <i>R. Gannon, J. McEntire, D. McGee</i> | |
| LESSONS LEARNED FROM DEMOLITION OF HANFORD'S PLUTONIUM FINISHING PLANT | 2677 |
| <i>J. Casper</i> | |
| ROBUST METHOD TO IDENTIFY GROUNDWATER AFFECTED BY REDOX CONDITIONS AT LOS ALAMOS NATIONAL LABORATORY LEGACY CLEANUP SITE..... | 2695 |
| <i>M. Ding, D. Katzman, P. Mark, L. Zheng, S. Sandborg, L. Huntoon, T. Pierce</i> | |
| EVALUATING REMEDIATION OPTIONS FOR A PERCHED-WATER UNIT AT THE HANFORD SITE | 2702 |
| <i>I. Demirkanli, K. Bagwell, J. Szecsody, M. Truex, M. Byrnes</i> | |
| INTEGRATING ELECTRICAL RESISTIVITY TOMOGRAPHY WITH VADOSE ZONE CHARACTERIZATION..... | 2713 |
| <i>R. Mackley, T. Johnson, J. Thomle, J. Robinson, M. Truex, S. Springer, D. St. John, E. Frohling</i> | |
| THE NATURE AND STATE OF GROUNDWATER CONTAMINATION AT THE NEVADA NATIONAL SECURITY SITE: WHAT HAVE WE LEARNED FROM DECADES OF GROUNDWATER ANALYSIS? | 2721 |
| <i>I. Farnham, K. Rehfeldt, M. Zavarin</i> | |
| TECHNOLOGY ASSESSMENT FOR RADIOIODINE AT THE HANFORD SITE..... | 2734 |
| <i>V. Freedman, M. Truex, J. Szecsody, C. Pearce, N. Qafoku, G. Wang, H. Emerson</i> | |

| | |
|--|------|
| THE STABILITY OF SiO_2 Fe_3O_4 NANOPARTICLES FOR URANIUM EXTRACTION IN ACIDIC MEDIA | 2746 |
| <i>S. Aberdeen, E. Cali, L. Vandeperre, M. Ryan</i> | |
| THE INFLUENCE OF ALKALINITY ON THE UPTAKE OF CS^+ AND SR^{2+} BY CATION-SUBSTITUTED NATISITES IN SODIUM-BEARING CONDITIONS | 2755 |
| <i>M. Lauar, D. Hatchett, S. Gainey, C. Adcock, J. Batista</i> | |
| FEEDBACK ON FORTY-YEAR LONG CLEAN-UP OPERATIONS OF A CONTAMINATED SOIL FOR ENVIRONMENTAL PURPOSE | 2768 |
| <i>G. Lelaizant, P. De Moura, C. Roche</i> | |
| DEVELOPMENT OF A CONVOLUTIONAL NEURAL NETWORK CLASSIFIER FOR DATA STARVED SPECTRA | 2780 |
| <i>R. Unz, A. Finney, A. Randle, S. Larson, J. Ballard, C. Waggoner</i> | |
| THE CHALLENGE OF ACHIEVING SITE CLOSURE OF A COMPLEX GROUNDWATER PLUME | 2795 |
| <i>C. Eddy-Dilek, M. Denham, H. Gonzalez-Raymat</i> | |
| FIELD TEST BED FOR VADOSE-ZONE MONITORING APPROACHES | 2803 |
| <i>C. Strickland, H. Knox, T. Johnson, B. Roberts, V. Vermeul, M. Truex, V. Freedman</i> | |
| A DATA PROCESSING WORKFLOW FOR FIXED-WING DRONE BASED RADIATION MAPPING IN THE CHORNOBYL EXCLUSION ZONE (CEZ) | 2814 |
| <i>D. Connor, P. Martin, Y. Verbelen, K. Wood, S. Goren, D. Megson-Smith, N. Smith, T. Scott</i> | |
| GPS-BASED GAMMA SURVEY FOR CHARACTERIZING AND DECOMMISSIONING NORM SITES | 2827 |
| <i>T. Alecksen, E. Ruedig, M. Schierman</i> | |
| A COMPARISON OF GROUNDWATER SAMPLING TECHNOLOGIES, INCLUDING PASSIVE DIFFUSION SAMPLING, FOR RADIONUCLIDE CONTAMINATION | 2841 |
| <i>R. Frus, T. Imbrigiotta</i> | |
| WHOSE GAS IS IT ANYWAY? DIFFERENTIATING THE SOURCE OF A LARGE SOIL VAPOR PLUME BENEATH TWO ADJACENT WASTE SITES..... | 2856 |
| <i>T. Hammond, J. Douglas</i> | |
| CONTAMINANT MIGRATION MODELING TO SUPPORT THE IN SITU DECOMMISSIONING OF HARDENED NUCLEAR FACILITIES | 2878 |
| <i>W. Jolin, S. O'Quinn, G. Rose, T. Killeen, J. Thibault, J. Ross, B. Hennessey</i> | |
| CONTAMINANT TRANSPORT MODELING FOR TECHNOLOGY EVALUATION AND LONG-TERM MONITORING IN THE TIMS BRANCH TESTBED..... | 2889 |
| <i>Y. Zhou, M. Mahmoudi, A. Lawrence, R. Hariprashad, A. Yancoskie, J. Morales, M. Valencia, B. Looney, J. Seaman</i> | |
| MODELING STREAMFLOW AND SEDIMENT TRANSPORT UNDER CURRENT AND FUTURE CLIMATES AT THE WEST VALLEY SITE | 2905 |
| <i>A. Bandler, H. Brittingham, K. Broms, P. Duffy, T. Stockton, K. Catlett, P. Black S. McCandless</i> | |
| DISTRIBUTION DEVELOPMENT FOR RESIDUAL INVENTORY AT THE NEW YORK WEST VALLEY SITE..... | 2925 |
| <i>D. Anderson, P. Duffy, P. Black, H. Brittingham, S. McCandless, L. Gains-Germain, K. Catlett</i> | |

| | |
|---|------|
| THE INFLUENCE OF AQUEOUS DISPERSIVITY ON TRANSPORT OF RADIOLOGICAL MATERIAL AT LANL MDA G | 2934 |
| <i>A. Rice, A. Jordan, H. Brittingham, K. Broms</i> | |
| MODELING EFFORTS TO GAIN INSIGHT INTO HISTORICAL LEAK EVENTS FROM THE SINGLE-SHELL TANK A-105 IN THE HANFORD 241-A TANK FARM' | 2949 |
| <i>M. Oostrom, R. Arthur, A. Wahi, S. Mehta, B. Hiergesell, M. Bergeron, J. Field, A. Olander</i> | |
| USE OF AN ALTERNATIVE CONCEPTUAL MODEL OF VADOSE ZONE HETEROGENEITY TO EVALUATE PAST TANK LEAKS AND OTHER UNPLANNED RELEASES WITHIN A TANK FARM AT THE HANFORD SITE | 2962 |
| <i>M. Bergeron, S. Mehta, N. Hasan, M. Kozak, D. Goswami, J. Yokel, J. Lyon</i> | |
| LIFE-CYCLE BASELINE CUSTOMIZATION FOR THE FORMERLY UTILIZED SITES REMEDIAL ACTION PROGRAM..... | 2981 |
| <i>C. Carpenter, N. Fatherly, R. Roberts</i> | |
| GIS-BASED MODELING OF CONTAMINATED SOIL VOLUMES AT MULTIPLE SITES IN THE FORMERLY UTILIZED SITES REMEDIAL ACTION PROGRAM..... | 2988 |
| <i>S. McCabe, N. Miller, M. Graham, L. Berta, J. Hall, M. Barker, W. Frederick</i> | |
| 3-D RADIOLOGICAL DATA ACQUISITION, VISUALIZATION AND MODELING..... | 3007 |
| <i>D. Watters, D. Caputo, D. Wadsworth, D. Sirkis, G. Bock, T. Cornuet, T. Cushman</i> | |
| OPPORTUNITIES TO IMPLEMENT SOLUTIONS TO ACHIEVE REMEDIAL ACTION OBJECTIVES IN CONSIDERATION OF STAKEHOLDER INTERESTS | 3012 |
| <i>B. Kollar, M. Winters, A. Osuch, D. Hays</i> | |
| POTENTIAL ADVANTAGES TO EMPLOYING AN ONSITE LABORATORY AT FUSRAP SITES CONTAMINATED WITH RADIONUCLIDES AND METALS | 3028 |
| <i>B. Tucker, D. Black, D. Hays, D. Evans</i> | |
| IN-SITU APPROACH TO SAMPLING AND SURVEY FOR RADIOLOGICAL CONTAMINANTS TO RELEASE OVERBURDEN SOIL FOR REUSE | 3038 |
| <i>J. Rankins, C. Finkenbine, K. Davis, S. Passig, M. Peterson</i> | |
| USACE FUSRAP RECORDS MANAGEMENT CHALLENGES IN THE DIGITAL AGE..... | 3044 |
| <i>J. Johnson, C. Charette, N. Fatherly</i> | |
| EXCAVATION VOLUME GROWTH FACTORS AT ENVIRONMENTAL REMEDIATION SITES | 3055 |
| <i>D. Hays, A. Ewy</i> | |

VOLUME 5

| | |
|---|------|
| US EPA SUPERFUND RADON VAPOR INTRUSION SCREENING LEVEL (RVISL) ELECTRONIC CALCULATOR | 3061 |
| <i>S. Walker</i> | |
| QUANTIFYING THE IMPACT OF CLIMATE CHANGE ON EROSION..... | 3072 |
| <i>K. Crowell, P. Duffy, P. Black, D. Anderson, J. Tauxe, S. McCandless</i> | |
| ISR RESTORATION METHODS AND APPLICABILITY TO GROUNDWATER REMEDIATION AT ABANDONED URANIUM MILLS | 3092 |
| <i>B. Hendricks, P. Lemke, E. Tiepel, S. Bakken, M. Kautsky</i> | |

| | |
|--|------|
| SUSTAINING ON-GOING RISK COMMUNICATION AT THE RIVERTON, WYOMING, PROCESSING SITE | 3106 |
| <i>M. Picel, W. Frazier, D. Goggles, S. Babits</i> | |
| URANIUM MILL TAILINGS RADIATION CONTROL ACT TITLE II DOE DUE DILIGENCE AND LESSONS LEARNED FROM A PREVIOUS SITE TRANSFER | 3116 |
| <i>B. Tsosie, T. Jasso, A. Kuhlman</i> | |
| CANONSBURG, PENNSYLVANIA, UMTRCA TITLE I DISPOSAL SITE 35 YEARS POSTCLOSURE (1985-2020) | 3129 |
| <i>C. Carpenter, K. Broberg</i> | |
| INVESTIGATION OF NON-NUCLEAR PLOWSHARE AND VELA UNIFORM SITES | 3140 |
| <i>D. Shafer, A. Kleinrath, J. Petrello</i> | |
| OVERVIEW OF THE LONG-TERM STEWARDSHIP OF THE REMEDIATED URANIUM MINING AND MILLING SITES IN EUROPE..... | 3151 |
| <i>M. Dinis, A. Fiuza</i> | |
| AUTOMATED DATA REVIEW OF ANALYTICAL LABORATORY RESULTS AT LOS ALAMOS NATIONAL LABORATORY | 3167 |
| <i>S. Sandborgh, R. Cowan, J. Garrett, C. White, P. Mark, L. Zhang, T. Walters</i> | |
| NEVADA HIGHER EDUCATION BENEFITS FROM US DEPARTMENT OF ENERGY (DOE) ENVIRONMENTAL MANAGEMENT (EM) NEVADA PROGRAM'S TRANSFER OF GEOLOGIC SAMPLES..... | 3175 |
| <i>J. Wurtz, S. Kranker, B. Wilborn, C. Depolo</i> | |
| SUCCESS USING A GRANULAR-ACTIVATED CARBON FILTRATION SWAB TO REHABILITATE WESTBAY® MULTI-LEVEL GROUNDWATER MONITORING WELLS AT THE INL | 3180 |
| <i>C. Ammon, E. Whitmore, R. Aubrey, J. Forbes, N. Badrov</i> | |
| STUDY OF AN UNREFINED HUMATE SOLUTION AS A POSSIBLE ATTENUATION- BASED REMEDY FOR URANIUM CONTAMINATION IN ACIDIC GROUNDWATER..... | 3190 |
| <i>R. Gudavalli, K. Delarosa, H. Raymat, B. Looney, Y. Katsenovich, L. Lagos</i> | |
| IMPACT OF UV-LIGHT AND PH ON THE FATE OF TC, I, AND U IN WETLANDS AT SAVANNAH RIVER SITE | 3199 |
| <i>R. Gudavalli, H. Emerson, S. Garcia, H. Raymat, Y. Katsenovich, L. Lagos</i> | |
| ADVANCED MIXED WASTE TREATMENT PROJECT OVERCOMES CHALLENGES TO COMPLETE TREATMENT OF DEBRIS WASTE | 3206 |
| <i>B. Breffle, E. Simpson, N. Loftus</i> | |
| INNOVATIONS IN SUSTAINABLE PASSIVE WASTEWATER TREATMENT | 3214 |
| <i>P. Pruisner, N. Gallagher, E. Blumenstein, R. Schipper</i> | |
| NOVEL REMEDIATION OF MERCURY-CONTAMINATED SEDIMENTS USING MANGANESE OXIDE AND ACTIVATED CARBON AMENDMENTS..... | 3235 |
| <i>P. O'Day, E. Meraz, J. Burmistrova, M. Seelos, M. Beutel, S. Traina, D. Vlassopoulos</i> | |
| IODINE CO-PRECIPIATION WITH CALCIUM CARBONATE IN THE PRESENCE OF SILICA IONS..... | 3245 |
| <i>Y. Katsenovich, R. Gort, X. Lugo, R. Gudavalli, N. Qafoku, V. Freedman, L. Lagos</i> | |

| | |
|---|------|
| DEVELOPMENT OF AN IN-SITU LEACHING TECHNOLOGY FOR EXTRACTING RESIDUAL URANIUM FROM REMEDIATED SOIL | 3251 |
| <i>D. Bhojwani, G. Anderson</i> | |
| ZERO-VALENT IRON PERMEABLE REACTIVE BARRIER TO REMEDIATE VOLATILE ORGANIC COMPOUNDS IN GROUNDWATER..... | 3266 |
| <i>A. Willey, J. Ross, M. Amidon, M. Rabin, P. Prater</i> | |
| CHROMATE REMOVAL BY LONG LIFE IX RESINS WITHOUT CONTINUOUS PH ADJUSTMENT | 3282 |
| <i>P. Meyers</i> | |
| REDUCING COST OF CHLORINATED VOLATILE ORGANIC COMPOUND REMEDICATION BY TRANSITIONING FROM ACTIVE TO PASSIVE SOIL VAPOR EXTRACTION | 3295 |
| <i>J. Bradley, M. Rabin, K. Adams</i> | |
| THE CHALLENGES OF AIR MONITORING AT A SOIL REMEDIATION PROJECT IN A SUBURBAN SETTING..... | 3302 |
| <i>S. Ahern</i> | |
| INVESTIGATION OF RADIOLOGICAL CONTAMINATION AT PARKS IN THE GATEWAY NATIONAL RECREATION AREA | 3309 |
| <i>K. Cuzzolino, R. Wensink, E. Barbour, C. Gandy, J. Reese, C. Gray, J. Wyckoff</i> | |
| A CUSTOM MACHINE TO CONVEY RADIOLOGICALLY IMPACTED COHESIVE SOILS TO THE ORION SCANSORTSM SYSTEM | 3320 |
| <i>R. Posner, J. Lively, C. Irvin, J. Ottman</i> | |
| WASH PENALTY FACTORS: INSIGHT INTO THE EFFECTS OF WATER WASH DOWN OF BUILDING MATERIALS FOR RADIONUCLIDE/NUCLEAR DECONTAMINATION | 3328 |
| <i>M. Kaminski, K. Hepler, C. Oster, W. Jolin, S. Lopykinski, N. Kivenas, M. Magnuson</i> | |
| REMEDICATION OF TEMPORARY STORAGE SITES IN SUPPORT OF THE PORT HOPE AREA INITIATIVE..... | 3338 |
| <i>S. Bailey, T. Ahmed, T. McConnell</i> | |
| LESSONS LEARNED FROM THE FIRST YEAR OF PROPERTY REMEDIATION..... | 3349 |
| <i>T. McConnell</i> | |
| IMPLICATIONS OF END POINTS ON REMEDIATION | 3356 |
| <i>C. Boughen</i> | |
| MIDDLESEX SOUTH FUSRAP SITE: COLLABORATION TOWARDS BENEFICIAL REUSE | 3367 |
| <i>D. Castillo, J. Bennett, C. Young</i> | |
| COMPETING INTERESTS AND CREATING VALUE—BALANCING DURABLE AND ENFORCEABLE INSTITUTIONAL | 3382 |
| <i>B. Sokolovich, A. Wei</i> | |
| OIL AND NATURAL GAS DEVELOPMENT NEAR AND BENEATH URANIUM TAILINGS DISPOSAL CELLS AND OTHER REMEDIATED SITES..... | 3391 |
| <i>T. Jasso, K. Kreie, D. Shafer, C. Boger, R. Hodges</i> | |
| USE OF UNMANNED AERIAL SYSTEMS FOR POST-CLOSURE WASTE SITE MAINTENANCE AND SURVEILLANCE | 3407 |
| <i>K. Holcomb, P. Avioli, P. Prater</i> | |

| | |
|---|------|
| CONVENTIONAL AND NEXT GENERATION TREATMENT TECHNOLOGIES FOR PFAS | 3416 |
| <i>J. McDonough, J. Burdick, J. Quinnan, E. Houtz</i> | |
| ADVANCES IN PFAS MONITORING AND REMEDIATION USING A FUNCTIONALIZED MATERIAL APPROACH | 3442 |
| <i>S. Chatterjee, R. Motkuri, M. Truex, D. Barpaga, V. Shutthanandan, K. Han, C. Enderlin, B. Wells, S. Basuray, M. Reed, R. Wilson</i> | |
| FULL-SCALE IMPLEMENTATION OF PROPANE BIOSPARGE SYSTEM FOR IN-SITU REMEDIATION OF 1,4-DIOXANE | 3453 |
| <i>C. Bell, K. Parsons, K. Gerber</i> | |
| EMERGING CONTAMINANTS: IDENTIFICATION, LIFE CYCLE, AND KEY CHALLENGES | 3460 |
| <i>M. Gentile, C. Bell, E. Houtz, K. Onesios-Barry</i> | |
| DISTRIBUTION DEVELOPMENT FOR THE RDX REGIONAL MODEL AT LOS ALAMOS NATIONAL LABORATORY | 3468 |
| <i>H. Brittingham, L. Gains-Germain, D. Anderson, A. Jordan, L. Foster, A. Rice, P. Black, P. Duffly, T. Stockton</i> | |
| ANALYSIS OF HYDROLOGY AND INTERIM MEASURE PERFORMANCE IN THE CHROMIUM PLUME AT LOS ALAMOS NATIONAL LABORATORY | 3481 |
| <i>A. Jordan, P. Reimus, D. Katzman, M. Ding, L. Gains-Germain, A. Springsteen, A. Rice, J. Carson</i> | |
| CALIBRATION AND UNCERTAINTY ESTIMATION USING THE ENSEMBLE KALMAN FILTER WITH A LARGE SUBSURFACE FLOW AND TRANSPORT MODEL | 3496 |
| <i>L. Howard, J. Ross, M. Jarrett, M. Amos</i> | |
| RADIOLOGICAL RECOVERY LOGISTICS TOOL | 3508 |
| <i>M. Kaminski, S. Parent, D. Johnson, M. Magnuson, S. Lee, B. Stevenson, O. Amir</i> | |
| SOURCES OF CONSERVATISM IN MAKING CORRECTIVE ACTION DECISIONS AT THE NNSS | 3517 |
| <i>L. Kidman, M. Knop</i> | |
| BAYESIAN APPROACH TO ESTIMATION OF WATER TABLE ELEVATIONS USING HISTORICAL RASTERS AS PRIOR INFORMATION 2019 | 3530 |
| <i>J. Carson, A. Jordan, A. Rice, P. Black, T. Stockton, D. Katzman, L. Hall</i> | |
| IN-SITU URANIUM SOURCE TREATMENT PERFORMANCE ASSESSMENT ELEMENTS | 3540 |
| <i>R. Mackley, T. Johnson, J. Szecsody, H. Emerson, J. Thomle, M. Truex, S. Springer, S. Mehta, E. Frohling, V. Rohay, D. St. John</i> | |
| APPLICATIONS OF HYPORHEIC ZONE SAMPLING FOR ASSESSING VOC PLUME ENGINEERED REMEDIATION AND NATURAL ATTENUATION EFFECTIVENESS | 3552 |
| <i>J. Williams, E. Shull</i> | |
| EMULSIFIED OIL BIO-BARRIER TO REMEDIATE CEE IN THE DISTAL PORTION OF A GROUNDWATER PLUME | 3563 |
| <i>T. Killeen, J. Ross, A. Willey, K. Adams</i> | |
| RESULTS OF A SOIL FLUSHING TREATABILITY TEST FOR HANFORD SITE HEXAVALENT CHROMIUM REMOVAL | 3576 |
| <i>J. Hulstrom, E. Macdonald</i> | |

| | |
|---|------|
| CHEMICAL-BIOLOGICAL CYCLIC PROCESS FOR HEXAVALENT CHROMIUM REDUCTION TO TRIVALENT CHROMIUM IN AQUEOUS MEDIUM | 3589 |
| <i>R. Chawla, M. Hossain, B. Lee</i> | |
| THE USE OF SILVER CHLORIDE INJECTION IN REMEDIATION OF IODINE-129 BY IN SITU CAPTURE AS SILVER IODIDE AT THE F-AREA SEEPAGE BASIN..... | 3600 |
| <i>K. Boerstler, J. Thibault, D. Stefanko, P. Prater</i> | |
| CRITICAL DESIGN ELEMENTS FOR AN ON-SITE MERCURY CONCENTRATION AND HOLDING FACILITY | 3613 |
| <i>J. Toepfer</i> | |
| PUMP-AND-TREAT IMPACTS ON AQUIFER CONDITIONS AND THE DEVELOPMENT OF SYSTEM-WIDE PERFORMANCE STRATEGIES | 3624 |
| <i>I. Demirkanli, K. Bagwell, A. Lawter, O. Qafoku, N. Qafoku</i> | |
| THE INCORPORATION OF PUMP-AND-TREAT DATA IN THE NEW TRACKING RESTORATION AND CLOSURE (TRAC) WEB-BASED MAPPING TOOL..... | 3633 |
| <i>E. Fabricatore, V. Freedman, L. Bates</i> | |
| PORT HOPE AREA INITIATIVE - PORT GRANBY PROJECT: MANAGING HIGHLY HETEROGENEOUS LOW-LEVEL RADIOACTIVE WASTE | 3639 |
| <i>D. Cole, B. Leaper</i> | |
| THE PORT HOPE AREAS INITIATIVE'S PORT GRANBY PROJECT: THE DECONTAMINATION OF SITE EQUIPMENT FROM A LOW-LEVEL WASTE FACILITY..... | 3648 |
| <i>B. Leaper, D. Cole, R. Petrican</i> | |
| ACHIEVING THE END STATE FOR THE PAHUTE MESA CORRECTIVE ACTION UNITS AT THE NEVADA NATIONAL SECURITY SITE..... | 3658 |
| <i>K. Rehfeldt, B. Wilborn</i> | |
| A PERSPECTIVE ON THE SUCCESSES OF THE NNSS UNDERGROUND TEST AREA (UGTA) ACTIVITY | 3671 |
| <i>S. Bourret, E. Kwicklis</i> | |
| RISK TO ECOLOGICAL RESOURCES ON BURIAL WASTE SITES ON THE HANFORD SITE, WASHINGTON..... | 3688 |
| <i>J. Burger, M. Gochfeld, D. Kosson, K. Brown, A. Bunn, C. Jeitner</i> | |
| WASTE MANAGEMENT PROJECT SUCCESS - REGULATORY ASSURANCE SYSTEMS..... | 3701 |
| <i>S. Wilson, K. Roberts</i> | |
| STATUS UPDATE ON TRAC: A DOE-EM TOOL FOR TRACKING GROUNDWATER CLEANUP AND PROGRESS TOWARD SITE CLOSURE | 3709 |
| <i>L. Bates, S. Chamberlain, K. Gerdes, V. Freedman</i> | |
| OPPORTUNITIES FOR AN INTEGRATED WEB-BASED WORKBENCH FOR DATA ACCESS AND ANALYSIS..... | 3721 |
| <i>V. Freedman, P. Royer, M. Truex</i> | |
| INTEGRATED ENVIRONMENTAL MANAGEMENT SYSTEM COMMUNICATION AT LARGE SITES | 3730 |
| <i>M. Oates</i> | |

| | |
|--|------|
| STAKEHOLDER-ENGAGED STRUCTURED DECISION MAKING FOR THE LOS ALAMOS LEGACY CLEANUP MISSION | 3736 |
| <i>P. Black, T. Stockton, K. Black</i> | |
| USING DIGITAL AND WEB-BASED PLATFORMS TO ENHANCE NUCLEAR POWER PLANT KNOWLEDGE TRANSFER | 3754 |
| <i>K. Kim, L. Edwards, R. Reid, R. McGrath</i> | |
| TRAINING FOR DECOMMISSIONING AND WASTE MANAGEMENT - COMPETENCE IN THE FIELD OF NUCLEAR ENGINEERING | 3763 |
| <i>J. Kettler, A. Havenith</i> | |
| GEOGRAPHIC INFORMATION SYSTEM BASED EMERGENCY RESPONSE TRAINING ASSESSMENTS FOR DOE RADIOACTIVE MATERIALS TRANSPORT | 3770 |
| <i>M. Abkowitz, E. Bickford, E. Edge</i> | |
| THE INDUSTRY'S LONG-TERM, YET NEAR-TERM, ISSUES: THE NEED FOR RADIATION PROTECTION PROFESSIONALS | 3780 |
| <i>M. Fernandez, K. Higley, E. Lazo, A. Tokuhira</i> | |
| A HOLISTIC FRAMEWORK FOR TEAMWORK BETWEEN MULTIPLE ORGANIZATIONS OR AREAS OF EXPERTISE | 3789 |
| <i>L. Boucher</i> | |
| THE INTERN PROFESSIONAL DEVELOPMENT CENTER: A MODEL FOR IMPROVING STUDENT ENGAGEMENT WITHIN INDUSTRY | 3797 |
| <i>A. Baranovskiy, K. Warner</i> | |
| INVESTING IN STEM BENEFITS COMMUNITY, COMPANY, AND INDUSTRY | 3805 |
| <i>A. Riedesel, E. Simpson</i> | |
| 2019 PUBLIC DEBATE ON THE FRENCH WASTE PLAN | 3812 |
| <i>S. Farin, A. Quenet</i> | |
| REFINING THE APPROACH TO PROCESS FLOWSHEET DEVELOPMENT AND MATURATION AT HANFORD | 3817 |
| <i>L. Cree, T. Wagnon, S. Arm</i> | |

VOLUME 6

| | |
|--|------|
| INTERACTIVE VISUALIZATIONS FOR COMMUNICATING COMPLIANCE AND SUSTAINABILITY STATEMENTS IN ANNUAL SITE ENVIRONMENTAL REPORTS | 3828 |
| <i>R. Isokpehi, M. Soins, K. Ezekiel, J. Burkes, B. Frazier, M. Germeil, J. Newbold, B. Mapp, J. Cook, M. Johnson, C. Washington</i> | |
| REMOVING THE CLOAK OF SECRECY FROM LEGACY CLEANUP AT LOS ALAMOS NATIONAL LABORATORY | 3839 |
| <i>D. Nickless, K. Henderson, S. Horak, F. Lockhart, E. Lujan, T. Nelson</i> | |
| PRODUCTIVE STAKEHOLDER INVOLVEMENT DEPENDS ON OPEN DISCLOSURE..... | 3847 |
| <i>J. Tanner</i> | |
| COMMUNITY ENGAGEMENT – A CITIZEN-CENTRIC APPROACH TO SEEKING A SOCIAL LICENSE | 3853 |
| <i>L. Cusick, W. Hoffman</i> | |

| | |
|--|------|
| STEM PERSPECTIVES IN NATIVE AMERICAN COMMUNITIES | 3871 |
| <i>J. Jones, M. Higgins</i> | |
| THE EFFECTS OF CONTAMINANT-AGING ON DECONTAMINATION EFFICACY FOR RAPID REMEDIATION OF CONCRETE SURFACES | 3883 |
| <i>K. Hepler, M. Kaminski, N. Escamilla, M. Magnuson</i> | |
| TOOL FOR DEVELOPING INTEGRATED STRATEGIES FOR DECONTAMINATION AND WASTE MANAGEMENT | 3893 |
| <i>P. Lemieux, T. Boe, C. Hayes</i> | |
| DEVELOPMENT OF THE MOBILE SYSTEMS FOR CONDITIONING OF DISUSED SEALED RADIOACTIVE SOURCES IN SERBIA..... | 3903 |
| <i>M. Jevremovic, N. Mihajlovic, J. Djuricic, D. Arbutina, K. Lenie</i> | |
| PROBABILISTIC GROUNDWATER MODELING OF THE RDX PLUME AT LOS ALAMOS NATIONAL LABORATORY TO SUPPORT RISK ASSESSMENT | 3918 |
| <i>L. Foster, D. Anderson, P. Black, D. Boyle, H. Brittingham, D. Cohen-Corticchiato, L. Gains-Germain, A. Jordan, D. Levitt, R. Perona, A. Rice, D. Sachs, T. Stockton, S. Swanson, C. Tauxe, A. Todd</i> | |
| ACCELERATING HANFORD SITE CLEANUP THROUGH OPERATIONS RESEARCH MODELING..... | 3933 |
| <i>J. Templeton, C. Anderson, B. Angevine, B. Loveless</i> | |
| US EPA SUPERFUND REMEDIATION PROGRAM UPDATE: REVISIONS TO RISK AND DOSE ASSESSMENT MODELS..... | 3946 |
| <i>S. Walker</i> | |
| REGULATORY DECISION-MAKING PROCESS USING “WEIGHT OF EVIDENCE: AN EVIDENCE INTEGRATION APPROACH” BY THE STATE OF WASHINGTON AT THE HANFORD SITE | 3956 |
| <i>J. Yokel, D. Goswami</i> | |
| BIG DATA AND AI AT DOE’S LEGACY SITES..... | 3965 |
| <i>H. Wainwright, R. Serata, M. Denham, C. Eddy-Dilek</i> | |
| DEVELOPMENT OF PFLOTTRAN TRANSPORT CAPABILITY FOR USE IN THE WASTE ISOLATION PILOT PLANT PERFORMANCE ASSESSMENT | 3973 |
| <i>J. Frederick, G. Hammond, E. Stein</i> | |
| INCORPORATING THE IMPACTS OF CLIMATE CHANGE ON HYDROLOGY IN A PERFORMANCE ASSESSMENT MODEL | 3983 |
| <i>P. Duffy, T. Stockton, D. Anderson, P. Black, S. Rupp, K. Broms, H. Brittingham, A. Bandler</i> | |
| AN OVERVIEW OF R&D ON RETRIEVABILITY AND RETRIEVAL TECHNOLOGY IN GERMANY | 3998 |
| <i>N. Bertrams, P. Herold</i> | |
| PILOT TEST REMEDIATION OF A FRACTURED BEDROCK AQUIFER AT THE MAYWOOD SUPERFUND SITE, MAYWOOD, NEW JERSEY | 4008 |
| <i>J. Moore, C. Beres, R. Demott</i> | |
| CHOOSING THE BEST MODELING PLATFORM FOR RADIOLOGICAL RISK ASSESSMENT MODELS | 4020 |
| <i>S. Van Sickle, K. Catlett, P. Black</i> | |

| | |
|--|------|
| APPROACH TO QUALITY ASSURANCE FOR COMPLEX ENVIRONMENTAL MODELING | 4036 |
| <i>D. Levitt, P. Black, T. Jennings, G. Occhiogrosso, J. Tauze</i> | |
| ARTIFICIAL INTELLIGENCE APPLICATION TO D&D | 4048 |
| <i>H. Upadhyay, L. Lagos, S. Joshi</i> | |
| TORONE: TOTAL CHARACTERISATION BY REMOTE OBSERVATION OF NUCLEAR ENVIRONMENTS | 4055 |
| <i>A. West, I. Tsitsimpelis, P. Coffey, M. Aspinall, N. Smith, M. Joyce, B. Lennox, P. Martin</i> | |
| CHALLENGES AND PRACTICAL SOLUTIONS FOR CONDUCTING STRUCTURAL MARSSIM SURVEYS IN ELEVATED RADON ENVIRONMENTS | 4069 |
| <i>R. Carey, N. Miller, D. Liles, S. Andrews, M. Graham</i> | |
| APPLICATION OF GOTHIC TO GROUNDWATER TRANSPORT ANALYSIS..... | 4079 |
| <i>T. George, S. Thomasson, J. Lane, J. Harrell</i> | |
| REFRESHING WASTE TRACKING SOFTWARE FOR THE 2020S | 4088 |
| <i>A. Baker, S. Johnson, E. Martinez</i> | |
| DETERMINATION OF ELASTIC COEFFICIENTS FOR A COMPOSITE WITH CROSSING STEEL..... | 4097 |
| <i>C. Lee, S. Lun, S. Yim</i> | |
| CALCULATION OF HYDRAULIC CONDUCTIVITY FOR A POROUS MEDIUM WITH STAGGERED ARRAY OF SOLID GRAINS..... | 4107 |
| <i>C. Lee, S. Be</i> | |
| VERTICAL TRANSPORT OF WATER/CONTAMINANT DUE TO INTERMITTENT WATER INFLUX ON THE GROUND SURFACE OF VADOSE ZONE | 4116 |
| <i>C. Lee, J. Choi</i> | |
| SAMPLING AND ANALYSIS PLAN FOR INVESTIGATION OF UNDECLARED NUCLEAR ACTIVITIES | 4126 |
| <i>H. Kim, G. Lee, J. Jeon, H. Chung</i> | |
| ASSESSMENT OF COLD SPRAYING MILD-STEEL POWDER ONTO MILD-STEEL SUBSTRATE FOR DEVELOPMENT OF WASTE TANK REPAIR SYSTEM..... | 4137 |
| <i>C. Enderlin, C. Smith, G. Grant, K. Denslow, K. Boomer, T. Wooley</i> | |
| ACQUISITION AND IMPLEMENTATION OF A COMPREHENSIVE ENVIRONMENTAL PERMITS LINKING TOOL AT SAVANNAH RIVER SITE | 4155 |
| <i>K. Davis, L. Clifton, A. Meyer, B. Terry, A. Hammett</i> | |
| FILTER “COOK-OFF”: FILTER SELECTION VIA SIDE-BY-SIDE TESTING AT ACTUAL PROCESS CONDITIONS | 4164 |
| <i>A. Kazeminezhad, C. Porter</i> | |
| DEVELOPMENT OF ACOUSTIC BACKSCATTER FOR IN SITU MONITORING OF NUCLEAR SLUDGE WASTES DURING TRANSFER..... | 4179 |
| <i>T. Hunter, J. Peakall, A. Tonge, M. Fairweather, H. Rice, M. Barnes</i> | |
| INDUSTRY OVERVIEW OF TRANSCEND..... | 4195 |
| <i>G. Randall, A. Banford</i> | |

| | |
|---|------|
| THE TRANSCEND UNIVERSITY CONSORTIUM: THEME 4: NUCLEAR MATERIALS | 4201 |
| <i>C. Boxall, C. Corkhill, F. Currell, J. Hobbs, N. Hyatt, N. Kaltsoyannis, L. Leay, S. Murphy, R. Orr, M. Read, H. Steele, R. Taylor, D. Woodhead</i> | |
| THE TRANSCEND CONSORTIUM - IN-SITU IDENTIFICATION OF SURFACE CORROSION PRODUCTS ON SPENT NUCLEAR FUELS | 4210 |
| <i>T. Scott, R. Springell, M. Mostafavi, P. Martin, D. Megson-Smith, C. Boxall, B. Hanson, D. Read</i> | |
| THE TRANSCEND UNIVERSITY CONSORTIUM: THEME 2 - SITE DECOMMISSIONING, DECONSTRUCTION AND REMEDIATION..... | 4217 |
| <i>R. Lunn, A. Cundy, M. Pedrotti, J. Purkis, A. Pagano, J. Renshaw, A. Karampourmiotis, L. Lee-Brewin, D. Read, S. Elisio, M. Joyce, L. Van De Perre</i> | |
| PROGRESS ON TRANSCEND THEME 1: INTEGRATED WASTE MANAGEMENT | 4229 |
| <i>J. Hriljac, P. Allan, A. Baidak, P. Bingham, C. Corkhill, F. Currell, M. Fairweather, R. Hand, T. Hunter, N. Hyatt, J. Kohanoff, L. Leay, B. O'Driscoll, J. Renshaw, L. Tovey, L. Vandeperre</i> | |
| THE TRANSCEND UNIVERSITY CONSORTIUM: AN OVERVIEW | 4243 |
| <i>M. Fairweather, L. Tovey, C. Boxall, A. Cundy, F. Currell, J. Hriljac, N. Hyatt, N. Kaltsoyannis, R. Lunn, D. Read, T. Scott, L. Vandeperre</i> | |
| GENERIC POST-CLOSURE SAFETY ASSESSMENT FOR DEEP BOREHOLE DISPOSAL OF HEAT-GENERATING WASTE..... | 4256 |
| <i>E. Stein, G. Freeze</i> | |
| AN IMPROVED MODEL FOR DETERMINING SALINITY RECHARGE TIME FOR DEEP BOREHOLE DISPOSAL..... | 4268 |
| <i>K. Travis, D. Burley, F. Gibb</i> | |
| BOREHOLE DISPOSAL OF RADIOACTIVE WASTE IN ISRAEL..... | 4276 |
| <i>G. Freeze, D. Sassani, O. David, R. Calvo, G. Peer</i> | |
| UPDATE ON THE STATUS OF DEEP BOREHOLE DISPOSAL OF HIGH-LEVEL RADIOACTIVE WASTE IN GERMANY | 4290 |
| <i>G. Bracke, W. Kudla, T. Rosenzweig</i> | |
| HYDROLOGIC MODELING OF SUBSURFACE BRINE DENSITY STRATIFICATION FOR DEEP BOREHOLE DISPOSAL..... | 4305 |
| <i>C. Lopez, E. Stein, G. Freeze</i> | |
| BOREHOLE DISPOSAL: UPDATE ON THE SCIENCE, TECHNOLOGY, AND POTENTIALLY SUITABLE RADIOACTIVE WASTES..... | 4317 |
| <i>D. Mallants, K. Travis, N. Chapman, P. Brady, H. Griffiths</i> | |
| DEEP ISOLATION-DEVELOPMENT OF THE SAFETY CASE FOR DISPOSAL OF RADIOACTIVE WASTES IN HORIZONTAL BOREHOLES..... | 4326 |
| <i>R. Baltzer, J. Voss, J. Grimsich</i> | |
| INSPECTION TOOLS FOR HANFORD TANKS AND WASTE TRANSPORT SYSTEMS..... | 4332 |
| <i>A. Abrahao, S. Tashakori, C. Excellent, P. Uriarte, D. Martin, L. Lagos, D. McDaniel</i> | |
| GPR ROBOTIC ASSISTED NON-DESTRUCTIVE EVALUATION OF CONCRETE STRUCTURES | 4341 |
| <i>S. Roudsari, T. Okore-Hanson, S. Hamoush, S. Yi</i> | |

| | |
|--|------|
| INTEGRATING PREDICTIONS FOR IMPROVING DEFECT CLASSIFICATION ACCURACY IN NDT-BASED ASSESSMENT OF CONCRETE..... | 4350 |
| <i>E. Dadzie, Y. Seong, S. Yi, S. Hamoush, J. Plummer</i> | |
| SAVANNAH RIVER SITE H-CANYON ADVANCING TECHNOLOGIES FOR REMOTE INSPECTIONS | 4365 |
| <i>J. Plummer, W. Wells, B. Giddings, J. Carter, S. Bowers, J. Kim</i> | |
| SAVANNAH RIVER SITE H-CANYON PROCESS EXHAUST TUNNEL INSPECTION CRAWLER DEVELOPMENT | 4380 |
| <i>J. Coughlin, C. Mancuso, K. Nguyen, M. Folsom, C. Coughlin</i> | |
| EVALUATION OF H-CANYON VENTILATION EXHAUST TUNNEL INSPECTION AT THE SAVANNAH RIVER SITE | 4395 |
| <i>B. Giddings, J. Carter, S. Bowers, S. Carey, M. Maxted</i> | |
| DOUBLE-SHELL TANK PRIMARY BOTTOM VISUAL INSPECTION RESULTS | 4405 |
| <i>G. Soon, J. Gunter</i> | |
| UPDATE ON ASME AG-1 AND REVISION OF THE DOE NUCLEAR AIR CLEANING HANDBOOK..... | 4449 |
| <i>C. Waggoner, R. Bellamy</i> | |
| PERFORMANCE EVALUATION OF AG-1 FC HEPA FILTERS AND MEDIUM IN NUCLEAR COMPLEX FACILITIES..... | 4464 |
| <i>C. Rose, J. Rickert, J. Wilson, C. Waggoner</i> | |
| WIPP SAFETY SIGNIFICANT CONFINEMENT VENTILATION SYSTEM (SSCVS) QUALITY ASSURANCE PROGRAM | 4483 |
| <i>S. Smith, C. Fuhlage, J. O'Brien</i> | |
| TRACKING RADIOACTIVE ISOTOPES IN HVAC AND APPLICATION FOR HOT CELL ANALYSES | 4490 |
| <i>S. Smelley, T. George, J. Lane, J. Harrell</i> | |
| ON THE ROAD TO ACHIEVING SAFETY EXCELLENCE AT THE IDAHO CLEANUP PROJECT: THE INITIAL CHALLENGES, SOLUTIONS, AND POSITIVE RESULTS OF STRIVING TO BE THE BEST AND SAFEST IN THE DOE COMPLEX..... | 4508 |
| <i>K. McNeel</i> | |
| LATEST DEVELOPMENTS IN PM SYSTEMS AND METHODS AND THEIR APPLICATION TO WM PROJECTS | 4515 |
| <i>M. Mayes</i> | |
| USE OF HISTORICAL EM PRACTICES AND POLICIES FOR MANAGEMENT OF CLEANUP PROGRAM AND ADDRESS GAO CONCERNS | 4522 |
| <i>B. Skokan, K. Chao</i> | |
| 14 STEPS TO CREATING VALUE IN COST AND SCHEDULE RESOURCES FOR NUCLEAR WASTE MANAGEMENT | 4534 |
| <i>S. Beck</i> | |
| IRRADIATION ASSESSMENT OF A LIGHTWEIGHT INDUSTRIAL ROBOT – TOWARDS FASTER, SAFER AND SOONER WASTE DECOMMISSIONING..... | 4561 |
| <i>K. Zhang, C. Hutson, J. Knighton, G. Herrmann, T. Scott</i> | |

| | |
|---|------|
| INTEGRATING COMMERCIAL READY AUTONOMOUS ROBOTIC PLATFORMS TO ENHANCE WORKER SAFETY AND EFFICIENCY | 4568 |
| <i>A. Pappas</i> | |
| IMPLEMENTING MIXED REALITY TOOLS TO SUPPORT MISSION DELIVERY AT HANFORD..... | 4575 |
| <i>T. Synoground, A. Ward</i> | |
| VIRTUAL AND AUGMENTED REALITIES TO SUPPORT DEVELOPMENT, TRAINING, DEPLOYMENT, AND OPERATIONS OF REMOTE SYSTEMS | 4581 |
| <i>C. Enderlin, N. Cramer, C. Tynes</i> | |
| LEVERAGING 3D CAD AND VIRTUAL REALITY IN DESIGN OF THE CALCINE DISPOSITION PROJECT..... | 4597 |
| <i>T. Burnett</i> | |

Author Index