

PROCEEDINGS OF SPIE

Advanced Topics in Optoelectronics, Microelectronics and Nanotechnologies X

**Marian Vladescu
Razvan Tamas
Ionica Cristea**
Editors

**20–23 August 2020
Constanta, Romania**

Sponsored by
Ministry of Research and Innovation (Romania)
University Politehnica of Bucharest (Romania)
Maritime University of Constanta (Romania)

Organized by
University Politehnica of Bucharest, Optoelectronics Research Center (Romania)
Maritime University of Constanta (Romania)

Cooperating Organisation and Publisher
SPIE

Volume 11718

Proceedings of SPIE 0277-786X, V. 11718

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Advanced Topics in Optoelectronics, Microelectronics and Nanotechnologies X*, edited by Marian Vladescu, Razvan Tamas, Ionica Cristea, Proceedings of SPIE Vol. 11718 (SPIE, Bellingham, WA, 2020) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510642713

ISBN: 9781510642720 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) Fax +1 360 647 1445

SPIE.org

Copyright © 2020, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$21.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/20/\$21.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIE. DIGITAL LIBRARY

SPIEDigitalLibrary.org

Paper Numbering: *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

ADVANCED TOPICS IN OPTOELECTRONICS, MICROELECTRONICS AND NANOTECHNOLOGIES X

11718 02	On the dynamics of shaping: the generalization of the morphogenesis [11718-2]
11718 03	Fractals: the missing link between certainty and uncertainty [11718-3]
11718 04	Carbon nanoparticles: preparation and specially formed optical properties [11718-4]
11718 05	Carbon nanoparticles for diagnostic of random speckle-fields: Hilbert transformation application [11718-5]
11718 06	The benefit of nanoparticles add to R600a in a vapor compression system [11718-6]
11718 07	Improvement of gas turbines performance through erosion resistant nanocoatings and exergy analysis [11718-7]
11718 08	Evanescent waves: extraordinary manifestation in biomedical application (Invited Paper) [11718-8]
11718 09	3D LED cube [11718-9]
11718 0A	System for monitoring the parameters of vehicle [11718-10]
11718 0B	Methods of underwater autonomous navigation [11718-11]
11718 0C	Electromagnetic radiation monitoring universal device [11718-12]
11718 0D	Software-defined ground penetrating chirp radar [11718-13]
11718 0E	Continuous-wave software-defined radar interferometry [11718-14]
11718 0F	Stepped-frequency software-defined ground-based synthetic aperture radar [11718-15]
11718 0G	Stepped-frequency software-defined ground penetrating radar [11718-16]
11718 0H	Numerical modeling of mixed-mode delamination fracture in unidirectional AS4/PEEK composites [11718-17]
11718 0I	Numerical analysis of fluid flow and mixing performance for a SAR-based passive micromixer [11718-18]

11718 OJ	Investigations of non-grain oriented Si steel sheets [11718-19]
11718 OK	Efficiency of using a hybrid marine propulsion system vs. conventional system [11718-20]
11718 OL	Big data integration: an evolutionary perspective [11718-21]
11718 OM	Choose the best electricity sources for a container ship by using a hybrid optimization model for electric renewable [11718-22]
11718 ON	Bio-algorithms for decision making [11718-23]
11718 OO	Polarization-phase mapping of the optically anisotropic component of biological tissues in the differential diagnosis of sepsis [11718-25]
11718 OP	Statistical analysis of vector-parametric polarization images of the polycrystalline component of biological tissues with varying degrees of necrotic changes [11718-26]
11718 OQ	Optical selection rules for the quantum transitions from the ground state of the crystal to the superposition states of the two-dimensional magneto-excitons [11718-27]
11718 OR	Biofouling monitoring [11718-29]
11718 OS	Quantum random number generation with down converted photon pairs [11718-31]
11718 OT	Performance targets and QoS requirements for the service provided to users/subscribers of public IP networks [11718-32]
11718 OU	Heat transfer modeling in the hot source area of flat micro heat pipe [11718-34]
11718 OV	Experimental research on cooling the condensation area to flat micro heat pipe using the inverted Seebeck effect [11718-35]
11718 OW	Realistic models of cultured cells for electroporation simulations starting from phase images [11718-37]
11718 OX	Photoconductivity spectra of amorphous multilayer structures [11718-38]
11718 OY	Conservation of wooden artifacts: evaluation of modern and classical materials [11718-40]
11718 OZ	Some trends in optical metrology [11718-41]
11718 10	Experimental evaluation of the air flow rate and boost pressure by aid of the diaphragm method for an electrically driven axial compressor [11718-44]
11718 11	Compression ratio influence on the performances of a diesel engine equipped with an electrically driven axial compressor [11718-45]
11718 12	Distribution of droplets in an atomized combustible jet depending on the surface of the atomized jet of fuel [11718-46]

- 11718 13 **The modification of vaporization times and the evolution analyze of diameters of fuel drops depending about gaseous ambient temperature [11718-47]**
- 11718 14 **VOF method developed for the evaporation of liquid droplets that come into contact with heated surfaces [11718-51]**
- 11718 15 **Simulation of the impact of a liquid jet upon contact with a perpendicular surface versus an inclined one [11718-52]**
- 11718 16 **Numerical modeling of centrifugal microfluidic flow in rectangular channels for Lab-on-a-CD platform applications [11718-53]**
- 11718 17 **Managing the luminescence efficiency of the organic compounds of europium(III) through preparation technology [11718-54]**
- 11718 18 **Photosensitivity of heterostructures produced by aerosol deposition of ZnMgO thin films on Si substrates [11718-55]**
- 11718 19 **Numerical simulation of air lift pump system using volume of fluid method [11718-56]**
- 11718 1A **The use of homodyne detection for measuring small frequency differences between two RF oscillators [11718-58]**
- 11718 1B **Differential Mueller-matrix tomography of the polycrystalline structure of histological sections in the histological determination of the limitation of the damage formation of human internal organs [11718-59]**
- 11718 1C **Polarization reconstruction of fluctuations in the parameters of the phase anisotropy of biological crystals networks in differentiation of cerebral infarction [11718-60]**
- 11718 1D **Phase reconstruction of the polycrystalline structure of internal organs tissues in the differentiation of alcohol and carbon monoxide poisoning [11718-61]**
- 11718 1E **Mueller-matrix differentiation of necrotic changes in polycrystalline structure of partially depolarizing layers of biological tissues [11718-62]**
- 11718 1F **Differential mapping of depolarization component of Mueller matrix of optically thick biological layers [11718-63]**
- 11718 1G **Control surface roughness of mirror [11718-64]**
- 11718 1H **Spectropolarimetry differential diagnosis of adenocarcinoma and squamous cell cervix carcinoma [11718-65]**
- 11718 1I **Diagnosis of cervical cytological smears for availability of papillomavirus by spectropolarimetry [11718-66]**
- 11718 1J **Azimuthally invariant Mueller-matrix tomography of linear dichroism of polycrystalline networks of biological tissues [11718-67]**

11718 1K	Molecular spectrometry of the blood of breast cancer patients as a preliminary stage of further molecular genetic screening [11718-68]
11718 1L	Study performed on two lavender oils from different Romanian areas [11718-69]
11718 1M	Processing of spectral imaging of deep layers in the macula of the retina in diabetic macular edema [11718-70]
11718 1N	Optical investigations of the 3D printing regime influence on surface parameters [11718-71]
11718 1O	Command and control of platforms for scanning soil properties [11718-72]
11718 1P	Experimental investigations regarding contact mean pressure in four balls test [11718-74]
11718 1Q	Analysis of passive vs. semi-active quarter car suspension models [11718-76]
11718 1R	Tunnel junctions in Bi and Bi_{0.97}Sb_{0.03} nanoconstrictions [11718-77]
11718 1S	Employment of YC_rC_b color space and OLED display for enhancement of hyperspectral images colors rendering [11718-78]
11718 1T	Experimental stand of absorption measurements in the 8.6 - 9.5 GHz range for very thin samples with offset of the reflected wave phase [11718-80]
11718 1U	Mechatronic platform with sensors for smart agriculture [11718-81]
11718 1V	Seismic qualification by analysis of an overhead crane for nuclear industry [11718-82]
11718 1W	Optimization study of a centrifugal pump in cavitation [11718-83]
11718 1X	Algorithm for frequency dependent properties of dielectric materials in high speed interconnections [11718-84]
11718 1Y	Enhancement of the optical polarization effect on the SPR response in gold micro/nanoparticles imaging (Invited Paper) [11718-85]
11718 1Z	Temperature dependence of I-V characteristics of dye sensitized solar cells [11718-86]
11718 20	Vulnerabilities in authentication process GSM standard: RF measurements, theoretical and practical aspects [11718-87]
11718 21	Processing gain considerations on compromising emissions [11718-88]
11718 22	Cyber-physical healthcare security system based on a Raspberry Pi [11718-89]
11718 23	Analysis of PS/2 compromising emanations [11718-90]

11718 24	OFDM in downlink MASSIVE-MIMO system [11718-91]
11718 25	Measurements of the emission parameters of a WiMax BTS under interference conditions [11718-92]
11718 26	Effect of reducing the background noise in the detection of blood lead [11718-94]
11718 27	An optoelectronic biomedical method for amphetamine detection by enzyme multiplied immunoassay technique [11718-95]
11718 28	Modeling of nuclear radiation detection with MEMS [11718-96]
11718 29	Contributions to the analysis of substances with time-domain terahertz spectroscopy [11718-97]
11718 2A	Radar cross section analysis for meander line frequency selective surfaces [11718-98]
11718 2B	Security and propagation issues and challenges in VLC and OCC systems [11718-100]
11718 2C	Low cost seismometer for building integrity measurement [11718-101]
11718 2D	On the improvement of performance in motorsport by means of acceleration measurements [11718-102]
11718 2E	An overview on optoelectronic methods for detection of xenobiotics in human fluid samples [11718-103]
11718 2F	Visible light communications: current challenges and prospects [11718-104]
11718 2G	Characterization of antenna side and back radiation in a multipath site [11718-105]
11718 2H	The performance of Manchester source coding in an uplink LDPC channel coding OFDM-based massive MIMO system [11718-108]
11718 2I	Time and power performance study on 8-bit microcontrollers [11718-110]
11718 2J	Key extraction in a chaos-based image cipher and wavelet packets [11718-111]
11718 2K	Photophysics of poly(3,4-ethylenedioxythiophene) covered by permodified γ-cyclodextrin [11718-112]
11718 2L	Operation and diagnosis of electrically operated valves [11718-113]
11718 2M	Operation and diagnosis of pneumatically operated valves [11718-114]
11718 2N	Parallel machine simulator using racket/scheme functional programming language [11718-115]

11718 2O	Functional simulator for sensor-based embedded systems [11718-116]
11718 2P	Price-performance ratio analysis of advanced LED lighting applications [11718-117]
11718 2Q	MPPT solar charge controller for automotive industry [11718-118]
11718 2R	Polymer dispersed liquid crystals doped with nanoparticles: electric and electro-optical properties (Invited Paper) [11718-121]
11718 2S	LED lighting system with gradual control of light intensity through capacitive sensing [11718-122]
11718 2T	Intelligent lighting system using single shot multibox detector [11718-123]
11718 2U	Polarized emission and dielectric studies of novel lanthanidomesogens based on 4-pyridone ligands [11718-125]
11718 2V	Properties of naval steel surface after non-thermal plasma treatment [11718-127]
11718 2W	Adsorption, wicking behavior and photodegradation tests of Rhodamine B solution upon wool substrates [11718-128]
11718 2X	Benefit of SqueeSAR filtering in topography reconstructions: an example over the Bucharest area with TerraSAR-X [11718-129]
11718 2Y	TL-TensorFlow CNN model and dataset for electronic equipment [11718-130]
11718 2Z	Description of underwater noise in Siutghiol lake, Constanta [11718-137]
11718 30	Biological contamination of naval steel surface after non-thermal plasma treatment (Invited Paper) [11718-138]
11718 31	Performance-oriented PIC10F N-core simulator [11718-139]
11718 32	Power supplies for DBD used for surface treatments [11718-140]
11718 33	Computer-based analytical model of a crankshaft throw strength problem [11718-141]
11718 34	Software implementation strategies for telecommunications problems [11718-143]
11718 35	Modelling and simulation of datalogging embedded module with solar panel supply and NiMH battery energy storage [11718-144]
11718 36	Proposed pattern for data confidentiality in wireless communications [11718-146]
11718 37	Procedures to keep the voice of "intelligent objects" alive [11718-147]

- 11718 38 **Impact reduction of common mode currents for field measurements on directional symmetrical antennas [11718-148]**
- 11718 39 **High reliability hybrid power supply systems for PON passive and AON active optical communications networks [11718-155]**