

# **198th Fall Technical Meeting of the Rubber Division, American Chemical Society 2020**

Online  
19 October 2020

Volume 1 of 2

ISBN: 978-1-7138-2373-5

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© (2020) by Rubber Division, American Chemical Society  
All rights reserved.

Printed with permission by Curran Associates, Inc. (2021)

For permission requests, please contact Rubber Division, American Chemical Society  
at the address below.

Rubber Division, American Chemical Society  
411 Wolf Ledges Pkwy.  
Ste 201  
Akron, OH 44311  
USA

Phone: 330-595-5531  
Fax: 330-972-5269

[www.rubber.org](http://www.rubber.org)

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2633  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

# TABLE OF CONTENTS

## VOLUME 1

ONLINE MONITORING OF STYRENE BUTADIENE COPOLYMERIZATION, INCLUDING A FINAL COUPLING REACTION .....	1
<i>M. Crosley, M.F. Drenski, W.F. Reed, P. Kozminski, T. Hogan</i>	
INTRODUCTION TO NEW HEAT RESISTANT ACRYLIC RUBBER .....	9
<i>M. De Sarkar, T. Miyauchi, T. Nakano, Y. Kambe</i>	
OPTIMIZE PROCESSING AND PERFORMANCE OF EXTRUDED PROFILES WITH HIGH MOONEY VISCOSITY NORDEL™ EPDM.....	22
<i>T. Kashyap, L. Nguyen, S. Wu, G. Li, R. Guerrieri</i>	
HYDRIN® (ECO) DP5245 ELASTOMER FOR VIBRATION AND ACOUSTIC DAMPING.....	37
<i>A. Mittermiller</i>	
USING MULTIVARIATE MODELING AND OPTIMIZATION FOR RAPIDLY DEVELOPING NEW AND IMPROVED ELASTOMER PRODUCTS .....	57
<i>M. Cardin</i>	
TOWARDS DESIGNING SMALL ORGANIC MOLECULES USING AN AUTONOMOUS SYNTHETIC PLATFORM.....	71
<i>S.K. Saikin</i>	
HIGH-THROUGHPUT COMPUTATIONAL SCREENING OF CO <sub>2</sub> -PHILIC FUNCTIONAL GROUPS FOR SELECTIVE CO <sub>2</sub> /N <sub>2</sub> GAS SEPARATION .....	78
<i>J. Townsend, V. Maroulas, K.D. Vogiatzis</i>	
MACHINE LEARNING FOR FORMULATION DEVELOPMENT .....	84
<i>E. Kim, J. Ling, B. Meredig</i>	
EXAMINING PERFORMANCE CHANGES IN THERMALLY AGED NITRILE AND HYDROGENATED NITRILE COMPOUNDS.....	87
<i>D.M. Tucker, R.A. Webb</i>	
STUDY OF THE FACTORS INFLUENCING THE HYGROTHERMAL AGEING OF SILICONE O-RINGS AND THE EVOLUTION OF THEIR COMPRESSION SET .....	111
<i>H.A. Brahami, X. Colin, M. Le Huy</i>	
ISSUES WITH APPROACHES FOR SIMULATING AGING OF NUCLEAR POWER PLANT CABLE MATERIALS DESCRIBED IN IEC AND IAEA DOCUMENTS.....	116
<i>K.T. Gillen, M.C. Celina</i>	
OPERATION ENVELOPE PREDICTION OF FLUOROELASTOMER SEALS FOR DOWNHOLE OPERATION IN OIL & GAS INDUSTRY.....	138
<i>A. Zolfaghari, J. Yun, V. Singh</i>	
DAMAGE MECHANISM IN OIL AND GAS FORMULATIONS DURING DOWNHOLE TESTING .....	148
<i>E.R. Terrill</i>	

A PHYSICS-INFORMED DATA-DRIVEN CONSTITUTIVE MODEL FOR THERMAL-INDUCED AGING OF ELASTOMERS .....	168
<i>A. Ghaderi, V. Morovati, R. Dargazany</i>	
A MICRO-MECHANICAL MODEL FOR CONSTITUTIVE BEHAVIOR OF ELASTOMERS IN COMBINED AGING CONDITIONS.....	173
<i>H. Mohammadi, R. Dargazany</i>	
HEAT AGING OF A BROMOBUTYL TIRE INNERLINER UNDER AEROBIC AND ANAEROBIC CONDITIONS .....	179
<i>M. Yerxa, C. Porter, R.J. Pazur</i>	
INSIGHTS INTO THE MICROSCOPIC ORIGINS OF DYNAMIC MECHANICAL PROPERTIES OF FILLED RUBBER INVESTIGATED WITH X-RAY PHOTON CORRELATION SPECTROSCOPY.....	221
<i>D. Presto, S. Narayanan, S. Moctezuma, M. Sutton, M.D. Foster</i>	
O-RING EXTRUSIONS UNDER HIGH PRESSURE HIGH TEMPERATURE CONDITIONS .....	237
<i>A. Zhong, C. Glaesman</i>	
COMPARATIVE ADVANTAGES OF DIFFERENT RPA ASTM METHODS FOR DETECTING RUBBER COMPOUND QUALITY DIFFERENCES .....	250
<i>J.S. Dick, R. Hanzlik</i>	
CORRELATING CURE KINETICS AND PHYSICAL PROPERTIES WITH ACCELERATOR VARIATIONS IN A MODEL SBR COMPOUND .....	308
<i>R. Hanzlik, P. Pavka</i>	
COMPRESSION STRESS RELAXATION (CSR) TESTING, CONSIDERATIONS IN AN ERA OF ISO 17025 PROFICIENCY TESTING.....	330
<i>P. Tuckner</i>	
MICROSCOPY INVESTIGATION OF CRACK PRECURSORS AND FRACTURE SURFACES.....	351
<i>L.B. Tunnicliffe, C.G. Robertson, W.V. Mars</i>	
UNDERSTANDING ECO-FRIENDLY RUBBER FORMULATIONS BY DYNAMIC MECHANICAL ANALYSIS.....	370
<i>M. Haris, S. Behdad, T. Nickel</i>	
EXPLORING THE SIGNIFICANCE OF FILLER SYSTEM IN “GREEN TIRE” TREAD COMPOUNDS USING RUBBER PROCESS ANALYZER (RPA).....	386
<i>A. Latshaw, J. Kroll, S. Reddy</i>	
QUANTIFYING CHEMICAL COMPOSITION AND CROSSLINK EFFECTS ON EPDM ELASTOMER VISCOELASTICITY WITH MOLECULAR DYNAMICS .....	401
<i>A. Wang, F. Vargas-Lara J.M. Younker, K. Iyer, K.R. Shull, S. Keten</i>	
DYNAMIC MECHANICAL ANALYSIS FOR NON-TIRE APPLICATIONS .....	408
<i>N. Hershberger, P. Pavka, K. Knipp, M. Schmitz</i>	
EFFECTS FROM VARIATIONS IN APPLIED STRAIN IN RPA TESTING ON STATISTICAL TEST SENSITIVITY .....	430
<i>J.S. Dick</i>	
A PROFICIENCY PROGRAM FOR RUBBER TESTING .....	454
<i>K. O'Farrell, S. Granish</i>	

AGING MECHANISMS OF SPECIALTY ELASTOMERES EXPOSED TO LUBRICANTS AND ADDITIVES .....	462
<i>U. Giese, T. Krups</i>	
HOW TO CONTROL POROSITY IN EXTRUDED EPDM DENSE PROFILE? .....	492
<i>G. Li, S. Bawiskar, S. Wu</i>	
NEW ULTRA-HIGH MOONEY BRANCHED EPDM: EASY TO PROCESS HIGH FILLER LOADING COMPOUNDS .....	509
<i>S. Wu, G. Li, S. Bawiskar</i>	

## VOLUME 2

HOW TO SELECT THE BEST PROCESS OIL CHEMISTRY FOR EPDM RUBBER MEMBRANE ROOFING .....	523
<i>M.A. Abney, K. Collins, E. Casserly, N. White, S. Carvalho, A. McCann, S. Springer</i>	
NEW STRUKTOL PLASTICIZERS FOR AN IMPROVED SERVICE-LIFE OF TIRE CURING BLADDERS .....	550
<i>V. Boerger, C. Clarke, C. Geidel</i>	
FORMULATING FLUOROELASTOMER (FKM) WITH VARYING LEVELS OF METAL OXIDES .....	560
<i>T.S. Upasani</i>	
PROCESSING PROMOTORS: ADDITIVES FOR RUBBER COMPOUNDS THAT IMPROVE MIXING AND PROCESSING BY INCREASING THE LEVEL OF DISPERSION, REDUCING VISCOSITY AND SPEEDING THE FLOW OF THE COMPOUND THROUGH THE PRODUCTION PROCESS .....	580
<i>J. Neilsen, T. Ziser</i>	
EXAMPLES OF BOLDERBLACK® RECOVERED CARBON BLACK IN VARIOUS RUBBER FORMULATIONS .....	609
<i>M. Kumbalek, D. Abdallah</i>	
SENSITIVITY OF MARCHING MODULUS OF SILICA-FILLED SBR/BR COMPOUNDS TO FILLER TYPE AND POLYMER RATIO .....	617
<i>W.K. Dierkes, J. Jin, J.W.M. Noordermeer, A. Blume</i>	
USE OF NC7000(TM) CARBON NANOTUBES INTO RUBBER PRODUCT AND HSE ASPECTS FROM MATRIX CONTAINING-MWCNT .....	640
<i>A. Rul</i>	
OPTIMIZATION OF NATURAL RUBBER OTR TREAD COMPOUND WITH MULTI-WALL CARBON NANOTUBES AND OIL .....	641
<i>A. Krupp</i>	
THE EFFECTS OF MULTIPLE REPURPOSED MATERIALS FOR REINFORCEMENTS OF STANDARD RUBBER COMPOUNDS .....	660
<i>C.D. McAfee, J. Talburt</i>	
DISPERSION OF POLYETHYLENIMINE-COATED PULP IN RUBBER MATRIX .....	672
<i>C.O. Kerobo, P. Varanasi, J. Randolph, D. Berry, J. Jourdan</i>	

SILICA MASTERBATCHES PRODUCED WITH LIQUID PHASE MIXING PART III. QUASI- STATIC STRESS-SOFTENING .....	698
<i>L. Zhong, F. Lin, F. He, M. Xie, K. Fu, L. Yi, C. Zhang, M.J. Wang</i>	
SILICA MASTERBATCHES PRODUCED WITH LIQUID PHASE MIXING PART IV. VOLUME VARIATION AND SEM OBSERVATION UPON STRETCHING.....	714
<i>H. Zhang, S. Zheng, L. Zheng, M.J. Wang</i>	
REINFORCEMENT OF RUBBER BY CARBON BLACK AND LIGNIN-COATED NANOCELLULOSE FIBRILS.....	730
<i>L.B. Tunncliffe, K. Nelson, S. Pan, J. Curtis, C.R. Herd</i>	
“DAMPING MATERIALS BASED ON LIQUID POLY(BUTADIENES): STRUCTURE- PROPERTY RELATIONSHIPS” .....	765
<i>S.K. Henning, O. Defrain</i>	
FROM LOW-CIS TO HIGH-CIS, TO HIGH VINYL ARCHITECTURE: AN INSIGHT INTO POLYBUTADIENE RUBBER.....	800
<i>F. Grasso, F. Bacchelli, S. Coppola</i>	
HIGH SULFUR COMPOUNDING FOR HIGHLY DURABLE COMPONENTS IN SEVERE SERVICE APPLICATIONS .....	810
<i>C.J. Lin, F. Ignatz-Hoover, L. Gwee, J. Penney</i>	
SILICA TREAD MIXING USING ENTEX PLANETARY ROLLER EXTRUDER.....	839
<i>E.R. Terrill, R. Quack, M. Batton</i>	
USING HEAVY NAPHTHENIC PROCESS OIL TO INCREASE PROCESS SAFETY AND LIFE OF TIRE TREAD: BALANCING THE MAGIC TRIANGLE .....	859
<i>M.A. Abney, K. Collins, N. White, E. Casserly, S. Smith, S. Carvalho, A. McCann, S. Springer</i>	
FUNCTIONALIZED LIQUID RUBBER FOR TIRE FORMULATIONS .....	885
<i>O. Yoneji, D. Koda, Y. Uehara</i>	
RING POLYMERS: A TOPOLOGY TO CONTROL PROPERTIES OF ELASTOMERIC MATERIALS .....	890
<i>C.A. Helfer, K. Molnar, G. Kaszas, D. Chen, G.B. McKenna, J.A. Kornfield, J.E. Puskas</i>	
RINGS OR NOT? ANALYSIS OF DISULFIDE POLYMERS WITH LIQUID CHROMATOGRAPHY AT CRITICAL CONDITIONS (LCCC).....	904
<i>K. Molnar, C.A. Helfer, G. Kaszas, D. Chen, G.B. McKenna, J.A. Kornfield, J.E. Puskas</i>	
USE OF VEGETABLE OILS IN HIGH POLARITY TIRE & RUBBER FORMULATIONS TO ACHIEVE UNIQUE PERFORMANCE PROPERTIES .....	922
<i>S. Erhan, K. Collins, S. Smith, M.A. Abney, N. White</i>	
EFFECT OF SOYBEAN OILS WITH VARIOUS UNSATURATION LEVELS ON CARBON BLACK-FILLED EPDM RUBBER VULCANIZED WITH PEROXIDE.....	936
<i>O. Shafranska, J. Dahlgren, A. Jones, J. Tardiff, D. Webster</i>	
THE USE OF TIRE-DERIVED AND SCRAP-DERIVED POLYMERS IN TIRE AND NON- TIRE APPLICATIONS.....	966
<i>K. Perevosnik, L. McCambridge</i>	
CRUMB RUBBER: BENEFITS AND ITS OPTIMIZATION IN TIRE COMPOUNDING .....	987
<i>P. Manoharan, M.D. Siju, S.K. Panda, C. Harimohan</i>	

ADDITIVE MANUFACTURING OF RUBBER BASED CURED ELASTOMER COMPONENTS .....	1000
<i>S. Leineweber, L. Sundermann, L. Overmeyer, B. Klie, H. Wittek, U. Giese</i>	
PREDICTING DURABILITY OF 3D PRINTED ELASTOMERIC LATTICE STRUCTURES.....	1017
<i>C.G. Robertson, M.A. Bauman, W.V. Mars</i>	
DIAMINE-CURED HNBR FOR IMPROVED LONG-TERM COMPRESSION SET ON THIN SECTIONED ARTICLES.....	1032
<i>P.M. Smith</i>	

**Author Index**