

# **ACI-fib-RILEM International Workshop on Fibre Reinforced Concrete (FRC2018)**

From Design to Structural Applications

ACI SP 343

Desenzano, Italy  
28 – 30 July 2018

## **Editors:**

**Bruno Massicotte  
Barzin Mobasher**

**Fausto Minelli  
Giovanni Plizzari**

ISBN: 978-1-7138-2525-8

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© (2018) by American Concrete Institute  
All rights reserved.

Printed with permission by Curran Associates, Inc. (4243)

For permission requests, please contact American Concrete Institute  
at the address below.

American Concrete Institute  
38800 Country Club Drive  
Farmington Hills, MI 48331 USA

Phone: (248) 848-3700  
Fax: (248) 848-3701

BKStore@concrete.org

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2633  
Email: curran@proceedings.com  
Web: www.proceedings.com

## Contents

Foreword	i
Preface	ii
1. Mechanical characterization	1
Round-Robin Test on Various Test-Methods for Flexural Behavior of Steel Fiber Reinforced Sprayed Concretes	2
Plückelmann, S.; Breitenbücher, R.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch01">https://doi.org/10.35789/fib.BULL.0095.Ch01</a>	
A new multi-scale hybrid fiber reinforced cement-based composites	12
Li, L.; Cao, M.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch02">https://doi.org/10.35789/fib.BULL.0095.Ch02</a>	
A sectional approach for the bending creep of FRC based on uniaxial tension creep tests	20
Vrijdaghs, R.; Di Prisco, M.; Vandewalle, L.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch03">https://doi.org/10.35789/fib.BULL.0095.Ch03</a>	
Optimized quality control procedure with the Barcelona test and the inductive method for FRC	30
Galeote, E.; Blanco, A.; Cavalaro, S.H.P.; de la Fuente, A.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch04">https://doi.org/10.35789/fib.BULL.0095.Ch04</a>	
Influence of the beam size on the residual strength of high performance fibre reinforced concrete	40
Galeote, E.; Blanco, A.; Cavalaro, S.H.P.; de la Fuente, A.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch05">https://doi.org/10.35789/fib.BULL.0095.Ch05</a>	
Influence of test methodology on the applicability of test results of fibre reinforced concrete for design	50
Juhasz, K.P.; Schaul, P.; Winterberg, R.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch06">https://doi.org/10.35789/fib.BULL.0095.Ch06</a>	
Parameters affecting the properties of plain and fiber reinforced self-consolidating concrete.	60
Javadian, A.; Mahdavi, A.; Benamrane, O.; Majeed, M.; Aoude, H.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch07">https://doi.org/10.35789/fib.BULL.0095.Ch07</a>	

---

Mechanical characterization of fiber reinforced floor screeds: Influence of glass fibers on shrinkage and cracking mechanisms Chelha, F.; Alam, S. Y.; Bendimerad, A.Z.; Loukili, A. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch08">https://doi.org/10.35789/fib.BULL.0095.Ch08</a>	70
An application oriented state-of-art and research-need perspective on self-healing fibre-reinforced cementitious composites Ferrara, L.; Asensio, E.C.; Lo Monte, F.; Snoeck, D.; De Belie, N. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch09">https://doi.org/10.35789/fib.BULL.0095.Ch09</a>	80
<b>2. Shear</b>	<b>90</b>
Experimental study of shear transfer in polypropylene fibre-reinforced concrete using pre-cracked push-off specimens Ortiz-Navas, F.; Scaroni, L.; Navarro-Gregori, J.; Serna-Ros, P. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch10">https://doi.org/10.35789/fib.BULL.0095.Ch10</a>	91
Shear crack behaviour and shear deformation of polypropylene fibre-reinforced concrete slender beams Ortiz-Navas, F.; Navarro-Gregori, J.; Serna Ros, P.; Leiva Herdocia, G. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch11">https://doi.org/10.35789/fib.BULL.0095.Ch11</a>	101
Fibres as shear reinforcement in RC beams: an overview on assessment of material properties and design approaches Barros, J.A.O.; Foster, S.J. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch12">https://doi.org/10.35789/fib.BULL.0095.Ch12</a>	111
Experimental investigation of shear-critical prestressed steel fibre reinforced concrete beams De Smedt, M.; De Wilder, K.; Anastasopoulos, D.; Reynders, E. ; De Roeck, G.; Vandewalle, L. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch13">https://doi.org/10.35789/fib.BULL.0095.Ch13</a>	121
<b>3. Bridges/Elevated Slabs/Precast Elements/Tunnel Linings</b>	<b>132</b>
Segmental Lining Design using Macro Synthetic Fibre Reinforcement Winterberg, R.; Rodríguez, L.M.; Cámara, R.J.; Abad, D.S <a href="https://doi.org/10.35789/fib.BULL.0095.Ch14">https://doi.org/10.35789/fib.BULL.0095.Ch14</a>	133
Effect of reinforcement configuration on the ductility requirements of real-scale slabs Galeote, E.; Blanco, A.; de la Fuente, A. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch15">https://doi.org/10.35789/fib.BULL.0095.Ch15</a>	143

---

Experimental Behaviour of Precast Tunnel Segments in Steel Fiber Reinforcement with GFRP Rebars Meda, A.; Rinaldi, Z.; Spagnuolo, S.; De Rivaz, B.; Giamundo, N. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch16">https://doi.org/10.35789/fib.BULL.0095.Ch16</a>	153
Opportunities for synthetic fibre reinforcement in concrete tramlines Juhasz, K.P.; Schaul, P. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch17">https://doi.org/10.35789/fib.BULL.0095.Ch17</a>	163
Closed-form Solutions for Interaction Diagrams of Hybrid Fiber-Reinforced Tunnel Segments Yao, Y.; Bakhshi, M.; Nasri, V.; Mobasher, B. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch18">https://doi.org/10.35789/fib.BULL.0095.Ch18</a>	173
An experimental study on the use of polypropylene macrofibers in precast segments for hydraulic and metro tunnel lining Conforti, A.; Trabucchi, I.; Tiberti, G.; Plizzari, G.A.; Caratelli, A; Meda, A.; Moro, S.; Hunger, M. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch19">https://doi.org/10.35789/fib.BULL.0095.Ch19</a>	185
Design of precast prestressed SFRC T-girders for accelerated sustainable bridge construction Massicotte, B.; Cordonni, N. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch20">https://doi.org/10.35789/fib.BULL.0095.Ch20</a>	195
FRC Hybrid slabs: reliability of Model Code approaches Pourzarabi, A.; Colombo, M.; Martinelli, P.; di Prisco, M. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch21">https://doi.org/10.35789/fib.BULL.0095.Ch21</a>	205
Optimization of partially prefabricated HyFRC slabs Zani, G.; Colombo, M.; Failla, C.; di Prisco, M. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch22">https://doi.org/10.35789/fib.BULL.0095.Ch22</a>	215
Structural behavior of precast tunnel segments with macro- synthetic fibers during TBM operations: a numerical study Trabucchi, I.; Conforti, A.; Tiberti, G.; Plizzari, G.A.; Winterberg, R. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch23">https://doi.org/10.35789/fib.BULL.0095.Ch23</a>	225

---

4. Seismic and Special Loading Conditions	235
Seismic Performance of Fibre Reinforced Concrete in the Absence of Bars	236
Bernard, E. S. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch24">https://doi.org/10.35789/fib.BULL.0095.Ch24</a>	
RC Beams with Steel Fibers - Towards Better Determination of their Minimum Conventional Reinforcement Ratio	246
Dancygier, A.N.; Karinski, Y.S.. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch25">https://doi.org/10.35789/fib.BULL.0095.Ch25</a>	
Residual crack width in RC and R/FRC ties subjected to repeated loads	254
Fantilli, A.P.; Tondolo, F. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch26">https://doi.org/10.35789/fib.BULL.0095.Ch26</a>	
An experimental investigation on the post-cracking behaviour of Recycled Steel Fibre Reinforced Concrete	262
Frazão, C.; Barros, J.; Bogas, A.; Pilakoutas, K.; de Sousa, C.M. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch27">https://doi.org/10.35789/fib.BULL.0095.Ch27</a>	
Finite Element Analyses of Seismic Response of a 22-story RC Wall Building subjected to Drying Shrinkage Cracking and Application of SCRPPCC	272
Kitazawa, K.; Sato, Y.; Naganuma, K.; Kaneko, Y. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch28">https://doi.org/10.35789/fib.BULL.0095.Ch28</a>	
Closed loop control in crushing test for fibre reinforced concrete pipes	282
Monte, R.; de la Fuente Antequera, A.; Dominigues de Figueiredo, A. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch29">https://doi.org/10.35789/fib.BULL.0095.Ch29</a>	
Effect of synthetic fibers on the quasi-static and blast behaviour of reinforced concrete beams	292
Aoude, H.; Li, Y.; Bastami, R.; Ibrahim, F.M. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch30">https://doi.org/10.35789/fib.BULL.0095.Ch30</a>	

---

Strain-based fatigue failure criterion for steel-fiber reinforced concrete	302
Poveda, E.; Ruiz, G.; Cifuentes, H.; Yu, R.C.; Zhang, X.X.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch31">https://doi.org/10.35789/fib.BULL.0095.Ch31</a>	
Performance of Ductile FRCC under Cyclic Loads and Non-Linear FE Simulation	310
Antroula, G.; Stavroula, P.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch32">https://doi.org/10.35789/fib.BULL.0095.Ch32</a>	
Cyclic Damage on PVA Microfibre Embedded in Cementitious Matrix in Alternating Tension-Compression Regime	321
Ranjbarian, M.; Mechtcherine, V.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch33">https://doi.org/10.35789/fib.BULL.0095.Ch33</a>	
5. Service Conditions and Durability	330
Reduction of Flexural Crack Widths Using Synthetic Fibres in Reinforced Concrete	331
Bernard, E. S.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch34">https://doi.org/10.35789/fib.BULL.0095.Ch34</a>	
Influence of chloride-initiated corrosion on the surface aspect of steel fibre reinforced cementitious composites	341
Vieira, M.M.; Cavalaro, S.H.P.; Aguado, A.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch35">https://doi.org/10.35789/fib.BULL.0095.Ch35</a>	
Serviceability Limit State Design of SFRC Members	351
Amin, A.; Gilbert, R.I.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch36">https://doi.org/10.35789/fib.BULL.0095.Ch36</a>	
The effect of fibres on corrosion of reinforced concrete	361
Berrocal, C.G.; Lundgren, K.; Löfgren, I.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch37">https://doi.org/10.35789/fib.BULL.0095.Ch37</a>	
Influence of the Post-Cracking Residual Strength Variability on the Partial Safety Factor	371
de la Fuente, A.; Cavalaro, S.H.; Bairán, J.M.	
<a href="https://doi.org/10.35789/fib.BULL.0095.Ch38">https://doi.org/10.35789/fib.BULL.0095.Ch38</a>	

Comparability of bond tests for repair and retrofit of concrete structures with Fiber Reinforced Concrete Zanotti, C.; Randl, N.; Gar, P.S.; Far, B.K.; Steiner, M. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch39">https://doi.org/10.35789/fib.BULL.0095.Ch39</a>	381
Characterization and Prediction of Microcracking in Reinforced UHPFRC Beams under Bending Turgeon-Mallete, V.; Sorelli, L.; Conciatori, D.; Réthore, J. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch40">https://doi.org/10.35789/fib.BULL.0095.Ch40</a>	391
Investigation of fiber effect on the geometrical property of crack and water permeability of cracked concrete Ding, Y.; Li, D.; Zeng, W. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch41">https://doi.org/10.35789/fib.BULL.0095.Ch41</a>	401
Evaluation of Effective Moment of Inertia for Calculation of Short-Term Deflections of Steel Fiber Reinforced Concrete Flexural Members Fargier-Gabaldon, L.B.; Al-Tameemi, M.; Parra-Montesinos, G.J. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch42">https://doi.org/10.35789/fib.BULL.0095.Ch42</a>	411
<b>6. Structural Applications and Rehabilitation</b>	<b>421</b>
Experimental Investigation of Hybrid Concrete Elements with Varying Fiber Reinforcement under Concentrated Load Plückelmann, S.; Breitenbücher, R. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch43">https://doi.org/10.35789/fib.BULL.0095.Ch43</a>	422
The behaviour of concrete columns confined by UHP-FRCC jacketing Fantilli, A.P.; Nishiwaki, T.; Lisi, V.; Longo, M. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch44">https://doi.org/10.35789/fib.BULL.0095.Ch44</a>	432
A holistic calculation and design tool for structural SFRC members Look, K.; Mark, P. Longo, M. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch45">https://doi.org/10.35789/fib.BULL.0095.Ch45</a>	442
FRCcalc - Software for design of fiber reinforced concrete elements according to MC2010 recommendations Valente, T.; Barros, J.; Lourenço, L. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch46">https://doi.org/10.35789/fib.BULL.0095.Ch46</a>	452



---

Retrofitting a full-scale two-story hollow clay block masonry building by Steel Fiber Reinforced Mortar coating Lucchini, S.S.; Facconi, L.; Minelli, F.; Plizzari, G.A. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch47">https://doi.org/10.35789/fib.BULL.0095.Ch47</a>	462
<b>7. HPFRC</b>	<b>473</b>
Structural behavior of prestressed Ultra-High Performance Fibre-Reinforced Concrete beams with and without openings: comparison between experimental results and finite element modelling techniques. Redaelli, D.; Nseir, J.Y. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch48">https://doi.org/10.35789/fib.BULL.0095.Ch48</a>	474
Use of a Probabilistic Explicit Cracking Model for Analysing the mechanical behaviour of an Ultra-High Performance Fibre Reinforced Concrete (UHPFRC) Beam Subjected to Shear Loading Rossi, P.; Davian-Desnoyers, D.; Tailhan, J.L. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch49">https://doi.org/10.35789/fib.BULL.0095.Ch49</a>	484
UHPFRC Precast slabs and field-cast joints of the Isabey-Darnley pedestrian bridge Charron, J.P.; Desmettre, C.; Cantin Bellemare, E. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch50">https://doi.org/10.35789/fib.BULL.0095.Ch50</a>	494
Practical considerations on the application of the recent SIA 2052 guidelines on testing of Ultra-high-performance fiber-reinforced concrete Loser, R.; Justs, J.; Lura, P. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch51">https://doi.org/10.35789/fib.BULL.0095.Ch51</a>	504
Effect of Fibers on the Flexural Behaviour of Beams Built with High-Strength Concrete and High-Strength reinforcement Bastami, R.; Li, Y.; Algassem, O.; Aoude, H. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch52">https://doi.org/10.35789/fib.BULL.0095.Ch52</a>	514
Fiber effect on shear behavior of UHPC beams Randl, N.; Mészöly, T. <a href="https://doi.org/10.35789/fib.BULL.0095.Ch53">https://doi.org/10.35789/fib.BULL.0095.Ch53</a>	524