

# **Western Society of Weed Science Research Progress Report 2020**

Maui, Hawaii, USA  
2 – 5 March 2020

**Editor:**

**Traci Rauch**

ISBN: 978-1-7138-2713-9

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© (2020) by Western Society of Weed Science  
All rights reserved.

Printed with permission by Curran Associates, Inc. (2021)

For permission requests, please contact Western Society of Weed Science  
at the address below.

Western Society of Weed Science  
12011 Tejon Street, Ste. 700  
Westminster, CO 80234  
USA

Phone: 303-327-8016

[info@wsweedscience.org](mailto:info@wsweedscience.org)

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2633  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

## TABLE OF CONTENTS

<b>Project 1: WEEDS OF RANGE AND NATURAL AREAS</b>	<u>Page</u>
Native forb tolerances and downy brome control with indaziflam combinations.....	5
Medusahead control with different rates and timings of aminopyralid at natural sites.....	6
Medusahead management with aminopyralid combinations.....	8
Ventenata control with different rates of indaziflam/rimsulfuron compared to operational standards at natural sites.....	9
Ventenata control with different rates of indaziflam contrasted with sulfosulfuron and imazapic at natural sites.....	11
Ventenata control with different rates and timings of indaziflam and rimsulfuron at natural sites.....	12
 <b>Project 2: WEEDS OF HORTICULTURAL CROPS</b>	
Postemergence herbicides efficacy for liverseedgrass control.....	13
Purple nutsedge control with ALS-inhibiting herbicides in turf.....	14
Spring transition using pinoxaden herbicide.....	15
Efficacy and comparison of multiple applications of amicarbazone for <i>Poa annua</i> control.....	17
Crabgrass control with 4-HPPD herbicides tembotrione, topramezone, and tolpyralate in sweet corn.....	19
Response of radish grown for seed to fluroxypyr herbicide.....	21
 <b>Project 3: WEEDS OF AGRONOMIC CROPS</b>	
Kentucky bluegrass tolerance to pyroxasulfone.....	22
Early postemergence and sequential herbicides for weed control in corn.....	24
Single and sequential herbicide treatments for efficacy in corn.....	29
Pre-emergent herbicides for kochia control in chemical fallow.....	32
Evaluation of preemergence herbicides for the control of Russian-thistle in chemical fallow.....	34
Pyraflufen tank mixtures for postemergence weed control in fallow.....	36
Long-term control of smooth scouringrush with glyphosate in no-till fallow.....	38
Comparison of terbuthylazine and atrazine preemergence in grain sorghum.....	40
Residual weed control with preemergence herbicides in grain sorghum.....	42
Efficacy of KFD-3665-02 rates and mixtures in imidazolinone-tolerant grain sorghum.....	44
Evaluation of pinoxaden/fenoxaprop for wild oat control in spring wheat.....	47
Downy brome control in winter wheat.....	49
Evaluation of quizalofop-P herbicide for the control of downy brome in the CoAxium wheat production system.....	52
Grass and broadleaf weed control in winter wheat with mesosulfuron/thiencarbazono.....	54
Broadleaf weed control in winter wheat with fluroxypyr/halauxifen.....	56

The effect of disturbance on Italian ryegrass control with pyroxasulfone  
    in winter wheat.....57  
Wheat tolerance to bicyclopyrone/bromoxynil.....59  
Broadleaf weed control in chickpea.....62  
**Author Index** .....64  
**Keyword Index**.....65