Western Society of Weed Science Research Progress Report 2021

Online 1 - 4 March 2021

Editor:

Traci Rauch

ISBN: 978-1-7138-2714-6

Printed from e-media with permission by:

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2021) by Western Society of Weed Science All rights reserved.

Printed with permission by Curran Associates, Inc. (2021)

For permission requests, please contact Western Society of Weed Science at the address below.

Western Society of Weed Science 12011 Tejon Street, Ste. 700 Westminster, CO 80234 USA

Phone: 303-327-8016

info@wsweedscience.org

Additional copies of this publication are available from:

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571 USA Phone: 845-758-0400

Fax: 845-758-2633

Email: curran@proceedings.com Web: www.proceedings.com

TABLE OF CONTENTS

Project 1: WEEDS OF RANGE AND NATURAL AREAS	<u>Page</u>
Winter annual grass control with aerial and ground application of indaziflam and imazapic Ventenata control with different rates of indaziflam/rimsulfuron compared to	5
operational standards at natural sites	7
Ventenata control with different rates of indaziflam contrasted with sulfosulfuron	0
and imazapic at natural sites	9
Ventenata control with different rates and timings of indaziflam and rimsulfuron at natural sites	11
Tolerance of Western larch to indaziflam application in first or second growing season	
Project 2: WEEDS OF HORTICULTURAL CROPS	
Herbicide efficacy against kyllinga in turf	15
Comparison of postemergence herbicides and combinations for goosegrass control	
overseeded bermudagrass	.17
Project 3: WEEDS OF AGRONOMIC CROPS	
Weed control in chickpea with preemergence herbicides and pyridate	.18
Topramezone and glufosinate rates and mixtures for efficacy in corn	
Dimethenamid alone and in mixtures for efficacy in corn	
Single and split applications for weed control in corn	
Evaluation of novel sorghum herbicides for grass control in fallow	.27
Glufosinate and 2,4-D tank mixtures and application timings for weed control in fallow	
Halauxifen/fluroxypyr alone and in combination for weed control in fallow	
Pyraflufen tank mixtures for weed control in fallow	.35
Precision and broadcast spray applications of picloram for rush skeletonweed	27
control in fallow	.37
Control of smooth scouringrush with sulfonylurea herbicides and	20
non-ionic surfactants	.39
Smooth scouringrush control with glyphosate and an organosilicone	10
surfactant in no-till fallow	.40
Annual bluegrass control with herbicide tank mixtures in established tall fescue	.42
Annual bluegrass control with post emergence herbicides in established	4.4
tall fescue	
Preemergence herbicides for annual bluegrass control in perennial ryegrass	.46
Crop safety evaluation of florpyrauxifen-benzyl/2,4-D formulations	17
in annual and perennial ryegrass.	
Imazamox rates and timings for weed control in herbicide-tolerant grain sorghum	
Nicosulfuron application timings for efficacy in grain sorghum	.33
Control of common lambsquarters and mayweed chamomile with	
pyrasulfotole/bromoxynil/fluroxypyr in spring wheat	.55

roadleaf weed control in timothy with bicyclopyrone	57
Downy brome and rattail fescue control in winter wheat with	
pyroxasulfone combinations	59
Evaluation of triallate herbicide for the control of downy brome and	
Italian ryegrass in winter wheat	61
Rattail fescue and prickly lettuce control in winter wheat with	
mesosulfuron/thiencarbazone combinations	63
The effect of disturbance on Italian ryegrass control with pyroxasulfone	
in winter wheat	65
Italian ryegrass control with pyroxasulfone combinations in winter wheat	67
Author Index	69
Keyword Index	70