

---

# Ionic and Mixed Conducting Ceramics 13 (IMCC 13)

---

## Editors:

**K. Swider-Lyons**

**X. D. Zhou**


**V. Thangadurai**

**M. Manivannan**

**D. Ding**

**T. Kawada**

**T. Gur**



## Sponsoring Divisions:

**Battery**

**Energy Technology**

**High-Temperature Energy, Materials, & Processes**



Published by

The Electrochemical Society

65 South Main Street, Building D  
Pennington, NJ 08534-2839, USA

tel 609 737 1902

fax 609 737 2743

[www.electrochem.org](http://www.electrochem.org)

**ecs**transactions™

**Vol. 102, No. 5**

---

Copyright 2021 by The Electrochemical Society.  
All rights reserved.

This book has been registered with Copyright Clearance Center.  
For further information, please contact the Copyright Clearance Center,  
Salem, Massachusetts.

Published by:

The Electrochemical Society  
65 South Main Street  
Pennington, New Jersey 08534-2839, USA

Telephone 609.737.1902

Fax 609.737.2743

e-mail: [ecs@electrochem.org](mailto:ecs@electrochem.org)

Web: [www.electrochem.org](http://www.electrochem.org)

ISSN 1938-6737 (online)

ISSN 1938-5862 (print)

ISBN 978-1-60768-918-8 (PDF)

Printed in the United States of America.

---

## Table of Contents

<i>Preface</i>	<i>iii</i>
<b>Chapter 2</b> <b>Proton Conductors</b>	
Ba <sub>0.5</sub> Gd <sub>0.8</sub> La <sub>0.7</sub> Co <sub>2</sub> O <sub>6-δ</sub> Infiltrated BaZr <sub>0.8</sub> Y <sub>0.2</sub> O <sub>3-δ</sub> Composite Oxygen Electrodes for Protonic Ceramic Electrolysis Cells <i>Q. Wang, S. Ricote, P. V. Hendriksen, Y. Wang, J. Wang, M. Chen</i>	3
<b>Chapter 3</b> <b>Ionic Materials and Devices</b>	
Improved Ionic Conductivity of MgM <sub>4</sub> P <sub>6</sub> O <sub>24</sub> (M = Hf, Zr) Ceramic Solid-State Electrolytes by Sol-Gel Synthesis <i>M. Adamu, G. M. Kale</i>	19
Development of Catalyst with Optimum Calcination Temperature for the Application of Zinc-Air Battery <i>Y. Kato, M. M. Rahman, M. Saikawa, R. Awata, Y. Ono, G. Batnyagt, B. Delgertsetsega, T. Takeguchi</i>	29
Corrosion Behavior of Aluminum in Dilute Fluoride and Sulfate Solutions for Use as Bipolar Plate of PEFC <i>M. A. Alam, A. Jahan, E. Suzuki, H. Yashiro</i>	37
Investigation of Corrosion Performance of Pure Aluminum as Bipolar Plate in PEMFC Environment <i>A. Jahan, M. A. Alam, S. Yonezawa, E. Suzuki, H. Yashiro</i>	45

**Chapter 4**  
**Poster Session**

Garnet Nb-Doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ Ceramic Electrolyte and Its Composite Electrolyte for Solid-State Lithium Batteries <i>W. Lu, M. Xue, C. Zhang</i>	55
Sulfur and Nitrogen Co-Doping Bismuth-Based Catalysts for Selective Electroreduction of $\text{CO}_2$ to Formate <i>X. Shao, Y. Liu, J. Zhang</i>	67
Modeling Water and Thermal Transients Inside Proton Exchange Membrane for Vehicle Application Fuel Cells <i>Q. Wang, B. Li, F. Tang, J. P. Zheng, P. Ming</i>	73
Author Index	87