

32nd Congress of the International Council of the Aeronautical Sciences (ICAS 2021)

Shanghai, China
6-10 September 2021

Volume 1 of 8

ISBN: 978-1-7138-4101-2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2021) by International Council of Aeronautical Sciences (ICAS)
All rights reserved.

Printed by Curran Associates, Inc. (2022)

For permission requests, please contact International Council of Aeronautical Sciences (ICAS)
at the address below.

International Council of Aeronautical Sciences (ICAS)
ICAS Secretariat
c/o DGLR
Godesberger Allee 70
53175 BONN
Germany

Phone: +49.228.3080519
Fax: +49.228.3080524

ICAS@ICAS.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

1 - AIRCRAFT DESIGN AND INTEGRATED SYSTEMS

| | |
|--|-----|
| MULTI-MISSION TANKER-TRANSPORT CONVERSION | 1 |
| <i>I. Berlowitz</i> | |
| LIGHTWEIGHT UAV FOR EMERGENCY MEDICAL SERVICE | 22 |
| <i>T. Goetzendorf-Grabowski, J. Mieloszyk, M. Figat, A. Tarnowski, B. Hernik</i> | |
| IMPACT OF NEW TECHNOLOGIES ON AIRCRAFT SYSTEMS | 33 |
| <i>A. Berres, P. Niemeyer</i> | |
| METHODOLOGY FOR OBTAINING AN OPTIMIZED BAFFLED AIRFOIL FOR AN INFLATABLE WING | 46 |
| <i>S. R. Mistri, R. S. Pant, C. S. Yerramalli, A. Guha</i> | |
| HELICOPTER FLIGHT DYNAMICS MODELLING WITH FREE-WAKE METHOD EMBEDDED FOR ROTOR ICING ANALYSES | 55 |
| <i>G. Li, G. Zhang, S. Chu</i> | |
| VALIDATION OF AN AERODYNAMIC MODEL FOR THE ANALYSIS OF SUBSCALE TEST AIRCRAFT WITH DISTRIBUTED ELECTRICAL PROPULSION | 66 |
| <i>O. Luderer, M. Junemann, F. Thielecke</i> | |
| EFFICIENT ADAPTIVE SURROGATE-BASED OPTIMIZATION USING FUZZY CLUSTERING FOR COMPLEX SYSTEM OPTIMIZATIONS | 78 |
| <i>C. Li, W. Ji, C. Gong, H. Fang</i> | |
| CONCEPTUAL DESIGN OF A FIXED-WING AQUATIC UAV USING KNOWLEDGE BASED ENGINEERING | 91 |
| <i>D. Chen, Y. Li, Y. Li, L. Guan, Q. Wang</i> | |
| NUMERICAL SIMULATION ON AERODYNAMIC CHARACTERISTICS OF BIONIC CORRUGATED FLAPPING WING | 103 |
| <i>W. Wang, W. Yang, B. Song</i> | |
| CONCEPTUAL DESIGN OF SILENT ELECTRIC COMMUTER AIRCRAFT | 114 |
| <i>P. Wassink, G. Atanasov, C. Hesse, B. Froehler</i> | |
| STUDY OF THE BENEFITS OF A SEMI-MORPHING WING CONCEPT | 132 |
| <i>L. P. Ruiz Calavera, S. De Lucas Bodas, D. E. Funes Sebastian</i> | |
| FLEET LEVEL DIRECT OPERATING COST ASSESSMENT OF ADVANCED ALL NEW MID-RANGE TRANSPORT AIRCRAFT | 145 |
| <i>J. Hartmann, S. Woehler, B. Liebhardt, F. Presto</i> | |
| BLENDED WING BODY (BWB) PLANFORM MULTIDISCIPLINARY OPTIMISATION (MDO) FOR EARLY STAGE AIRCRAFT DESIGN USING MODEL BASED ENGINEERING | 154 |
| <i>D. Di Pasquale, D. Verma, G. Pagliuca</i> | |

| | |
|--|-----|
| VALIDATING SURROGATE MODELS AND INCORPORATING UNCERTAINTY QUANTIFICATION IN MULTI-ELEMENTS AIRFOIL DESIGN OPTIMISATION | 173 |
| <i>D. Di Pasquale, C. Bolart</i> | |
| ON WINGS WITH NON-ELLIPTIC LIFT DISTRIBUTIONS | 193 |
| <i>E. Bragado-Aldana, M. M. Lone, A. Riaz</i> | |
| A HIERARCHICAL STRUCTURAL MODEL FOR CONCEPTUAL DESIGN OF TRANSPORT AIRCRAFT WING | 217 |
| <i>Y. K. Yin, W. B. Song</i> | |
| VALUE ANALYSIS AND RISK ASSESSMENT FOR MORPHING LEADING AND TRAILING EDGE FOR VARIABLE CAMBER WING | 230 |
| <i>G. Song, W. Cheng, Y. Yang, Z. Qian, W. Ge, Y. Zhang, Z. Wang, S. Zhang, X. Shi, C. Li</i> | |
| AN ADJOINT-BASDF AERO-STRUCTURAL DESIGN OPTIMIZATION METHOD USING DYNAMIC MESH TECHNOLOGY | 241 |
| <i>J. Guo, Y. Li, M. Xu</i> | |
| MECHANISM DESIGN AND AERODYNAMIC RESEARCH OF RETRACTABLE FOLDING FLAPPING WING | 254 |
| <i>Y. Li, W. Yang, A. Chen, R. Zhang</i> | |
| EVALUATION AND VALIDATION OF AEROELASTIC ANALYSIS PROGRAM FOR THE “AEROSTRUCT” WING OPTIMIZATION PLATFORM | 268 |
| <i>S.-B. Ling, K.-S. Zhang, Z.-H. Han, Z.-J. Gao</i> | |
| APPLICATION OF ARTIFICIAL NEURAL NETWORKS FOR EFFICIENT RELIABILITY- BASED DESIGN OPTIMIZATION | 280 |
| <i>X. Chen, A. Riaz, S. El Fassi</i> | |
| STUDY ON ADJOINT OPTIMIZATION OF BWB CONFIGURATION CONSIDERING THE INFLUENCE OF INTAKE AND EXHAUST SYSTEM | 297 |
| <i>J.-T. Huang, Z. Zhou, Z.-H. Gao, X. Chen, S.-D. Zhong</i> | |
| PRELIMINARY DESIGN AND EXPERIMENTAL INVESTIGATION OF A DISTRIBUTED ELECTRIC PROPULSION AIRCRAFT | 304 |
| <i>Y. Ma, W. Zhang, Y. Zhang, Y. Ma, Z. Bai</i> | |
| UNMANNED FIRE-FIGHTING AMPHIBIOUS AIRCRAFT WITH DISTRIBUTED TURBOELECTRIC PROPULSION SYSTEM | 321 |
| <i>A. N. Varyukhin, M. A. Ovdienko, A. V. Vlasov, V. S. Zakharchenko</i> | |
| DESIGN OF A HYBRID VTOL LOGISTICS UAV SYSTEM INTEGRATED INTO CIVIL AVIATION AIR TRAFFIC CONTROL SYSTEM | 336 |
| <i>J. Hanjie, M. Yi, Z. Ye</i> | |
| THERMAL PROTECTION SYSTEM PRELIMINARY DESIGN OF STRATOFLY HIGH- SPEED PROPELLED VEHICLE | 342 |
| <i>R. Scigliano, V. De Simone, M. Marini, R. Fusaro, D. Ferretto, N. Viola</i> | |
| PROGRESS OF BLENDED-WING-BODY AIRCRAFT DEVELOPMENT AT NORTHWESTERN POLYTECHNICAL UNIVERSITY | 357 |
| <i>Z.-L. Chen, Y.-C. Chen, S. Zhang, L.-X. Wang, Z.-G. Tan, B. Chen, S.-W. Zhao, L. Wang, J. Li, C.-S. Yuan, Y.-J. Zhang, Y.-Z. Zhang, W.-M. Sang, Y.-J. Tao, D. Li, B.-Q. Zhang</i> | |

| | |
|--|-----|
| ATTENUATION OF NOISE IN THE CABIN OF A REGIONAL AIRCRAFT BY METAMATERIAL TRIM PANELS | 370 |
| <i>M. C. Moruzzi, M. Cinefra, S. Bagassi, E. Carrera</i> | |
| BASED ON THE CHARACTERISTIC PARAMETERS ESTIMATE MANUFACTURING COST FOR COMPOSITE STRUCTURES | 381 |
| <i>H. H. Feng, F. Liu, H. F. Wei, J. M. Wu</i> | |
| AERODYNAMIC AND STRUCTURAL MODELING IN THE ROTORCRAFT MULTI- PHYSICS SIMULATION VAST | 389 |
| <i>J. Hofmann, M. Mindt, F. Weiss</i> | |
| FAST METHOD AND AN INTEGRATED CODE FOR SONIC BOOM PREDICTION OF SUPERSONIC COMMERCIAL AIRCRAFT | 401 |
| <i>Y.-L. Ding, Z.-H. Han, J.-L. Qiao, W.-P. Song, B.-F. Song</i> | |
| EXPERIMENTAL RESEARCH ON PROPULSION AND AERODYNAMIC CHARACTERISTICS OF A DUAL-BODY DISTRIBUTED ELECTRIC PROPULSION AIRCRAFT | 413 |
| <i>X.-Y. Zhang, Z.-H. Gao, T. Lei, X.-B. Zhang, W. Zhang</i> | |
| GAZE-BASED INTERFACE FOR FLIGHT CONTROL: RESULTS OF INITIAL EXPERIMENTS WITH THE SYSTEM | 423 |
| <i>M. A. Rodriguez Diaz, E. Villani, P. Krus</i> | |
| AERODYNAMIC DESIGN THEORY AND METHODOLOGY FOR AN AIRFRAME-INLET INTEGRATED FULL-WAVERIDER VEHICLE | 441 |
| <i>F. Ding, J. Liu, W. Huang, S. Guo</i> | |
| COLLABORATIVE HIGH FIDELITY AND HIGH PERFORMANCE COMPUTING-BASED MDO STRATEGIES FOR TRANSPORT AIRCRAFT DESIGN | 469 |
| <i>S. Gortz, C. Ilic, M. Abu-Zurayk, T. Wunderlich, M. Schulze, T. Klimmek, O. Suelozgen, T. Kier, A. Schuster, S. Dahne, M. Petsch, J. Haßy, R.-G. Becker, M. Siggel, J. Kleinert, R. Mischke, S. Gottfried</i> | |
| TEAM S55: 1:8 SCALE “REPLICA” OF THE SIAI-MARCHETTI S55X | 492 |
| <i>L. Di Ianni, L. Loiodice, D. Celestini, D. Tiberti, C. Baldon, P. Iavecchia, A. Saponaro Piacente, M. Prodan, S. Grendene, B. Barberis, L. Santoro</i> | |
| DESIGN OPTIMIZATION OF MULTIROTOR DRONES IN FORWARD FLIGHT | 512 |
| <i>F. Pollet, S. Delbecq, M. Budinger, J.-M. Moschetta</i> | |
| H2020 STRATOFly PROJECT: FROM EUROPE TO AUSTRALIA IN LESS THAN 3 HOURS | 524 |
| <i>N. Viola, R. Fusaro, D. Ferretto, O. Gori, B. Saracoglu, A. C. Ispir, C. Schram, V. Grewe, J. F. Plezer, J. Martinez, M. Marini, L. Cutrone, G. Saccone, S. Hernandez, A. Vincent, D. Hauglustaine, B. Liebhardt, F. Linke, D. Bodmer</i> | |
| RESEARCH ON BARYCENTER MEASUREMENT METHOD IN LAUNCH OF ROCKET- BOOSTED UNMANNED AERIAL VEHICLES | 545 |
| <i>H.-L. Liu, M.-H. Tang, A.-Y. Zhu, W. Kong, H.-C. Shi</i> | |
| MULTIFIDELITY AERODYNAMIC/STEALTH DESIGN OPTIMIZATION METHOD FOR FLYING WING AIRCRAFT | 553 |
| <i>Z.-Q. Liu, W.-P. Song, Z.-H. Han, Y. Wang</i> | |
| A NOVEL DETECT-AND-AVOID APPROACH FOR UAS IN URBAN ENVIRONMENTS | 571 |
| <i>S. Bijjahalli, A. Gardi, S. Hilton, R. Sabatini</i> | |

| | |
|--|-----|
| EXPLORATION OF AERIAL FIREFIGHTING FLEET EFFECTIVENESS AND COST BY SYSTEM OF SYSTEMS SIMULATIONS | 586 |
| <i>P. Shiva Prakasha, N. Naeem, N. Cigal, P. Ratei, B. Nagel</i> | |
| BENEFIT ANALYSIS OF AIR REFUELING IN ULTRA LONG ROUTE AIRLINER OPERATION | 603 |
| <i>C. Ma, J. T. Si, Y. C. Chen</i> | |
| TOPOLOGY OPTIMIZATION FOR WING STRUCTURE OF HYPERSONIC VEHICLE | 613 |
| <i>S. S. Zhang, Z. Q. Wan, X. Z. Wang, Y. Z. Liu</i> | |
| CLOUD-BASED ENVIRONMENT FOR AIRCRAFT DESIGN COLLABORATION | 632 |
| <i>X. Chen, A. Riaz, M. D. Guenov</i> | |
| AERODYNAMIC DESIGN OPTIMIZATION OF WAVERIDER-DERIVED VEHICLE | 654 |
| <i>W. Su, C. Dong, X. P. Wang, Y. T. Zuo</i> | |
| THE STUDY ON ANTI-ICING AREAS OF LEADING-EDGE SLATS IN MODERN CIVIL AIRCRAFT | 661 |
| <i>G. P. Qian, Y. H. Wang, C. Ma</i> | |
| FAST ITERATIVE SIMULATION OF AIRLINER WING PLANFORM CONCEPTUAL DESIGN | 665 |
| <i>C. Ma, Z. Y. Chen, C. H. Kong</i> | |
| A NOVEL RBF DATA TRANSFER METHOD BASED ON PCA GEOMETRIC FEATURE EXTRACTION | 674 |
| <i>S. S. Liu, Q. You, Z. K. Liu, X. Liu, Y. W. Gui</i> | |
| INTEGRATED AERODYNAMIC DESIGN OF PROPELLER POSITION AND WING SHAPE AT A LOW REYNOLDS NUMBER | 688 |
| <i>W. Yang, L. Yu, W. H. Wu, Z. L. Fan</i> | |

VOLUME 2

| | |
|---|-----|
| INTEGRATION OF FUSELAGE-MOUNTED OVER-WING ENGINES ON A MID-RANGE AIRCRAFT | 698 |
| <i>P. Wegener</i> | |
| INTEGRATION OF AN INCREASING-FIDELITY AERODYNAMIC MODELLING APPROACH IN THE CONCEPTUAL DESIGN OF HYPERSONIC CRUISER | 719 |
| <i>R. Fusaro, O. Gori, D. Ferretto, N. Viola, P. Roncioni, M. Marini</i> | |
| LANDING PLATFORM FOR URBAN AIR MOBILITY VEHICLES INTEGRATED INTO PARKING LOT INFRASTRUCTURE IN DENSELY BUILT-UP AREAS | 734 |
| <i>P. Brusberg, A. C. Doberts, T. M. Jansen, T. Witt</i> | |
| DESIGN OF A PROTOTYPE UNMANNED LIGHTER-THAN-AIR PLATFORM FOR REMOTE SENSING: CONTROL, ALIMENTATION, AND PROPULSION SYSTEMS | 748 |
| <i>P. Gili, M. Civera, R. Roy, S. Cibrario Bertolotti, D. Cosenza, A. Gili, C. Surace</i> | |
| THE USE OF REVERSE ENGINEERING AND COMPUTATIONAL FLUID DYNAMICS METHODS IN THE PRELIMINARY DESIGN OF A LOW COST SATELLITE LAUNCH SYSTEM | 768 |
| <i>L. Kiskowiak, A. Olejnik, A. Dziubinski, P. Zalewski</i> | |

| | |
|---|-----|
| QUANTIFICATION OF OPERATIONAL EFFECTIVENESS FOR TECHNOLOGY EVALUATION | 782 |
| <i>A. Hull, A. Sudol, D. Mavris</i> | |
| ESTIMATION OF STATIC AND DYNAMIC FLOATATION CHARACTERISTICS DURING AIRCRAFT DITCHING | 798 |
| <i>Y. Zhao, P. Liu, Q. Qu</i> | |
| ON-BOARD SYSTEM ARCHITECTURES FOR HYBRID/ALL-ELECTRIC REGIONAL AIRCRAFT | 807 |
| <i>M. Fioriti, F. Di Fede, S. Corpino, P. Iodice, G. Cerino</i> | |
| ASSESSMENT OF NEW TECHNOLOGIES IN A MULTI-DISCIPLINARY DESIGN ANALYSIS AND OPTIMIZATION ENVIRONMENT INCLUDING RAMS AND COST DISCIPLINES | 819 |
| <i>C. Cabaleiro, M. Fioriti, L. Boggero, S. Corpino, P. D. Ciampa, B. Nagel</i> | |
| CIRCULATION CONTROL AIRCRAFT: RECENT DEVELOPMENTS OF THE CHANNEL-WING DESIGN | 833 |
| <i>M. F. Abdul Hamid, A. R. Abu Talib, A. S. Mohd Rafie, H. Djojodihardjo</i> | |

2 - SYSTEMS ENGINEERING AND INTEGRATION

| | |
|---|-----|
| AIRCRAFT CRUISE PERFORMANCE DESIGN INTEGRATION BASED ON SYSTEM ENGINEERING | 844 |
| <i>H. Bihai, H. Zhen</i> | |
| RESEARCH ON ARCHITECTURE FRAMEWORK MODEL BASED EVALUATION INDEX FOR AVIATION SCIENCE & TECHNOLOGY MANAGEMENT | 854 |
| <i>W. Cheng, C. Xing, J. Xu, G. Song</i> | |
| FORMALIZED KNOWLEDGE MANAGEMENT FOR THE AIRCRAFT CABIN DESIGN PROCESS | 862 |
| <i>M. Fuchs, C. Hesse, J. Biedermann, B. Nagel</i> | |
| AN ENERGY BASED WEIGHT ESTIMATION TECHNIQUE OF TWO-STAGE-TO-ORBIT REUSABLE LAUNCH VEHICLES | 873 |
| <i>L. Liu, X. F. Yang, G. M. Xiao, Q. Li, D. Wei, W. Tang</i> | |
| THE APPLICATION OF THE AGILE 4.0 MBSE ARCHITECTURAL FRAMEWORK FOR THE MODELING OF SYSTEM STAKEHOLDERS, NEEDS AND REQUIREMENTS | 883 |
| <i>L. Boggero, P. D. Ciampa, B. Nagel</i> | |
| ARCHITECTURE INTEGRATION OF FUTURE ATM SYSTEM BASED ON META-MODEL | 896 |
| <i>J. Wang, J. Mao, Q. Zhou</i> | |
| SYSTEM ARCHITECTURE DESIGN SPACE MODELING AND OPTIMIZATION ELEMENTS | 906 |
| <i>J. H. Bussemaker, P. D. Ciampa, B. Nagel</i> | |
| A CONTRASTIVE STUDY OF STANDARD SPECIFICATION FOR TECHNOLOGY READINESS ASSESSMENT | 922 |
| <i>W. Y. Cheng, C. G. Xing, G. Song</i> | |

| | |
|---|------|
| STRATEGIES TO ENHANCE CONFIGURATIONS FOR HIGH-PRECISION MULTI-DISCIPLINARY OPTIMIZATION | 936 |
| <i>H. Liu, M. Li, R. Zhu, Q. Ding, L. Zhou</i> | |
| ARCHITECTURE OF PRODUCT RESEARCH AND DEVELOPMENT SYSTEM FOR COMPLICATED PRODUCTS ENGINEERING | 942 |
| <i>L. Su, H. Zhou, Y. Cheng, L. Du</i> | |
| COMPREHENSIVE REDUNDANCY MANAGEMENT AND VERIFICATION STRATEGY FOR TASK-BASED AIR MANAGEMENT SYSTEM | 948 |
| <i>C.-J. He, L.-I. Wang, J.-H. Yang</i> | |
| GREENER ATM SYSTEM ARCHITECTURE RESEARCH BASED ON COMPLEX SYSTEM ENGINEERING METHOD | 954 |
| <i>H. Hu, J. Mao, D. Hu</i> | |
| SOS BEHAVIOR MODEL TRANSFORMATION FOR AIRCRAFT TOP-LEVEL DEMONSTRATION | 967 |
| <i>J. Zang, J. Q. Zhu</i> | |
| RESEARCH ON SELECTION METHODS FOR AIRCRAFT LANDING GEAR SYSTEM HEALTH FEATURE PARAMETERS | 977 |
| <i>Y. Guo, C. Ma, X. Dong</i> | |
| RESEARCH ON AERO-ENGINE COLLABORATIVE DESIGN PROCESS BASED ON SYSTEM ENGINEERING | 990 |
| <i>Y.-G. Chai, J. Tao, S.-P. Guo</i> | |
| APPLICATION OF MBSE IN AERO-ENGINE STRUCTURAL PARAMETER CALCULATING SYSTEM | 1002 |
| <i>Y. X. Che</i> | |
| SYSTEM ENGINEERING THINKING ON COMMERCIAL AIRCRAFT FLIGHT TEST | 1010 |
| <i>S. Chang, D. W. Xia, Z. K. Yan, X. Jiang, J. Tang, H. T. Zhong</i> | |
| RESEARCH ON FUNCTIONAL HAZARD ASSESSMENT TECHNOLOGY OF MILITARY AIRCRAFT | 1020 |
| <i>Q. Li, Y. An</i> | |
| CO-SIMULATION OF SYSML AND SIMULINK/MODELICA USING FMI | 1030 |
| <i>J. Shen, Q. Zhou, B. F. Li, C. Chen</i> | |
| CREATING A MULTI-FUNCTIONAL EXPERT ANALYTICAL SYSTEM IN THE AIRCRAFT INDUSTRY AND THE FORMATION OF GENERAL REQUIREMENTS | 1041 |
| <i>V. I. Budzko, A. V. Kan, G. G. Kazarinov, I. S. Mikhalyn</i> | |
| TECHNOLOGY ROADMAPS FOR THE DEVELOPMENT OF FUTURE HIGH-SPEED TRANSPORTATION SYSTEMS | 1050 |
| <i>V. Vercella, R. Fusaro, N. Viola</i> | |
| HYBRID MODELLING FOR FULL MISSION SIMULATION | 1071 |
| <i>P. Krus, E. Villani</i> | |
| MODEL-BASED VIRTUAL INTEGRATED TEST METHOD FOR AVIONICS SYSTEM | 1080 |
| <i>S. F. Zhu, P. P. Xing</i> | |

| | |
|---|------|
| CONNECTING SYSTEM SIMULATION TO AIRCRAFT CONCEPT DEVELOPMENT | 1088 |
| <i>A. Oprea, R. Hallqvist, L. Knoos Franzén, M. Eek, I. Staack, H. Gavel</i> | |
| RESEARCH ON AIRCRAFT-LEVEL PHYSICAL INTEGRATION VERIFICATION TEST TECHNOLOGY | 1105 |
| <i>Z. C. Yao, L. B. Liu</i> | |
| THE CIVIL AIRCRAFT DEVELOPMENT PROJECT RISK MANAGEMENT RESEARCH | 1111 |
| <i>B. Wu, X. D. Qui</i> | |
| A NEW SERVICE-ORIENTED ARCHITECTURE DESIGN METHOD FOR AVIONICS SOS | 1122 |
| <i>B. Xue, B. Luo, Z. J. Zhan, Y. H. Wang</i> | |

3.1 - AERODYNAMICS – CFD METHODS AND VALIDATION

| | |
|--|------|
| AERODYNAMICS CHARACTERISTICS STUDY ON A NATURE LAMINAR FLOW AIRFOIL OF NEAR-SPACE VEHICLE AT LOW REYNOLDS NUMBERS | 1130 |
| <i>F. Cui, H. Zhang</i> | |
| VALIDATION OF A DISCONTINUOUS GALERKIN BASED DES SOLVER IN FLOW PROBLEMS USING HIGH PERFORMANCE COMPUTING | 1138 |
| <i>I. Bosnyakov, S. Bosnyakov, S. Mikhaylov, V. Podaruev, A. Troshin, A. Wolkov</i> | |
| ADVANCED WEAK SOLUTIONS IN FLUID DYNAMICS AND THEIR NUMERICAL COMPUTATIONS WITH AERODYNAMIC HEATING | 1160 |
| <i>M. Ivanov, V. Mamaev, J. Li, G. Zheng</i> | |
| A BENCHMARK METHOD FOR PREDICTING OBLIQUE SHOCK STRUCTURE | 1168 |
| <i>A. Shi, E. Dowell</i> | |
| ON THE ASSESSMENT OF CFD METHODS FOR VORTICAL FLOWS | 1186 |
| <i>R. C. Gonzalez, S. A. Prince</i> | |
| TURBULENCE MODEL ASSESSMENT OF THE SEPARATED FLOW IN THE STANFORD DIFFUSER | 1210 |
| <i>M. Bonnici, S. Prince, K. Garry</i> | |
| NUMERICAL SIMULATION ON AERODYNAMIC PERFORMANCE OF BIRD-LIKE FLAPPING WING WITH SLOTTED-TIP | 1224 |
| <i>D. Liu, W. Q. Yang, B. F. Song</i> | |
| LONGITUDINAL VORTEX FORMATION IN HYPERSONIC BOUNDARY LAYER ON BLUNTED DELTA WING AND ITS EFFECT ON FLOW CHARACTERISTICS | 1236 |
| <i>V. I. Shalaev, S. V. Alexandrov, A. V. Vaganov, M. A. Starodubtsev</i> | |
| OPTIMAL DESIGN OF A NEXT GENERATION HIGH-LIFT REUSABLE RE-ENTRY VEHICLE | 1246 |
| <i>A. Aprovitola, L. Iuspa, G. Pezzella, A. Viviani</i> | |
| LONGITUDINAL AND LATERAL-DIRECTIONAL AERODYNAMICS OF A RE-USABLE HIGH-SPEED VEHICLE | 1257 |
| <i>T. Bykerk, G. Pezzella, D. Verstraete</i> | |

| | |
|--|------|
| EXPERIMENTAL VALIDATION OF NUMERICAL PREDICTION OF WING-PROPELLER AERODYNAMIC INTERACTION | 1271 |
| <i>S. De Lucas Bodas, J. Narbona Gonzalez, V. Ossorio Contreras, J. J. Guerra Crespo, D. E. Funes Sebastian, L. P. Ruiz Calavera</i> | |
| MULTI-OBJECTIVE AERODYNAMIC OPTIMIZATION OF A CIVIL AIRCRAFT FUSELAGE | 1288 |
| <i>S. V. Rohani, A. Jahangirian</i> | |
| CFD OPTIMUM DESIGN OF SUPERSONIC EJECTOR SYSTEM STRUCTURE OF TEST CELL | 1295 |
| <i>J. Su, Z. Tang, J. Tian, B. Pan</i> | |
| TRANSITION PREDICTION FOR TRANSPORT AIRCRAFT CONFIGURATIONS BASED ON OVERSET GRID | 1308 |
| <i>Y.-M. Du, Z.-H. Gao, C. Pang</i> | |
| EFFECT OF INTER-STAGE BLEEDING ON FLOW STABILITY OF A MULTI-STAGE COMPRESSOR | 1323 |
| <i>X. Liu, H. Jin, D. Qiu, Y. Yin</i> | |
| OPTIMISATION OF VORTEX GENERATORS FOR STALL SPEED REDUCTION | 1332 |
| <i>J. Meyer, P. Okfen, C. Bil</i> | |
| SIMULATION OF HIGH REYNOLDS NUMBER VISCOUS FLOW BASED ON ADAPTIVE CARTESIAN GRID | 1348 |
| <i>H. Chen, X. Yuan, S. Meng, R. Hua, Z. Tang, L. Bi</i> | |
| RESEARCH OF TURBULENCE MODELING BASED ON MACHINE LEARNING | 1361 |
| <i>Y.-H. Yin, Y.-F. Zhang</i> | |
| MULTI-OBJECTIVE AERODYNAMIC OPTIMIZATION OF A CIVIL AIRCRAFT WINGLET | 1372 |
| <i>M. Heidari Soreshjani, A. Jahangirian</i> | |
| MODELING AND SIMULATION OF DUSTY GAS FLOW IN AERODYNAMICS | 1381 |
| <i>Y. M. Tsirkunov, D. A. Romanyuk, S. V. Panfilov</i> | |
| S55 PROJECT - CFD ANALYSIS OF AN HISTORICAL SEAPLANE | 1397 |
| <i>C. Baldon, R. Indelicato, N. Bottino, M. Sinisi, F. Carrone, G. Cantanna, E. Cestino, V. Sapienza</i> | |
| HYBRID NUMERICAL SCHEMES IN PREDICTION OF HIGH-SPEED LAMINAR- TURBULENT TRANSITION | 1409 |
| <i>I. V. Egorov, A. V. Novikov, N. K. Nguen</i> | |

VOLUME 3

| | |
|---|------|
| APPLICATION OF A SKEWED-SLOT CASING TREATMENT IN A HIGH-LOADING AXIAL-CENTRIFUGAL COMPRESSOR | 1426 |
| <i>H.-L. Jin, D.-B. Qiu, Y.-Q. Yin, X.-Q. Zou</i> | |
| NUMERICAL INVESTIGATION OF WING ROCK PHENOMENON ON LOW ASPECT RATIO RECTANGULAR WINGS AT LOW REYNOLDS NUMBER | 1432 |
| <i>A. Sultan, A. Maqsood, T. H. Go, R. Riaz</i> | |

| | |
|---|------|
| NUMERICAL SIMULATIONS OF TRANSONIC BUFFET ON A HALF WING-BODY CONFIGURATION | 1441 |
| <i>F. Sartor, M. Martin, C. Riveiro Moreno, J. Dandois</i> | |
| DESIGN AND TEST OF A HIGH SLOPE ANGLE INTERMEDIATE DUCT BETWEEN LOW-PRESSURE COMPRESSOR AND HIGH-PRESSURE COMPRESSOR | 1458 |
| <i>H.-L. Jin, J. Zhang, J.-F. Wu, D.-B. Qiu, Y.-Q. Yin</i> | |
| DISTORTION PLATE DESIGN, SIMULATION VALIDATION AND TEST SCHEME FOR STABILITY ANALYSIS ON A FAN COMPONENT OF AN AEROENGINE | 1464 |
| <i>Z.-P. Li</i> | |
| UNSTEADY FLOW SIMULATION AROUND MAIN LANDING GEAR USING HIERARCHICAL CARTESIAN GRID METHOD WITH IMMERSed BOUNDARY METHOD | 1477 |
| <i>T. Imamura, Y. Tamaki</i> | |
| STALL PREDICTION OF AIRCRAFT WITH ADAPTIVE HYBRID MESH | 1491 |
| <i>J. Tang, J. Zhang, N.-C. Zhou, B. Li, P.-C. Cui</i> | |
| EFFECT OF DROPLET MVD ON ICING COLLECTION EFFICIENCY FOR A HELICOPTER BLADE | 1500 |
| <i>W. B. Li, K. C. Li, C. Song, H. L. Ma, Y. Y. Wang</i> | |
| STATIC AEROELASTIC COMPUTATIONS OF WING CONFIGURATIONS IN TRANSONIC FLOWS AT HIGH REYNOLDS NUMBERS | 1507 |
| <i>J. A. A. Lyrio, J. L. F. Azevedo, D. A. Rade, R. G. Da Silva</i> | |
| A CONTRIBUTION TO THE SIMULATION OF TRANSITIONAL FLOWS OVER AEROSPACE CONFIGURATIONS | 1519 |
| <i>L. M. M. O. Carvalho, R. G. Da Silva, J. L. F. Azevedo</i> | |
| AN INTELLIGENT STRUCTURED CHIMERA GRID APPROACH FOR MOVING OBJECTIVES | 1536 |
| <i>L. Li, Y. Liang, Y. Huai</i> | |
| NONLINEAR UNSTEADY AERODYNAMIC DESCRIPTIONS BASED ON IMPROVED GOMAN'S MODEL | 1544 |
| <i>J. Yu, X.-J. Wu, D. Hao, H.-Y. Jia, S.-S. Liu</i> | |
| MULTI-SCALE CFD/MD MODELLING OF HIGH-ENTHALPY FLOW/TPS INTERACTION AND ITS PRELIMINARY AERONAUTICAL APPLICATION | 1555 |
| <i>X. F. Yang, Q. Li, Y. X. Du, G. M. Xiao, L. Liu, D. Wei, Y. W. Gui</i> | |
| NUMERICAL SIMULATION OF A BIO-INSPIRED FLEXIBLE FLAPPING-WING BASED ON EXPERIMENTAL MEASURED DEFORMATION | 1565 |
| <i>X.-W. Yang, Y. Pei, W.-Q. Yang, P. Nian, B.-F. Song</i> | |
| DATA FUSION UNSTEADY AERODYNAMIC MODELING BASED ON EXPERIMENTAL DATA | 1575 |
| <i>X. Wang, W. W. Zhang</i> | |
| INVESTIGATION ON DIFFERENT NUMERICAL SIMULATION METHODS OF ROCKET ENGINE | 1595 |
| <i>H. Chen, Y. F. Yang, P. Xue, X. X. Li, C. Dong, S. Z. Wang, M. X. Zhang</i> | |

| | |
|--|------|
| AERODYNAMIC COEFFICIENT RESPONSE OF RECEIVER DURING AERIAL REFUELING PROCESS | 1602 |
| <i>G. Y. Li, T. Miao, B. Chen, F. Liu</i> | |
| FURTHER DEVELOPMENT OF COMPUTATIONAL STUDY ON COANDA BLANKET CURVATURE EFFECTS ON HALF SPHERICAL COANDA DEVICE | 1611 |
| <i>H. Djodjodihardjo, M. A. Andira, R. Julistina, M. A. Moeljadi</i> | |
| RESEARCH ON FSI DYNAMIC CHARACTERISTICS OF PARAFOIL TRAILING EDGE DEFLECTION | 1628 |
| <i>X. L. Gao, Q. B. Zhang, Z. H. Li, Q. Chen, W. K. Wang</i> | |
| RESEARCH OF THE HYPERSONIC BOUNDARY LAYER INSTABILITIES AND TRANSITION WITH THERMAL-CHEMICAL NON-EQUILIBRIUM EFFECTS | 1634 |
| <i>X. L. Chen, F. Song</i> | |
| INVESTIGATION OF AERODYNAMIC INTERACTIONS BETWEEN NACA0012 AIRFOILS IN TANDEM | 1643 |
| <i>M. Li, H. Xu</i> | |
| GEOMETRICAL PARAMETER STUDY OF A HYPERSONIC VERTICAL GAP FLOW | 1654 |
| <i>H.-Y. Zhang, W.-G. Zong, Y.-H. Zhu, Y.-W. Gui, B. Qiu</i> | |
| A LOCAL CORRELATION-BASED ALGEBRAIC TRANSITION MODEL WITH COMPRESSIBILITY AND CROSSFLOW CORRECTION | 1664 |
| <i>R. X. Xie, W. M. Sang</i> | |
| FLOW AND HEAT TRANSFER MECHANISM OF JET IMPINGEMENT COOLING ONTO MID-CHORD REGIME OF TWISTED BLADE | 1675 |
| <i>W. Jin, S. E. Peng, J. M. Wu, J. Lei, W. T. Ji</i> | |
| AERODYNAMIC MODELING AND FLIGHT PERFORMANCE RESEARCH OF THE COAXIAL RIGID HELICOPTER IN POP-UP PROCESS | 1687 |
| <i>H.-Y. Li, X. Zhao, K. You, S.-Z. Zhao, Y.-F. Lin</i> | |
| HELICOPTER ROTOR AERODYNAMIC PERFORMANCE PREDICTION BASED ON FLOW SIMULATION AROUND AIRFOILS | 1702 |
| <i>S.-Z. Zhao, X. Zhao, K. You, M.-H. Kang, Y.-F. Lin</i> | |
| NUMERICAL SIMULATION OF PITCHING MOTION EFFECTS ON THE AERODYNAMIC PERFORMANCE OF DRAGONFLY-LIKE FLAPPING WING | 1712 |
| <i>X.-Y. Lang, B.-F. Song, W.-Q. Yang</i> | |
| NUMERICAL STUDY ON COOLING CHARACTERISTICS IN CHANNELS WITH PIN FIN ARRAYS UNDER HIGH TEMPERATURE/PRESSURE CONDITIONS | 1721 |
| <i>S.-E. Peng, W. Jin, J.-M. Wu</i> | |
| NUMERICAL SIMULATION OF SWEEPING MOTION EFFECTS ON THE HOVERING DRAGONFLIES | 1732 |
| <i>Z. C. Zhu, B. F. Song, W. Q. Yang, X. Y. Lang</i> | |
| AERODYNAMIC ANALYSIS OF DRAGONFLY WINGS SPACE DISTRIBUTION ON THREE-DIMENSIONAL DURING HOVERING FLIGHT | 1743 |
| <i>C. Tang, W. Q. Yang, B. F. Song, X. Y. Lang</i> | |

| | |
|---|------|
| COUPLED HEAT TRANSFER CHARACTERISTICS ON CHEMICALLY REACTING INTERFACE OF HIGH-SPEED AIRCRAFT CONSIDERING WALL INJECTION | 1754 |
| <i>Q. You, X.-F. Yang, L. Zeng, Y.-W. Gui, Y.-X. Du, L. Liu, G.-M. Xiao</i> | |
| NUMERICAL SIMULATION OF RIDGE ICE AND AERODYNAMIC EFFECT UNDER THERMAL ANTI-ICE | 1765 |
| <i>L. B. Guo, G. Z. Cao, H. P. Zhang</i> | |
| THE FLOW AND HEAT TRANSFER OF ANALYSIS TO ANNULAR CAVITY IN ENGINE CASE | 1776 |
| <i>G. Y. Pan, X. Yu, Y. H, Y. X. Zhao</i> | |
| METHODS OF DIRECTIONAL COARSENING FOR UNSTRUCTURED GRIDS AND APPLICATIONS | 1787 |
| <i>Z.-Y. Xiao, L. Zhang, X.-D. Cui, B. Mou</i> | |
| AN ACCELERATION METHODOLOGY BASED ON DISTURBANCE REGION UPDATE METHOD FOR STEADY COMPRESSIBLE FLOWS | 1798 |
| <i>S. Hu, C. Jiang, Z. Gao, C.-H. Lee</i> | |

3.2 - EXPERIMENTAL AERODYNAMICS

| | |
|--|------|
| EXPERIMENTAL INVESTIGATION ON SUPERSONIC BOUNDARY LAYER TRANSITION INDUCED BY SINGLE/MULTI- ROUGHNESS ELEMENTS | 1810 |
| <i>Q. Liu, Z. Luo, Z. Liu, X. Deng, P. Cheng</i> | |
| EXPERIMENTAL INVESTIGATION OF DAMAGE WING IMPACT ON THE AIRLINER AERODYNAMIC CHARACTERISTICS | 1817 |
| <i>A. Krzysiak, A. Olejnik, L. Kiszkiwiak</i> | |
| ANALYSIS OF A WING-TIP-MOUNTED SMALL-SCALE PROPELLER CONFIGURATION UNDER NON-AXIAL INFLOW CONDITIONS | 1827 |
| <i>M. Cerny, N. Herzog, C. Breitsamter</i> | |
| MEASUREMENT AND ANALYSIS OF INTER-STAGE FLOW FIELD IN A HIGH-LOAD AXIAL MULTISTAGE COMPRESSOR | 1842 |
| <i>Z.-B. Zhang, F.-L. Gao, H. Wu, Y.-H. Chen</i> | |
| EXPERIMENTAL INVESTIGATION ON FLOW CHARACTERISTICS IN COMPRESSOR ACOUSTIC-CAVITY RESONANCE TEST FACILITY BY PIV | 1855 |
| <i>Z.-B. Zhang, M.-S. Yang, H. Wu, M. Wang</i> | |
| AN OBJECTIVE APPROACH FOR MEASURING INTERMITTENCY IN THE TRANSITIONAL BOUNDARY LAYER | 1868 |
| <i>D. Veerasamy, C. Atkin</i> | |
| EXPERIMENTAL INVESTIGATION OF HYPERSONIC BOUNDARY LAYER TRANSITION ON A SHARP CONE UNDER DIFFERENT ANGLES-OF-ATTACK | 1879 |
| <i>X. W. Xu, S. H. Yi, J. H. Han, W. P. Zheng, Z. H. Xia</i> | |
| EXPERIMENTAL INVESTIGATIONS OF A FULL MODEL WITH ADAPTIVE ELASTO- FLEXIBLE MEMBRANE WINGS | 1887 |
| <i>J. Pfluger, K. Hirschmann, C. Breitsamter</i> | |

| | |
|--|------|
| INFLUENCE OF VARIABLE WALL PERFORATION RATIO ON BOUNDARY LAYER PARAMETERS AT TRANSONIC SPEEDS | 1900 |
| <i>S. L. Osipova</i> | |
| APPLIED RESEARCH ON SUPERVISED LEARNING IN THE JUDGMENT OF AIRFOIL TRANSITION | 1910 |
| <i>B. B. Wei, Y. W. Gao, D. Li</i> | |
| EXPERIMENT AND THEORETICAL ANALYSIS OF A TYPE OF NON-SYNCHRONOUS VIBRATION IN A HIGH PRESSURE COMPRESSOR | 1919 |
| <i>F. L. Gao, M. S. Yang, Z. B. Zhang, Y. Chen</i> | |
| WIND-TUNNEL INVESTIGATION OF COMMERCIAL TRANSPORT AIRCRAFT STATIC AND DYNAMIC AERODYNAMIC CHARACTERISTICS AT EXTREME FLIGHT CONDITIONS | 1932 |
| <i>L. Zhang, Z. Liu, F. Cen, Y. Jiang, H. Sun</i> | |
| EXPERIMENTAL INVESTIGATION OF THE CHN-T1 MODEL IN FL-13 WIND TUNNEL OF CARD C AND DNW-LLF FACILITY | 1941 |
| <i>L. Fan, H. Zhang</i> | |
| A STUDY OF SONIC BOOM TEST WITH NOZZLE PLUME INTERACTIONS | 1949 |
| <i>X. Li, Z. Liu, Z. Qian</i> | |
| STUDY ON AERODYNAMIC CHARACTERISTICS OF LIGHT CONVERTIBLE AIRCRAFT MODEL | 1961 |
| <i>V. I. Chernousov, A. A. Krutov, E. A. Pigusov</i> | |
| MICROPHONE ARRAY TECHNIQUES FOR TRAILING EDGE NOISE BASED ON CONVOLUTIONAL NEURAL NETWORK | 1971 |
| <i>Z. C. Song, P. Q. Liu, H. Guo</i> | |
| DYNAMIC TRAILING-EDGE FLAP MOVEMENT AS A NON-CONVENTIONAL AERODYNAMIC LIFT MECHANISM | 1996 |
| <i>M. Bremm, R. Stephan, R. Hornschemeyer, E. Stumpf</i> | |
| TOTAL TEMPERATURE MEASUREMENTS IN WATER INJECTION AND PRE- COMPRESSOR COOLING TECHNOLOGY | 2013 |
| <i>X. Geng, X. P. Liu, Z. Y. Song, L. Zhang</i> | |

3.3 - BASIC FLUID DYNAMICS AND FLOW CONTROL

| | |
|---|------|
| SINGULARITIES IN THE NEAR-WALL REGION OF 3D BOUNDARY LAYER AND THE FLOW STRUCTURE IN ITS VICINITY | 2021 |
| <i>V. I. Shalaev</i> | |
| COMPUTATIONAL STUDY OF THREE-DIMENSIONAL OPEN CAVITY FLOWS | 2036 |
| <i>Y. Luo, C. H. Wu, S. Q. Yuan, H. Tian, H. Li</i> | |
| HYBRID LAMINAR FLOW CONTROL (HLFC) RESEARCH AT AIRCRAFT RESEARCH ASSOCIATION (ARA), PAST, PRESENT AND FUTURE | 2048 |
| <i>P. W. C. Wong, M. Maina, S. Lawson</i> | |
| IMPROVEMENT OF HELICOPTER PERFORMANCE THROUGH PULSE AIR JETS BLOWN FROM THE TRAILING EDGE OF MAIN ROTOR BLADES | 2072 |
| <i>W. Stalewski</i> | |

| | |
|---|------|
| STUDY ON THE HEAT FLUX OF HYPERSONIC SHOCK WAVE BOUNDARY LAYER INTERACTION CONTROLLED BY A MICRO-RAMP VORTEX GENERATOR | 2089 |
| <i>D. Sun, C. Li, H.-Y. Cai, Q.-L. Guo, P.-X. Liu, X.-X. Yuan</i> | |
| EFFECTS OF ADVERSE PRESSURE GRADIENT ON THE BEHAVIOURS OF RESOLVENT MODE | 2099 |
| <i>C. Chen, J.-T. Huang, X. Chen</i> | |
| STUDY ON THE EFFECTS OF PROPLET GEOMETRIC PARAMETERS ON THE AERODYNAMIC CHARACTERISTICS OF HIGH-ALTITUDE PROPELLER | 2111 |
| <i>B. Wang, X. D. Yang, B. F. Song, J. H. Xu</i> | |
| ANALYSIS AND CONTROL OF DYNAMIC STALL CHARACTERISTICS OF S809 AIRFOIL | 2119 |
| <i>L.-S. Hao, Y.-W. Gao, B.-B. Wei, B. Hu</i> | |
| MODIFICATION OF TURBULENCE MODELS FOR PRESSURE-INDUCED SEPARATION ON SMOOTH SURFACES USING THE DLR VICTORIA EXPERIMENT | 2126 |
| <i>T. Knopp, M. Novara, D. Schanz, W. Luhder, E. Schulein, R. Geisler, F. Philipp, M. Schroll, A. Krumbein, C. Willert, A. Schroder</i> | |
| STABILIZATION OF SUPERSONIC BOUNDARY LAYERS IN THE PRESENCE OF FAVORABLE PRESSURE GRADIENT | 2141 |
| <i>P. V. Chuvakhov</i> | |

VOLUME 4

| | |
|---|------|
| MECHANISMS OF NATURAL LAMINAR-TURBULENT TRANSITION ON AN UNSWEPT WING IN SUPERSONIC FLIGHT | 2149 |
| <i>P. V. Chuvakhov, A. V. Fedorov, I. O. Pogorelov</i> | |
| VIBRATION INDUCED EXCITATION OF INSTABILITY WAVES IN A BLASIUS FLOW | 2159 |
| <i>E. R. Gowree, C. J. Atkin</i> | |
| EXPERIMENTAL INVESTIGATION, NUMERICAL AND MATHEMATICAL SIMULATION OF DISPERSE FLOWS IMPINGING ON AIRCRAFT SURFACE | 2170 |
| <i>I. A. Amelyushkin, M. A. Kudrov, A. B. Miller, Y. F. Potapov, A. L. Stasenko, V. A. Zhbanov</i> | |
| SUBSONIC WIND TUNNEL SMALL RIBLETS DRAG REDUCTION EXPERIMENT ON C919 FUSELAGE MODEL | 2176 |
| <i>H. W. Wang, Z. Huang, M. L. Yuan, X. H. Li, M. Zhang</i> | |
| PHISICAL AND MATHEMATICAL MODELS OF THE BUFFET ONSET | 2183 |
| <i>A. M. Lipanov, I. I. Lipatov, S. A. Karaskanov</i> | |
| NUMERICAL SIMULATION OF THREE-DIMENSIONAL DISTURBANCES EVOLUTION IN SUPERSONIC FLOW OVER A WAVY SURFACE | 2192 |
| <i>A. Novikov, A. Fedorov</i> | |
| ENERGY HARVESTING FROM PIEZOELECTRIC FRINGES AT THE TRAILING-EDGE OF A FINITE WING WITH LEADING-EDGE TUBERCLES | 2200 |
| <i>E. P. Pereira, A. Esmaili, J. M. M. Sousa</i> | |
| HIGH-LIFT NOISE REDUCTION USING PLASMA ACTUATORS | 2212 |
| <i>G. P. G. Silva, J. P. Eguea, J. A. G. Croce, F. M. Catalano</i> | |

| | |
|---|------|
| NUMERICAL SIMULATION STUDY ON BOUNDARY LAYER FLOW AND DRAG REDUCTION CHARACTERISTICS OF RIBBLETS | 2226 |
| <i>S. Y. Du, R. Pang, W. M. Sang, G. J. Yang</i> | |
| ANALYSIS OF AERODYNAMIC COUPLING EFFECT IN CLOSE FORMATION FOR FLAPPING WINGS | 2239 |
| <i>Z. T. Chen, Z. X. Jiao, Y. X. Shang, L. F. Zhao</i> | |
| NUMERICAL SIMULATION OF LOCAL LONG SHALLOW CAVITY EFFECT ON THE STABILITY OF A HYPERSONIC BOUNDARY LAYER | 2256 |
| <i>J. J. Yang, Y. D. Zhang, P. Lv, T. Pagliaroli</i> | |
| STUDY ON THE STATISTICAL CHARACTERISTICS OF SKIN FRICTION OF SHOCK WAVE/ TURBULENT BOUDARY LAYER INTERATION IN A HOLLOW FLARE CONFIGURATION AT MACH 6 | 2263 |
| <i>P. F. Shen, H. Y. Cai, P. X. Liu, D. Sun, X. X. Yuan</i> | |

3.4 - APPLIED AERODYNAMICS

| | |
|---|------|
| AERODYNAMIC ANALYSIS OF A HIGH SPEED TEST RIG FOR USE IN ENGINE TEST FACILITIES | 2273 |
| <i>F. Rasimarzabadi, M. Neuteboom, C. Clark, H. Martensson</i> | |
| AERODYNAMIC DESIGN OF A HIGH-LIFT SYSTEM WITH FLEXIBLE DROOP-NOSE FOR A LONG HAUL BUSINESS JET CONFIGURATION | 2288 |
| <i>M. Zhong, J. Hua, X. Sun, S. Zheng, G. Wang, G. Zhang, H. Wang, Y. Li, X. Li, J. Bai</i> | |
| ESTIMATION OF THREE-DIMENSIONAL BOUNDARY LAYER VELOCITY PROFILES ON SWEPT WINGS AND BLENDED WING BODIES | 2298 |
| <i>K. Ma, S. Prince</i> | |
| SPARSE POLYNOMIAL CHAOS EXPANSION BASED ON FULLY ADAPTIVE FORWARD- BACKWARD SELECTION METHOD | 2317 |
| <i>H. Zhao, Z. H. Gao, L. Xia</i> | |
| PROPELLER WAKE - OBJECT INTERACTION USING A FREE WAKE MODEL UTILIZING LOCAL MESH SEPARATION | 2331 |
| <i>M. Thiele, D. Salassidis, M. Hornung</i> | |
| BLADE - NATURAL LAMINAR FLOW FLIGHT TESTING | 2355 |
| <i>T. Gibson, B. Soucheleau, N. Rogers</i> | |
| ROBUST DESIGN OF 3D SHOCK CONTROL BUMPS TO TRANSPORT AIRCRAFT UNDER REALISTIC UNCERTAINTIES | 2370 |
| <i>C. Sabater, S. Goertz</i> | |
| AERODYNAMIC NOISE SIMULATION OF CIVIL AIRCRAFT LANDING GEARS BASED ON LES-SMARGORINSKY MODEL | 2390 |
| <i>Q. Li, P. Wang, B. Chen</i> | |
| NUMERICAL INVESTIGATION ON FLOW INTERFERENCE BETWEEN BLENDED-WING- BODY AIRCRAFT AND OVERHANGING NACELLE | 2401 |
| <i>A. X. Qiu, W. M. Sang, R. Pang</i> | |

| | |
|--|------|
| AERODYNAMIC OPTIMIZATION DESIGN OF DOUBLE BLUNT ROTOR AIRFOIL WITH LARGE THICKNESS IN FORWARD AND REVERSE FLOW | 2416 |
| <i>Y. M. Yao, X. D. Yang</i> | |
| METHODICAL STUDIES OF THE POSSIBILITY TO APPLY A NUMERICAL METHOD WITH BUILD-IN EMPIRICAL CRITERIA FOR DETERMINING THE LAMINAR-TO- TURBULENT TRANSITION ON THE CONE SURFACE AT HIGH MACH NUMBERS | 2426 |
| <i>N. V. Voevodenko, Y. G. Shvalev</i> | |
| PARETO FRONT EXPLORATION USING MANIFOLD RECONSTRUCTION APPROACH FOR ROTORCRAFT AIRFOILS DESIGN | 2437 |
| <i>C. Song, W.-B. Li, Z. Zhou</i> | |
| NATURAL-LAMINAR-FLOW AIRFOIL DESIGN OPTIMIZATION CONSIDERING CROSSFLOW INSTABILITY WHEN CONFIGURED ON A SWEEPED WING | 2447 |
| <i>Z.-M. Xu, Z.-H. Han, W.-P. Song</i> | |
| AERODYNAMIC DESIGN OPTIMIZATION OF HYPERSONIC WING OVER WIDE MACH- NUMBER RANGE CONSIDERING LIFT MATCHING | 2462 |
| <i>Y. Zhang, Z.-H. Han, F. Liu, C.-Z. Xu</i> | |
| NUMERICAL STUDY OF QUAD-ROTOR AIRCRAFT PERFORMANCE UNDER ADVERSE SITUATIONS | 2482 |
| <i>T. Wan, M.-H. Tsai</i> | |
| MULTIPOINT OPTIMIZATION OF TRANSONIC NATURAL LAMINAR FLOW NACELLES | 2497 |
| <i>C. Y. Yan, Y. F. Zhang, M. H. Zhang</i> | |
| NUMERICAL EVALUATION OF DYNAMIC STABILITY DERIVATIVES FOR HIGH LIFT DEVICES | 2507 |
| <i>H. Ur Rahman, A. Maqsood, R. Riaz, L. Dala</i> | |
| TRANSPORT AIRCRAFT WING INVESTIGATIONS AIMED ON WAKE VORTEX IMPACT BY OSCILLATING FLAPS | 2519 |
| <i>J. Ruhland, F. M. Heckmeier, C. Breitsamter</i> | |
| RAPID THEORETICAL EVALUATION OF FORMATION FLIGHT PERFORMANCE | 2534 |
| <i>R. Vilumbrales-Garcia, M. Lone</i> | |
| THE AERODYNAMIC OPTIMIZATION AND TRIM CHARACTERISTICS RESEARCH ON VARIABLE CAMBER WING OF WIDE-BODY CIVIL TRANSPORT | 2552 |
| <i>X. Hao, C. Su, B. Wang, Q. Q. Zhang</i> | |
| RESEARCH ON THE TRIGGERING CONDITIONS OF EJECTABLE RECORDER FOR CIVIL AIRCRAFT | 2566 |
| <i>S. M. Pu, H. F. Wang, L. K. Cheng</i> | |
| DRAG REDUCTION ANALYSIS IN CLOSE-FORMATION FLIGHT | 2574 |
| <i>X.-X. Meng, M. Chang, J.-Q. Bai, M. Lihina</i> | |
| SNGR BASED FAST ANALYSIS OF SLAT TRACK NOISE SOURCES | 2591 |
| <i>W. H. Wang, Q. C. Wang, C. Breard, Y. F. Sun</i> | |
| INCREASING THE EFFECTIVENESS OF AN AERODYNAMICALLY BALANCED CONTROL SURFACE ON A MODIFIED AIRFOIL WITH REDUCED DRAG | 2600 |
| <i>V. Bogatyrev</i> | |

| | |
|---|------|
| IMPROVED WEIGHTED GRADIENT-ENHANCED KRIGING MODEL FOR HIGH-DIMENSIONAL AERODYNAMIC MODELING PROBLEMS | 2612 |
| <i>C.-Z. Xu, Z.-H. Han, K.-S. Zhang, W.-P. Song</i> | |
| DESIGN OPTIMIZATION OF AIRFOILS AT ULTRA-LOW REYNOLDS NUMBERS | 2634 |
| <i>J.-H. Xu, D. Li, W.-P. Song, Z.-H. Han, H.-J. Li</i> | |
| ADJOINT-BASED STUDY OF THE AERODYNAMIC CENTER SHIFT IN THE TRANSONIC FLOW REGIME | 2646 |
| <i>A. Cato, M. Hayashi, J. Cavalcante, J. Qasem, L. Kavabata, U. Costa, E. Volpe</i> | |
| AN OPTIMIZATION OF ANTI-ICING CHAMBER BASED ON POD AND KRIGING | 2657 |
| <i>J. Niu, W. Sang, A. Qiu, Q. Guo, D. Li</i> | |
| NUMERICAL INVESTIGATION OF THE EFFECT OF WALL TEMPERATURE ON THERMAL ENVIRONMENT OF TWO-DIMENSIONAL TRANSVERSE GAP | 2671 |
| <i>B. Qiu, R. Li, X. Liu, J. Yao, B. Jiang, Y. Zhu</i> | |
| RESEARCH ON UNSTEADY AERODYNAMIC MODELS AT HIGH ANGLES OF ATTACK BASED ON NONLINEAR REGRESSION | 2681 |
| <i>J. A. Cheng, H. Zhan, B. G. Mi</i> | |
| NUMERICAL SIMULATION ON AERODYNAMIC PERFORMANCE OF BIRD-LIKE FLAPPING WING LEADING EDGE COVERTS | 2692 |
| <i>J. X. Gao, W. Q. Yang, R. Zhang, Y. B. Li</i> | |
| NASA-CRM LATERAL-DIRECTIONAL STABILITY DERIVATIVES COMPARISON BETWEEN SEMI-EMPIRICAL, VORTEX LATTICE AND PANEL METHOD | 2704 |
| <i>R. Sorbilli Cardoso De Sousa, R. G. Annes Da Silva</i> | |
| NUMERICAL SIMULATION OF VARIABLE WINGSPAN EFFECTS ON A BIONIC FLAPPING WING | 2730 |
| <i>R. Zhang, W. Q. Yang, Y. B. Li, J. X. Gao</i> | |
| <u>4.1 - MATERIAL ISSUES, FATIGUE AND DAMAGE TOLERANCE</u> | |
| A TWO PHASES COUPLING FREE AND POROUS FLOW NUMERICAL SIMULATION METHOD OF LCM PROCESS | 2742 |
| <i>C. Li, C. Chen, L. M. Gao, J. F. Xu</i> | |
| MODEL CURVES: A SIMPLE WAY TO ACCOUNT FOR COMPLEX EFFECTS | 2750 |
| <i>A. Bautin, Y. Svirsky, V. Basov, Y. Melnikov</i> | |
| THE NOISE REDUCTION STUDY OF COMPOSITE ACOUSTIC LINER ON HIGH BYPASS RATIO TURBOFAN AEROENGINE | 2759 |
| <i>P. Hou, X.-J. Shang, Y. Dong</i> | |
| STUDY OF COMPOSITE SKIN-STRINGER FATIGUE BEHAVIOR UNDER BROADBAND RANDOM VIBRATION | 2770 |
| <i>S. Dubinskii, F. Sevastyanov, V. Kostenko, S. Denisov, I. Zharenov</i> | |
| FRACTURE CRITERION ANALYSIS AND CRACK GROWTH PROPERTY OF MIXED-MODE CRACK EXPERIMENTS | 2781 |
| <i>S. Su, W. Zhang, L. Li</i> | |

| | |
|---|------|
| STATISTICS AND ANALYSIS OF MANUFACTURING DEFECTS AND DAMAGE OF HELICOPTER COMPOSITE STRUCTURES | 2793 |
| <i>J. Li, J. Guo, H. Huang</i> | |
| A DEEP-LEARNING-BASED METHOD FOR DAMAGE IDENTIFICATION OF COMPOSITE LAMINATES | 2801 |
| <i>Y. Yang, B. Wang, S. Lv, Y. Zhou, L. Wang, G. Liu</i> | |
| THE INFLUENCE OF THE NUMBER OF ADHESIVE PLYS (FM 300-2) ON FRACTURE PROPERTIES | 2811 |
| <i>J. Jokinen, M. Wallin, M. Kanerva</i> | |
| ADJUSTED SHAPES OF ADHESIVELY BONDED REPAIR PATCHES FOR THE EARLY INDICATION OF DEBOND IN FIGHTER AIRCRAFT STRUCTURES | 2820 |
| <i>J. Jokinen, M. Wallin, M. Kanerva</i> | |
| FAILURE PROCESS IDENTIFICATION IN C/SIC SAMPLES WITH A RANGE OF TENSILE PERFORMANCE USING ACOUSTIC EMISSION | 2830 |
| <i>Y. Z. Zhang, X. Y. Tong, L. J. Yao, A. T. Augousti</i> | |
| EXPERIMENTAL INVESTIGATION AND LIFE PREDICTION FOR DEFECT INDUCED CRACK OF A P/M NICKEL BASED SUPERALLOY | 2842 |
| <i>Y. Shi, X. Yang, D. Shi, D. Yang, G. Miao, S. Lv</i> | |
| DYNAMIC RESPONSE AND DAMAGE OF THE FAN BLADES DURING UAV INGESTION INTO AN AERO-ENGINE | 2854 |
| <i>N. Hou, X. H. Meng, J. Liu, Y. L. Li</i> | |
| IN-SITU LASER ASSISTED DIRECT IMPREGNATION, LAMINATION AND PLACEMENT OF CFRTP | 2867 |
| <i>T. Ikeda, T. Sakai, A. Yokosu, Y. Fujii, H. Takenami, M. Arai, T. Ishikawa</i> | |

VOLUME 5

| | |
|--|------|
| A DIGITAL EQUIVALENT DEVELOPMENT FOR FATIGUE AND DAMAGE TOLERANCE IN AIRCRAFT STRUCTURES | 2878 |
| <i>L. Zaplana Manzano, J. Romero Arana, J. Gomez-Escalonilla Martín</i> | |
| DESIGN METHOD FOR THE FATIGUE-SIMULATING SPECIMEN OF TWIN-WEB TURBINE DISK | 2890 |
| <i>Y. L. Su, Z. L. Fan, W. H. Wu, S. Lu, X. M. Chen</i> | |
| A NEW METHOD FOR ESTIMATING THE THERMOS-PHYSICAL PARAMETERS OF THERMAL PROTECTION MATERIALS BY ULTRASONIC MEASUREMENTS | 2899 |
| <i>D. Wei, Y. Cui, Y. A. Shi, G. M. Xiao, Y. X. Du, Y. W. Gui</i> | |
| STUDY ON THE FATIGUE SCATTER FACTOR UNDER SEVERE LOAD SPECTRUM | 2908 |
| <i>Y. J. Wang, Y. Liao, H. Dui, J. Dong</i> | |
| FORMABILITY OF TITANIUM TI-6AL-4V SHEETS AT MODERATE TEMPERATURE COMBINED WITH HIGH-PRESSURE | 2916 |
| <i>S. Olsson, B. Carlsson, M. Bergkvist, R. He</i> | |
| STUDY ON THE METHOD OF DETERMINING SKIN WAVINESS REQUIREMENT OF CIVIL AIRCRAFT | 2925 |
| <i>D. Jin, G. P. Qian, K. Feng</i> | |

| | |
|---|------|
| RESEARCH ON FATIGUE STRENGTH PREDICTION MODEL OF AERO-ENGINE BLADES SUBJECTED TO FOREIGN OBJECT DAMAGE | 2932 |
| <i>L. F. Wang, L. Liu, C. Liu, X. L. Pan, Z. H. Zhao, L. C. Zhou</i> | |

4.2 - AEROSTRUCTURES DESIGN, STRUCTURAL DYNAMICS, AEROELASTICITY

| | |
|--|------|
| BIRD STRIKE SIMULATIONS IN MSC.SOFTWARE: CORRELATION BETWEEN THE EXPERIMENTS AND SIMULATIONS | 2944 |
| <i>V. Symonov, J. Juracka</i> | |
| MODELS AND METHODS FOR DRONE STRIKE LOAD PREDICTIONS | 2955 |
| <i>F. Franke, U. Burger, C. Huhne</i> | |
| TRANSFER PATH ANALYSIS OF RANDOM VIBRATION LOADS | 2968 |
| <i>P. Li</i> | |
| A PERTURBATION ANALYSIS OF NONLINEARITY IN LANDING-GEAR SHIMMY OF A FLEET AIRCRAFT | 2975 |
| <i>M. Kou, J. Zhang, J. Lu, S. Tan</i> | |
| A STRUCTURE DESIGN OF CFRP REAR PRESSURE BULKHEAD WITHOUT STIFFENERS | 2989 |
| <i>Z. Y. Li, Y. Z. Han, X. H. Yao</i> | |
| EXPERIMENTAL STUDY ON ATTENUATION PERFORMANCE OF SHOCK-ABSORBING INSERT | 3008 |
| <i>H.-S. Park, D.-H. Hwang, J. Yang, J.-H. Han</i> | |
| DESIGN AND VERIFICATION OF ENERGY-ABSORBING STRUCTURE OF CORRUGATED BEAM BASED ON SPECIFIC FAILURE MODE | 3019 |
| <i>C. Chang, J. Li</i> | |
| MULTI-AXIS MANEUVER SIMULATION FOR SYSTEM IDENTIFICATION OF FLEXIBLE TRANSPORT AIRCRAFT BY HIGH-FIDELITY METHODS | 3026 |
| <i>M. Ritter, M. S. Roeser, S. Gortz</i> | |
| DESIGN AND PERFORMANCE RESEARCH OF ARTIFICIAL ELECTROMAGNETIC STRUCTURE WITH TRANSMISSION AND ABSORPTION CHARACTERISTICS | 3037 |
| <i>X. Y. Pang, W. W. Men, J. F. Huang</i> | |
| THEORETICAL AND EXPERIMENTAL INVESTIGATION OF THE AEROELASTIC CHARACTERISTICS OF THE AFLONEXT PROJECT BIG-SIZE DEMONSTRATOR | 3045 |
| <i>G. A. Amiryants, A. V. Chedrik, V. A. Malyutin, S. E. Paryshev, V. G. Soudakov</i> | |
| ITERATIVE GLOBAL/LOCAL NON-INTRUSIVE MODEL COUPLING METHOD FOR STRUCTURE FAILURE ANALYSIS | 3056 |
| <i>Y. J. Liu, S. Q. Liang, R. J. Sun, M. Q. Li</i> | |
| THE VIBRATION CORRELATION TECHNIQUE – A RELIABLE NONDESTRUCTIVE TOOL TO PREDICT BUCKLING LOADS | 3067 |
| <i>H. Abramovich</i> | |
| TEMPERATURE-INDUCED LOAD OF BOLTED HYBRID COMPOSITE/METAL JOINT | 3080 |
| <i>K. Lei, B.-W. Wang, J.-T. Wu, W.-L. Deng</i> | |

| | |
|---|------|
| KINEMATIC MODEL OF REFINED THEORY AND EXACT ANALYTICAL SOLUTIONS OF STATIC AND BUCKLING PROBLEMS OF STRUCTURALLY-ANISOTROPIC COMPOSITE PANELS OF AIRCRAFT | 3091 |
| <i>L. M. Gavva</i> | |
| RESEARCH ON ATTITUDE CONTROL AND CONSTRAINT SYSTEM DESIGN OF FULL- SCALE AIRCRAFT STATIC TEST BASED ON BARYCENTER | 3106 |
| <i>J.-J. Zheng, B.-W. Wang, L.-G. Zhu, J.-Y. Tang</i> | |
| BROADBAND MICROWAVE ABSORBING HONEYCOMB CORE MATERIAL WITH ACTIVE CARBON AS DELEGATES | 3117 |
| <i>Z. Jia, L. Xuan, T. Su., L. Chen</i> | |
| ACHIEVEMENTS IN THE BUCKLING OF THIN-WALLED COMPOSITE LAUNCHER STRUCTURES | 3124 |
| <i>R. Degenhardt, F. Franzoni, S. G. P. Castro</i> | |
| DEVELOPMENT OF LIGHTWEIGHT HYBRID AIRFRAMES BASED ON UNIDIRECTIONAL COMPOSITE STRUCTURE CONCEPTS | 3134 |
| <i>A. Shanygin</i> | |
| PASSIVE FLEXIBLE WINGTIP AREA FOR IMPROVING AIRLINERS CRUISE EFFICIENCY AND GUST ALLEVIATION | 3143 |
| <i>D. Gueraiche, S. Popov, A. Guelailia</i> | |
| STRUCTURAL VIBRATION CONTROL BY USING THE ENERGY FROM DIFFERENT MODES | 3151 |
| <i>K. Li, C. Bai</i> | |
| TURBINE STRUCTURE ANALYSIS AND IMPROVEMENT OF A HIGH-SPEED ROTOR WITH MULTI-DISK AND MULTI-SUPPORT | 3156 |
| <i>W.-J. Nie, W.-Q. Deng, Y.-N. Chen, L. Zou</i> | |
| PROCESS RESEARCH AND OPTIMIZATION OF PINHOLE HOLE AND NAIL HEAD DAMAGE ON COMPOSITE PARTS | 3166 |
| <i>Y. Liu, D. Zhou, S. Feng, C. Yang, H. Xie</i> | |
| SUPERSONIC AEROELASTIC ANALYSIS OF AN ALL-MOVABLE WING WITH FREE PLAY | 3173 |
| <i>K. Yuan, M. Cheng</i> | |
| MODAL DAMPING PARAMETER IDENTIFICATION METHOD BASED ON IMPROVED VMD AND ENVELOPE FITTING AND ITS APPLICATION | 3181 |
| <i>J. Bian, Y.-N. Chen, Q. Mei, Y.-L. Xu, Y.-H. Lu</i> | |
| ACCURATE MODELS FOR THE PREDICTION OF FREE-EDGE STRESSES OF COMPOSITE STRUCTURES UNDER THERMAL LOADS | 3192 |
| <i>E. Zappino, E. Carrera</i> | |
| STRUCTURAL HEALTH MONITORING OF SANDWICH STRUCTURES WITH LATTICE CORES IN AIRCRAFT DESIGN: CHALLENGES AND POTENTIAL | 3203 |
| <i>T. Huang, M. Nuño, K.-U. Schroder</i> | |
| ACTUATION MECHANISM USING SHAPE MEMORY ALLOY WIRES IN SPIRAL ARRANGEMENT FOR MORPHING WINGS | 3216 |
| <i>R. Tsukamoto, A. Senba, T. Ikeda, M. Tamayama, H. Arizono</i> | |

| | |
|--|------|
| STATIC AEROELASTIC TAILORING OF A HIGH-ASPECT-RATIO-WING FOR A SAILPLANE WITH A FORWARD MORPHING WING SECTION | 3223 |
| <i>F. Sturm, G. Illenberger, D. Techmer, M. Hornung</i> | |
| METHODS FOR CALCULATING THE FATIGUE DAMAGE OF A STRUCTURE FOR VARIOUS SPECTRA OF VIBRO-ACOUSTIC LOADS | 3240 |
| <i>P. Bessonov, Y. Svirsky, I. Sidorov, S. Dubinskii</i> | |
| MATHEMATICAL MODELS FOR ANALYSIS AND OPTIMIZATION OF AIRCRAFT STRUCTURAL COMPONENTS TAKING INTO CONSIDERATION OF LOCAL STRESS DISTRIBUTION | 3251 |
| <i>V. Chedrik, S. Tuktarov, K. Balunov, N. Nguyen</i> | |
| DEFORMATION ANALYSIS OF C-SPAR COMPOSITE STRUCTURE DURING THE PREFORMING PROCESSING | 3267 |
| <i>F. Chen, P. Chen, Y. Q. Zhao</i> | |
| AEROSERVOELASTIC OPTIMIZATION OF A HIGH ASPECT TRANSPORT WING WITH MORPHING TRAILING EDGE | 3277 |
| <i>Z.-K. Zhang, Y.-J. Yang, S. Ricci, A. De Gaspari, C. Song, C. Yang</i> | |
| A COMPREHENSIVE FRAMEWORK FOR THE COUPLED NONLINEAR AEROELASTIC AND FLIGHT DYNAMIC ANALYSES OF HIGHLY FLEXIBLE AIRCRAFT | 3288 |
| <i>C. Zhang, X. F. Li, J. W. Chen, Z. Zhou, L. Qiao</i> | |
| A SUBJECTIVE EVALUATION METHOD OF AIRCRAFT VIBRATION IN FLIGHT TEST | 3305 |
| <i>H. Wang</i> | |
| A METHOD FOR CALCULATING TORSION ANGLE OF FLEXIBLE RETICULAR TUBE AT DIFFERENT POSITIONS | 3312 |
| <i>Y. C. Deng, Y. Yang, Y. Q. He, C. Sun, F. Qui</i> | |
| BIONIC LIGHT-WEIGHT GRID SURFACE WING STRUCTURE DESIGN FOR A SOLAR-POWERED UAV | 3321 |
| <i>Y. Ding, Z. Zhou, H. J. Liu</i> | |
| DESIGN OF A VERTICAL DITCHING TEST | 3329 |
| <i>G. Nicolosi, F. Valpiani, G. Grilli, A. Saponaro Piacente, L. Di Ianni, E. Cestino, V. Sapienza, A. Polla, P. Piana</i> | |
| IMPROVED STOCHASTIC PERTURBATION ALGORITHM FOR GENERALIZED REPEATED EIGENVALUES PROBLEM BASED ON SURROGATE MODEL | 3346 |
| <i>H.-C. Qiu, W.-C. Fan, Y.-N. Fang</i> | |
| COMPUTATIONAL FLUID-STRUCTURE INTERACTIONS OF A 3D FLEXIBLE FLAPPING WING | 3371 |
| <i>Y. Guo, W. Yang, Y. Dong, X. Lang</i> | |
| THE FINITE ELEMENT MODELLING OF BOLTED STRUCTURE BETWEEN SELECTIVE LASER MELTING ALUMINIUM AND COMPOSITE PLATES | 3384 |
| <i>S. Q. Bi, H. Cui, L. Y. Liu</i> | |
| MODEL REDUCTION AND STOCHASTIC UPDATING OF A VIBRATING SYSTEM | 3394 |
| <i>I. Isnardi, E. Menga, J. E. Mottershead, S. Fichera</i> | |

| | |
|--|------|
| DEVELOPMENT OF ADVANCED DESIGNS OF GAS TURBINE ENGINES FROM POWDER COMPOSITIONS | 3403 |
| <i>L. Magerramova, E. Kratt</i> | |
| AN INVERSE APPROACH BASED ON EUCLIDEAN SPACE FOR DETERMINING STRUCTURAL LOAD DISTRIBUTION FROM STRAIN MEASUREMENTS | 3414 |
| <i>H. N. Dui, D. L. Liu, Z. X. Zhang, S. Z. Pan, L. X. Zhang</i> | |
| EFFECTS OF ELASTICITY, VISCOSITY AND BOUNDARY LAYER TRANSITION ON AEROELASTICITY CHARACTERISTICS OF LAMINAR WINGS | 3425 |
| <i>S. Kuzmina, F. Ishmuratov, O. Karas</i> | |
| RATIONAL DETERMINATION OF WING JIG SHAPE OF A LONG-RANGE AIRCRAFT WITH TRANSONIC CRUISE REGIME | 3438 |
| <i>A. V. Bezuevsky, A. V. Grigorev</i> | |
| FLUID-STRUCTURE INTERACTION ANALYSIS OF ELASTIC EFFECTS OF A TRANSPORT AIRCRAFT FITTED WITH WINGLETS | 3450 |
| <i>W. M. Alves, B. S. Mattos, J. A. Hernandes</i> | |
| REVIEW OF PREDICTIVE METHODS FOR CAPTURING ONSET OF DAMAGE AND INITIAL DELAMINATION IN CARBON FIBRE REINFORCED POLYMER LAMINATES SUBJECT TO IMPACT | 3478 |
| <i>H. Raza, O. Roder Garcia, K. Carpenter, T. Parnanen, J. Jokinen, M. Kanerva, J. Bayandor</i> | |
| RESEARCH ON STRUCTURAL DESIGN OF TAIL BOOM FOR AN UNMANNED HELICOPTER | 3499 |
| <i>C.-G. Yang, Z.-Q. Tian</i> | |
| ON THE DEVELOPMENT OF FUSELAGE WEIGHT ESTIMATION TOOL INTO AIRCRAFT MULTIDISCIPLINARY DESIGN ENVIRONMENT | 3510 |
| <i>H. Wang, H. Wang</i> | |
| STUDY ON THE OUT-OF-PLANE COMPRESSION PROPERTIES OF MULTISTAGE TITANIUM ALLOY LATTICE METAMATERIALS AT 350°C | 3517 |
| <i>H. Y. Huang, D. Wang, X. F. Du, Y. X. Xu</i> | |
| AN INTEGRATED AERODYNAMIC/THERMAL/STRUCTURAL DESIGN FRAMEWORK FOR HYPERSONIC VEHICLES | 3526 |
| <i>C. Li, Z. Q. Wan, X. Wang</i> | |
| SPECIALIZED SOFTWARE DEVELOPMENT FOR BUILDING BLOCK APPROACH INTEGRATION IN FULL-SCALE STATIC TESTS | 3537 |
| <i>E. M. Kolman, D. V. Kurulyuk, E. A. Levchenko, M. V. Limonin</i> | |
| ACCURATE BUCKLING AND POST-BUCKLING ANALYSIS OF COMPOSITE STIFFENED PANELS | 3547 |
| <i>E. Carrera, A. Pagani, R. Augello, D. Scano</i> | |
| AEROELASTIC RESPONSE CALCULATION USING DUHAMEL INTEGRAL AND ITS APPLICATIONS | 3554 |
| <i>L. Bortolotto, R. G. A. Silva, M. H. J. Pedras</i> | |
| A DYNAMIC SELF-CONTROL ERR STRATEGY FOR BI-DIRECTIONAL EVOLUTIONARY STRUCTURAL OPTIMIZATION | 3569 |
| <i>H. Zhang, Q. Zhang</i> | |

| | |
|--|------|
| DESIGN OF A PROTOTYPE UNMANNED LIGHTER-THAN-AIR PLATFORM FOR REMOTE SENSING: STRUCTURAL DESIGN AND OPTIMIZATION | 3579 |
| <i>C. Surace, R. Roy, M. Civera, D. Allaio, R. Barbieri, A. Grava, R. Tuffilli, P. Gili</i> | |

VOLUME 6

| | |
|---|------|
| THERMOPLASTIC APPLICATIONS FOR AEROSTRUCTURES: TOWARDS SUSTAINABLE AND WEIGHT EFFICIENT APPLICATIONS | 3600 |
| <i>M. Herman, E. Dupuy, C. Paris, E. Petiot, J.-P. Cabanac, C. Fualdes, G. Masse, M.-A. Celli</i> | |

| | |
|--|------|
| AIRCRAFT ENGINE ROTOR DYNAMICS ANALYSIS AFTER FAN BLADE-OUT WITH ACCOUNT OF ROTOR-CASING CONTACT INTERACTIONS | 3615 |
| <i>V. Y. Myasnikov, I. I. Ivanov, B. S. Blinnik</i> | |

| | |
|---|------|
| NUMERICAL SIMULATION AND EXPERIMENTAL INVESTIGATION ON FLUTTER AND NON-SYNCHRONOUS VIBRATION | 3628 |
| <i>Y. X. Liu, D. Mo, Q. Du, Y. Z. Chen, M. Wang</i> | |

5 - PROPULSION

| | |
|--|------|
| AN IMPROVED IDENTIFICATION METHOD FOR ACTUATOR LOOP OF AIRCRAFT ENGINE CONTROL SYSTEM | 3641 |
| <i>N. Liu</i> | |

| | |
|--|------|
| RESEARCH ON CIVIL AIRCRAFT POWERPLANT SYSTEM EICAS MESSAGES DESIGN APPROACH | 3648 |
| <i>Y. Shang</i> | |

| | |
|---|------|
| A SIMPLIFIED MODEL FOR THE SIMULATION OF SYNERGISTIC AIR-BREATHING ROCKET ENGINE | 3655 |
| <i>X. Yang, Q. Yang, W. Dong</i> | |

| | |
|---|------|
| RESEARCH OF PROPULSION-SYSTEM-SURROGATE-MODELING METHOD USING INFILL CRITERION SAMPLES | 3665 |
| <i>D.-C. Wang, B.-F. Song, H.-F. Wang, J. Jiao</i> | |

| | |
|---|------|
| EFFECT OF COMPLEX FLOW PROFILES AT COMBUSTOR EXIT ON TURBINE CHARACTERISTICS | 3673 |
| <i>Y. F. Li, Z. Z. Na, Y. Chen, Y. B. Wang</i> | |

| | |
|--|------|
| HYBRID IGNITION PROBABILITY METHOD TO PREDICT THE IGNITION PERFORMANCE OF A GAS TURBINE COMBUSTOR | 3690 |
| <i>W. Xiao, Y. Cheng, K. Wang, Z. Ren</i> | |

| | |
|--|------|
| MODELING AND SIMULATION APPLICATION THROUGHOUT THE AERO-ENGINE LIFE CYCLE | 3703 |
| <i>H. Li, C. Liang, X. Li</i> | |

| | |
|--|------|
| ANALYSIS OF AERODYNAMIC CHARACTERISTICS OF PROPELLER AT LOW ADVANCE RATIO USING A WHIRING ARM | 3718 |
| <i>Y. Itoh, A. Satoh</i> | |

| | |
|--|------|
| NUMERICAL INVESTIGATION OF NACELLE INTAKE FLOW DISTORTION AT CROSSWIND CONDITIONS | 3733 |
| <i>M. Zhang</i> | |

| | |
|---|------|
| RESEARCH OF LABYRINTH SEALS MEASUREMENT-BASED PROBABILITISTIC ANALYSIS METHOD FOR TURBOFAN INTERNAL AIR SYSTEM | 3744 |
| <i>C.-X. Song, M.-C. Deng, Y. Fan, Y.-Q. Liang, Y. Shen</i> | |
| AXIAL ASSEMBLAGE DEVIATION ON PERFORMANCE OF ONE TRANSONIC CENTRIFUGAL COMPRESSOR | 3751 |
| <i>W. Zhang, K. Luo, Q. Wen, F.-M. Tang</i> | |
| AERODYNAMICS DESIGN, OPTIMIZATION AND FLOW FIELD INVESTIGATION OF A CONTRA-ROTATING PROPFAN AT HIGH FLIGHT MACH NUMBERS | 3760 |
| <i>T. Wu, Z. Li, W. Dong</i> | |
| THE RESEARCH ON PROPELLER NOISE PREDICTION METHOD FOR TURBOPROP AIRCRAFT | 3774 |
| <i>C. Hu, J. Gu, F. Gao</i> | |
| STUDY OF NON-ROTATING MICROPHONE ARRAY FOR SPINNING DUCT MODE DETECTION | 3779 |
| <i>J. Y. Ying, X. B. Wang, J. Kang, M. H. Lu</i> | |
| APPLICATION OF REINFORCEMENT LEARNING IN 1-D AERODYNAMIC DESIGN OF AXIAL COMPRESSOR | 3786 |
| <i>Y. Liu, X. Hang, C. Jiang</i> | |
| AERODYNAMIC AND STRUCTURAL DESIGN OF THE COMPOSITE PROPELLER FOR NEAR SPACE VEHICLES | 3797 |
| <i>J. Jiao, X.-P. Ma, B.-F. Song, J.-B. Yang</i> | |
| EXPERIMENTAL STUDIES OF SLOT-TYPE CASING TREATMENTS FOR MODEL FANS WITH THE AIM OF AERODYNAMIC AND ACOUSTIC IMPROVEMENTS | 3806 |
| <i>V. Milesin, S. Markov, V. Korzhnev, I. Pochkin</i> | |
| ANALYSIS OF THRUST-SCALED ACOUSTIC EMISSIONS OF AIRCRAFT PROPELLERS AND THEIR DEPENDENCE ON PROPULSIVE EFFICIENCY | 3823 |
| <i>X. Geng, T. Hu, P. Liu, T. Sinnige, G. Eitelberg</i> | |
| THE USE OF SOFTWARE “VIRTUAL ENGINE” FOR TIMELY GAS-TURBINE ENGINE FAULT LOCALIZATIONS | 3841 |
| <i>F. D. Golberg, M. P. Sokolov, V. E. Volkov, A. A. Petukhov</i> | |
| MODELING OF COUNTER-ROTATING LIFT FAN/MAIN ENGINE COMBINED PROPULSION SYSTEM AND LIFT FAN AERODYNAMIC DESIGN | 3849 |
| <i>H.-L. Jin, X. Chen, D.-B. Qiu, Y.-Q. Yin</i> | |
| CONCEPTUAL STUDIES OF DIFFERENT TYPE OF HYBRID ELECTRIC PROPULSION SYSTEMS FOR COMMUTER AIRLINERS | 3859 |
| <i>V. S. Zakharchenko, A. N. Varyukhin, D. Y. Rakhmankulov, P. S. Suntsov, M. A. Ovdienko, M. V. Gordin</i> | |
| METHODS OF PROGRAMMED THRUST MANAGEMENT FOR NOISE REDUCTION OF SUPERSONIC CIVIL AIRCRAFT | 3872 |
| <i>A. Mirzoyan, I. Khaletskii</i> | |
| THE CAPABILITIES OF AUTOMATION OF MDAO PROBLEM STATEMENT AT COLLABORATIVE CONCEPTUAL DESIGN OF THE PROPULSION SYSTEM USING OPEN SOURCE SOFTWARE TOOLS | 3879 |
| <i>L. Mirzoyan, A. Mirzoyan, A. Isyanov</i> | |

| | |
|---|------|
| IMPLEMENTATION OF DISTRIBUTED ELECTRIC PROPULSION ON A GENERAL AVIATION AIRCRAFT | 3886 |
| <i>M. A. Gallani, L. C. S. Goes, L. A. R. Nerosky</i> | |
| A DESIGN METHOD OF AN AXISYMMETRIC HYPERSONIC INLET INTERGRATED WITH A LONG FOREBODY | 3900 |
| <i>S. C. Xu, Y. Wang, Z. G. Wang, X. Q. Fan, B. Xiong</i> | |
| NUMERICAL STUDY OF HIGH TEMPERATURE TRANSVERSE PULSE JET IN THE SUPERSONIC COMBUSTION CHAMBER | 3912 |
| <i>Y.-H. Wang, G.-P. Qian</i> | |
| EXPERIMENTAL STUDY ON THE CHARACTERISTICS OF SONIC GAS INJECTION INTO SUPERSONIC CROSSFLOW WITH MA2.0 AND MA3.0 | 3921 |
| <i>C.-H. Liang, M.-B. Sun, Y.-X. Yang, Y. Liu, T.-Y. Wang, G.-W. Ma, F. Li, C. Wang</i> | |
| INFLUENCE OF SHOCK TRAIN ON HEAT FLUX DISTRIBUTION OF A CIRCULAR CONSTANT-AREA ISOLATOR | 3930 |
| <i>X. Yang, Z.-W. Wang, Y.-B. Niu, H.-Y. Miao</i> | |
| INVESTIGATION OF VARIABLE GEOMETRIES ON THE OPERABILITY AND AIRCRAFT LEVEL PERFORMANCE OF A THREE-SHAFT TURBOFAN ENGINE FOR ENTRY INTO SERVICE 2050 | 3941 |
| <i>D. Mo, Y. X. Liu, I. Roumeliotis, D. Nalianda</i> | |
| LARGE-EDDY SIMULATION OF A SWIRLING AVIATION KEROSENE SPRAY FLAME USING 3-COMPONENT SURROGATE FUELS | 3956 |
| <i>K. D. Wan, Y. Z. Huang, Z. X. Gao, Y. He, C. W. Jiang</i> | |
| <u>6.1 - FLIGHT DYNAMICS AND CONTROL (CONTROL & MODELLING)</u> | |
| AIRCRAFT FLIGHT CONTROL SYSTEM FOR AEROBATIC FLIGHT | 3964 |
| <i>T. Rogalski, P. Rzucidlo, J. Prusik</i> | |
| THE APPLICATION OF THE PILOT-AIRCRAFT SYSTEM APPROACH FOR OPTIMIZING 3D DISPLAY PARAMETERS | 3978 |
| <i>A. V. Efremov, M. S. Tiaglik, I. K. Irgaleev</i> | |
| THE ANALYSIS OF TAKEOFF ROTATION OF SUBSCALE FREE-FLIGHT | 3988 |
| <i>K. Ma, L.-B. Wang, H. Du, W. Wang, W.-T. Gu</i> | |
| L1 ADAPTIVE CONTROL AUGMENTATION FOR A FLEXIBLE AIR-BREATHING HYPERSONIC VEHICLE MODEL | 3994 |
| <i>C. Qi</i> | |
| VIRTUAL FLIGHT TEST OF A BWB AIRCRAFT IN LOW SPEED WIND TUNNEL | 4012 |
| <i>B. Nie, F. Cen, Z. Liu, T. Guo, H. Sun</i> | |
| AN ALTERNATIVE BUT EQUIVALENT REALIZATION OF FINITE-HORIZON SUBOPTIMAL CONTROL FOR VEHICLE LANDING | 4024 |
| <i>S. Zhang, X. Du, F. Liao, J.-T. Huang</i> | |
| DECOUPLING CONTROL LAW DESIGN FOR OBLIQUE-WING AIRCRAFT BASED ON EIGENSTRUCTURE ASSIGNMENT AND MODEL FOLLOWING | 4036 |
| <i>L. Qiu, Z. H. Gao, Y. Liu</i> | |

| | |
|---|------|
| PRELIMINARY VIRTUAL FLIGHT VALIDATION OF A QUAD TILT ROTOR UAV IN WIND TUNNEL | 4045 |
| <i>D.-N. Liu, W.-K. Wang, B.-D. Zhao, X.-Z. Hu, B.-W. Nie</i> | |
| OPTIMAL TRAJECTORY DEPENDENCE ON THE ATMOSPHERE MODEL FOR THE SUN-POWERED AIRPLANE | 4054 |
| <i>S. V. Serokhvostov, T. E. Churkina</i> | |
| MODELING AND DYNAMICS STABILITY ANALYSIS FOR A BLENDED-WING-BODY AIRCRAFT | 4067 |
| <i>Y. Liu, B.-G. Mi, X. Liu, H. Zhan</i> | |
| INFLUENCE OF AERODYNAMIC ASYMMETRY ON SPIN PARAMETERS OF THE COMMON RESEARCH MODEL | 4074 |
| <i>A. N. Khrabrov, M. E. Sidoryuk</i> | |
| DESIGN TECHNIQUE OF INTEGRAL ALGORITHMS OF HELICOPTER FBW CONTROL SYSTEM | 4087 |
| <i>V. M. Kuvshinov, A. Y. Voronin</i> | |
| AUTONOMOUS FLIGHT CONTROL BASED ON NEURAL NETWORKS AND FUZZY DECISION | 4095 |
| <i>P. C. Wen, C. H. Zou, Z. Gao, J. G. Sun</i> | |
| FEEDBACK ERROR LEARNING WITH ENHANCED SAMPLING: NEURAL FAULT TOLERANT CONTROLLER OF AIRCRAFT | 4101 |
| <i>N. Yoshikawa, S. Suzuki</i> | |
| ESTIMATION OF WIND BY ESTIMATING DERIVATIVES OF A LATERAL-DIRECTIONAL MOTION MODEL | 4110 |
| <i>L. H. Son, Y. Ochi</i> | |
| BAYESIAN APPROACH TO SIMULTANEOUS STATIC AND DYNAMIC FLIGHT CHARACTERISTICS MODELING | 4120 |
| <i>M. Naruoka</i> | |
| RESEARCH AND DESIGN OF AMPHIBIOUS AIRCRAFT FIRE-EXTINGUISHING SIMULATION MANAGEMENT SYSTEM BASED ON DIS | 4134 |
| <i>H. Y. Shi, H. Xie, X. Hu, Y. M. Liu, Z. Y. Cai, H. J. Zhao, Y. M. Zhou</i> | |
| DECENTRALIZED CONFLICT DETECTION AND RESOLUTION METHOD ACCOUNTING FOR UNCERTAINTIES OF TRAJECTORIES | 4144 |
| <i>N. Yokoyama</i> | |
| A METHOD OF MANEUVER IDENTIFICATION AND TRAJECTORY PREDICTION FOR AGILE TARGET | 4157 |
| <i>L.-F. Chang, G.-L. Xue, Z.-W. Liu</i> | |
| AIRCRAFT AUTOPILOT DESIGN USING ASYMMETRIC VARIABLE-SPAN WING MORPHING | 4173 |
| <i>J. Lee, S. Kim, S. Jung, H. Lee, Y. Kim</i> | |
| APPLICATION OF VECTOR JET CONTROL TECHNOLOGY ON AIRCRAFT LONGITUDINAL CONTROL | 4181 |
| <i>L. Zheng, Z. Bai, Z. Zhou, R. Wang</i> | |

| | |
|---|------|
| ON THE MAXIMIZATION OF CONTROL POWER IN LOW-SPEED FLIGHT FOR A BWB CONFIGURATION | 4190 |
| <i>L. M. B. C. Campos, J. M. G. Marques</i> | |
| SYNERGETIC CONTROLS OF THE SYSTEM “CARRIER AIRCRAFT - UPPER-STAGE ROCKET“ | 4213 |
| <i>O. Kreerenko</i> | |
| ANALYTICAL MODELLING OF A HOVERABLE X-SHAPE FLAPPING WING AIRCRAFT CONSIDERING WING-TAIL INTERACTION | 4229 |
| <i>L. F. Zhao, W. S. Wang, Y. X. Chen, Z. X. Jiao</i> | |
| MODELING AND CONTROL OF A HOVERABLE FLAPPING WING AIRCRAFT CONSIDERING FLAPPING WING INDUCED FLOW | 4240 |
| <i>L. Wang, L. F. Zhao, W. Y. Jiang, Z. X. Jiao</i> | |
| LEARNING FLIGHT CONTROL SKILLS BY IMITATING EXPERT DEMONSTRATIONS | 4255 |
| <i>R. Takase</i> | |
| TWISTOR BASED 6-DOF DISTRIBUTED ADAPTIVE LEADER-FOLLOWING CONTROL FOR MULTIPLE RIGID SPACECRAFT FORMATION | 4264 |
| <i>B. Zhang, F. Li, J. Bai</i> | |
| NONLINEAR UNSTEADY AERODYNAMIC MODELING AND LONGITUDINAL STABILITY ANALYSIS FOR AN AIRCRAFT MODEL | 4279 |
| <i>Y. Kong, K. He, M. H. Lowenberg, S. A. Neild, F. Cen</i> | |
| SIMULATION ON THE EFFECT OF AIRCRAFT LOCAL STRUCTURE DAMAGES ON THE DYNAMIC DERIVATIVE COUPLING CHARACTERISTICS | 4299 |
| <i>B.-G. Mi, H. Zhan, X. Bai, J.-Y. Yu</i> | |
| DEVELOPMENT OF A HUMAN PILOTED AIR COMBAT ENGAGEMENT DATABASE | 4308 |
| <i>T. Xue, J. Y. Ma, J. R. Wen, X. H. Yang, Y. Q. Dong, J. L. Ai</i> | |
| LEARNING-BASED MIDCOURSE GUIDANCE FOR VELOCITY MAXIMIZATION WITH ANGULAR CONSTRAINT | 4315 |
| <i>T. Jin, H. Li, S. He, Y. Li</i> | |

VOLUME 7

| | |
|--|------|
| A REDUNDANT ADAPTIVE NAVIGATION METHOD BASED ON DYNAMIC PERFORMANCE EVALUATION FOR AEROSPACE VEHICLE | 4331 |
| <i>T.-Y. Nie, R. Wang, J.-Y. Liu, Z. Xiong</i> | |
| TRAJECTORY GENERATION AND CONTROL FOR PERCHING MANEUVERING WITH QUADROTOR | 4345 |
| <i>Y. Sun, M. Chang, J. Q. Bai</i> | |
| ASCENT TRAJECTORY OPTIMIZATION OF HYPERSONIC VEHICLE USING SWARM INTELLIGENT METHOD | 4359 |
| <i>Z.-Y. Wang, P. Chen, Y.-L. Wang, W.-D. Huang</i> | |

6.2 - FLIGHT DYNAMICS AND CONTROL (UAV RELATED)

| | |
|--|------|
| LANDING SYSTEM USING EXTENDED DYNAMIC WINDOW APPROACH FOR FIXED-WING UAV | 4380 |
| <i>S. Ishioka, K. Uchiyama, K. Masuda</i> | |
| A ROBUST AND REAL-TIME VISUAL-INERTIAL POSE ESTIMATION FOR FIX-WING AIRCRAFT LANDING | 4398 |
| <i>G. F. Yu, L. Zhang, C. H. Zou, Y. C. Liu, Y. Cheng</i> | |
| TRAJECTORY GENERATION AND CONTROL FOR PERCHING MANEUVERING WITH QUADROTOR | 4410 |
| <i>Y. Sun, M. Chang, J. Bai</i> | |
| STUDY OF SMALL UAVS DISTURBED MOTION NATURAL FREQUENCIES USING EXTENDED EXPERIMENTAL DATASETS | 4424 |
| <i>M. El-Salamony, S. Serokhvostov</i> | |
| DEVELOPMENTS TOWARDS A TOOLCHAIN FOR UAV FLIGHT DYNAMIC MODELS IN EARLY DESIGN | 4435 |
| <i>S. J. Koeberle, M. Hornung</i> | |
| EXPERIMENTAL RESEARCH OF COOPERATIVE NAVIGATION METHOD FOR CLUSTER AIRCRAFTS BASED ON MUTUAL DISTANCE DIFFERENCE MODEL | 4454 |
| <i>R. Wang, J.-N. Du, Z. Xiong, J.-Y. Liu, Y. Rui, T.-Y. Nie</i> | |
| ROCKETS HYBRID LAUNCH SYSTEM USING LINEAR SYNCHRONOUS ELECTRIC MOTORS | 4468 |
| <i>M. H. Sadraey</i> | |
| FLIGHT TESTING OF 65KG T-FLEX SUBSCALE DEMONSTRATOR | 4479 |
| <i>J. Bartasevicius, S. J. Koeberle, D. Teubl, C. Roessler, M. Hornung</i> | |
| THE STUDY OF UNMANNED AERIAL VEHICLE FLYING QUALITIES FLIGHT TEST METHOD BASED ON TIME-DELAY EVALUATION | 4495 |
| <i>S.-J. Qi, F. Wang, L. Jing</i> | |
| AUTONOMOUS CONFLICT RESOLUTION ALGORITHM BASED ON ELLIPTIC GEOMETRY | 4503 |
| <i>S. S. Rawikara, R. A. Sasongko, S. A. Munthahar</i> | |
| ENDURANCE ANALYSIS OF BATTERY-POWERED MULTICOPTERS: DERIVATION OF PROPER CUT-OFF VOLTAGE USING DC MOTOR MODEL | 4514 |
| <i>A. Satoh, M. Watanabe, K. Hozumi, A. Watanabe</i> | |
| MULTIROTOR VEHICLES DESIGN BASED ON DYNAMIC MANIPULABILITY FOR UNDERACTUATED FLYING SYSTEMS | 4525 |
| <i>Y. Matsumura, M. Bando, S. Hokamoto</i> | |
| ROBUST CONTROL OF UNMANNED AERIAL VEHICLE WITH TILT ROTORS AND CAMERA | 4537 |
| <i>T. L. Costa, J. C. Vendrichoski, E. S. El'Youssef, E. R. De Pieri</i> | |
| ADRC BASED HIGH MANEUVERING FLIGHT CONTROL LAW DESIGN FOR UAV | 4556 |
| <i>W. Y. Zhou, S. M. He, M. M. Tian</i> | |

| | |
|--|------|
| MULTI-UAV TRAJECTORY PLANNING BASED ON COORDINATION VARIABLES | 4564 |
| <i>X. Zheng, S. He, D. Lin</i> | |
| NEW ROLL-SPIRAL COUPLING MODE CRITERION FOR HIGH-SPEED VEHICLES | 4575 |
| <i>G. H. Dou, Y. J. Yang, A. L. Gong, W. J. Zhou</i> | |
| OPTIMIZATION OF LONGITUDINAL CONTROL OF AN AGRICULTURAL UAV USING LQR-PID CONTROL | 4582 |
| <i>A. Gomes Pereira Sarmiento, A. Giacobini De Souza, A. Muniz Neves, L. C. Sandoval Goes, R. Gil Annes Da Silva</i> | |
| A POLE CONFIGURATION CONTROLLER FOR FIXED HEIGHT CONTROL OF TILT ROTOR AIRCRAFT | 4594 |
| <i>D. Ning, Y. Wang, S. Jia</i> | |

7 - SYSTEMS, SUBSYSTEMS AND EQUIPMENT

| | |
|--|------|
| ANALYSIS AND SOLUTION RESEARCH OF THE AIR DATA LOSS FROM AIRCRAFT FOR ENGINE CONTROL | 4601 |
| <i>L. Jing</i> | |
| STUDY ON CLOSED-LOOP CROSS COMPENSATION CONTROL TECHNOLOGY IN ACCELERATED FATIGUE TESTING | 4607 |
| <i>H. Zhao, H. Tao, Z. Gu, G. Shi, S. Duan, J. Feng</i> | |
| CONCEPTUAL STUDY OF THE DIGITAL HYDRAULIC ACTUATOR WITH PROPORTIONAL CONTROL FOR FLIGHT CONTROL ACTUATION SYSTEMS | 4618 |
| <i>A. Dell'Amico, F. Larsson, C. Johansson, V. De Negri, P. Krus</i> | |
| RESEARCH ON THE PRESSURE COMFORT OF PILOT HELMETS | 4629 |
| <i>X. J. Wang, J. Xu, J. H. Wang, J. C. Mi, Y. M. Jiang</i> | |
| VIRTUAL PROTOTYPING OF ELECTRICAL THSA FOCUSED ON MECHANICAL POWER TRANSMISSION FUNCTIONS | 4638 |
| <i>J. Fu, C. Zheng, J.-C. Mare, W. Zhang</i> | |
| THE DEVELOPMENT OF ALGORITHMS FOR EMA FAULT EARLY DETECTION SYSTEM | 4652 |
| <i>S. Bazhenov, A. Skryabin, G. Veresnikov</i> | |
| RESEARCH ON AIRBORNE RF SYSTEM TESTING TECHNOLOGY USING TDR TECHNIQUE | 4663 |
| <i>W.-J. Mo, X.-X. Huang, J.-A. Cao, Q. Yin, X.-H. Wu</i> | |
| FLIGHT MANAGEMENT SYSTEM REQUIREMENT ANALYSIS FOR TRAJECTORY BASED OPERATION | 4672 |
| <i>C.-L. Han, F. Chen, X.-M. Sun, W.-H. Li</i> | |
| MEMS-BASED DISTRIBUTED NAVIGATION SYSTEM | 4685 |
| <i>Z. Liu, P. Chen, X. Wei</i> | |
| DYNAMIC PERFORMANCE ANALYSIS AND WEIGHTED-BASED FAULT DIAGNOSIS SCHEME FOR AIRCRAFT ELECTRIC POWER SYSTEM | 4695 |
| <i>H. Li, Z. Zhao, Y. Zhang, S. Zhao, L. Xu</i> | |

| | |
|---|------|
| RESEARCH ON OPTIMIZATION TECHNOLOGY FOR CONTROL PARAMETERS OF EJECTION SEAT BASED ON PSO ALGORITHM | 4706 |
| <i>L. Jin, M. Wu, H. Yang, L. Wu, D. Cui</i> | |
| INVESTIGATIONS ON LANDING GEAR SHOCK ABSORBER ACTIVE FORCE CONTROL | 4714 |
| <i>Z. Skorupka, R. Harla</i> | |
| RESEARCH ON THE ENVIRONMENTAL WORTHINESS OF THE CIVIL AIRCRAFT USING THE FUZZY THEORY | 4723 |
| <i>H. Zhang, J. T. Wu, P. Q. Tian, Z. P. Ren</i> | |
| INTEGRATED ON-BOARD NETWORKS FOR NEXT GENERATION AVIONICS | 4729 |
| <i>E. Suvorova, V. Olenev</i> | |
| AN AGILE PRACTICE OF AVIONICS SYSTEM DEVELOPMENT | 4742 |
| <i>L. Dong, W.-M. Song</i> | |
| RESEARCH AND VALIDATION OF SYSTEM MODELING AND SIMULATION OF INTAKE AIR MIXER ALTITUDE TEST BED | 4756 |
| <i>F. Wu, X.-D. Feng, L.-T. Leng, T. Liu, C.-Q. Yang</i> | |
| A STOCHASTIC ROBUSTNESS VERIFICATION OF NLG SIMPLE ADAPTIVE SHIMMY SUPPRESSION SYSTEM | 4772 |
| <i>A. Alaimo, C. Orlando</i> | |
| IMPROVED DESIGN OF AIRCRAFT NOSEWHEEL STEERING SYSTEM | 4783 |
| <i>X. Li, Z. J. Wang, X. B. Ding, Z. B. Wei</i> | |
| PRECISION ANALYSIS AND INDEX DISTRIBUTION SYSTEM DESIGN OF AVIONICS SYSTEM BASED ON BP NEURAL NETWORK | 4789 |
| <i>C. Chen, J. S. Shen, Q. C. Liu, B. Xue</i> | |
| DESIGN OF UAV NAVIGATION ALGORITHM IN SINGLE SATELLITE ENVIRONMENT BASED ON HIGH PRECISION TIMING | 4799 |
| <i>K. T. Li, H. S. Ma, D. Wang</i> | |
| FITT'S LAW WITH EYE TRACKING ON A FLIGHT SIMULATOR COCKPIT | 4810 |
| <i>M. A. Rodriguez Diaz, E. Villani, P. Krus</i> | |
| BASED ON SYSTEMS ENGINEERING PROCESS THE CIVIL AIRCRAFT PROJECT PRODUCT BREAKDOWN STRUCTURE DEVELOPMENT RESEARCH | 4819 |
| <i>B. Wu, X. Qui, Y. Zhu</i> | |
| A MANUFACTURING COST ESTIMATION MODEL WITH RELIABILITY FOR CIVIL AERO-ENGINE | 4833 |
| <i>X. C. Li, H. F. Wei, J. M. Wu, F. Liu</i> | |
| EXPERIMENTAL STUDY OF THE DYNAMICS CHARACTERISTICS OF AN IMPACT WATER DROPLET ON SUPERHYDROPHOBIC SURFACE | 4843 |
| <i>J. X. Wang, C. L. Zhu, Z. Yang, C. X. Zhu</i> | |
| AN ONTOLOGICAL APPROACH FOR CLASSIFYING AIRCRAFT ACTUATORS | 4860 |
| <i>F. Larsson, C. Reichenwallner, A. Dell'Amico, P. Krus</i> | |
| EVALUATION ASPECT MAPPING FOR ACTUATION SYSTEM DESIGN | 4875 |
| <i>C. Reichenwallner, F. Larsson, A. Dell'Amico, P. Krus</i> | |

8 - MANUFACTURING AND SUPPLY CHAIN MANAGEMENT

| | |
|---|------|
| EFFECTS OF COOLANT BUILD DIRECTION ON ADDITIVELY MANUFACTURED FAN-SHAPED COOLING HOLES | 4887 |
| <i>Q. Zeng, C. Li, J. Cao, B. Wang, G. Wang</i> | |
| ENABLING THE SMART SHOP FLOOR THROUGH THE INTEGRATION OF IOT AND AUTONOMOUS INTELLIGENCE | 4898 |
| <i>A. Xu</i> | |
| INCORPORATING KNOWLEDGE COVERAGE MEASUREMENT INTO KNOWLEDGE TRANSFORMATION FROM DATA FOR KNOWLEDGE ACCUMULATION | 4906 |
| <i>Y. Fan, C. Liu, J. Wang</i> | |
| APPLICATION OF ADDITIVE MANUFACTURING TO THE PRODUCTION OF RPAV COMPONENTS | 4926 |
| <i>P. Iavecchia, G. Campolo, G. Maritano, M. Coppola, E. Cestino, G. Frulla, V. Sapienza, P. Piana</i> | |
| AN EXERCISE IN DEVELOPING A SUPERVISED ANOMALY DETECTION MODEL WITH AUTOMATICALLY ENGINEERED FEATURES | 4939 |
| <i>R. Rameshbabu, D. Rajaram, O. J. Pinon Fischer, T. G. Puranik, D. N. Mavris</i> | |
| DESIGN AND BEST PRACTICES OF SUPPLIER PERFORMANCE EVALUATION IN SUPPLY CHAIN | 4953 |
| <i>H. Li, Y. Xu, Y. Chen</i> | |
| ASSEMBLY QUALITY OPTIMIZATION APPROACH FOR LARGE-SCALE ACTIVE COMPONENTS BASED ON REVERSE ENGINEERING | 4964 |
| <i>X. Zhu, H. Wang, L. Liu</i> | |
| AUTOMATIC DETECTION TECHNOLOGY OF LARGE CIVIL AIRCRAFT BASED ON IMAGE RECOGNITION | 4977 |
| <i>T. L. Shen</i> | |
| AN EFFICIENT FINITE ELEMENT SIMULATION METHOD FOR ADDITIVE MANUFACTURING PROCESS | 4982 |
| <i>Q. Y. Liu, C. Y. Wang, P. Yan, H. Ruan, H. Z. Xue, L. T. Dong</i> | |
| USAGE OF MQTT, ROS, AND AWS IN THE MANUFACTURING PROCESS OF AIRCRAFTS | 4995 |
| <i>L. S. Luna, G. A. P. Caurin, M. L. Tronco</i> | |

9 - AIR TRANSPORT SYSTEM EFFICIENCY

| | |
|--|------|
| DESIGNING AIRCRAFT TRAFFIC FLOWS USING DATA-DRIVEN QUEUING MODELS | 5004 |
| <i>E. Itoh, F. Kato, K. Higasa, M. Schultz</i> | |
| IMPACT OF ENROUTE TIME-BASED METERING ON EQUITY IN DELAY DISTRIBUTION | 5016 |
| <i>A. Andreeva-Mori, Y. Matsuno</i> | |
| ASSESSMENT OF THREE COMMUTER AIRCRAFT CONCEPTS FROM A TRANSPORT SYSTEM PERSPECTIVE | 5026 |
| <i>V. Papantoni, J. Scherer, P. Wassink, G. Atanasov</i> | |

| | |
|--|------|
| ERAS- EVALUATION OF REALISTIC APPROACH SCENARIOS FOR MINIMAL NOISE - PRELIMINARY FINDINGS | 5040 |
| <i>B. Moberg, P. Nasman, U. Ziverts</i> | |

VOLUME 8

| | |
|---|------|
| AIR TRAFFIC MANAGEMENT OF DRONES INTEGRATED INTO THE SMART CITIES | 5052 |
| <i>D. Dinh Nguyen, D. Rohacs</i> | |

| | |
|---|------|
| RESEARCH ON TRAJECTORY OPTIMIZATION TECHNOLOGY CONSIDERING METEOROLOGICAL INFORMATION PREDICTION | 5066 |
| <i>W. Guo, R. Y. Zhang</i> | |

| | |
|--|------|
| ON THE MINIMUM SEPARATION BETWEEN ANY PAIR OF FLIGHT PATHS | 5083 |
| <i>L. M. B. C. Campos, J. M. G. Marques</i> | |

| | |
|---|------|
| AIRLINE NETWORK-AIRPLANE INTEGRATED OPTIMIZATION CONSIDERING MANUFACTURER'S PROGRAM COST | 5100 |
| <i>J. A. T. G. Fregnani, B. S. Mattos, J. A. Hernandez</i> | |

| | |
|---|------|
| ARTIFICIAL INTELLIGENCE AND HUMAN-MACHINE INTERACTIONS FOR STREAM- BASED AIR TRAFFIC FLOW MANAGEMENT | 5130 |
| <i>P. Lertworawanich, N. Pongsakornsathien, Y. Xie, A. Gardi, R. Sabatini</i> | |

| | |
|--|------|
| A NOVEL APPROACH FOR TURNAROUND TIME ALLOCATION BASED ON REINFORCEMENT LEARNING | 5141 |
| <i>A. Rodriguez-Sanz, J. Herrera De La Cruz</i> | |

| | |
|---|------|
| VERTIPOINT PLACEMENT METHOD BASED ON MOBILITY SURVEY DATA | 5161 |
| <i>K. Lippoldt, L. Preis, K. Bogenberger</i> | |

| | |
|---|------|
| ASSESSING THE ENVIRONMENTAL IMPACT OF AIRCRAFT TAXIING TECHNOLOGIES | 5170 |
| <i>R. Camilleri, A. Batra</i> | |

| | |
|---|------|
| POINT MERGE SYSTEM AND ARRIVAL METERING SYNERGY EFFECT ESTIMATION OF INBOUND FLIGHT EFFICIENCY AT TOKYO INTERNATIONAL (HANEDA) AIRPORT | 5182 |
| <i>T. Mori</i> | |

10 - SAFETY AND SECURITY

| | |
|---|------|
| ATTENTION: TARGET AND ACTUAL - THE CONTROLLER FOCUS | 5196 |
| <i>J. Rataj, O. Ohneiser, G. Marin, R. Postaru</i> | |

| | |
|---|------|
| AIRCRAFT INFLIGHT ICING DETECTION AND DIAGNOSIS METHODS | 5212 |
| <i>D. Ding, W.-Q. Qian, Q. Wang</i> | |

| | |
|---|------|
| DESIGN AND RESEARCH ON SAFETY ANALYSIS TOOL FOR AVIONICS SYSTEM | 5224 |
| <i>Y. Liu</i> | |

| | |
|---|------|
| RESEARCH ON SAFETY ASSESSMENT APPROACH FOR UAS OPERATIONS OVER UNINHABITED AREAS | 5235 |
| <i>Q. Zhang, Z. Zhou</i> | |

| | |
|---|------|
| CERTIFICATION CONSIDERATIONS FOR EVTOL AIRCRAFT | 5244 |
| <i>Y. Mou, M. Jiang, G. Zhu</i> | |

| | |
|---|------|
| APPLICATION OF DEVELOPMENT ASSURANCE METHODOLOGIES TO ELECTRONIC ENGINE CONTROL SYSTEM (EECS) | 5259 |
| <i>Q. Zhu, C. X. Wang</i> | |
| ACTIVITY CHARACTERISTICS AND THE MECHANISM OF MESO-MICRO SCALE DISTURBANCES IN THE EAST ASIAN SUBTROPICAL UPPER-LEVEL JET STREAM | 5275 |
| <i>X. Chen, J. Huang, M. Meng, C. Chen, Q. Chen</i> | |
| EXPERIMENTAL STUDY ON CRITICAL HEAT FLUX CHARACTERISTICS OF R134A FLOW BOILING IN A HORIZONTAL 2.1 MM TUBE UNDER HYPERGRAVITY | 5283 |
| <i>J. J. Han, G. Li</i> | |
| ANALYSIS OF PILOT OPERATIONAL STRATEGY DIFFERENCE USING NEURAL NETWORK | 5292 |
| <i>R. Mori</i> | |
| OBJECTIVE MEASUREMENT OF HUMAN FACTORS FOR SUPPORTING THE OPERATOR'S LOAD SIMULATION AND MANAGEMENT | 5301 |
| <i>U. Kale, O. Alharasees, F. Kling, D. Rohacs</i> | |
| TOWARDS AN ONLINE PREDICTIVE MODEL OF AIRCRAFT ENERGY STATE USING SUPERVISED MACHINE LEARNING | 5316 |
| <i>H. K. Lee, T. G. Puranik, O. J. Pinon Fischer, D. N. Mavris</i> | |
| RESEARCH ON CERTIFICATION MANAGEMENT OF AIRCRAFT ENGINE BASED ON RISK ANALYSIS | 5329 |
| <i>C. X. Wang, Q. Zhu, X. K. Wang, X. H. Tang</i> | |
| PROTOTYPE WHIRL TOWER FOR TESTING INSOLATED ROTOR SYSTEMS IN HOVER | 5340 |
| <i>M. Wojtas, K. Raczko, L. Czajkowski</i> | |
| STUDY ON THE AIRWORTHINESS AND COMFORTABLENESS REQUIREMENTS OF AIRCRAFT CABIN AIR CONTAMINATIONS | 5352 |
| <i>H. Tao, L. Haixia, Y. Ning</i> | |
| AN OVERVIEW OF FLARE TECHNIQUES AND FLARE TRAINING METHODS | 5361 |
| <i>K. Okubo, J. O. Entzinger</i> | |
| AN INTEGRATED METHOD FOR ACCURATE IDENTIFICATION AND DYNAMIC MONITORING OF BUILDINGS IN AERODROME OBSTACLE FREE SPACE | 5382 |
| <i>K. Tong, Y. Song, X.-F. Kong, K.-W. Zhang, Z.-J. Chen</i> | |
| RESEARCH ON FAULT DIAGNOSIS AND FAILURE RECONFIGURATION OF FLUSH AIR DATA SENSING | 5396 |
| <i>Q. Jia, W. Zhang, J. Shi, J. Hu, E. Safwat</i> | |
| NUMERICAL ANALYSIS METHOD OF CIVIL AIRCRAFT DITCHING FLOATING PERFORMANCE | 5406 |
| <i>H. Wang, H. Wang</i> | |
| FLIGHT PERFORMANCE AND TRAJECTORY PREDICTION OF THE COAXIAL HELICOPTER IN AUTOROTATION | 5413 |
| <i>S.-Z. Zhao, X. Zhao, R. Yao, Y.-F. Lin</i> | |
| ULTRASONIC DE-ICING SYSTEM DESIGN METHODS BASED ON RESONANCE AND IMPEDANCE MATCHING | 5423 |
| <i>B. Miao, M.-X. Bao, C.-L. Zhu</i> | |

| | |
|--|------|
| A NUMEIRCAL PREDICTION OF THE AIRCRAFT ICING METEOROLOGICAL ENVIRONMENT | 5438 |
| <i>Q.-L. Guo, W.-M. Sang, J.-J. Niu, A.-X. Qiu</i> | |
| NUMERICAL STUDY OF DITCHING CHARACTERISTICS OF BWB AIRCRAFT | 5446 |
| <i>S. L. Ding, Q. L. Qu, P. Q. Liu</i> | |
| CONCEPT OF A NEW SYSTEM SYNTHESIZING METEOROLOGICAL AND OROGRAPHIC INFLUENCES ON THE AIRPLANE SAFE ENERGY ENVELOPE | 5464 |
| <i>X. Liu, L. Manfriani</i> | |
| MACHINE LEARNING ENABLED TURBULENCE PREDICTION USING FLIGHT DATA FOR SAFETY ANALYSIS | 5488 |
| <i>M. Emara, M. Dos Santos, N. Chartier, J. Ackley, T. G. Puranik, A. Payan, M. Kirby, O. J. Pinon, D. N. Mavris</i> | |

11 - OPERATIONS AND SUSTAINMENT

| | |
|---|------|
| THE DATABASE DESIGN OF UNMANNED AERIAL VEHICLE | 5498 |
| <i>R. P. Liu, Q. Wang, G. Y. He, M. T. Tang, J. X. Ren</i> | |
| COST AND BENEFIT OF SCHEDULED STRUCTURAL HEALTH MONITORING FOR COMMERCIAL AIRCRAFT | 5514 |
| <i>D. M. Steinweg, M. Hornung</i> | |
| REAL TIME IMPACT LOCALIZATION USING MODAL SUPERPOSITION - APPLICATION TO A COMPOSITE AIRCRAFT FUSELAGE | 5530 |
| <i>D. Goutaudier, D. Gendre</i> | |
| DESIGN OF SIMULATION-BASED PILOT TRAINING SYSTEMS USING MACHINE LEARNING AGENTS | 5540 |
| <i>J. Kallstrom, R. Granlund, F. Heintz</i> | |
| ON AIRCRAFT OPERATIONAL INTEGRITY | 5566 |
| <i>Y. He</i> | |
| STRUCTURAL HEALTH MONITORING - THE ROUTE TO CONDITION BASED MAINTENANCE | 5582 |
| <i>J. Van Doeselaar, D. Daverschot</i> | |
| INFORMATION DISTRIBUTION METHOD FOR MULTI-AIRCRAFT COOPERATION BASED ON COLLABORATIVE FILTERING ALGORITHM | 5592 |
| <i>Y. H. Wang, Z. J. Zhan, B. Xue, P. Y. Deng</i> | |
| A STUDY ON TRAINING NEEDS ANALYSIS (TNA) METHOD FOR MILITARY AIRCRAFT | 5598 |
| <i>Q. Wang, C. Sun, B. Hao</i> | |
| TOTAL LIFE CYCLE COST AND EMISSION OF ELECTRIC, HYBRID-ELECTRIC AIRCRAFT | 5612 |
| <i>D. D. Nguyen, U. Kale, A. W. Wangai</i> | |
| CONDITION BASED MAINTENANCE (CBM) IN THE DIGITAL TRANSFORMATION STREAM | 5631 |
| <i>V. Gros, P.-C. Rolland, S. Veron, B. Ordy, F. Dessertenne</i> | |

A METHOD FOR EVALUATING THE APPLICABILITY OF MAINTENANCE TASKS
BASED ON HELICOPTER HEALTH AND USAGE MONITORING SYSTEM 5644
D. N. Dong, Z. Y. Jia, Y. Zhou

INTEGRATION OF SPACE VEHICLE OPERATIONS INTO THE UNITED ARAB EMIRATES
AIR TRAFFIC MANAGEMENT - AN IMPACT ANALYSIS 5651
O. Lehmann, R. El-Jabi, K. Webster, A. Rachdi, Z. Malik

15 - GUEST LECTURES

NOISE REDUCTION AT FLAP SIDE EDGE AND UNDERCARRIAGE 5662
M. Pott-Pollenske

FLIGHT TEST OF AN ADVANCED HYBRID-LAMINAR-FLOW-CONTROL (HLFC)
SYSTEM ON AN A320 VERTICAL TAIL PLANE 5675
G. Ernst, S. Pawellek, A. Buscher

MAIN LANDING GEAR DOORS VIBRATION REDUCTION BASED ON FLIGHT TEST 5688
R. Abarca Lopez, C. Aquilini, P. Lubrina, S.-H. Peng

IFAR - INFRASTRUCTURE DATABASE 5703
R. Degenhardt, D. Paraschivoiu

SOL-GEL BASED ORGANIC-INORGANIC HYBRID COATINGS FOR CORROSION
PROTECTION OF AEROSPACE ALUMINIUM ALLOY 5710
R. V. Lakshmi, S. T. Aruna, S. Sampath

THE POTENTIAL OF CASING TREATMENTS FOR TRANSONIC COMPRESSORS:
EVALUATION BASED ON AXIAL-SLOT AND ROTOR BLADE OPTIMIZATION 5722
G. Goinis, C. Voß, E. Nicke

DESIGN AND PERFORMANCE OF A LOW FAN-PRESSURE-RATIO PROPULSION
SYSTEM 5742
R. Schnell, E. Goldhahn, M. Julian

ACTIVE FLOW- LOADS & NOISE CONTROL ON NEXT GENERATION WING
(AFLONEXT): OVERVIEW AND RESULTS 5759
M. Wahlich

Author Index