

2021 International Conference on 3D Vision (3DV 2021)

**Virtual Conference
1-3 December 2021**

Pages 1-730



IEEE Catalog Number: CFP21203-POD
ISBN: 978-1-6654-2689-3

**Copyright © 2021 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP21203-POD
ISBN (Print-On-Demand):	978-1-6654-2689-3
ISBN (Online):	978-1-6654-2688-6
ISSN:	2378-3826

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2021 International Conference on 3D Vision (3DV) **3DV 2021**

Table of Contents

Message from the General Chairs	xxi
Message from the Program Chairs	xxii
Organizing Committee	xxiii
Program Committee	xxiv
Steering Committee	xxxi
Sponsors	xxxii

Oral Presentations

Oral Session 1: 3D Human Analysis

Learning To Disambiguate Strongly Interacting Hands via Probabilistic Per-Pixel Part Segmentation	1
<i>Zicong Fan (ETH Zurich, Switzerland; Max Planck Institute for Intelligent Systems, Germany), Adrian Spurr (ETH Zurich, Switzerland), Muhammed Kocabas (ETH Zurich, Switzerland; Max Planck Institute for Intelligent Systems, Germany), Siyu Tang (ETH Zurich, Switzerland), Michael J. Black (Max Planck Institute for Intelligent Systems, Germany), and Otmar Hilliges (ETH Zurich, Switzerland)</i>	
A Skeleton-Driven Neural Occupancy Representation for Articulated Hands	11
<i>Korrawe Karunratanakul (ETH Zurich, Switzerland), Adrian Spurr (ETH Zurich, Switzerland), Zicong Fan (ETH Zurich, Switzerland), Otmar Hilliges (ETH Zurich, Switzerland), and Siyu Tang (ETH Zurich, Switzerland)</i>	
RealisticHands: A Hybrid Model for 3D Hand Reconstruction	22
<i>Michael Seeber (ETH Zurich, Switzerland), Roi Poranne (University of Haifa, Israel), Marc Pollefeys (ETH Zurich, Switzerland; Microsoft, Switzerland), and Martin R. Oswald (University of Amsterdam, Netherlands; ETH Zurich, Switzerland)</i>	
EgoGlass: Egocentric-View Human Pose Estimation From an Eyeglass Frame	32
<i>Dongxu Zhao (University of North Carolina at Chapel Hill), Zhen Wei (University of North Carolina at Chapel Hill), Jisan Mahmud (University of North Carolina at Chapel Hill), and Jan-Michael Frahm (University of North Carolina at Chapel Hill)</i>	
Exemplar Fine-Tuning for 3D Human Model Fitting Towards In-the-Wild 3D Human Pose Estimation	42
<i>Hanbyul Joo (Facebook AI Research), Natalia Neverova (Facebook AI Research), and Andrea Vedaldi (Facebook AI Research)</i>	

Body Size and Depth Disambiguation in Multi-Person Reconstruction from Single Images	53
<i>Nicolas Ugrinovic (Institut de Robotica i Informatica Industrial, CSIC-UPC, Spain), Adria Ruiz (Institut de Robotica i Informatica Industrial, CSIC-UPC, Spain), Antonio Agudo (Institut de Robotica i Informatica Industrial, CSIC-UPC, Spain), Alberto Sanfeliu (Institut de Robotica i Informatica Industrial, CSIC-UPC, Spain), and Francesc Moreno-Noguer (Institut de Robotica i Informatica Industrial, CSIC-UPC, Spain)</i>	

Oral Session 2: 3D Modelling and Synthesis

GenIcoNet: Generative Icosahedral Mesh Convolutional Network	64
<i>Hardik Jain (Technische Universität Berlin, Germany) and Olaf Hellwich (Technische Universität Berlin, Germany)</i>	
PoseContrast: Class-Agnostic Object Viewpoint Estimation in the Wild with Pose-Aware Contrastive Learning	74
<i>Yang Xiao (Univ Gustave Eiffel, CNRS, France), Yuming Du (Univ Gustave Eiffel, CNRS, France), and Renaud Marlet (Univ Gustave Eiffel, CNRS, France; Valeo.ai, France)</i>	
3D Reconstruction of Novel Object Shapes from Single Images	85
<i>Anh Thai (Georgia Institute of Technology), Stefan Stojanov (Georgia Institute of Technology), Vijay Upadhyay (Georgia Institute of Technology), and James M. Rehg (Georgia Institute of Technology)</i>	
DiffSDFSim: Differentiable Rigid-Body Dynamics With Implicit Shapes	96
<i>Michael Strecke (Max Planck Institute for Intelligent Systems, Germany) and Joerg Stueckler (Max Planck Institute for Intelligent Systems, Germany)</i>	
SceneFormer: Indoor Scene Generation with Transformers	106
<i>Xinpeng Wang (Technical University of Munich), Chandan Yeshwanth (Technical University of Munich), and Matthias Nießner (Technical University of Munich)</i>	
Mix3D: Out-of-Context Data Augmentation for 3D Scenes	116
<i>Alexey Nekrasov (RWTH Aachen University), Jonas Schult (RWTH Aachen University), Or Litany (NVIDIA), Bastian Leibe (RWTH Aachen University), and Francis Engelmann (RWTH Aachen University; ETH AI Center)</i>	

Oral Session 3: Acquisition and Geometry

Algebraic Constraint for Preserving Convexity of Planar Homography	126
<i>Gaku Nakano (NEC Corporation, Japan)</i>	
MaCal - Macro Lens Calibration and the Focus Stack Camera Model	136
<i>Xiangyu Weng (GEOMAR Helmholtz Centre for Ocean Research Kiel, Germany), Mengkun She (GEOMAR Helmholtz Centre for Ocean Research Kiel, Germany), David Nakath (GEOMAR Helmholtz Centre for Ocean Research Kiel, Germany), and Kevin Köser (GEOMAR Helmholtz Centre for Ocean Research Kiel, Germany)</i>	

Visual Camera Re-Localization using Graph Neural Networks and Relative Pose Supervision	145
<i>Mehmet Ozgur Turkoglu (ETH Zurich), Eric Brachmann (Niantic), Konrad Schindler (ETH Zurich), Gabriel Brostow (University College London; Niantic), and Aron Monszpart (Niantic)</i>	
Practical Pose Trajectory Splines with Explicit Regularization	156
<i>Mikael Persson (Linköping University), Gustav Häger (Linköping University), Hannes Ovrén (Swedish Defence Research Agency), and Per-Erik Forssén (Linköping University)</i>	
Deep Regression on Manifolds: A 3D Rotation Case Study	166
<i>Romain Brégier (NAVER Labs Europe)</i>	
Non-Linear Anisotropic Diffusion for Memory-Efficient Computed Tomography Super-Resolution Reconstruction	175
<i>Khaled Abujuara (KAUST, Saudi Arabia), Ramzi Idoughi (KAUST, Saudi Arabia), and Wolfgang Heidrich (KAUST, Saudi Arabia)</i>	

Oral Session 4: Depth and Optical Flow

Spectral Reconstruction and Disparity from Spatio-Spectrally Coded Light Fields via Multi-Task Deep Learning	186
<i>Maximilian Schambach (Karlsruhe Institute of Technology, Germany), Jiayang Shi (Karlsruhe Institute of Technology, Germany), and Michael Heizmann (Karlsruhe Institute of Technology, Germany)</i>	
E-RAFT: Dense Optical Flow from Event Cameras	197
<i>Mathias Gehrig (University of Zurich), Mario Millhäusler (University of Zurich), Daniel Gehrig (University of Zurich), and Davide Scaramuzza (University of Zurich)</i>	
Neural Disparity Refinement for Arbitrary Resolution Stereo	207
<i>Filippo Aleotti (University of Bologna, Italy), Fabio Tosi (University of Bologna, Italy), Pierluigi Zama Ramirez (University of Bologna, Italy), Matteo Poggi (University of Bologna, Italy), Samuele Salti (University of Bologna, Italy), Stefano Mattoccia (University of Bologna, Italy), and Luigi Di Stefano (University of Bologna, Italy)</i>	
RAFT-Stereo: Multilevel Recurrent Field Transforms for Stereo Matching	218
<i>Lhav Lipson (Princeton University, USA), Zachary Teed (Princeton University, USA), and Jia Deng (Princeton University, USA)</i>	
Monocular Depth Estimation Primed by Salient Point Detection and Normalized Hessian Loss	228
<i>Lam Huynh (University of Oulu), Matteo Pedone (University of Oulu), Phong Nguyen (University of Oulu), Jiri Matas (Czech Technical University in Prague), Esa Rahtu (Tampere University), and Janne Heikkilä (University of Oulu)</i>	
Wild ToFu: Improving Range and Quality of Indirect Time-of-Flight Depth with RGB Fusion in Challenging Environments	239
<i>HyunJun Jung (Technical University of Munich, Germany), Nikolas Brasch (Technical University of Munich, Germany), Ales Leonardis (Huawei Noah's Ark Lab), Nassir Navab (Technical University of Munich, Germany), and Benjamin Busam (Technical University of Munich, Germany)</i>	

Oral Session 5: Human Modeling, Registration, and Synthesis

Globally Optimal Multi-Scale Monocular Hand-Eye Calibration using Dual Quaternions	249
<i>Thomas Wodtko (Ulm University, Germany), Markus Horn (Ulm University, Germany), Michael Buchholz (Ulm University, Germany), and Klaus Dietmayer (Ulm University, Germany)</i>	
HumanGAN: A Generative Model of Human Images	258
<i>Kripasindhu Sarkar (Max Planck Institute for Informatics), Lingjie Liu (Max Planck Institute for Informatics), Vladislav Golyanik (Max Planck Institute for Informatics), and Christian Theobalt (Max Planck Institute for Informatics)</i>	
Dance In the Wild: Monocular Human Animation with Neural Dynamic Appearance Synthesis	268
<i>Tuanfeng Y. Wang (Adobe Research, UK), Duygu Ceylan (Adobe Research, UK), Krishna Kumar Singh (Adobe Research, UK), and Niloy J. Mitra (Adobe Research, UK)</i>	
LatentHuman: Shape-and-Pose Disentangled Latent Representation for Human Bodies	278
<i>Sandro Lombardi (ETH Zurich), Bangbang Yang (Zhejiang University), Tianxing Fan (Zhejiang University), Hujun Bao (Zhejiang University), Guofeng Zhang (Zhejiang University), Marc Pollefeys (ETH Zurich; Microsoft), and Zhaopeng Cui (Zhejiang University)</i>	
Dual Mesh Convolutional Networks for Human Shape Correspondence	289
<i>Nitika Verma (Inria, Univ. Grenoble Alpes, CNRS, Grenoble INP, LJK, France), Adnane Boukhayma (Inria, Univ. Rennes, CNRS, IRISA, M2S, France), Edmond Boyer (Inria, Univ. Grenoble Alpes, CNRS, Grenoble INP, LJK, France), and Jakob Verbeek (Facebook AI Research)</i>	
DPFM: Deep Partial Functional Maps	299
<i>Souhaib Attaiki (École Polytechnique), Gautam Pai (École Polytechnique), and Maks Ovsjanikov (École Polytechnique)</i>	

Oral Session 6: Reconstruction and Registration

Multi-Scale Space-time Registration of Growing Plants	310
<i>Haolin Pan (Shanghai Jiao Tong University), Franck Hétroy-Wheeler (University of Strasbourg), Julie Charlaix (ENS Lyon), and David Colliaux (Sony CSL Paris)</i>	
VoRTX: Volumetric 3D Reconstruction With Transformers for Voxelwise View Selection and Fusion	320
<i>Noah Stier (University of California, Santa Barbara), Alexander Rich (University of California, Santa Barbara), Pradeep Sen (University of California, Santa Barbara), and Tobias Höllerer (University of California, Santa Barbara)</i>	
RefRec: Pseudo-Labels Refinement via Shape Reconstruction for Unsupervised 3D Domain Adaptation	331
<i>Adriano Cardace (University of Bologna, Italy), Riccardo Spezialetti (University of Bologna, Italy), Pierluigi Zama Ramirez (University of Bologna, Italy), Samuele Salti (University of Bologna, Italy), and Luigi Di Stefano (University of Bologna, Italy)</i>	

DeepBBS: Deep Best Buddies for Point Cloud Registration	342
<i>Itan Hezroni (Tel Aviv University, Israel), Amnon Drory (Tel Aviv University, Israel), Raja Giryes (Tel Aviv University, Israel), and Shai Avidan (Tel Aviv University, Israel)</i>	
Scalable Cluster-Consistency Statistics for Robust Multi-Object Matching	352
<i>Yunpeng Shi (Princeton University), Shaohan Li (University of Minnesota), Tyler Maunu (Brandeis University), and Gilad Lerman (University of Minnesota)</i>	
Learning 3D Semantic Segmentation with only 2D Image Supervision	361
<i>Kyle Genova (Google Research; Princeton University), Xiaoqi Yin (Google Research), Abhijit Kundu (Google Research), Caroline Pantofaru (Google Research), Forrester Cole (Google Research), Avneesh Sud (Google Research), Brian Brewington (Google Research), Brian Shucker (Google Research), and Thomas Funkhouser (Google Research; Princeton University)</i>	

Poster Presentations

Deep Physics-Aware Inference of Cloth Deformation for Monocular Human Performance Capture	373
<i>Yue Li (Max Planck Institute for Informatics; Saarland Informatics Campus; ETH Zurich), Marc Harbermann (Max Planck Institute for Informatics; Saarland Informatics Campus), Bernhard Thomaszewski (ETH Zurich), Stelian Coros (ETH Zurich), Thabo Beeler (Google Inc.), and Christian Theobalt (Max Planck Institute for Informatics; Saarland Informatics Campus)</i>	
Event Guided Depth Sensing	385
<i>Manasi Muglikar (University of Zurich, Switzerland), Diederik Paul Moeys (Sony R&D Center Europe), and Davide Scaramuzza (University of Zurich, Switzerland)</i>	
Leveraging Spatial and Photometric Context for Calibrated Non-Lambertian Photometric Stereo	394
<i>David Honzátko (Centre Suisse d'Electronique et de Microtechnique, Switzerland; École polytechnique fédérale de Lausanne, Switzerland), Engin Türetken (Centre Suisse d'Electronique et de Microtechnique, Switzerland), Pascal Fua (École polytechnique fédérale de Lausanne, Switzerland), and L. Andrea Dunbar (Centre Suisse d'Electronique et de Microtechnique, Switzerland)</i>	
Investigating Attention Mechanism in 3D Point Cloud Object Detection	403
<i>Shi Qiu (Australian National University, Australia; Data61-CSIRO, Australia), Yunfan Wu (Australian National University, Australia), Saeed Anwar (Australian National University, Australia; Data61-CSIRO, Australia; University of Technology Sydney), and Chongyi Li (Nanyang Technological University)</i>	
Semi-Supervised 3D Object Detection via Temporal Graph Neural Networks	413
<i>Jianren Wang (Carnegie Mellon University), Haiming Gang (Honda Research Institute), Siddarth Ancha (Carnegie Mellon University), Yi-Ting Chen (National Yang Ming Chiao Tung University), and David Held (Carnegie Mellon University)</i>	

3D Lip Event Detection via Interframe Motion Divergence at Multiple Temporal Resolutions	423
<i>Jie Zhang (Beijing Technology and Business University, China) and Robert B. Fisher (The University of Edinburgh, UK)</i>	
Monocular 3D Reconstruction of Interacting Hands via Collision-Aware Factorized Refinements	432
<i>Yu Rong (The Chinese University of Hong Kong), Jingbo Wang (The Chinese University of Hong Kong), Ziwei Liu (Nanyang Technological University), and Chen Change Loy (Nanyang Technological University)</i>	
L2D2: Learnable Line Detector and Descriptor	442
<i>Hichem Abdellali (University of Szeged, Hungary), Robert Frohlich (University of Szeged, Hungary), Viktor Vilagos (University of Szeged, Hungary), and Zoltan Kato (University of Szeged, Hungary; J. Selye University, Slovakia)</i>	
Synergy Between 3DMM and 3D Landmarks for Accurate 3D Facial Geometry	453
<i>Cho-Ying Wu (University of Southern California), Qiangeng Xu (University of Southern California), and Ulrich Neumann (University of Southern California)</i>	
Channel-Wise Attention-Based Network for Self-Supervised Monocular Depth Estimation	464
<i>Jiaxing Yan (Xi'an Jiaotong University, China), Hong Zhao (Xi'an Jiaotong University, China), Penghui Bu (Xi'an Jiaotong University, China), and YuSheng Jin (Xi'an Jiaotong University, China)</i>	
SVMAC: Unsupervised 3D Human Pose Estimation from a Single Image with Single-view-Multi-Angle Consistency	474
<i>Yicheng Deng (Beijing Jiaotong University), Cheng Sun (Kyushu University), Jiahui Zhu (Beijing Jiaotong University), and Yongqi Sun (Beijing Jiaotong University)</i>	
Deep Multi-View Stereo Gone Wild	484
<i>Francois Darmon (Thales LAS France; Univ. Gustave Eiffel, CNRS), Bénédicte Bascle (Thales LAS France), Jean-Clément Devaux (Thales LAS France), Pascal Monasse (Univ. Gustave Eiffel, CNRS), and Mathieu Aubry (Univ. Gustave Eiffel, CNRS)</i>	
Data-Driven 3D Reconstruction of Dressed Humans From Sparse Views	494
<i>Pierre Zins (Inria, France), Yuanlu Xu (Facebook Reality Labs, USA), Edmond Boyer (Inria, France), Stefanie Wuhrer (Inria, France), and Tony Tung (Facebook Reality Labs, USA)</i>	
Joint 3D Human Shape Recovery and Pose Estimation from a Single Image with Bilayer Graph	505
<i>Xin Yu (University of Utah, USA), Jeroen van Baar (Mitsubishi Electric Research Laboratories, USA), and Siheng Chen (Mitsubishi Electric Research Laboratories, USA)</i>	
Modality-Guided Subnetwork for Salient Object Detection	515
<i>Zongwei Wu (VIBOT EMR CNRS 6000, ImViA, Université Bourgogne Franche-Comté, France; MoE Key Lab of Artificial Intelligence, AI Institute, Shanghai Jiao Tong University, China), Guillaume Allibert (Université Côte d'Azur, CNRS, France), Christophe Stolz (VIBOT EMR CNRS 6000, ImViA, Université Bourgogne Franche-Comté, France), Chao Ma (MoE Key Lab of Artificial Intelligence, AI Institute, Shanghai Jiao Tong University, China), and Cédric Demonceaux (ImViA, Université Bourgogne Franche-Comté, France)</i>	

Curiosity-Driven 3D Object Detection Without Labels	525
<i>David Griffiths (University College London), Jan Boehm (University College London), and Tobias Ritschel (University College London)</i>	
MP-Mono: Monocular 3D Detection using Multiple Priors for Autonomous Driving	535
<i>Pei Liu (Tsinghua University, China), Guorun Yang (SenseTime Group Limited, China), Peixuan Li (University of Chinese Academy of Sciences, China), Zhe Wang (SenseTime Group Limited, China), Jianping Shi (SenseTime Group Limited, China), Zhidong Deng (Tsinghua University, China), and Yu Qiao (University of Chinese Academy of Sciences, China)</i>	
Neural Human Deformation Transfer	545
<i>Jean Basset (Univ. Grenoble Alpes, Inria, CNRS, Grenoble INP, LJK, France), Adnane Boukhayma (Univ Rennes, Inria, CNRS IRISA, M2S, France), Stefanie Wuhrer (Univ. Grenoble Alpes, Inria, CNRS, Grenoble INP, LJK, France), Franck Multon (Univ Rennes, Inria, CNRS IRISA, M2S, France), and Edmond Boyer (Univ. Grenoble Alpes, Inria, CNRS, Grenoble INP, LJK, France)</i>	
Learning Local Recurrent Models for Human Mesh Recovery	555
<i>Runze Li (University of California Riverside, USA; United Imaging Intelligence, USA), Srikrishna Karanam (United Imaging Intelligence, USA), Ren Li (United Imaging Intelligence, USA), Terrence Chen (United Imaging Intelligence, USA), Bir Bhanu (University of California Riverside, USA), and Ziyang Wu (United Imaging Intelligence, USA)</i>	
A Spatio-Temporal Transformer for 3D Human Motion Prediction	565
<i>Emre Aksan (ETH Zurich), Manuel Kaufmann (ETH Zurich), Peng Cao (Massachusetts Institute of Technology), and Otmar Hilliges (ETH Zurich)</i>	
Conflicts Between Likelihood and Knowledge Distillation in Task Incremental Learning for 3D Object Detection	575
<i>Peng Yun (The Hong Kong University of Science and Technology), Jun Cen (The Hong Kong University of Science and Technology), and Ming Liu (The Hong Kong University of Science and Technology)</i>	
Leveraging MoCap Data for Human Mesh Recovery	586
<i>Fabien Baradel (NAVER LABS Europe), Thibault Groueix (Adobe), Philippe Weinzaepfel (NAVER LABS Europe), Romain Brégier (NAVER LABS Europe), Yannis Kalantidis (NAVER LABS Europe), and Grégory Rogez (NAVER LABS Europe)</i>	
Intention-Based Long-Term Human Motion Anticipation	596
<i>Julian Tanke (University of Bonn), Chintan Zaveri (University of Bonn), and Juergen Gall (University of Bonn)</i>	
Exploring Versatile Prior for Human Motion via Motion Frequency Guidance	606
<i>Jiachen Xu (Shanghai Jiao Tong University), Min Wang (SenseTime Research), Jingyu Gong (Shanghai Jiao Tong University), Wentao Liu (SenseTime Research), Chen Qian (SenseTime Research), Yuan Xie (East China Normal University), and Lizhuang Ma (Shanghai Jiao Tong University; East China Normal University)</i>	

Fusing Posture and Position Representations for Point Cloud-Based Hand Gesture Recognition.....	617
<i>Alexander Bigalke (University of Lübeck) and Mattias P. Heinrich (University of Lübeck)</i>	
Self-Supervised Monocular Scene Decomposition and Depth Estimation	627
<i>Sadra Safadoust (Koç University) and Fatma Güney (Koç University)</i>	
Variational Monocular Depth Estimation for Reliability Prediction	637
<i>Noriaki Hirose (Toyota Central R&D Labs., Inc), Shun Taguchi (Toyota Central R&D Labs., Inc), Keisuke Kawano (Toyota Central R&D Labs., Inc), and Satoshi Koide (Toyota Central R&D Labs., Inc)</i>	
PanoDepth: A Two-Stage Approach for Monocular Omnidirectional Depth Estimation	648
<i>Yuyan Li (University of Missouri), Zhixin Yan (Bosch Research China), Ye Duan (University of Missouri), and Liu Ren (Bosch Research North America)</i>	
Towards Unconstrained Joint Hand-Object Reconstruction From RGB Videos	659
<i>Yana Hasson (Inria; CNRS, PSL Research University), Gül Varol (LIGM, École des Ponts, Univ Gustave Eiffel, CNRS, France), Cordelia Schmid (Inria; CNRS, PSL Research University), and Ivan Laptev (Inria; CNRS, PSL Research University)</i>	
Spatio-Temporal Human Shape Completion With Implicit Function Networks	669
<i>Boyao Zhou (Univ. Grenoble Alpes, Inria, CNRS, Grenoble INP; Microsoft Research-Inria Joint Center), Jean-Sébastien Franco (Univ. Grenoble Alpes, Inria, CNRS, Grenoble INP), Federica Bogo (Microsoft Zurich, Switzerland), and Edmond Boyer (Univ. Grenoble Alpes, Inria, CNRS, Grenoble INP)</i>	
SAFA: Structure Aware Face Animation	679
<i>Qiulin Wang (JD Technology), Lu Zhang (JD Technology), and Bo Li (JD Technology)</i>	
KAMA: 3D Keypoint Aware Body Mesh Articulation	689
<i>Umar Iqbal (NVIDIA), Kevin Xie (NVIDIA), Yunrong Guo (NVIDIA), Jan Kautz (NVIDIA), and Pavlo Molchanov (NVIDIA)</i>	
3DVNet: Multi-View Depth Prediction and Volumetric Refinement	700
<i>Alexander Rich (University of California, Santa Barbara), Noah Stier (University of California, Santa Barbara), Pradeep Sen (University of California, Santa Barbara), and Tobias Höllerer (University of California, Santa Barbara)</i>	
Dynamic Multi-Person Mesh Recovery From Uncalibrated Multi-View Cameras	710
<i>Buzhen Huang (Southeast University, China), Yuan Shu (Southeast University, China), Tianshu Zhang (Southeast University, China), and Yangang Wang (Southeast University, China)</i>	
Direct Dense Pose Estimation	721
<i>Liqian Ma (KU-Leuven/PSI, Toyota Motor Europe (TRACE)), Lingjie Liu (Max Planck Institute for Informatics), Christian Theobalt (Max Planck Institute for Informatics), and Luc Van Gool (KU-Leuven/PSI, Toyota Motor Europe (TRACE); ETH Zurich)</i>	

Self-Supervised Light Field Depth Estimation using Epipolar Plane Images	731
<i>Kunyu Li (Hefei University of Technology, China), Jun Zhang (Hefei University of Technology, China), Jun Gao (Hefei University of Technology, China), and Meibin Qi (Hefei University of Technology, China)</i>	
PLNet: Plane and Line Priors for Unsupervised Indoor Depth Estimation	741
<i>Hualie Jiang (The Chinese University of Hong Kong; Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences), Laiyan Ding (The Chinese University of Hong Kong; Shenzhen Institute of Artificial Intelligence and Robotics for Society), Junjie Hu (Shenzhen Institute of Artificial Intelligence and Robotics for Society), and Rui Huang (The Chinese University of Hong Kong; Shenzhen Institute of Artificial Intelligence and Robotics for Society)</i>	
R4Dyn: Exploring Radar for Self-Supervised Monocular Depth Estimation of Dynamic Scenes	751
<i>Stefano Gasperini (Technical University of Munich, Germany; BMW Group, Germany), Patrick Koch (Technical University of Munich, Germany; BMW Group, Germany), Vinzenz Dallabetta (BMW Group, Germany), Nassir Navab (Technical University of Munich, Germany; Johns Hopkins University (JHU), USA), Benjamin Busam (Technical University of Munich, Germany), and Federico Tombari (Technical University of Munich, Germany; Google, Switzerland)</i>	
Parameterization of Ambiguity in Monocular Depth Prediction	761
<i>Patrik Persson (Lund University, Sweden), Linn Öström (Lund university, Sweden), Carl Olsson (Lund University, Sweden; Chalmers University of Technology, Sweden), and Kalle Åström (Lund University, Sweden)</i>	
Task-Generic Hierarchical Human Motion Prior using VAEs	771
<i>Jiaman Li (University of Southern California; USC Institute for Creative Technologies), Ruben Villegas (Adobe Research), Duygu Ceylan (Adobe Research), Jimei Yang (Adobe Research), Zhengfei Kuang (University of Southern California; USC Institute for Creative Technologies), Hao Li (Pinscreen; UC Berkeley), and Yajie Zhao (USC Institute for Creative Technologies)</i>	
Occlusion Guided Self-Supervised Scene Flow Estimation on 3D Point Clouds	782
<i>Bojun Ouyang (Tel Aviv University) and Dan Raviv (Tel Aviv University)</i>	
Collaborative Regression of Expressive Bodies using Moderation	792
<i>Yao Feng (Max Planck Institute for Intelligent Systems, Germany), Vasileios Choutas (Max Planck Institute for Intelligent Systems, Germany), Timo Bolkart (Max Planck Institute for Intelligent Systems, Germany), Dimitrios Tzionas (Max Planck Institute for Intelligent Systems, Germany), and Michael J. Black (Max Planck Institute for Intelligent Systems, Germany)</i>	
HyNet: 3D Segmentation using Hybrid Graph Networks	805
<i>Bahareh Shakibajahromi (Drexel University, USA), Saeed Shayestehmanesh (Villanova University, USA), Daniel Schwartz (Drexel University, USA), and Ali Shokoufandeh (Drexel University, USA)</i>	

SIDER: Single-Image Neural Optimization for Facial Geometric Detail Recovery	815
<i>Aggelina Chatziagapi (Stony Brook University), ShahRukh Athar (Stony Brook University), Francesc Moreno-Noguer (Institut de Robotica i Informatica Industrial, CSIC-UPC), and Dimitris Samaras (Stony Brook University)</i>	
Unsupervised Monocular Depth Reconstruction of Non-Rigid Scenes	825
<i>Ayça Takmaz (ETH Zurich), Danda Pani Paudel (ETH Zurich), Thomas Probst (ETH Zurich), Ajad Chhatkuli (ETH Zurich), Martin R. Oswald (ETH Zurich; University of Amsterdam, Netherlands), and Luc Van Gool (ETH Zurich; VISICS, ESAT/PSI, Belgium)</i>	
Attention Meets Geometry: Geometry Guided Spatial-Temporal Attention for Consistent Self-Supervised Monocular Depth Estimation	837
<i>Patrick Ruhkamp (Technical University of Munich, Germany), Daoyi Gao (Technical University of Munich, Germany), Hanzhi Chen (Technical University of Munich, Germany), Nassir Navab (Technical University of Munich, Germany), and Benjamin Busam (Technical University of Munich, Germany)</i>	
NVS-MonoDepth: Improving Monocular Depth Prediction with Novel View Synthesis	848
<i>Zuria Bauer (University of Alicante), Zuoyue Li (ETH Zurich), Sergio Orts-Escolano (University of Alicante), Miguel Cazorla (University of Alicante), Marc Pollefeys (ETH Zurich; Microsoft), and Martin R. Oswald (ETH Zurich; University of Amsterdam)</i>	
Residual Geometric Feature Transform Network for 3D Surface Super-Resolution	859
<i>Maolin Cui (Shenzhen University, China), Wuyuan Xie (Shenzhen University, China), Miaohui Wang (Shenzhen University, China), and Tengcong Huang (Shenzhen University, China)</i>	
Open-set 3D Object Detection	869
<i>Jun Cen (The Hong Kong University of Science and Technology), Peng Yun (The Hong Kong University of Science and Technology), Junhao Cai (The Hong Kong University of Science and Technology), Michael Yu Wang (The Hong Kong University of Science and Technology), and Ming Liu (The Hong Kong University of Science and Technology)</i>	
PhysXNet: A Customizable Approach for Learning Cloth Dynamics on Dressed People	879
<i>Jordi Sanchez-Riera (Institut de Robòtica i Informàtica Industrial, CSIC-UPC, Spain), Albert Pumarola (Institut de Robòtica i Informàtica Industrial, CSIC-UPC, Spain), and Francesc Moreno-Noguer (Institut de Robòtica i Informàtica Industrial, CSIC-UPC, Spain)</i>	
Human Performance Capture from Monocular Video in the Wild	889
<i>Chen Guo (ETH Zürich, Switzerland), Xu Chen (ETH Zürich, Switzerland; Max Planck Institute for Intelligent Systems, Germany), Jie Song (ETH Zürich, Switzerland), and Otmar Hilliges (ETH Zürich, Switzerland)</i>	
SUPPLE: Extracting Hand Skeleton with Spherical Unwrapping Profiles	899
<i>Zimeng Zhao (Southeast University, China), Ruting Rao (Southeast University, China), and Yangang Wang (Southeast University, China)</i>	
NeuralDiff: Segmenting 3D Objects that move in Egocentric Videos	910
<i>Vadim Tschernezki (University of Oxford; NAVER LABS Europe), Diane Larlus (NAVER LABS Europe), and Andrea Vedaldi (University of Oxford)</i>	

Learning Scale-Adaptive Representations for Point-Level LiDAR Semantic Segmentation	920
<i>Tongfeng Zhang (University of Science and Technology of China, China), Kaizhi Yang (University of Science and Technology of China, China), and Xuejin Chen (University of Science and Technology of China, China)</i>	
4D Human Body Capture from Egocentric Video via 3D Scene Grounding	930
<i>Miao Liu (Georgia Institute of Technology, USA), Dexin Yang (ETH Zürich, Switzerland), Yan Zhang (ETH Zürich, Switzerland), Zhaopeng Cui (Zhejiang University, China), James M. Rehg (Georgia Institute of Technology, USA), and Siyu Tang (ETH Zürich, Switzerland)</i>	
NeedDrop: Self-Supervised Shape Representation from Sparse Point Clouds using Needle Dropping	940
<i>Alexandre Boulch (valeo.ai, Paris, France), Pierre-Alain Langlois (LIGM, Ecole des Ponts, Univ Gustave Eiffel, CNRS, Marne-la-Vallée, France), Gilles Puy (valeo.ai, Paris, France), and Renaud Marlet (valeo.ai, Paris, France; LIGM, Ecole des Ponts, Univ Gustave Eiffel, CNRS, Marne-la-Vallée, France)</i>	
CAMPARI: Camera-Aware Decomposed Generative Neural Radiance Fields	951
<i>Michael Niemeyer (Max Planck Institute for Intelligent Systems, Tübingen and University of Tübingen) and Andreas Geiger (Max Planck Institute for Intelligent Systems, Tübingen and University of Tübingen)</i>	
FiG-NeRF: Figure-Ground Neural Radiance Fields for 3D Object Category Modelling	962
<i>Christopher Xie (University of Washington), Keunhong Park (University of Washington), Ricardo Martin-Brualla (Google Research), and Matthew Brown (Google Research)</i>	
Stochastic Neural Radiance Fields: Quantifying Uncertainty in Implicit 3D Representations	972
<i>Jianxiong Shen (Institut de Robòtica i Informàtica Industrial, CSIC-UPC, Spain), Adria Ruiz (Institut de Robòtica i Informàtica Industrial, CSIC-UPC, Spain), Antonio Agudo (Institut de Robòtica i Informàtica Industrial, CSIC-UPC, Spain), and Francesc Moreno-Noguer (Institut de Robòtica i Informàtica Industrial, CSIC-UPC, Spain)</i>	
3D-MetaConNet: Meta-Learning for 3D Shape Classification and Segmentation	982
<i>Hao Huang (New York University, USA), Xiang Li (New York University, USA), Lingjing Wang (New York University, USA), and Yi Fang (New York University Abu Dhabi, UAE)</i>	
Generative Zero-Shot Learning for Semantic Segmentation of 3D Point Clouds	992
<i>Björn Michele (Valeo.ai, France), Alexandre Boulch (Valeo.ai, France), Gilles Puy (Valeo.ai, France), Maxime Bucher (Valeo.ai, France), and Renaud Marlet (Valeo.ai, France; LIGM, Ecole des Ponts, Univ Gustave Eiffel, CNRS, France)</i>	

Fine-Grained VR Sketching: Dataset and Insights	1003
<i>Ling Luo (SketchX, CVSSP, University of Surrey; iFlyTek-Surrey Joint Research Centre on Artificial Intelligence), Yulia Gryaditskaya (SketchX, CVSSP, University of Surrey; iFlyTek-Surrey Joint Research Centre on Artificial Intelligence), Yongxin Yang (SketchX, CVSSP, University of Surrey; iFlyTek-Surrey Joint Research Centre on Artificial Intelligence), Tao Xiang (SketchX, CVSSP, University of Surrey; iFlyTek-Surrey Joint Research Centre on Artificial Intelligence), and Yi-Zhe Song (SketchX, CVSSP, University of Surrey; iFlyTek-Surrey Joint Research Centre on Artificial Intelligence)</i>	
PolyNet: Polynomial Neural Network for 3D Shape Recognition with PolyShape Representation .	1014
<i>Mohsen Yavartanoo (Seoul National University), Shih-Hsuan Hung (Oregon State University), Reyhaneh Neshatavar (Seoul National University), Yue Zhang (Oregon State University), and Kyoung Mu Lee (Seoul National University)</i>	
Point2FFD: Learning Shape Representations of Simulation-Ready 3D Models for Engineering Design Optimization	1024
<i>Thiago Rios (Honda Research Institute Europe GmbH, Germany), Bas van Stein (Leiden Institute of Advanced Computer Science, The Netherlands), Thomas Bäck (Leiden Institute of Advanced Computer Science, The Netherlands), Bernhard Sendhoff (Honda Research Institute Europe GmbH, Germany), and Stefan Menzel (Honda Research Institute Europe GmbH, Germany)</i>	
Projective Urban Texturing	1034
<i>Yiangos Georgiou (University of Cyprus), Melinos Averkiou (University of Cyprus; CYENS CoE), Tom Kelly (University of Leeds), and Evangelos Kalogerakis (UMass Amherst)</i>	
Representing Shape Collections with Alignment-Aware Linear Models	1044
<i>Romain Loiseau (LIGM, Ecole des Ponts, Univ Gustave Eiffel, CNRS, France; LASTIG, Univ. Gustave Eiffel, ENSG, IGN, France), Tom Monnier (LIGM, Ecole des Ponts, Univ Gustave Eiffel, CNRS, France), Mathieu Aubry (LIGM, Ecole des Ponts, Univ Gustave Eiffel, CNRS, France), and Loïc Landrieu (LASTIG, Univ. Gustave Eiffel, ENSG, IGN, France)</i>	
AIR-Nets: An Attention-Based Framework for Locally Conditioned Implicit Representations	1054
<i>Simon Giebenhain (University of Konstanz, Germany) and Bastian Goldlucke (University of Konstanz, Germany)</i>	
Softmesh: Learning Probabilistic Mesh Connectivity via Image Supervision	1065
<i>Eric-Tuan Lê (University College London), Niloy J. Mitra (University College London; Adobe), and Iasonas Kokkinos (University College London; Snap)</i>	
Recovering Real-World Reflectance Properties and Shading From HDR Imagery	1075
<i>Bjoern Haefner (Technical University of Munich), Simon Green (Facebook Reality Labs Research), Alan Oursland (Facebook Reality Labs Research), Daniel Andersen (Facebook Reality Labs Research), Michael Goesele (Facebook Reality Labs Research), Daniel Cremers (Technical University of Munich), Richard Newcombe (Facebook Reality Labs Research), and Thomas Whelan (Facebook Reality Labs Research)</i>	

NVSS: High-Quality Novel View Selfie Synthesis	1085
<i>Jia-Wang Bian (University of Adelaide), Huangying Zhan (University of Adelaide), and Ian Reid (University of Adelaide)</i>	
RGBD-Net: Predicting Color and Depth Images for Novel Views Synthesis	1095
<i>Phong Nguyen (University of Oulu, Finland), Animesh Karnewar (TomTom, Netherlands; University College London, United Kingdom), Lam Huynh (University of Oulu, Finland), Esa Rahtu (Tampere University, Finland), Jiri Matas (Czech Technical University, Czech Republic), and Janne Heikkila (University of Oulu, Finland)</i>	
TermiNeRF: Ray Termination Prediction for Efficient Neural Rendering	1106
<i>Martin Píala (Imperial College London) and Ronald Clark (Imperial College London)</i>	
Attacking Image Classifiers To Generate 3D Textures	1115
<i>Camilo Pestana (The University of Western Australia) and Ajmal Mian (The University of Western Australia)</i>	
Ray Tracing-Guided Design of Plenoptic Cameras	1125
<i>Tim Michels (Kiel University, Germany) and Reinhard Koch (Kiel University, Germany)</i>	
It Is All In The Weights: Robust Rotation Averaging Revisited	1134
<i>Chitturi Sidhartha (Indian Institute of Science, India) and Venu Madhav Govindu (Indian Institute of Science, India)</i>	
Digging Into Self-Supervised Learning of Feature Descriptors	1144
<i>Iaroslav Melekhov (Aalto University), Zakaria Laskar (Aalto University), Xiaotian Li (Aalto University), Shuzhe Wang (Aalto University), and Juho Kannala (Aalto University)</i>	
GCSR: Gray Code Super-Resolution 3D Scanning	1156
<i>Peter Walecki (Brown University) and Gabriel Taubin (Brown University)</i>	
ESL: Event-Based Structured Light	1165
<i>Manasi Muglikar (University of Zurich, Switzerland), Guillermo Gallego (Technische Universität Berlin and Einstein Center Digital Future, Germany), and Davide Scaramuzza (University of Zurich, Switzerland)</i>	
Direct-PoseNet: Absolute Pose Regression with Photometric Consistency	1175
<i>Shuai Chen (University of Oxford), Zirui Wang (University of Oxford), and Victor Prisacariu (University of Oxford)</i>	
Shortest Paths in Graphs with Matrix-Valued Edges: Concepts, Algorithm and Application to 3D Multi-Shape Analysis	1186
<i>Viktoria Ehm (TU Munich), Daniel Cremers (TU Munich), and Florian Bernard (University of Bonn)</i>	
Geometric Adversarial Attacks and Defenses on 3D Point Clouds	1196
<i>Itai Lang (Tel Aviv University), Uriel Kotlicki (Tel Aviv University), and Shai Avidan (Tel Aviv University)</i>	
Learning Iterative Robust Transformation Synchronization	1206
<i>Zi Jian Yew (National University of Singapore) and Gim Hee Lee (National University of Singapore)</i>	

Convex Joint Graph Matching and Clustering via Semidefinite Relaxations	1216
<i>Maximilian Krahn (MPI for Informatics, SIC; Saarland University; Aalto University), Florian Bernard (University of Bonn; TU Munich), and Vladislav Golyanik (MPI for Informatics, SIC)</i>	
DurLAR: A High-Fidelity 128-Channel LiDAR Dataset with Panoramic Ambient and Reflectivity Imagery for Multi-Modal Autonomous Driving Applications	1227
<i>Li Li (Durham University, UK), Khalid N. Ismail (Durham University, UK), Hubert P. H. Shum (Durham University, UK), and Toby P. Breckon (Durham University, UK)</i>	
Learning Residue-Aware Correlation Filters and Refining Scale Estimates with the GrabCut for Real-Time UAV Tracking	1238
<i>Shuiwang Li (Guilin University of Technology), Yuting Liu (Sichuan University), Qijun Zhao (Sichuan University), and Ziliang Feng (Sichuan University)</i>	
Go with the Flows: Mixtures of Normalizing Flows for Point Cloud Generation and Reconstruction	1249
<i>Janis Postels (ETH Zurich), Mengya Liu (ETH Zurich), Riccardo Spezialetti (University of Bologna), Luc Van Gool (ETH Zurich), and Federico Tombari (Google, TU Munich)</i>	
Neighborhood-Based Neural Implicit Reconstruction from Point Clouds	1259
<i>Haiyong Jiang (University of Chinese Academy of Science), Jianfei Cai (Monash University), Jianmin Zheng (Nanyang Technological University), and Jun Xiao (University of Chinese Academy of Science)</i>	
GASCN: Graph Attention Shape Completion Network	1269
<i>Haojie Huang (Northeastern University, USA), Ziyi Yang (Northeastern University, USA), and Robert Platt (Northeastern University, USA)</i>	
NeuralBlox: Real-Time Neural Representation Fusion for Robust Volumetric Mapping	1279
<i>Stefan Lionar (ETH Zurich, Switzerland), Lukas Schmid (ETH Zurich, Switzerland), Cesar Cadena (ETH Zurich, Switzerland), Roland Siegwart (ETH Zurich, Switzerland), and Andrei Cramariuc (ETH Zurich, Switzerland)</i>	
MeshMVS: Multi-View Stereo Guided Mesh Reconstruction	1290
<i>Rakesh Shrestha (Simon Fraser University), Zhiwen Fan (Alibaba A.I Labs), Qingkun Su (Alibaba A.I Labs), Zuozhuo Dai (Alibaba A.I Labs), Siyu Zhu (Alibaba A.I Labs), and Ping Tan (Simon Fraser University; Alibaba A.I Labs)</i>	
High Fidelity 3D Reconstructions with Limited Physical Views	1301
<i>Mosam Dabhi (Carnegie Mellon University), Chaoyang Wang (Carnegie Mellon University), Kunal Saluja (Apple Inc.), Laszlo A. Jeni (Carnegie Mellon University), Ian Fasel (Apple Inc.), and Simon Lucey (Carnegie Mellon University, The University of Adelaide)</i>	
Mesh-Based Reconstruction of Dynamic Foam Images using X-Ray CT	1312
<i>Jens Renders (University of Antwerp), Jan De Beenhouwer (University of Antwerp), and Jan Sijbers (University of Antwerp)</i>	

Multi-Category Mesh Reconstruction From Image Collections	1321
<i>Alessandro Simoni (University of Modena and Reggio Emilia, Italy), Stefano Pini (University of Modena and Reggio Emilia, Italy), Roberto Vezzani (University of Modena and Reggio Emilia, Italy), and Rita Cucchiara (University of Modena and Reggio Emilia, Italy)</i>	
A Dataset-Dispersion Perspective on Reconstruction Versus Recognition in Single-View 3D Reconstruction Networks	1331
<i>Yefan Zhou (UC Berkeley), Yiru Shen (Clemson University), Yujun Yan (University of Michigan), Chen Feng (New York University), and Yaoqing Yang (UC Berkeley)</i>	
Dual Geometric Graph Network (DG2N) Iterative Network for Deformable Shape Alignment	1341
<i>Dvir Ginzburg (Tel Aviv University) and Dan Raviv (Tel Aviv University)</i>	
3D Point Cloud Registration with Multi-Scale Architecture and Unsupervised Transfer Learning	1351
<i>Sofiane Horache (MINES ParisTech, PSL University, France), Jean-Emmanuel Deschaud (MINES ParisTech, PSL University, France), and François Goulette (MINES ParisTech, PSL University, France)</i>	
DSP-SLAM: Object Oriented SLAM with Deep Shape Priors	1362
<i>Jingwen Wang (University College London), Martin Rünz (University College London), and Lourdes Agapito (University College London)</i>	
Object SLAM-Based Active Mapping and Robotic Grasping	1372
<i>Yanmin Wu (Northeastern University), Yunzhou Zhang (Northeastern University), DeLong Zhu (The Chinese University of Hong Kong), Xin Chen (Northeastern University), Sonya Coleman (Ulster University), Wenkai Sun (Northeastern University), Xinggang Hu (Northeastern University), and Zhiqiang Deng (Northeastern University)</i>	
Image Stitching with Locally Shared Rotation Axis	1382
<i>Daniel Barath (ETH Zurich), Yaqing Ding (Nanjing University of Science and Technology), Zuzana Kukelova (Visual Recognition Group, FEE, Czech Technical University in Prague), and Viktor Larsson (ETH Zurich)</i>	
Robust Fitting with Truncated Least Squares: A Bilevel Optimization Approach	1392
<i>Huu Le (Chalmers University of Technology, Sweden) and Christopher Zach (Chalmers University of Technology, Sweden)</i>	
Lifted Semantic Graph Embedding for Omnidirectional Place Recognition	1401
<i>Chao Zhang (Toshiba Europe Ltd, United Kingdom), Ignas Budvytis (University of Cambridge, United Kingdom), Stephan Liwicki (Toshiba Europe Ltd, United Kingdom), and Roberto Cipolla (Toshiba Europe Ltd, United Kingdom; University of Cambridge, United Kingdom)</i>	
3D Reconstruction of Insects: an Improved Multifocus Stacking and an Evaluation of Learning-Based MVS Approaches	1411
<i>Chang Xu (Australian National University, Australia), Jiayuan Liu (Australian National University, Australia), Chuong Nguyen (CSIRO Data61, Australia), Fabien Casten (Technicolor, France), Benoit Maujean (Technicolor, France), and Simone Gasparini (University of Toulouse - IRIT, France)</i>	

FLYBO: A Unified Benchmark Environment for Autonomous Flying Robots	1420
<i>Anthony Brunel (LIRMM, Université Montpellier, France; Gambi-M R&D, France), Amine Bourki (Gambi-M R&D, France), Olivier Strauss (LIRMM, Université Montpellier, France), and Cédric Demonceaux (ImViA, Université Bourgogne Franche-Comté, France)</i>	
Efficiently Distributed Watertight Surface Reconstruction	1432
<i>Laurent Caraffa (Institut Géographique National, France), Yanis Marchand (Institut Géographique National, France), Mathieu Brédif (Institut Géographique National, France), and Bruno Vallet (Institut Géographique National, France)</i>	
DPC: Unsupervised Deep Point Correspondence via Cross and Self Construction	1442
<i>Itai Lang (Tel Aviv University), Dvir Ginzburg (Tel Aviv University), Shai Avidan (Tel Aviv University), and Dan Raviv (Tel Aviv University)</i>	

Author Index