

2021 IEEE BiCMOS and Compound Semiconductor Integrated Circuits and Technology Symposium (BCICTS 2021)

**Monterey, California, USA
5-8 December 2021**



**IEEE Catalog Number: CFP21N20-POD
ISBN: 978-1-6654-3991-6**

**Copyright © 2021 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

| | |
|-------------------------|-------------------|
| IEEE Catalog Number: | CFP21N20-POD |
| ISBN (Print-On-Demand): | 978-1-6654-3991-6 |
| ISBN (Online): | 978-1-6654-3990-9 |

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

| | |
|---|----|
| ELECTRIC FIELD ENGINEERING IN GRADED-CHANNEL GAN-BASED HEMTS | 1 |
| <i>Nivedhita Venkatesan, Jeong-Sun Moon, Patrick Fay</i> | |
| COMPARISON ON SPECTRAL PURITY OF TWO SIGE D-BAND FREQUENCY OCTUPLERS IN MIMO RADAR MMICS..... | 5 |
| <i>Justin Romstadt, Hakan Papurcu, Ahmad Zaben, Steffen Hansen, Klaus Aufinger, Nils Pohl</i> | |
| GAN AND GAAS HEMT CHANNEL CURRENT MODEL FOR NONLINEAR MICROWAVE AND RF APPLICATIONS | 9 |
| <i>Anthony E. Parker</i> | |
| AN EXPERIMENTAL LOAD-PULL BASED LARGE-SIGNAL RF RELIABILITY STUDY OF SIGE HBTS..... | 17 |
| <i>C. Weimer, P. Sakalas, M. Muller, G. G. Fischer, M. Schroter</i> | |
| A 6-BIT 56-GSA/S DAC IN 55 NM SIGE BICMOS..... | 21 |
| <i>Bart Moeneclaey, Michiel Verplaetse, Hannes Ramon, Nishant Singh, Haolin Li, Joris Van Kerrebrouck, Xin Yin, Guy Torfs</i> | |
| MODULATOR TECHNOLOGIES FOR INTRA-DATACENTER OPTICAL INTERCONNECTS BEYOND 1TBPS..... | 25 |
| <i>Mohammad Sotoodeh, Ryohei Urata, Xiang Zhou, Lieven Verslegers, Hong Liu</i> | |
| THE FUTURE OF SIGE BICMOS: BIPOLAR AMPLIFIERS FOR HIGH-PERFORMANCE MILLIMETER-WAVE APPLICATIONS..... | 30 |
| <i>Peter Magnee, Domine Leenaerts, Mark Van Der Heijden, Thanh Viet Dinh, Ivan To, Ihor Brunets</i> | |
| FREQUENCY PERFORMANCE IMPROVEMENTS FOR SLCFET AMPLIFIER THROUGH DEVICE SCALING..... | 37 |
| <i>Shamima Afroz, Timothy Vasen, Brian Novak, Ken A. Nagamatsu, Patrick Shea, Sam Wanis, Robert S. Howell, Josephine Chang</i> | |
| CHARGE TRAPPING IN GAN POWER TRANSISTORS: CHALLENGES AND PERSPECTIVES..... | 41 |
| <i>Matteo Meneghini, Nicola Modolo, Arianna Nardo, Carlo De Santi, Andrea Minetto, Luca Sayadi, Christian Koller, Sebastien Sicre, Gerhard Prechtl, Gaudenzio Meneghesso, Enrico Zanoni</i> | |
| AN OVER 130-GHZ-BANDWIDTH INP-DHBT BASEBAND AMPLIFIER MODULE | 45 |
| <i>Teruo Jyo, Munehiko Nagatani, Miwa Mutoh, Yuta Shiratori, Hitoshi Wakita, Hiroyuki Takahashi</i> | |
| A SIMPLE AND EFFICIENT PROCEDURE FOR IDENTIFYING THE COMPRESSING STAGE IN TWO-STAGE AMPLIFIERS..... | 49 |
| <i>Anton N. Atanasov, Waqam H. R. A. Mukhtar Ahmad, Mark S. Oude Alink, Frank E. Van Vliet</i> | |
| AUGMENTED DRIFT-DIFFUSION TRANSPORT FOR THE SIMULATION OF ADVANCED SIGE HBTS..... | 53 |
| <i>M. Muller, M. Schroter, C. Jungemann, C. Weimer</i> | |

| | |
|--|-----|
| SILICON PHOTONICS PLATFORM FROM DATACOM TO SENSING APPLICATIONS | 57 |
| <i>Frederic Boeuf, Cyrille Barrera, Ismael Charlet, Michele. Calvo, Antonio Fincato, Stephane Monfray, Sylvain Guerber, Sebastien Cremer, Nathalie Vulliet, Jean-Francois Carpentier, Luca Maggi, Daivid Fowler, Christophe Jany, Patrick Le Maitre, Maurin Douix, Regis Orobtschouk, Delphine Marris-Morini, Laurent Vivien</i> | |
| HIGH-GAIN 500-GHZ INP HBT POWER AMPLIFIERS | 65 |
| <i>Jerome Cheron, Rob D. Jones, Richard A. Chamberlin, Dylan F. Williams, Miguel E. Urteaga, Kassiopeia A. Smith, Nicholas R. Jungwirth, Bryan T. L. Bosworth, Christian J. Long, Nathan D. Orloff, Peter H. Aaen, Ari D. Feldman</i> | |
| YIELD AND SCALING IMPROVEMENTS IN NEXT-GENERATION 2.5 THZ SLCFET DEVICES TO ENABLE ULTRA-WIDEBAND DC-110GHZ SWITCH MMICS..... | 69 |
| <i>Jerome T. Mlack, Nick Edwards, Brian Novak, Annaliese Drechsler, Jordan Merkel, Timothy Vasen, Daniel J. Hannan, Paul Brabant, Ishan Wathuthanthri, Justin Parke, Sam Wanis, Robert S. Howell, Ken A. Nagamatsu</i> | |
| THERMAL RESISTANCE FORMULATION AND ANALYSIS OF III-V FETS BASED ON DC ELECTRICAL DATA..... | 73 |
| <i>David E. Root, Jianjun Xu, Masaya Iwamoto</i> | |
| A 40GB/S LINEAR REDRIVER WITH MULTI-BAND EQUALIZATION IN 130NM SIGE BICMOS..... | 77 |
| <i>Tong Liu, Yuanming Zhu, Anil Korkmaz, Siamak Delshadpour, Samuel Palermo</i> | |
| EVALUATION OF STACKED-CNTFET STRUCTURES FOR HIGH-PERFORMANCE APPLICATIONS..... | 81 |
| <i>Boli Peng, Sven Mothes, Manojkumar Annamalai, Michael Schroter</i> | |
| REFERENCE-LESS BANG-BANG CDR WITH ENHANCED FREQUENCY ACQUISITION RANGE USING STATIC AND MODULATED INTEGRAL BRANCH OFFSET CURRENTS | 85 |
| <i>Mohammed Iftekhar, Sergiy Gudyriev, J. Christoph Scheytt</i> | |
| RF LDMOS TRANSISTOR PLASTIC IMMUNITY ENHANCEMENT IN POWER AMPLIFIER MODULE FOR 5G APPLICATIONS | 89 |
| <i>Vikas Shilimkar, Kevin Kim</i> | |
| A 3.5-GHZ 350-W BLACK-BOX DOHERTY AMPLIFIER DESIGN METHOD WITHOUT USING TRANSISTOR MODELS | 93 |
| <i>Noriaki Tawa, Paolo Enrico De Falco, Ohgami Kazuya, Taylor Barton, Tomoya Kaneko</i> | |
| PHYSICS BASED COMPACT MODEL FOR DRAIN CURRENT IN FIN-SHAPED GAN MIS-HEMTS | 97 |
| <i>Sruthi M P, Ajay Shanbhag, Anjan Chakravorty, Nandita Dasgupta, Amitava Dasgupta</i> | |
| 0.4- μ M INP/INGAAS DHBT WITH A 380-GHZ f_T , > 600-GHZ f_{MAX} AND $BV_{CE0} > 4.5$ V | 101 |
| <i>Nil Davy, Virginie Nodjiadjim, Muriel Riet, Colin Mismar, Marina Deng, Chhandak Mukherjee, Jeremie Renaudier, Cristell Maneux</i> | |
| 10W AND 30W, 32-37 GHZ, KA-BAND GAN MMIC POWER AMPLIFIERS ON SIC..... | 105 |
| <i>Michael Litchfield, Douglas Dugas</i> | |
| ANALOG 2:1 MULTIPLEXER WITH OVER 110 GHZ BANDWIDTH IN SIGE BICMOS TECHNOLOGY | 109 |
| <i>Tobias Tannert, Markus Grozing, Manfred Berroth, Christian Schmidt, Jung Han Choi, Christoph Caspar, Jonathan Schostak, Volker Jungnickel, Ronald Freund, Holger Rucker</i> | |

| | |
|--|-----|
| 135GHZ CMOS / LTCC MIMO RECEIVER ARRAY TILE MODULES | 113 |
| <i>Ali A. Farid, A. S. H. Ahmed, A Dhananjay, Panagiotis Skrimponis, Sundeep Rangan, Mark Rodwell</i> | |
| ACTIVE CONDUCTED EMI SUPPRESSION IN GAN SWITCHING POWER CIRCUITS..... | 117 |
| <i>D. Brian Ma, Dong Yan, Lixiong Du</i> | |
| ADVANCES IN TERAHERTZ CMOS FOR 6G | 123 |
| <i>Minoru Fujishima</i> | |
| ELECTRO-THERMAL LIMITATIONS AND DEVICE DEGRADATION OF SIGE HBTS WITH EMPHASIS ON CIRCUIT PERFORMANCE | 127 |
| <i>Sebastien Fregonese, Chhandak Mukherjee, Holger Rucker, Pascal Chevalier, Gerhard Fischer, Didier Celi, Marina Deng, Marine Couret, Francois Marc, Cristell Maneux, Thomas Zimmer</i> | |
| A SINGLE-CHIP 25.3–28.0 GHZ SIGE BICMOS PLL WITH -134 DBC/HZ PHASE NOISE AT 10 MHZ OFFSET AND -96 DBC REFERENCE SPURS | 134 |
| <i>Mark D. Hickie, Kevin Grout, Curtis Grens, Gregory Flewelling, Steven Eugene Turner</i> | |
| COMPARISON OF TRANSPORT PROPERTIES IN ENHANCEMENT-MODE GAN HEMT STRUCTURES USING AN ADVANCED MODELING FRAMEWORK | 138 |
| <i>Ivan Berdalovic, Mirko Poljak, Tomislav Suligoj</i> | |
| COMPACT DESIGN OF PASSIVE NETWORKS IN RF AND MILLIMETER-WAVE INTEGRATED CIRCUITS (INVITED)..... | 142 |
| <i>Xuanyi Dong, Andreas Weisshaar</i> | |
| A S/C/X/KU-BAND, 4-TAP, DIGITALLY CONTROLLABLE ANALOG FIR FILTER WITH RECONFIGURABLE BANDWIDTH AND RF FILTERING PROFILE..... | 146 |
| <i>Moon-Kyu Cho, Ickhyun Song, Nelson E. Lourenco, Adilson S. Cardoso, Christopher T. Coen, William B. Hunter, Douglas R. Denison, John D. Cressler</i> | |
| SILICON PHOTONIC MACH-ZEHNDER MODULATOR DRIVER FOR 800+GB/S OPTICAL LINKS | 150 |
| <i>Tie Sun, John Rogers, Mike Rogers, Ian Dedic, Mahdi Parvizi, Ying Zhao, Li Chen, Long Chen, Ricardo Aroca</i> | |
| DYNAMIC BEHAVIOR OF BREAKDOWN MECHANISMS IN SIGE HBTS | 155 |
| <i>Harrison P. Lee, Jeffrey W. Teng, Nelson Sepulveda-Ramos, John D. Cressler</i> | |
| INP DHBT CHARACTERIZATION UP TO 500 GHZ AND COMPACT MODEL VALIDATION TOWARDS THZ CIRCUIT DESIGN | 159 |
| <i>Marina Deng, Chhandak Mukherjee, Nil Davy, Virginie Nodjiadjim, Muriel Riet, Colin Mismar, Jeremie Renaudier, Magali De Matos, Cristell Maneux</i> | |
| POTENTIAL OF HIGH-VOLTAGE SINGLE-EMITTER RESURF HORIZONTAL CURRENT BIPOLAR TRANSISTOR FOR RF CIRCUITS..... | 163 |
| <i>Josip Zilak, Zeljko Osrecki, Marko Koricic, Filip Bogdanovic, Tomislav Suligoj</i> | |
| FROM TRANSISTOR PARAMETERS TO PA CIRCUIT PERFORMANCE (INVITED)..... | 167 |
| <i>Peter J. Zampardi</i> | |
| ADVANCES IN FOUNDRY SIGE HBT BICMOS PROCESSES THROUGH MODELING AND DEVICE SCALING FOR ULTRA-HIGH SPEED APPLICATIONS..... | 174 |
| <i>S. Phillips, E. Preisler, J. Zheng, S. Chaudhry, M. Racanelli, M. Muller, M. Schroter, W. McArthur, D. Howard</i> | |

| | |
|--|-----|
| PHYSICS OF HOT CARRIER DEGRADATION UNDER OFF-STATE MODE OPERATION IN HIGH PERFORMANCE NPN SIGE HBTS..... | 179 |
| <i>Dimitris P. Ioannou, Uppili S. Raghunathan, Dave Brochu, Adam Divergilio, Vibhor Jain, John J. Pekarik</i> | |
| 100-300GHZ WIRELESS: ICS, ARRAYS, AND SYSTEMS | 183 |
| <i>M. J. W. Rodwell, Ali A. Farid, A. S. H. Ahmed, M. Seo, U. Soyly, A. Alizadeh, N. Hosseinzadeh</i> | |
| ANALYSIS OF THE FACTORS LIMITING THE RF BREAKDOWN VOLTAGE IN SIGE HBTS FOR WI-FI PA APPLICATIONS..... | 187 |
| <i>Ajay Raman, Vibhor Jain, Elanchezhian Veeramani, Beng Woon Lim, Uppili S. Raghunathan, Yves Ngu, Alvin Joseph</i> | |
| OPTIMIZED BUFFER STACK WITH CARBON-DOPING FOR PERFORMANCE IMPROVEMENT OF GAN HEMTS..... | 191 |
| <i>Ajay Shanbhag, Sruthi M P, Farid Medjdoub, Anjan Chakravorty, Nandita Dasgupta, Amitava Dasgupta</i> | |
| 22FDSOI DEVICE TOWARDS RF AND MMWAVE APPLICATIONS..... | 195 |
| <i>Zhixing Zhao, Steffen Lehmann, Wei Lun Oo, Amit Kumar Sahoo, Shafi Syed, Quang Huy Le, Dang Khoa Huynh, Talha Chohan, Dirk Utess, Dominik Kleimaier, Maciej Wiatr, Sabine Kolodinski, Jerome Mazurier, Jan Hoentschel, Andreas Knorr, Ned Cahoon, Stefan Kneitz</i> | |
| ELECTRO-THERMAL AND TRAPPING CHARACTERIZATION OF ALGAN/GAN RF POWER HEMTS | 201 |
| <i>Jose Pedro, João Gomes, Luis Nunes</i> | |
| A SIMPLE TECHNIQUE TO ESTIMATE SURFACE TRAPS FROM DC TRANSFER CHARACTERISTICS OF GAN-BASED HEMT | 207 |
| <i>Sujan Sarkar, Ramdas P. Khade, Nandita Dasgupta, Amitava Dasgupta</i> | |
| OPPORTUNITIES FOR MILLEMMETER-WAVE WIRELESS TECHNOLOGIES USING METASURFACES | 211 |
| <i>Andrea Alù</i> | |
| A 268-325 GHZ 5.2 DBM PSAT FREQUENCY DOUBLER USING TRANSFORMER-BASED MODE SEPARATION IN SIGE BICMOS TECHNOLOGY | 215 |
| <i>Sascha Breun, Albert-Marcel Schrotz, Marco Dietz, Vadim Issakov, Robert Weigel</i> | |
| A NOVEL METHOD TO DETERMINE TRANSISTOR GEOMETRY FOR PA DESIGN..... | 219 |
| <i>Yingying Yang, Bin Li, Brian Johnson, Hal Banbrook</i> | |
| AN 8.2-PJ/BIT, 56 GB/S TRAVELING-WAVE MODULATOR DRIVER WITH LARGE REVERSE TERMINATIONS | 223 |
| <i>Hector Andrade, Aaron Maharry, Luis Valenzuela, Navid Hosseinzadeh, Clint Schow, James Buckwalter</i> | |
| HIGH-SPEED TLP AND ESD CHARACTERIZATION OF ICS | 227 |
| <i>Kathleen Muhonen, Evan Grund, Robert Ashton</i> | |
| A MULTI-MODE LINEAR OPTICAL MODULATOR DRIVER CIRCUIT IN 130 NM SIGE BICMOS TECHNOLOGY | 233 |
| <i>Adel Fatemi, Gerhard Kahmen, Andrea Malignaggi</i> | |

| | |
|---|-----|
| ANALOG DEMULTIPLEXER OPERATING AT UP TO 200 GS/S USING FOUR TIME INTERLEAVED SWITCHED EMITTER FOLLOWERS WITH A 50% DUTY CYCLE CLOCK..... | 237 |
| <i>Philipp Thomas, Markus Grozing, Manfred Berroth</i> | |
| A 2-STAGE C-BAND 130W GAN MMIC POWER AMPLIFIER IN AN OVERMOLD QFN PACKAGE..... | 241 |
| <i>Bo Zhao, Chris Sanabria, Terry Hon</i> | |
| DESIGN, MODELLING AND CHARACTERIZATION OF A 3-VPPD 90-GBAUD OVER-110- GHZ-BANDWIDTH LINEAR DRIVER IN 0.5- μ M INP DHBTS FOR OPTICAL COMMUNICATIONS | 245 |
| <i>R. Hersent, Tom K. Johansen, V. Nodjiadjim, F. Jorge, B. Duval, F. Blache, M. Riet, C. Mismer, A. Konczykowska</i> | |
| SIGE HBTS WITH $F_T/F_{MAX} \sim 375/510$ GHZ INTEGRATED IN 45NM PDSOI CMOS..... | 249 |
| <i>John Pekarik, Vibhor Jain, Crystal Kenney, Judson Holt, Shweta Khokale, Sudesh Saroop, Jeffrey B. Johnson, Kenneth Stein, Viorel Ontalus, Christopher Durcan, Mona Nafari, Tayel Nesheiwat, Sangameshwar Saudari, Elahe Yarmoghaddam, Saloni Chaurasia, Alvin Joseph</i> | |
| A 10-130 GHZ DISTRIBUTED POWER AMPLIFIER ACHIEVING 2.6 THZ GBW WITH PEAK 13.1 DBM OUTPUT P1DB FOR ULTRA-WIDEBAND APPLICATIONS IN 90NM SIGE HBT TECHNOLOGY | 253 |
| <i>Oguz Kazan, Gabriel M. Rebeiz</i> | |

Author Index