

26th International Conference and Exhibition on Electricity Distribution (CIRED 2021)

IET Conference Publications 785

Online
20 - 23 September 2021

Volume 1 of 5

ISBN: 978-1-7138-4411-2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2021) by the Institution of Engineering and Technology
All rights reserved.

Printed with permission by Curran Associates, Inc. (2022)

For permission requests, please contact the Institution of Engineering and Technology
at the address below.

Institution of Engineering and Technology
P. O. Box 96
Stevenage, Hertfordshire
U.K. SG1 2SD

Phone: 01-441-438-767-328-328
Fax: 01-441-438-767-328-375

www.theiet.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

| | |
|--|----|
| A COST-BENEFIT ANALYSIS OF LARGE-SCALE BATTERY ENERGY STORAGE SYSTEMS FOR FREQUENCY MARKETS | 1 |
| <i>S. Motta, M. Aro, C. Evens, A. Hentunen, J. Ikäheimo</i> | |
| IMPACT OF THE SELECTION OF GRID-FORMING CONVERTERS ON THE STABLE OPERATION OF MEDIUM VOLTAGE TEMPORARY ISLANDED MICROGRIDS | 6 |
| <i>A. Winkens, D. Willenberg, P. Linnartz, S. Simon</i> | |
| METHODOLOGY TO IDENTIFY NON-TECHNICAL LOSSES IN RURAL GRIDS USING ARTIFICIAL NEURAL NETWORKS AND DEEP LEARNING..... | 11 |
| <i>V. G. Vieira, D. P. Bernardon, M. Heink, R. M. De Figueiredo, M. Evaldt, V. Uberti, A. Abaide, L. D. Chiara, J. A. Silva</i> | |
| MULTI CRITERIA OPTIMISATION IN AUTOMATED MEDIUM VOLTAGE NETWORK PLANNING..... | 16 |
| <i>L. Tesch, L. Ruck, M. Schollmeyer</i> | |
| DYNAMIC IMPLEMENTATION OF HARMONIC BEHAVIOUR FOR POWER HARDWARE-IN-THE-LOOP REAL-TIME SIMULATIONS..... | 21 |
| <i>S. Hubschneider, L. Held, P. Wolf, M. Suriyah, T. Leibfried</i> | |
| IMPACT OF HIGH PENETRATION OF BATTERY ELECTRIC VEHICLES ON POWER QUALITY IN CENTRAL AND DISTRIBUTED CHARGING INFRASTRUCTURE | 26 |
| <i>F. Möller, J. Meyer, M. Klatt, C. Lakenbrink, P. Vasile, R. Holder</i> | |
| ADVANTAGES OF INTEGRAL REMOTE ACCESS MANAGEMENT IN SMART SECONDARY SUBSTATIONS IN TERMS OF COSTS, RELIABILITY AND PERSONNEL (E.G. COVID-19)..... | 31 |
| <i>F. Thasler, J. A. Valparis, D. V. Niet, Sánchez Ruiz</i> | |
| EXPERIENCES FROM IMPLEMENTATION AND OPERATION OF A DISTRIBUTION NETWORK AND ELECTRICITY MARKETS INTEGRATED BATTERY ENERGY STORAGE SYSTEM | 35 |
| <i>T. Hakala, T. Kaipia, I. Alaperä</i> | |
| ENEDIS IOT SMART GRID SOLUTIONS FOR MORE EFFICIENCY..... | 40 |
| <i>L. Karsenti, R. Khellou</i> | |
| FORESIGHT – LV NETWORK VISIBILITY AND FAULT RECOGNITION..... | 45 |
| <i>D. Roberts, R. Kelly, M. A. Marshall, M. I. Lees, C. J. Lowsley</i> | |
| DISTRIBUTED ENERGY RESOURCE BENCHMARK MODELS FOR DISTRIBUTION IMPACT ASSESSMENT - UPDATE OF ACTIVITIES BY CIGRE WORKING GROUP C6.36..... | 50 |
| <i>J. Peppanen, J. Taylor, D. Fonseca, J. Snodgrass, S. Chen, T. I. Strasser</i> | |
| APPLICATION OF A NOVEL COST-EFFECTIVE EARTHING DESIGN SOLUTION FOR SWITCHING STATIONS WITH HIGH SHORT-CIRCUIT POWER, USING AN INTEGRATED METHODOLOGY | 55 |
| <i>C. Cardoso, A. Leiria, C. Oliveira, T. Vasconcelos</i> | |

| | |
|---|-----|
| WOULD SELF-HEALING BE ECONOMICALLY JUSTIFIABLE ON LV NETWORKS? | 60 |
| <i>J. M. Santos, J. J. Carreira, C. Gouveia, A. G. Madureira, T. Penedos, R. Prata, F. Lourenço</i> | |
| E-REDES DIGITAL ROADMAP TO FOSTER DIGITAL CUSTOMERS' EXPERIENCE AND DIGITAL TRANSFORMATION | 65 |
| <i>M. Queiroz, R. Simão, J. Pereira, A. Costa, L. Fonseca, P. Mateus, P. Perloiro, P. Pena, J. Domingues, T. Mangericao, I. Graça</i> | |
| IMPROVING POWER QUALITY THROUGH THE ANALYSIS OF SMART METER DATA | 70 |
| <i>C. Marques, A. Delfino, Calçada, Almeida, I. Graça, M. Nogueira</i> | |
| APPLYING CNAIM TO OTHER COUNTRIES – EXAMPLE DENMARK | 75 |
| <i>F. Jenrich, C. Lund</i> | |
| HARMONIC RISK ESTIMATION ON LV NETWORKS BY MACHINE LEARNING..... | 79 |
| <i>Couronné, K. Lorenzo, R. Laguilliez, P. Cochet</i> | |
| AUTOMATIC IDENTIFICATION OF CORRELATIONS IN LARGE AMOUNTS OF POWER QUALITY DATA FROM LONG-TERM MEASUREMENT CAMPAIGNS | 84 |
| <i>M. Domagk, J. Meyer, T. Wang, D. Feng, W. Huang</i> | |
| NEW INTERHARMONIC SUBGROUP DEFINITIONS FOR QUANTIFYING AND LIMITING DISTORTION IN DISTRIBUTION NETWORKS | 89 |
| <i>J. Drapela, M. Halpin, R. Langella, J. Meyer, D. Mueller, H. Sharma, A. Testa, N. R. Watson, D. Zech</i> | |
| LOSS-OF-MAINS DETECTION IN A HOUSEHOLD PV INVERTER: TEST OF THE EFFECT OF ACTIVE AND REACTIVE POWER BALANCE | 94 |
| <i>J. I. P. Clavijo, P. J. Douglass, K. Heussen, A. M. Prostekovsky</i> | |
| ADVANCED-DMS TOOLBOX FOR THE OPTIMISATION OF THE REAL-TIME GRID OPERATION | 99 |
| <i>L. Lemius</i> | |
| TOWARDS THE EXPLICIT DYNAMIC MODELING OF DISTRIBUTION GRIDS IN THE TIME-DOMAIN | 104 |
| <i>F. Gielnik, F. Mueller, S. De Jongh, M. Pfeifer, M. Suriyah, S. Hohmann, T. Leibfried</i> | |
| DSO AS A KEY FACILITATOR OF THE ENERGY SHARING AND SELF-CONSUMPTION REVOLUTION | 109 |
| <i>E. Francisco, G. Faria, F. Matos, T. Simão, P. G. Matos, R. Bernardo, A. Soares</i> | |
| INJECTION VISIBILITY & FORECAST | 114 |
| <i>J. Domingos, B. Galhardo</i> | |
| NEW BUSINESS MODELS AT DISTRIBUTION GRIDS: A STAKEHOLDER CONSULTATION | 118 |
| <i>L. Lind, C. Valor, R. Cossent, V. Labajo, C. Escudero</i> | |
| SCREENING CRITERIA AND METHODS TO AID THE INTEGRATION OF NON-WIRES ALTERNATIVES IN DISTRIBUTION PLANNING..... | 123 |
| <i>J. Peppanen, A. O'Connell, J. Taylor</i> | |
| IMPACT OF DYNAMIC WIND POWER FEED-IN ON THE STORAGE CAPACITY OF THE GERMAN GAS TRANSMISSION GRID..... | 128 |
| <i>F. Mueller, S. De Jongh, X. Mu, L. Held, M. Suriyah, T. Leibfried</i> | |

| | |
|--|-----|
| DEVELOPMENT OF A FLEXIBILITY SERVICE MECHANISM FOR THE DETERMINATION AND EXPLOITATION OF FLEXIBILITY IN ACTIVE DISTRIBUTION NETWORK THROUGH PARALLELIZED OPTIMAL POWER FLOW CALCULATIONS | 133 |
| <i>A. Singh, A. Kubis, S. Leksawat, S. Talpur</i> | |
| A STUDY ON DIAGNOSIS OF PARTIAL DISCHARGE OF UNDERGROUND CABLES USING DEEP LEARNING DIAGNOSTIC MODEL | 138 |
| <i>J. Lee, H. Yang, M. Jun, G. Lee</i> | |
| USING ARTIFICIAL INTELLIGENCE TO PREVENT DISTRIBUTION NETWORKS' ACCIDENTS..... | 143 |
| <i>A. A. Kucheravenkov</i> | |
| A COMPREHENSIVE APPROACH TO THE PREDICTIVE MAINTENANCE OF SECONDARY DISTRIBUTION SUBSTATIONS: DEVICES AND METHODS | 148 |
| <i>J. R. C. Faria, M. Cordeiro, J. E. G. Oliveira, F. J. A. Cardoso</i> | |
| ONLINE MONITORING OF POWER TRANSFORMERS TO IMPROVE THEIR OPERATING AND MAINTENANCE MODEL | 153 |
| <i>M. Zouiti, O. Bonnard, R. Desquiens, M. Cuevas, D. Bortolotti</i> | |
| PHYSICAL AND ELECTRICAL INTEROPERABILITY FOR SAS IEDS – A PRACTICAL IMPLEMENTATION | 157 |
| <i>G. Silva, M. Marques, E. Abrantes, C. Fortunato, A. Pereira, L. Pires, J. Gonçalves</i> | |
| OPERATION PRINCIPLES FOR TEMPORARY ISLANDED MICROGRIDS CONSIDERING FAIRNESS OF SUPPLY | 162 |
| <i>T. Offergeld, D. Willenberg, P. Linnartz</i> | |
| GRID INTEGRATION OF RENEWABLE ENERGY POWER PLANTS ACCORDING TO THE PORTUGUESE REGULATION | 167 |
| <i>B. Capelo, A. Leiria</i> | |
| POWER FEEDING EQUIPMENT FOR THE CONDITION MONITORING OF INSULATORS FOR OVERHEAD POWER LINES | 172 |
| <i>J. R. C. Faria, A. Aparício, N. Casaleiro, F. J. A. Cardoso</i> | |
| PRESSURE VESSELS FOR SF6-FREE MEDIUM VOLTAGE GIS..... | 176 |
| <i>F. Stöhling, P. Kostaras</i> | |
| OPTIMISED REACTIVE POWER DISPATCH TO INCREASE NETWORK'S ELECTRIC VEHICLE HOSTING CAPACITY..... | 180 |
| <i>G. McCormick, D. Mills, Y. Mavrocostanti</i> | |
| TESTING IEC 61850 IN MULTI-VENDOR SUBSTATION AUTOMATION SYSTEM | 185 |
| <i>G. Silva, M. C. Marques, P. Dias, H. Melo, C. Fortunato, A. Pereira, H. Barbosa, E. Abrantes</i> | |
| INGENIOUS ABRASIVE-STRENGTH TESTS ENSURE E-REDES LOW VOLTAGE OVERHEAD LINE INSULATED CABLES RESILIENCE..... | 191 |
| <i>C. M. F. Gaspar, P. J. G. Carreira, J. M. G. M. Santos, C. F. A. Varandas, M. S. S. Alves, D. F. A. F. Pinto</i> | |
| MULTI-AGENT SIMULATION OF HUMAN ACTIVITY FOR RESIDENTIAL ELECTRICAL LOAD AND DEMAND FORECASTING AND ITS APPLICATION TO ELECTRIC MOBILITY | 196 |
| <i>Q. Reynaud, M. Schumann, F. Sempé, Y. Haradji, N. Sabouret</i> | |

| | |
|---|-----|
| TECHNO-ECONOMIC VALUE OF DERMS FOR FLEXIBLE INTERCONNECTION OF SOLAR PHOTOVOLTAICS | 201 |
| <i>J. Peppanen, S. Coley, J. Deboever, A. Renjit</i> | |
| NEW METHOD FOR MEASURING THE EARTHFAULT-DISTANCE IN COMPENSATED AND ISOLATED NETWORKS..... | 206 |
| <i>G. Druml, P. Stachel, S. Gebhard, W. Leitner, O. Skrbinjek, G. Achleitner, U. Schmidt, P. Schegner</i> | |
| RETROFIT OF OUTDOOR MEDIUM VOLTAGE CIRCUIT BREAKER WITH ECO-FRIENDLY GAS TO REPLACE SF6..... | 210 |
| <i>M. Michelarakis, G. Gulics, E. Bailey, S. Lane, R. Montano, A. M. Haddad</i> | |
| OPTIMIZED OPERATION OF LOCAL ENERGY COMMUNITY WITH FLEXIBLE ENERGY RESOURCES PROVIDING LOCAL AND SYSTEM-WIDE FLEXIBILITY SERVICES FOR DSO AND TSO NEEDS | 215 |
| <i>H. Firooz, H. Khajeh, H. Laaksonen</i> | |
| OVERVIEW OF STANDARDS DEVELOPMENT WITHIN THE POWER QUALITY SUBCOMMITTEE OF THE IEEE POWER & ENERGY SOCIETY | 220 |
| <i>D. Sabin, M. Norwalk, K. Kittredge, S. Johnston</i> | |
| PLANNING OF LOW VOLTAGE AC/DC MICROGRID FOR UN-ELECTRIFIED AREAS | 225 |
| <i>K. Khon, V. Vai, M.-C. Alvarez-Herault, L. Bun, B. Raison</i> | |
| TEMPERATURE RISE SIMULATION MODEL OF RMU WITH SWITCHFUSE COMBINATIONS FOR FUTURE LOAD PROFILES | 230 |
| <i>I. Ouerdani, Y. Tits, M. Arens, R. De Smedt, W. De Maesschalck, S. Cartuyvels, P. Thiry, M. Van Den Berg</i> | |
| NEW KNOWLEDGE OF THE EXTINGUISHING OF THE FREELY BURNING ARC IN COMPENSATED AND ISOLATED NETWORKS | 235 |
| <i>G. Druml, W. Leitner, R. Steinbichler, A. Abart, O. Skrbinjek, P. Zeller, M. Schöffer, P. Schegner</i> | |
| PROVISION AND VALUE OF FLEXIBILITY FOR REDUCING FINANCIAL RISKS CAUSED BY PROGNOSIS UNCERTAINTIES | 240 |
| <i>W. Renz, J. Backes, M. Schlageter</i> | |
| ACHIEVING ACTIVE DISTRIBUTION NETWORKS THROUGH OPERATIONAL AND ARCHITECTURAL ASPECTS ANALYSIS: A METHODOLOGY FOR LONG-TERM PLANNING..... | 245 |
| <i>D. U. Ziegler, G. Prettico, C. Mateo, T. G. San Román</i> | |
| THE CUSTOMER AT THE CENTRE OF EVERYTHING E-REDES DOES..... | 251 |
| <i>M. Queiroz, S. Macedo, J. Pereira, H. Maio, I. Graça, J. Nogueira, I. Sousa, T. Perloiro, A. Rodrigues</i> | |
| DEVELOPING NEW SMART SERVICES IN BUILDINGS FOR DEMAND SIDE MANAGEMENT IN THE MUNICIPALITY OF SION, SWITZERLAND | 256 |
| <i>Y. Sidqi, F. Zimmermann, Y. Rausis, G. Dubuis, P. Ferrez, D. Gabioud, J. Mastelic, P. Roduit</i> | |
| IMPLEMENTING THE CLEAN ENERGY PACKAGE: BEST PRACTICES IN OVERCOMING BARRIERS | 261 |
| <i>A. Z. Morsch, C. Papadimitriou, V. Efthymiou, A. Mutule, K. Berg</i> | |

| | |
|---|-----|
| IMPLEMENTATION OF SELF-CONSUMPTION AND ENERGY COMMUNITIES IN AUSTRIA'S AND EU MEMBER STATES' NATIONAL LAW: A PERSPECTIVE ON SYSTEM INTEGRATION AND GRID TARIFFS..... | 266 |
| <i>S. Cejka, D. Frieden, D. Kitzmüller</i> | |
| SCENARIOS FOR THE FUTURE ELECTRICITY DISTRIBUTION GRID | 271 |
| <i>G. Kjølle, K. Sand, E. Gramme</i> | |
| AN ENEL-ABB COLLABORATION TO DEVELOP ECO-EFFICIENT PUFFER-TYPE LOAD BREAK SWITCHES FOR MEDIUM VOLTAGE APPLICATIONS: PILOT PROJECT | 276 |
| <i>E. Attar, M. Saxegaard, M. Kristoffersen, M. K. Weldeab, M. Bartolucci, B. Toscano, M. Mazzotti, R. Kurz, J. Owens</i> | |
| NEXTSTEP – DEVELOPING FUTURE SMART SECONDARY SUBSTATIONS..... | 281 |
| <i>P. J. G. Carreira, J. M. G. M. Santos, L. Pires, V. G. M. Ferreira, L. Almeno, S. Pinheiro, E. Neves, L. Azevedo, N. Costa, F. Gomes, C. Gouveia, E. Zanghi, J. Pereira, N. Simões, A. Tadeu, A. Coimbra, J. Oliveira, A. Aparício</i> | |
| BD4OPEM H2020 PROJECT. THE 4+1 VIEW MODEL OF SOFTWARE ARCHITECTURE FOR ENABLING AI-BASED SERVICES IN DISTRIBUTION GRIDS..... | 286 |
| <i>L. Gallego, J. Valino, P. Lloret-Gallego, M. Aragues-Penalba, A. Gonzalez, L. Richaud, D. Gabrijelcic, A. Eytan, V. Gentile, I. Kokos</i> | |
| METHODS FOR STUDYING THE STEERING EFFECTS OF SUPPLY REGULATION | 291 |
| <i>J. Seppälä, J. Kari, A. Mutanen, P. Järventausta</i> | |
| INNOVATIVE TOOLS ACCOMPLISHED WITH NP EN ISO 9001 TO RETAIN TECHNICAL SPECIFICATION AND QUALIFICATION KNOWLEDGE..... | 296 |
| <i>P. J. G. Carreira, L. Pires, J. M. Santos, J. Gonçalves, R. Bandeirinha</i> | |
| MESHED OPERATION OF MV NETWORKS USING INTELLIGENT RMU AND INNOVATIVE FAULT LOCATION | 301 |
| <i>F. Provoost, D. Harmsen, S. Lamboo</i> | |
| LOAD ESTIMATION TO THE PLANNING FOR ELECTRIC VEHICLE PUBLIC CHARGING STATIONS IN URBAN ZONES USING SPATIAL ANALYSIS AND TRAFFIC SIMULATIONS | 306 |
| <i>J. C. Lopes, F. J. Faustino, J. D. M. Trujillo, T. Sousa, A. Padilha-Fetrin, J. A. S. Brito, C. O. Garcia</i> | |
| THERMAL MANAGEMENT OF MV GIS FILLED WITH PURE AIR | 311 |
| <i>J. Snajdr, R. Summer</i> | |
| IDENTIFYING CHALLENGES WITH ADN FOR A SWEDISH DSO: PREPARATION FOR DEVELOPING TECHNICAL SPECIFICATION OF ACTIVE SECONDARY DISTRIBUTION SUBSTATIONS | 315 |
| <i>Y. Wu, F. Stelea, C. Korssell, A. Johnsson</i> | |
| VALUE OF CUSTOMER FLEXIBILITY REGARDING RELIABILITY OF SUPPLY IN THE RURAL AREA ELECTRICITY DISTRIBUTION | 320 |
| <i>J. Lassila, J. Haapaniemi, J. Haakana, J. Partanen, J. Pylvändäinen</i> | |
| CONSIDERATIONS ON COMMUNICATING WITH DECENTRALIZED PROSUMER APPLICATIONS THROUGH HOME AREA NETWORK AND WIDE AREA NETWORK | 325 |
| <i>F. Ebe, S. Chen, C. Kondzialka, H. Lorenz, J. Morris, M. Baatar, S. Müller, C. Gross, D. E. Langer, G. Heilscher, O. Bringmann, K. Rogg</i> | |

| | |
|--|-----|
| FAST PARALLEL QUASI-STATIC TIME SERIES SIMULATOR FOR ACTIVE DISTRIBUTION GRID OPERATION WITH PANDAPOWER..... | 330 |
| <i>Z. Wang, Z. Liu, M. Kraiczy, N. Bornhorst, S. Wende-Von Berg, M. Braun</i> | |
| ENHANCED MACHINE LEARNING METHODS FOR NONLINEAR HARMONIC SOURCE MODELLING | 335 |
| <i>A. Dada, E. Labouré, M. Bensetti, X. Yang, F. Couronné, M. Caujolle</i> | |
| FEEDER MAPPING AND LOAD FLOW ALGORITHMS FOR LV DISTRIBUTION GRIDS | 341 |
| <i>L. Del Rio Etayo, P. Mulroy, I. G. Ribote, I. L. Ojanguren, A. Ulasenka, E. Arroyo, A. Goikoetxea, A. Alacano, B. Alberdi</i> | |
| UTILITIES CONCERNS ABOUT ALTERNATIVE TO SF6..... | 346 |
| <i>A. Jeanmaire, F. Maciela, L. Paulhiac, O. Porteboeuf, S. Drame</i> | |
| MODELLING AND CONTROL OF THE LOW VOLTAGE NETWORK WITH SMART- METERS TO IMPROVE THE RELIABILITY OF SUPPLY IN BURKINA FASO, THE AFRICIT-E PROJECT..... | 350 |
| <i>L. Bollinger, R. Amoroso, L. Richaud, M. Clémence, Y. Mouchel, S. Sierras, D. Sermé, C. Bayanma</i> | |
| IMPACT OF THE INTERACTION OF SYNCHRONOUS MACHINES AND VIRTUAL INERTIA PROVISIONS ON THE SMALL SIGNAL STABILITY OF MICROGRIDS..... | 355 |
| <i>L. Subramanian, M. Goundiam, V. Debusschere, H. B. Gooi, R. Caire, N. Hadjsaid</i> | |
| COMPREHENSIVE LARGE-SCALE DISTRIBUTION TEST NETWORKS | 360 |
| <i>H. Esmaelian, M. Mahmoodabadi, A. Mahdavinia</i> | |
| APPLICATION OF ADVANCED CURRENT MEASUREMENT CONDITION MONITORING METHOD WITH CENTRALIZED PROTECTION AND CONTROL SOLUTION | 365 |
| <i>J. Valtari</i> | |
| A COMPREHENSIVE REVENUE OPTIMISATION MODEL FOR DSOS | 369 |
| <i>R. Schubert, M. Zdrallek</i> | |
| TECHNOLOGY ASSESSMENT FOR FLEXIBILITY SERVICES IN DISTRIBUTION SYSTEMS: NIE NETWORKS CASE STUDY | 374 |
| <i>A. Aithal, R. Burns, C. Bradley</i> | |
| APPLICATION OF EMERGING LPWAN TECHNOLOGIES IN CONDITION MONITORING..... | 379 |
| <i>P. Frezzi, C. Zumbrunn, D. Blättler, L. Küng</i> | |
| SHORT-TERM LOAD FORECASTING USING ARTIFICIAL NEURAL NETWORKS AND SOCIAL MEDIA DATA | 384 |
| <i>A. Boyd, H. Sun, M. Black, S. Jesson</i> | |
| EARTH RESISTIVITY TOMOGRAPHY FOR EARTHING SYSTEM DESIGN | 389 |
| <i>B. Jauk, K. Friedl, K. Schürhuber</i> | |
| THE PAST, PRESENT AND FUTURE ROLE OF AUTOMATION IN THE ELECTRICITY GRID – A PORTUGUESE PERSPECTIVE..... | 394 |
| <i>X. Gonçalves, P. Miguel, L. Neves, F. Ramalheira, J. Rosa, B. O. Santos</i> | |
| SYSTEM MODELING AND FAULT STUDIES IN DATA CENTER POWER DISTRIBUTION | 399 |
| <i>H. Suryanarayana, L. Qi, Y. Zhang, T. Jiang, S. Colombi, H. Handlin</i> | |

| | |
|--|-----|
| A BOTTOM-UP APPROACH FOR DISTRICT-LEVEL DOMESTIC ENERGY DEMAND FORECASTING | 404 |
| <i>A. Amin, M. Mourshed</i> | |
| WORKFLOWFOR TRAINING AND SERVING DEEP LEARNING MODELS FOR IMAGE CLASSIFICATION AND OBJECT DETECTION - APPLICATION TO FAULT DETECTION ON ELECTRIC POLES | 409 |
| <i>C. Coello, R. Sanchez, S. De Lange, J. Halvorsen, M. Bertani-økland, V. Myrvang, S. Heitmann</i> | |
| PHOTOVOLTAIC-BASED STORAGE-LESS SYSTEM TO SUPPORT ISLANDING IN DISTRIBUTION GRIDS | 414 |
| <i>C. Utrilla, V. Debusschere, H. D. Tafti, G. Farivar, J. Pou, N. Hadjsaid</i> | |
| OUTDOOR, 3D WOUND CORE, VPI TRANSFORMER | 419 |
| <i>K. Xu, Q. Liang, K. Lee</i> | |
| DETERMINATION OF POSITIVE- AND ZERO-SEQUENCE COMPONENTS OF LINE SECTIONS IN LOW-VOLTAGE NETWORKS USING IMPEDANCE MEASUREMENTS | 424 |
| <i>J. Przibylla, M. L. Golobart, G.-L. Di Modica, C. Biedermann, R. Witzmann</i> | |
| MULTI-ENERGY SYSTEMS IN GREEN AIRPORTS | 429 |
| <i>Y. Tian, X. Zhang, N. Balta-Ozkan</i> | |
| ADVANCED DESIGN OF HEAT ACCUMULATION RESPONSIVE DEMAND CONTROL FOR ENERGY MANAGEMENT OF PROSUMERS..... | 434 |
| <i>J. Klusacek, M. Vrana, J. Drapela, J. Moravek, P. Mastny</i> | |
| SYSTEM RESTORATION STRATEGIES USING DISTRIBUTED ENERGY RESOURCES..... | 439 |
| <i>D. Chakravorty, D. Gutschow, X. Zhang, N. Miller, D. Auty</i> | |
| ELECTRIC VEHICLE CAR PARK CHARGING SIMULTANEITY AND GRID CONNECTION POWER REQUIREMENT ANALYSIS..... | 444 |
| <i>D. Stahleder, S. Übermasser, D. Reihs, S. Ledinger, S. Lehfuss</i> | |
| INCREASING THE VISIBILITY OF LOW VOLTAGE NETWORKS THROUGH DATA ANALYTICS | 449 |
| <i>R. M. Rubi, J. Pérez-Olvera, A. Junyent-Ferré</i> | |
| RESOURCE ADEQUACY METHODOLOGIES – FUTURE FLEXIBILITY OPTIONS ADDED TO AUSTRIA'S GENERATION FLEET AND ITS IMPACT ON ADEQUACY | 453 |
| <i>M. Petz, G. Achleitner, B. Mihic, R. Schürhuber</i> | |
| A CARBON FREE MOBILE SUPPLY SOLUTION COMBINING ENERGY STORAGE SYSTEM AND LOCAL PRODUCTION FOR PLANNED AND UNPLANNED OUTAGES | 458 |
| <i>B. Lacroix, J. Lefaucheur, S. Cantet, A. V. Faure, E. Toutain, G. Auran, A. El-Akoum</i> | |
| METHODOLOGY TO REGULATE POWER FACTOR IN INSTALLATIONS WITH SOLAR SELF-CONSUMPTION..... | 463 |
| <i>V. Ignatova</i> | |
| IMPACT OF AUTONOMOUS DER SMART INVERTER FUNCTIONS ON CENTRALISED VOLTAGE OPTIMISATION..... | 468 |
| <i>S. Kerr, A. O'Connell, J. Peppanen</i> | |

| | |
|--|-----|
| EARTH FAULT LOCALIZATION IN ISOLATED UNINTERRUPTIBLE POWER SUPPLY (UPS) NETWORKS - A NEW APPROACH | 473 |
| <i>G. Achleitner, L. Fickert, C. Raunig, W. Huska</i> | |
| DESIGN AND OPERATION OF SOLAR-HYDROGEN-STORAGE INTEGRATED ELECTRIC VEHICLE CHARGING STATION IN SMART CITY | 476 |
| <i>L. Duan, X. Zhang, N. Balta-Ozkan, S. Etminan</i> | |
| EXTENDING THE IEC COMMON INFORMATION MODEL WITH FUNCTIONS FOR PLANNING AND OPTIMIZATION OF DISTRIBUTED ENERGY RESOURCES | 481 |
| <i>T. Berry, J. Britton</i> | |
| SWITCHGEAR SENSORIZATION FOR FLEXIBLE AND EFFICIENT ASSET MANAGEMENT | 486 |
| <i>I. Gilbert, A. Hurtado, P. Mulroy</i> | |
| DATA MINING APPLIED TO FEATURES SELECTIVITY FOR A NON-TECHNICAL LOSS DETECTION MODEL IN RURAL DISTRIBUTION GRIDS | 491 |
| <i>V. Uberti, D. P. Bernardon, V. Vieira, M. Heinke, R. De Figueiredo, M. Evaldt, A. Abaide, L. De Chiara, J. A. Silva</i> | |
| USING RESIDENTIAL BATTERIES FOR PRIMARY FREQUENCY RESPONSE: TIME- VARYING EXPORT LIMITS AND ACTIVE DROOP CALCULATIONS | 496 |
| <i>D. Jaglal, M. Liu, L. F. Ochoa</i> | |
| DIFFERENT APPROACHES FOR CALCULATING IMPACTS ON CLIMATE CHANGE FROM NETWORK COMPONENTS | 501 |
| <i>I. De Sadeleer, A. Rønning, M. Silva, K.-A. Lyng, E. Attar</i> | |
| AUTOMATIC ANALYSIS OF THERMOGRAMS – CHALLENGE IN THERMAL MONITORING OF SWITCHGEARS USING INFRARED CAMERAS | 506 |
| <i>K. Gitzel, J. Gebhardt, T. Kozel</i> | |
| COVID-19 DEMAND RESPONSE OUTLOOK: PREDICTING THE UNKNOWN | 511 |
| <i>L. Pinto, G. Cardoso, R. Semolini</i> | |
| UNSUPERVISED MACHINE LEARNING-BASED EV LOAD PROFILE GENERATION FOR EFFICIENT DISTRIBUTION SYSTEM OPERATION | 516 |
| <i>H. Lee, K. Park, B. Lee</i> | |
| RULES OF CURTAILMENT FOR FLEXIBLE DER CONNECTION: A COMPARATIVE ANALYSIS | 523 |
| <i>T. Hubert, S. Coley</i> | |
| PERFORMANCE OF IN-SERVICE SHUNT CAPACITOR SWITCHING DEVICES..... | 528 |
| <i>D. Gentsch, D. S. Thevar, M. Stefanka, A. Brandt, E. Lindell</i> | |
| OPTIMAL AGEING LIMIT OF OIL-IMMERSED TRANSFORMERS IN FLEXIBLE POWER SYSTEMS | 533 |
| <i>I. Daminov, M.-C. Alvarez-Herault, R. Caire, A. Prokhorov</i> | |
| COST ALLOCATION MECHANISMS AND FINANCIAL RISK MANAGEMENT FOR FLEXIBLE CONNECTION SOLUTIONS | 538 |
| <i>S. Coley, T. Hubert</i> | |

| | |
|--|-----|
| AN ADVANCED OFFLINE SIMULATION PLATFORM TO TEST IN REALISTIC CONDITIONS THE ENERGY MANAGEMENT SYSTEM SOFTWARE FOR OPERATING A VIRTUAL POWER PLANT..... | 543 |
| <i>H. D. Baraffe, A. Breton, C. Stefanelli, Y. Wang</i> | |
| SMALL AMOUNT ADDITION OF POLYATOMIC MOLECULE IMPROVES CURRENT INTERRUPTION PERFORMANCE DUE TO ARC COOLING CAUSED BY TURBULENT DYNAMICS..... | 548 |
| <i>Y. Inada, R. Kikuchi, Y. Hirano, A. Kumada, F. Demura, H. Kai, Y. Tanaka, M. Shigeta, T. Fujino</i> | |
| THE ISLAND OF SAINT-NICOLAS ON ITS PATH TOWARDS A 100% RENEWABLE ENERGY TERRITORY | 553 |
| <i>M. Chiodetti, J. R. Lima, A. Haviez, F. Mescoff, S. Cantet, A. V. Faure, A. El-Akoum</i> | |
| AUTOMATED COST ESTIMATION FOR NEW UNDERGROUND MV CABLE ROUTES THROUGH GEOANALYSIS..... | 558 |
| <i>D. Thöni, E. Taxeidis</i> | |
| WILL THE SPOT-PRICE-BASED DEMAND RESPONSE OVERLOAD THE DISTRIBUTION NETWORK? | 563 |
| <i>J. Haakana, J. Haapaniemi, O. Räisänen, J. Lassila, J. Partanen, R. Toivanen</i> | |
| TESTING MIXED APPLICATION OF ANALOG AND PROCESS BUS ENVIRONMENT IN TRANSFORMER DIFFERENTIAL PROTECTION..... | 568 |
| <i>M. K. Katoulaei, C. H. Adrah, S. Sanchez-Acevedo, H. K. Høidalen</i> | |
| FORECASTING THE NUMBER OF OUTAGE AFFECTED CLIENTS IN EXTREME WEATHER CONDITIONS | 573 |
| <i>T. Soares, R. Gonçalves, M. Louro, J. F. Pinto, T. Santos, I. Preto, C. Monteiro</i> | |
| DISTRIBUTION GRID SERVICES: REQUIREMENTS AND PERFORMANCE VERIFICATION | 577 |
| <i>T. Hubert, A. Huque</i> | |
| THE OPERATION AND BENEFITS OF AN INTEGRATED NETWORK MODEL TO ENABLE DISTRIBUTION SYSTEM OPERATION..... | 582 |
| <i>J. Richmond, L. McSweeney, J. Berry</i> | |
| INFLUENCE OF AREA-STRUCTURAL CHARACTERISTICS ON RELIABILITY OF SUPPLY OF ELECTRICAL DISTRIBUTION NETWORKS | 587 |
| <i>C. Wirtz, H. Vennegeerts, V. Nikogosian, J. Kaltschnee, D. Schober, S. Krahl</i> | |
| AUTOMATED LOAD FORECAST THROUGH GEOANALYSIS | 592 |
| <i>D. Thöni, E. Taxeidis</i> | |
| DATAPOSTE: A MOBILE APPLICATION BASED ON UNDERSTANDABLE DEEP LEARNING TO CHARACTERISE ELECTRICAL EQUIPMENT IN SECONDARY DISTRIBUTION SUBSTATION | 597 |
| <i>S. Zahhari, J.-P. Le, B. Grossin, J. Liu, S. Dode</i> | |
| IMPACT OF ELECTRIC VEHICLES IN THREE-PHASE DISTRIBUTION GRIDS | 602 |
| <i>P. Prakash, B. C. Tavares, R. Prata, N. Fidalgo, C. Moreira, F. Soares</i> | |
| OPTIMAL DEMAND CHARGE THRESHOLD TUNING FOR ECONOMIC MICROGRID ENERGY MANAGEMENT | 607 |
| <i>P. Pflaum, A. Yousef</i> | |

| | |
|---|-----|
| UTILIZATION OF THE REACTIVE POWER POTENTIAL IN THE DISTRIBUTION NETWORKS IN THE CZECH REPUBLIC..... | 612 |
| <i>K. Prochazka, J. Ptacek, P. Bürger, Z. Hruska, P. Filipi, P. Černy, M. Krátký, R. Hanus</i> | |
| SUPPORTING EV INFRASTRUCTURE ROLLOUT USING INTERACTIVE NETWORK HEATMAPS | 617 |
| <i>E. Meskhi, E. Dudek, P. Barnfather, A. Duran, G. Murphy, L. Chittock</i> | |
| IMPROVING DETECTION OF POWER DISTRIBUTION FACILITIES IN LOW-LIGHT USING DEEP LEARNING | 622 |
| <i>J. Kim, J. Park, S. H. Park, S. M. Kim, Y. Park, G. R. Jeon, J. Y. Moon, S. Jeong</i> | |
| SECTOR-COUPLED ENERGY SYSTEMS USING THE FLEXIBILITY OF SMART DSM..... | 627 |
| <i>C. Wiezorek, S. Werner, M. B. Firvida, T. Vögele, K. Strunz</i> | |
| TECHNICAL REQUIREMENTS FOR THE OPERATION OF MICROGRIDS IN BOTH INTERCONNECTED AND ISLANDED MODE WORKING GROUP CIRED 2018-03 | 632 |
| <i>V. Debusschere, C. Utrilla, N. A. Palacios, S. Mandelli, L. Sigrist, R. André</i> | |
| POWER QUALITY IMPACT ANALYSIS OF MEASURES TO ENCOURAGE MV CUSTOMERS TO PERFORM PERIODIC SECONDARY SUBSTATION MAINTENANCES..... | 637 |
| <i>L. Marques Da Silva, D. Silva, J. A. Antunes</i> | |
| THE RING MAIN UNIT OF THE FUTURE: GREEN AND DIGITAL FOR SMART GRIDS..... | 641 |
| <i>C. Preve, S. Gaday, D. Piccoz</i> | |
| MULTI-LEVEL ANALYSIS OF CONTROL STRATEGIES FOR ELECTRIC VEHICLES | 646 |
| <i>A. Schoen, J. Ringelstein, K. Baumbusch, M. Braun</i> | |
| FUNCTIONAL SCALABILITY AND REPLICABILITY ANALYSIS FRAMEWORK FOR DISTRIBUTION GRIDS | 651 |
| <i>S. P. Menci, R. Schwalbe, C. Corner, B. Herndl, J. Kahtan, C. Gutschi, T. Gross</i> | |
| IMPACT OF CHANGED REACTIVE POWER FLOWS ON PROTECTION RELAYS IN THE FUTURE DISTRIBUTION GRID..... | 656 |
| <i>S. Eichner, M. A. Arshad, R. Grab, A. Jahr</i> | |
| SMART CONNECTION OF ELECTRIC BUS DEPOTS USING MULTIPLE GRID SCALE OPTIMISATION..... | 661 |
| <i>R. Guyot, J. Tisserand, J. Lhermenault, S. Hartmann</i> | |
| THE POTENTIAL FOR BALANCING THE SWEDISH POWER GRID WITH RESIDENTIAL HOME BATTERIES..... | 666 |
| <i>A. Ahmed, N. Etherden</i> | |

VOLUME 2

| | |
|---|-----|
| DESIGN TO COST APPROACH APPLIED TO ISOLATED MICROGRIDS | 671 |
| <i>C. H. P. Moraes, S. Nasr, B. Jacquet, A. El-Akoum, P. Duclos</i> | |
| PERSPECTIVES ON THE SOCIAL EMBEDDEDNESS OF THE SMART GRID ARCHITECTURE MODEL IN INNOVATION PROJECTS | 676 |
| <i>J. P. Köhlke, S. Paustian, J. Mattes, S. Lehnhoff, M. Uslar</i> | |
| TRANSIENT EARTH FAULT PROTECTION BASED ON INSTANTANEOUS VALUES..... | 681 |
| <i>A. García</i> | |

| | |
|--|-----|
| UNLOCKING THE POTENTIAL OF FLEXIBILITY | 686 |
| <i>N. Etherden, B. Nestorovic, C. Isendahl, Y. Ruwaida</i> | |
| BUSINESS MODELS AND BARRIERS TOWARDS THE DEVELOPMENT OF LOCAL ENERGY SYSTEMS IN EUROPE: INSIGHTS FROM THE MERLON PROJECT..... | 692 |
| <i>D. Papadaskalopoulos, M. Woolf, N. Chrysanthopoulos, G. Strbac</i> | |
| FLEXIBILITY AS A COST-EFFECTIVE SOLUTION TO POSTPONE GRID INVESTMENT: REQUEST GUIDELINES AND RANKING OF PROPOSALS | 697 |
| <i>L. Charpy, J. Lucas, S. Carloganu, G. Plattner</i> | |
| LOW-VOLTAGE GRIDS IN TRANSITION - AUTO-MATIC GRID RECONFIGURATION APPROACH FOR FUTURE SMART GRIDS CHALLENGES..... | 702 |
| <i>D. Herbst, R. Schürhuber, M. A. Lagler, E. Schmautzer, S. Henein, P. Zehetbauer, A. Einfalt</i> | |
| A JOURNEY TOWARDS FUTURE SUBSTATIONS VIA AN INTERNET OF THINGS TEST ENVIRONMENT | 707 |
| <i>B. Römer, B. Ritt, M. Rudolph, T. Herden</i> | |
| ASSESSING THE OPERATION OF TYPICAL DUTCH DISTRIBUTION SYSTEMS WITH LARGE PENETRATION OF LOW-CARBON ENERGY TECHNOLOGIES | 712 |
| <i>G. Verhoeven, P. P. Vergara, K. Kok</i> | |
| EFFECTS OF STATIC AND DYNAMICALLY MESHD TOPOLOGIES ON SHORT-CIRCUIT CURRENTS AND THE RELIABILITY OF MEDIUM VOLTAGE GRIDS | 717 |
| <i>M. Kerzel, J. Garzon-Real, M. Zdrallek, D. Wolter, C. Schacherer</i> | |
| AN EXPERIMENTAL CONSIDERATION OF HIGH-ORDER HARMONIC RESONANCE PHENOMENON CAUSED BY GRID-CONNECTED INVERTER IN PARALLEL OPERATION | 722 |
| <i>K. Fukushima, N. Okada</i> | |
| SITE SELECTION AND ASSESSMENT OF REQUIRED SYSTEM CAPACITY FOR RAPID EV CHARGING AT MOTORWAY SERVICE AREAS | 727 |
| <i>N. Murdoch, P. Jewell, D. Thorn</i> | |
| COORDINATED ELECTRIC VEHICLE CHARGING -PERFORMANCE ANALYSIS OF DEVELOPED ALGORITHMS | 732 |
| <i>D. L. Schultis, A. Einfalt, P. Zehetbauer, D. Herbst</i> | |
| FIRST STEPS TOWARDS A STANDARDISED HOSTING CAPACITY METHOD | 737 |
| <i>N. Etherden, T. T. De Oliveira, M. H. J. Bollen</i> | |
| A SURVEY BASED ON THE STATE OF THE ART AND PERSPECTIVES IN THE MONITORING AND THE CONTROL OF LV NETWORKS | 741 |
| <i>M. C. Alvarez-Herault, A. G. Madureira, J. M. G. M. Santos, M. G. Milosevic, A. Fereidunian, D. Davidovic, J. Martínek, M. Sanz, X. Bingyin, T. Masaki, D. Morales J., M. Toledo-Orozco, J. Drapela, C. Aubigny</i> | |
| INVESTIGATION OF TECHNICAL, LEGAL, REGULATORY AND COMMERCIAL CONSIDERATIONS OF INTENTIONAL NETWORK ISLANDING | 746 |
| <i>D. Thorn, Y. Mavrocostanti, N. Murdoch</i> | |
| ADVANCED EARTH FAULT DETECTION ON ARC SUPPRESSION COIL EARTHEO NETWORKS..... | 751 |
| <i>D. Hardman, Y. Mavrocostanti, J. Sleep, N. Murdoch</i> | |

| | |
|--|-----|
| AN APPROACH OF REPLICATING MULTI-STAGED CYBER-ATTACKS AND COUNTERMEASURES IN A SMART GRID CO-SIMULATION ENVIRONMENT | 756 |
| <i>Ö Sen, D. Van Der Velde, S. N. Peters, M. Henze</i> | |
| VOLTAGE REGULATING DISTRIBUTION TRANSFORMERS IN COMBINATION WITH STATE ESTIMATION ENABLING CONSERVATION VOLTAGE REDUCTION AND INTEGRATION OF LOW CARBON TECHNOLOGY IN LOW VOLTAGE NETWORKS | 761 |
| <i>F. Pizzutto, B. Inhgam</i> | |
| A PROPOSAL FOR PERFORMANCE EVALUATION OF LOW FREQUENCY SHIELDING EFFICIENCY | 766 |
| <i>A. Canova, L. Giaccone, M. Quercio</i> | |
| A LINEAR MODEL FOR DISTRIBUTED FLEXIBILITY MARKETS AND DLMPS: A COMPARISON WITH THE SOCP FORMULATION | 771 |
| <i>A. Sanjab, Y. Mou, A. Virag, K. Kessels</i> | |
| 115KV COMPOSITE SUBMARINE CABLE FAILURE INVESTIGATION AND ANALYSIS OF CABLE QUALITY | 776 |
| <i>I. S. Alnasser, Y. A. Ahmed, P. D. O'Rourke, J. A. Al Sheef, M. W. Coates</i> | |
| ANALYSING OVERHEAD MEDIUM VOLTAGE NETWORK CRITICITY WITH AI..... | 781 |
| <i>A. Tholon, S. Folleville, O. Faivre, J. Merigeault, A. De Moliner, I. Kabbourim, M. Parienti, H. Costil</i> | |
| THE UTILISATION POTENTIAL OF BATTERY ENERGY STORAGE SYSTEMS IN RURAL DISTRIBUTION NETWORK | 786 |
| <i>M. K. A. Kainulainen, T. J. I Hakala</i> | |
| MODELLING THE DEMAND BEHAVIOUR OF ACTIVE CUSTOMERS AND THE IMPACT OF PRICE INCENTIVE-BASED CONTROL STRATEGIES | 791 |
| <i>A. Vanselow, D. Lehmann, S. Krahl, A. Moser</i> | |
| GENETIC ALGORITHM FOR PLACEMENT OF IEDS FOR FAULT LOCATION IN SMART DISTRIBUTION GRIDS | 796 |
| <i>R. Muka, M. Garau, P. E. Heegaard</i> | |
| IMPLEMENTATION OF THE ACTIVE NETWORK MANAGEMENT SCHEME FOR THE ACTIVE RESPONSE TO DISTRIBUTION NETWORK CONSTRAINTS PROJECT | 801 |
| <i>H. Shishtawi, L. Grella, M. Jaggassar, F. Magnago, N. Al-Hariri</i> | |
| CONTROL AND PROTECTION OF AC/DC HYBRID MICROGRIDS | 806 |
| <i>M. Vrtal, P. Toman, J. Moravek</i> | |
| CABLE CONNECTION BUSHING TYPE C WITH INTEGRATED ROGOWSKI COIL CURRENT SENSOR AND CAPACITIVE VOLTAGE SENSOR | 811 |
| <i>B. Schüpfelring, E. Aumann, M. Übler, K. Ludwig</i> | |
| SOLAR-CELL AS TRIGGER ELEMENT FOR ULTRA-FAST-EARTHING SWITCH (UFES) FOR LOW- / MEDIUM- VOLTAGE; SELF – POWERED | 816 |
| <i>D. Gentsch, W. Ebbinghaus, M. Stefanka</i> | |
| INTELLIGENT SYSTEM FOR MV OVERHEAD FEEDERS LOAD CONTROL FOR EMERGENCY OPERATIONS | 821 |
| <i>A. P. Dadam, A. S. Ferreira, C. S. Martinez, W. Pinheiro, S. C. N. Araujo, L. C. Casagrande</i> | |

| | |
|--|-----|
| PARTIAL DISCHARGE ALERT SYSTEM AT LONDON UNDERGROUND | 825 |
| <i>C. Gemme, K. Hencken, I. Rosevear, A. Pallett</i> | |
| REAL CASE INTERACTION BETWEEN A SYMPATHETIC INRUSH AND A RESONANT SYSTEM | 830 |
| <i>P. F. Ribeiro, A. Leiria, C. Cardoso, L. M. Rocha, M. Veríssimo, M. Chaves, C. Marques, A. Neves, M. Louro</i> | |
| DESIGN AND IMPLEMENT INTELLIGENT ACTIVE NETWORK MANAGEMENT (ANM) PLATFORM FOR NETWORK CONSTRAINTS | 835 |
| <i>M. Chen, N. Gray, G. Boyd, D. Neilson</i> | |
| POWER QUALITY IMPACT ANALYSIS OF DIFFERENT TYPES OF LV-CONNECTED EV CHARGING STATIONS | 840 |
| <i>M. Almeida, C. Marques, S. Morgado, M. Veríssimo, T. Simões</i> | |
| INSTALLED BASE SAFETY UPGRADE AT POWER GENERATION STATION | 845 |
| <i>C. Gemme, P. Bassi, A. Ferrante, G. Magno</i> | |
| LENI: DEVELOPMENT OF A LEAST COST ELECTRIFICATION TOOL | 850 |
| <i>B. Péchiné, I. Boates, E. Kremers, M. Sevenet, A. El Akoum, D. Eyler, E. Jeandel, E. El Sayegh, S. Nasr, M. Caujolle</i> | |
| A COMPARISON OF METHODS FOR CALCULATING HARMONIC EMISSION LIMITS FOR CUSTOMER INSTALLATIONS CONNECTED TO MV/LV SYSTEMS USED IN GERMANY AND UNITED STATES | 855 |
| <i>G. Singh, J. Meyer, W. Howe, J. Grappe</i> | |
| MODELLING OF SYNTHETIC HIGH VOLTAGE NETWORKS BASED ON OPEN DATA AND INTEGRATION INTO A MODULAR SYNTHETIC DISTRIBUTION GRID GENERATOR | 861 |
| <i>C. Wirtz, M. Murglat, J. Tran, S. Krahl, A. Moser</i> | |
| IEC 61869 –10 AND IEC 61869 –11 PASSIVE SENSORS AND THEIR INTERFACE WITH IEDS | 866 |
| <i>J. A. Moreno, C. Gil, J. R. Santiago</i> | |
| INFLUENCES OF AXIAL MAGNETIC FIELDS AND DIFFERENT CONTACT MATERIALS IN VACUUM INTERRUPTERS ON THE CHOPPING BEHAVIOUR OF SWITCHING ARCS | 870 |
| <i>M. Fischer, D. Christl, M. Beltle, S. Tenbohlen, D. Gentsch, W. Ebbinghaus</i> | |
| INTEGRATION OF DERS IN THE AGGREGATOR PLATFORM FOR THE OPTIMAL PARTICIPATION IN WHOLESALE AND LOCAL ELECTRICITY MARKETS | 874 |
| <i>S. Haghifam, H. Laaksonen, M. Shafie-Khah</i> | |
| UTILISING FORECASTING TIME SERIES DATA AND FLEXIBILITY SERVICES TO MANAGE DISTRIBUTION NETWORKS | 879 |
| <i>M. Bitos, D. Mills, S. R. Ashton</i> | |
| ELECTRIC BUS CHARGING STATION SUPPLIED BY URBAN ELECTRICAL DC RAILWAY NETWORK | 883 |
| <i>B. Guo, J. Pouget, T. François, B. Luc</i> | |
| DIGITAL TOOL TO COMPUTE HEALTH INDEX FOR UNDERGROUND MEDIUM VOLTAGE CABLES | 888 |
| <i>R. Costa, R. J. Santos, J. Mendes, A. R. Neves, J. Milheiro, B. Rodrigues, C. Santos, P. Alves, V. Manita</i> | |

| | |
|---|-----|
| PROOF OF LOAD ON CABLE SHIELD AND CABLES WITH DECENTRALIZED COMPENSATION AS WELL AS RELIABLE EARTH FAULT DETECTION | 893 |
| <i>O. Skrbinjek, W. Hipp, G. Druml, K. Friedl, L. Fickert</i> | |
| AVOIDING CONGESTION AND OPTIMISING GRID UTILISATION - AN ADVANCED MULTILEVEL QUOTA REALISED IN A COMPREHENSIVE SMART GRID DEMONSTRATOR | 898 |
| <i>M. A. Frankenbach, C. Exner, S. Koch, F. Eckl, B. Wasowicz</i> | |
| TECHNO-ECONOMIC ASSESSMENT OF PV FORECAST ACCURACY FOR A PREDICTIVE CONGESTION MANAGEMENT AT THE DISTRIBUTION LEVEL..... | 903 |
| <i>A. Altayara, M. Kraiczy, F. Wenderoth, K. Winter, P. Hofbauer, S. Meilinger, M. Braun</i> | |
| EFFICIENT FEATURE EXTRACTION FOR MACHINE-LEARNING-BASED PD CLASSIFICATION IN MEDIUM VOLTAGE CABLES | 908 |
| <i>C. Backe, M. Shafiq, H. Kumar</i> | |
| DEVELOPMENT OF POWER ELECTRONIC DEVICES TO PROVIDE DYNAMIC POWER SHARING ON 400V AND 11KV DISTRIBUTION NETWORKS..... | 913 |
| <i>N. Jakeman, J. Colebrook, L. Grella, N. Bottrell</i> | |
| GENERAL FRAMEWORK FOR SIMULATING POWER QUALITY DATA PROCESSING | 918 |
| <i>A. Eisenmann, T. Streubel, C. Kattmann, K. Rudion</i> | |
| COMPUTER VISION MODEL FOR LOW VOLTAGE VEGETATION MANAGEMENT | 923 |
| <i>R. Costa, R. Santos, P. M. L. S. Reis, F. T. Pereira, S. P. Silvestre, J. A. Varela, A. N. Machado, L. Z. Saraiva, J. Cardoso, B. Rodrigues, J. Viais, I. Roça, A. Aguas</i> | |
| COORDINET PROJECT: UNLOCKING POWER FLEXIBILITY AT DIFFERENT VOLTAGE LEVELS | 928 |
| <i>N. Savvopoulos, D. Trakas, A. Dimeas, N. Hatziargyriou</i> | |
| HIGH-ORDER HARMONIC EMISSION IN LOW VOLTAGE NETWORKS..... | 933 |
| <i>I. Moreno-García, A. Gil-De-Castro, S. Ronnberg, R. Savariego-Fernández</i> | |
| ON-FIELD ASSET & GIS DATA UTILIZATION IN REAL-TIME | 938 |
| <i>M. Breznik, T. Mestnik</i> | |
| EASYINC - NEAR REAL-TIME SCADA ALARMS CORRELATION ALGORITHM | 943 |
| <i>L. M. Rosa, J. Carvalho, A. Neves, M. Louro, F. Pinto, A. F. Ribeiro, H. Rosa, D. Moreirinha</i> | |
| THE IMPLEMENTATION OF MULTI-ENERGY SYSTEMS: POLICY AND REGULATORY IMPLICATIONS | 948 |
| <i>I. Ilieva, S. Puranik, F. Farrukh, M. Haider</i> | |
| ADVANCED CIRCUIT BREAKER FOR CAPACITIVE LOAD OPERATIONS | 953 |
| <i>A. Bianco, P. B. Steciuk, A. Brandt, A. Ferruccio, M. Riva</i> | |
| ASSESSMENT OF INSTRUMENT TRANSFORMER ACCURACY FOR POWER QUALITY MEASUREMENTS IN DISTRIBUTION GRIDS: RECENT ACTIVITIES AND FIRST RESULTS FROM 19NRM05 IT4PQ PROJECT..... | 958 |
| <i>G. Crotti, J. Meyer, H. Van Den Brom, E. Mohns, Y. Chen, R. Tinarelli, M. Luiso</i> | |
| SMART CIRCUIT BREAKER: A UNIQUE AND OPTIMIZED SOLUTION FOR DIFFERENT APPLICATIONS..... | 963 |
| <i>C. Taborelli, F. Mannino, A. Bianco, M. Riva</i> | |

| | |
|--|------|
| IMPLEMENTATION AND PARAMETRIZATION OF TRANSFORMER WITH SATURATION EFFECTS FOR THE SIMULATION OF TEMPORARY OVERVOLTAGES | 968 |
| <i>M. Murglat, C. Wirtz, M. Möller, A. Brauer, S. Krah, A. Moser</i> | |
| A COMPREHENSIVE ANALYSIS OF THREATS AND COUNTERMEASURES IN VIRTUALIZED CYBER-PHYSICAL ENERGY SYSTEMS | 973 |
| <i>S. Attarha, C. Krüger, J. Kamsamrong, D. Babazadeh, S. Lehnhoff</i> | |
| NEXT DAY REACTIVE POWER OPTIMIZATION: REAL-WORLD APPLICATION | 978 |
| <i>R. Gonçalves, M. Louro, T. Soares, N. Brás, T. Santos, J. Machado, L. A. F. M. Ferreira, P. M. S. Carvalho</i> | |
| SCHEDULING THE CHARGE OF ELECTRIC VEHICLES INCLUDING REACTIVE POWER SUPPORT: APPLICATION TO A MEDIUM-VOLTAGE GRID..... | 982 |
| <i>B. Mukherjee, G. Kariniotakis, F. Sossan</i> | |
| WEATHER-DEPENDENT CURRENT RATINGS OF OVERHEAD LINES IN THE PROBABILISTIC HIGH VOLTAGE DISTRIBUTION GRID PLANNING | 987 |
| <i>M. Miller, K. Rudion, H. Nägele, J. Schnaars</i> | |
| A NEW CYBER SECURED AND INTEROPERABLE COMMUNICATION INTERFACE TO ENABLE THE MANAGEMENT OF REMOTE DISTRIBUTED ENERGY RESOURCES BY DSOS..... | 992 |
| <i>R. Desodt, C. Henriot, D. Ploix, C. Cholin</i> | |
| LOW-COST OVERCURRENT PROTECTION RELAY BASED ON A STANDARD MICROCONTROLLER..... | 996 |
| <i>J. Manoj, P. Crossley</i> | |
| QUANTITATIVE ASSESSMENT OF THE ROLE OF FLEXIBILITY MEASURES IN THE INTEGRATION OF RENEWABLES USING THE UPGRADED METIS PLATFORM..... | 1001 |
| <i>P. Gallegos, P. Chittur, F. Postigo, C. Mateo, J. Fleury</i> | |
| ANALYTICS 4 ASSETS – THE ADVANCED ASSET MANAGEMENT PROJECT APPLIED TO POWER TRANSFORMERS | 1006 |
| <i>T. Abreu, F. R. Moreira, C. Carvalho, L. Cordeiro, A. Peixoto, J. Mendes, M. Fernandes</i> | |
| UTILIZING COGENERATION TO PROVIDE ENHANCED RESILIENCE TO A HOSPITAL CAMPUS: IMPLEMENTATION AND TECHNICAL CHALLENGES | 1011 |
| <i>G. Singh, A. Maitra, M. Bonnell</i> | |
| DIFFERENTIAL PRIVACY FOR ENERGY DATA PUBLICATION | 1016 |
| <i>G. Agoua, P. Cauchois, O. Chaouy, I. Gazeau, B. Grossin</i> | |
| INCENTIVE-BASED MANAGEMENT OF MULTIAGENT DISTRIBUTION SYSTEMS IN CONTINGENCY CONDITIONS | 1021 |
| <i>S. Fattaheian-Dehkordi, A. Abbaspour, M. Fotuhi-Firuzabad, M. Lehtonen</i> | |
| STRATEGIES FOR IMPLEMENTING MONITORING AND REMOTE CONTROL EQUIPMENT IN AN URBAN DISTRIBUTION NETWORK | 1026 |
| <i>A. Karlsson, S. D. Žarkoviæ, J. Johansson, L. Nordström, P. Hilber, E. Shayesteh</i> | |
| ENABLING CYBERSECURITY FEATURES USING A LAYERED CONNECTIVITY TO PROMOTE SECURE REMOTE OPERATION AND MAINTENANCE | 1031 |
| <i>D. T. Dantas, K. T. Fouwels, H. Li, T. Charton, L. Chen</i> | |

| | |
|--|------|
| THERMOSENSIBILITY ESTIMATION OF MASS MARKET WITH SMART METERS IN FRANCE | 1036 |
| <i>X. Duquesne, S. Thaon</i> | |
| ASSESSMENT OF HARMONIC CONTRIBUTION OF CUSTOMER INSTALLATIONS BASED ON FIELD MEASUREMENTS | 1041 |
| <i>M. Pourarab, J. Meyer, O. Domianus, T. Naef, M. Ulrich, R. Rölli</i> | |
| ESTABLISHING HV CABLE REQUIREMENTS TO DEVELOP AN URBAN 150KV TARGET GRID | 1046 |
| <i>K. Madeira Bein, B. Heimbach, J. Bader, A. Casura, R. La Fauci</i> | |
| PREDIS - STATE OF THE ART CLOUD MASSIVE FORECASTING | 1051 |
| <i>R. Gonçalves, M. Louro, C. Calhau, R. Pereira, A. Mendes, A. R. Borrego, M. J. Gama, P. Ferreira, N. Rodrigues, M. Pinheiro</i> | |
| SIMPLE AND EFFECTIVE ANALYSES OF COVID-19 IMPACT ON LOAD PROFILE PATTERNS IN DSO ELEKTRO CELJE | 1054 |
| <i>L. Maruša, K. Koželj, B. Turinek</i> | |
| THE SORAL PROJECT – MANAGEMENT OF THE MV CABLE NETWORK BASED ON THE HEALTH INDEX OF THE INDIVIDUAL CABLE LINE, OBTAINED FROM DIAGNOSTIC MEASUREMENTS | 1059 |
| <i>S. Noske, K. Kolodziejczyk, R. Jongen</i> | |
| MODEL CONSIDERATIONS FOR BLACK START STUDIES USING DISTRIBUTED ENERGY RESOURCES | 1064 |
| <i>D. Chakravorty, D. Gutschow, X. Zhang, N. Miller, D. Auty</i> | |
| ANALYSIS OF THE SERVICE AREA OF PUBLIC CHARGING STATIONS FOR ELECTRIC VEHICLES IN URBAN AREAS..... | 1069 |
| <i>S. Niederle, S. Kreutmayr, D. J. Storch, C. J. Steinhart3, C. Gutzmann, R. Witzmann, M. Finkel</i> | |
| MEDIUM VOLTAGE CIRCUIT BREAKER FOR SPECIAL APPLICATIONS: PILOT EXPERIENCE WITH KEMA LABORATORIES | 1074 |
| <i>A. Bianco, J. Keet, R. Smeets, A. Brandt, D. S. Thevar, M. Riva</i> | |
| CALCULATING VOLTAGES WITHOUT ELECTRICAL MODELS: SMART METER DATA AND NEURAL NETWORKS | 1078 |
| <i>V. Bassi, L. F. Ochoa, T. Alpcan</i> | |
| MICROGRID DIGITAL TWIN FOR ADVANCED OPERATION SERVICES | 1083 |
| <i>P. Béguery, C. Mugnier, V. P. Ngo</i> | |
| EXPERIENCE OF UNDERGROUND CABLE CONDITION IN A UK DISTRIBUTION NETWORK..... | 1088 |
| <i>S. Christou, R. Ayoob, A. Wooldridge, J. Stubbs, B. Hickman</i> | |
| NEW ALGORITHM FOR DETERMINING THE INCEPTION TIME OF EARTH FAULTS IN RESONANT EARTHTED NEUTRAL SYSTEMS – IMPROVING THE SENSITIVITY OF DETECTING HIGH IMPEDANCE EARTH FAULTS | 1093 |
| <i>L. Döring, B. Braun, K. Böhme, M. Kereit, S. Werben, J. Hanson</i> | |
| OPTIMAL MICROGRID PARTICIPATION IN COUPLED ENERGY AND ANCILLARY SERVICES MARKETS CONSIDERING UNCERTAINTIES USING CVAR APPROACH..... | 1098 |
| <i>A. Nikpour, A. Nateghi, M. Shafie-Khah, H. Laaksonen</i> | |

| | |
|--|------|
| FLEXIBLE PLANNING OF INTEGRATED ENERGY SYSTEMS UNDER LONG TERM UNCERTAINTIES | 1103 |
| <i>S. Cheng, C. Gu, J. Li, X. Yang, F. Li</i> | |
| EXTENDING GRID BATTERY SUPPLY TIME BY CONTROLLING RESIDENTIAL HEATING LOADS | 1108 |
| <i>P. Manner, I. Alaperä, S. Honkapuro</i> | |
| DEVELOPMENT AND APPLICATION OF A METHODOLOGY FOR THE INTEGRATION OF DISTRIBUTION NETWORK AUTOMATION IN HEP ODS..... | 1113 |
| <i>A. Slupinski, J. Monscheidt, V. Gagic, A. Tunjic, D. Brajkovic, M. Lenic, D. Vidovic</i> | |
| MOBILE MAPPING SYSTEM IN A POWER DISTRIBUTION UTILITY | 1118 |
| <i>B. B. Cardoso, E. L. Martins, M. A. I. Martins, N. T. Rosa, K. D. Tomaz, S. De Francisci</i> | |
| ISLANDING OF A MICROGRID OPERATING AT CONSTANT FREQUENCY WITH TWO GRID-FORMING INVERTERS..... | 1123 |
| <i>L. Peltonen, P. Järventausta, P. Järventausta</i> | |
| TOWARDS PRACTICAL TYPOLOGY OF ENERGY COMMUNITIES: MAIN DIFFERENTIATING ELEMENTS AND EXAMPLES OF PROMISING IMPLEMENTATIONS | 1128 |
| <i>J. Valta, A. Kulmala, P. Järventausta, J. Kirjavainen, S. Mäkinen, T. Björkqvist, S. Uusitalo, K. Systö, S. Repo</i> | |
| USE OF QUANTILE FORECASTS FOR BETTER MANAGEMENT OF ORIS | 1133 |
| <i>C. Gonnaud, S. Huang, B. Bouzigon</i> | |
| ASPECTS OF DEVELOPMENT NEEDS FOR DISTRIBUTION NETWORK TARIFFS IN THE CASE OF ENERGY COMMUNITIES AS NEW EMERGING USER TYPES | 1137 |
| <i>K. Lummi, P. Järventausta, A. Kulmala</i> | |
| SUB-AGGREGATOR BUSINESS MODELS FOR DEMAND RESPONSE | 1142 |
| <i>M. Aro, C. Evens, K. Mäki, P. Järventausta</i> | |
| SMART SECONDARY SUBSTATION AS THE SOURCE OF THE FLEXIBILITY SERVICES | 1147 |
| <i>A. Babs, L Kajda, M. Matusewicz, S. Noske, D. Falkowski</i> | |
| INDICATION OF ABNORMAL OPERATION CONDITIONS IN A MESH NETWORK BASED ON DATA FROM DISTRIBUTED MEASUREMENT..... | 1151 |
| <i>V. Krcal, D. Topolanek, V. Vycital, J. Vaculik</i> | |
| PEAK DEMAND DYNAMICS OF LOW-VOLTAGE CONSUMERS UNDER AGGREGATION AND ITS IMPACT ON UPSTREAM PV INJECTION | 1156 |
| <i>R. Claeys, H. Azaïoud, J. Desmet</i> | |
| BUSINESS MODEL FOR HOUSEHOLD FLEXIBILITY - A CASE STUDY | 1161 |
| <i>M. Aro, K. Piira, K. Mäki</i> | |
| ANALYSIS OF FAULT CONDITION CAUSED BY PHASE INTERRUPTION OF HV OVERHEAD LINE | 1166 |
| <i>J. Kouidelka, D. Topolanek, P. Toman, M. Fabian</i> | |
| GEOSPATIAL LEAST-COST STUDY FOR ON AND OFF-GRID ELECTRIFICATION TO ACHIEVE UNIVERSAL ELECTRICITY ACCESS IN ZAMBIA BY 2030 | 1171 |
| <i>G. Dekelver, L. Ngo, M. Caubergs</i> | |

| | |
|---|------|
| AN INNOVATIVE CENTRALIZED VOLTAGE CONTROL METHOD FOR MV DISTRIBUTION SYSTEMS BASED ON DEEP REINFORCEMENT LEARNING: APPLICATION ON A REAL TEST CASE IN BENIN | 1176 |
| <i>B. B. Zad, J. F. Toubeau, O. Aclassato, O. Durieux, F. Vallée</i> | |
| DATA CLUSTERIZATION TECHNIQUES APPLIED FOR HIGH CONSUMPTION CUSTOMER'S INSTALLMENT PAYMENT DECISION | 1181 |
| <i>V. C. Almeida, B. S. Rodrigues, H. H. Silva</i> | |
| DEVELOPMENT OF A METHOD FOR MONITORING THE QUALITY OF SERVICE OF DISTRIBUTION NETWORKS IN CAMEROON | 1185 |
| <i>T. Port, E. Basso, S. Leyder, T. Garcia, B. Ekobena</i> | |
| SENSITIVITY OF LV GRID PLANNING TO LOAD MODELLING | 1190 |
| <i>P. Laize, R. Caire, M. C. Alvarez-Herault, A. Garry, L. Glorieux, M. Caujolle</i> | |
| EMERGENCY POWER SUPPLY USING TEMPORARY ISLANDED MICROGRIDS - DESIGN AND VERIFICATION OF ENERGY MANAGEMENT ALGORITHM..... | 1195 |
| <i>P. Linnartz, E. Zinaburga, D. Willenberg, S. Simon</i> | |
| ESTIMATING THE EFFECT OF POST-OUTAGE CONSUMPTION PEAKS ON CUSTOMERS' PEAK POWER-BASED TARIFF COSTS | 1200 |
| <i>J. Haapaniemi, O. Räisänen, J. Haakana, J. Lassila, J. Partanen</i> | |
| ASSESSING OVERHEAD LINE'S SUSCEPTIBILITY TO STORM WIND DAMAGE USING OPEN DATA | 1205 |
| <i>O. Räisänen, J. Haapaniemi, J. Haakana, J. Lassila, J. Partanen, J. Ahonen, L. Kurki</i> | |
| DANISH ENERGY CERT..... | 1210 |
| <i>P. K. Hansen, S. Maigaard</i> | |
| REGULATORY SANDBOXES IN THE ENERGY SECTOR - REVIEW AND LEARNINGS FOR THE CASE OF SWITZERLAND | 1214 |
| <i>F. Heymann, J. Schmid, M. Vazquez, M. Galus</i> | |
| GEOREFERENCED DETERMINATION OF THE POTENTIAL OF PUBLIC CHARGING INFRASTRUCTURE..... | 1219 |
| <i>J. M. Sprey, L. Böttcher, A. Moser</i> | |
| INNOVATIVE CONTINUOUS PARTIAL DISCHARGE MONITORING FOR MV SUBSTATION | 1224 |
| <i>S. Chabanet, M. Durand, V. Ferraro, C. Gamache, D. Larochelle</i> | |
| FORMING COLLECTIVE SELF-CONSUMPTION MODELS: HOW THE END USER SEES THEM?..... | 1229 |
| <i>J. Valta, A. Kulmala, P. Järventausta, T. Björkqvist, S. Mäkinen</i> | |
| DECENTRALIZED EARTH FAULT COMPENSATION IN MV-GRIDS - CHALLENGES AND SOLUTIONS..... | 1234 |
| <i>K. Friedl, L. Fickert, R. Braunstein, W. Hipp, R. Schürhuber</i> | |
| IMPACT OF TRANSFORMER AND CABLE AGING ON DISTRIBUTION LOCATIONAL MARGINAL COSTS IN ACTIVE DISTRIBUTION NETWORKS..... | 1239 |
| <i>P. Andrianesis, A. Michiorri, G. Kariniotakis, M. Caramanis</i> | |

| | |
|---|------|
| IMPROVING RENEWABLE INTEGRATION AT LOCAL SCALE: AN ECONOMETRIC APPROACH..... | 1244 |
| <i>J. Meyer, E. Loignon</i> | |
| RE/SOURCED PILOT PROJECT: DESIGN AND POWER FLOWANALYSIS OF A LVDC BACKBONE WITH HYBRID ENERGY SYSTEM..... | 1249 |
| <i>H. Azaïoud, J. Knockaert, L. Vandevenelde, J. Desmet</i> | |
| SMART METERING DATA ANALYSIS - BENEFITS FOR CUSTOMERS AND DSOS | 1254 |
| <i>D. Bajánková, J. Klimeš, J. Zamphiropoulos, Z. Krbcová, T. Lancinger</i> | |
| HOW TO IMPROVE RELIABILITY ON IEC 61850 SUBSTATIONS..... | 1259 |
| <i>D. T. Dantas, H. Li, T. Charton, L. Chen</i> | |
| MULTI-PERIOD OPTIMAL POWER FLOW IN LOW VOLTAGE GRIDS FOR A HIGH DEGREE OF SELF-SUFFICIENCY | 1263 |
| <i>M. Böhringer, S. Choudhury, B. Niersbach, J. Hanson</i> | |
| PLANNING OF DISTRIBUTION NETWORKS CONSIDERING FLEXIBILITY OF LOCAL RESOURCES: HOW TO DEAL WITH TRANSMISSION SYSTEM SERVICES | 1268 |
| <i>M. Rossi, M. Rossini, G. Vigano, G. Migliavacca, D. Siface, I. Faifer, H. Hergun, I. B. Sperstad</i> | |
| THE RESILIENCE AREA MODEL CALCULATION FOR THE DEVELOPMENT OF RESILIENT DISTRIBUTION SYSTEMS | 1273 |
| <i>G. Celli, F. Pilo, G. Pisano, G. G. Soma</i> | |
| NEW PLANNING TOOL FOR LOW VOLTAGE PHOTOVOLTAIC CONNECTION - LARGE SCALE EXPERIMENTATION..... | 1279 |
| <i>T. Choné, L. Richaud, B. Rigal, R. Pellerej, C. Benoit, L. Morelle</i> | |
| NOVEL DISTRIBUTION TRANSFORMER DESIGN FOR DATA CENTER APPLICATIONS RESILIENT TO TRANSIENT VOLTAGE STRESSES GENERATED BY VCB OPERATION | 1284 |
| <i>J. Niedernhuber, D. Brocilo, M. Görtz, J. Kollmer, S. Corhodzic, A. Taware</i> | |
| OPTIMISATION OF LOAD DEMAND REDUCTION RESPONSE TO SUPPORT NATIONAL GRID | 1287 |
| <i>Z. Gao, H. Li, L. Chen, D. Randles</i> | |
| IELECTRIX PROJECT - DEMAND RESPONSE AND CUSTOMER ENGAGEMENT IN SHAKTI DEMONSTRATION | 1292 |
| <i>T. Choné, P.-J. Le Quellec, A. Pal, D. Pampliega, C. Dromacque, L. Goel</i> | |
| “SMART STREET BOX”: AN INNOVATIVE APPROACH TO REMOTE CONTROL, MONITORING & AUTOMATION FOR LV SMART GRIDS..... | 1296 |
| <i>G. Bianco, M. Borella, G. Ceneri, A. Cosmai, D. Demuro, L. Giansante, M. Kildani, F. Mancini, A. Pacchioni, S. Riva, G. Rizzello, G. Sapienza, S. Silvestri, R. Sguera</i> | |
| A TECHNO-EXPLICIT MODEL IMPLEMENTATION FOR LONG TERM ELECTRICAL LOAD CURVE PROSPECTIVE | 1301 |
| <i>G. Binet, D. Girardot, M. Denoual, S. Bontemps</i> | |
| THE PROPOSAL FOR REDUCTION OF REGULARLY MONITORED CONSUMERS IN SMART METERIG PROJECT KOMORANY | 1306 |
| <i>V. Vycital, D. Topolanek, M. Ptacek, V. Krcal, P. Toman, J. Zamphiropoulos</i> | |

| | |
|---|------|
| ASSESSMENT OF THE IMPACT OF RELIABILITY ON THE PROVISION OF OPERATING RESERVE FROM SMART GRIDS | 1311 |
| <i>L. Kalisch, D. Lehmann, S. Krahl, A. Moser</i> | |
| CHALLENGES, BARRIERS & POSSIBLE SOLUTIONS FOR FUTURE DISTRIBUTION GRIDS- AN INSIGHT FOR THE NETHERLANDS..... | 1316 |
| <i>A. Tomar, J. Rossi, P. H. Nguyen</i> | |
| DEVELOPING OPTIMAL ENERGY ARBITRAGE STRATEGY FOR ENERGY STORAGE SYSTEM USING REINFORCEMENT LEARNING | 1322 |
| <i>H. Chen, R. Bo, W. Ur Rehman</i> | |
| REGULATORY, TECHNICAL, AND MARKET DEVELOPMENTS OF REACTIVE POWER PROCUREMENT | 1327 |
| <i>C. Ma, I. Krybus</i> | |
| THE ROAD TOWARDS A 100% RENEWABLE ELECTRICITY MIX IN THE FRENCH ISLAND OF MIQUELON | 1332 |
| <i>M. Chiodetti, T. Lafont, C.-M. Gherardi, E. Radvanyi</i> | |
| VOLUME 3 | |
| ELECTRIC ARC DURING POWER SYSTEM FAULT IS NOT PURE RESISTANCE. WHY DOES IT CONTAIN “INDUCTANCE”?..... | 1337 |
| <i>M. Horák, T. Škumát</i> | |
| FUTURE CHALLENGES FOR DISTRIBUTION SYSTEM OPERATORS | 1342 |
| <i>R. Schmaranz, H. Buzanich, W. Schaffer, L. Fiedler, R. Bergmayer, B. Frittum-Lafer, C. Ammer, R. Schlögel, H. Grüneis, M. Hochwarter</i> | |
| APPLICATION OF SOFT-OPEN POINTS FOR THE INTERCONNECTION OF NEIGHBOURING LOW VOLTAGE DISTRIBUTION NETWORKS | 1347 |
| <i>P. Favre-Perrod, E. Auberson, C. Bernasconi, A. Demierre, S. Gavin, M. Carpita, A. Bifrare</i> | |
| AUTOMATED OVERHEAD LINE INSPECTION USING UAVS AND IMAGE RECOGNITION SOFTWARE | 1352 |
| <i>F. Puhe, C. Hermanns, M. Schmidgen</i> | |
| DESIGN AND STABILITY OF A LOW VOLTAGE DC SYSTEM INTEGRATING EV WITH PV | 1357 |
| <i>V. Ravindran, S. Rönnberg, M. H. J. Bollen</i> | |
| INNOVATIONS IN SENSOR ENABLED MODELLING OF FUTURE DISTRIBUTION SYSTEMS WITH DISTRIBUTED ENERGY RESOURCES..... | 1362 |
| <i>J. Dirkman</i> | |
| ESTIMATING THE LIFETIME OF MEDIUM VOLTAGE CABLES AND CABLE ACCESSORIES IN AN URBAN ENVIRONMENT | 1367 |
| <i>J. T. Keränen, O. K. Siirto</i> | |
| PROPAGATION OF SUPRAHARMONICS IN A MEDIUM-VOLTAGE NETWORK..... | 1372 |
| <i>S. S. Letha, M. H. J. Bollen, S. Rönnberg, A. S. Delgado</i> | |
| RELIABILITY ASPECTS OF DYNAMIC THERMAL RATING IN THE POWER GRID..... | 1377 |
| <i>S. F. Hajeforosh, M. H. J. Bollen</i> | |

| | |
|---|------|
| ACCURATE THERMAL MONITORING BY SENSOR EMBEDDED IN SWITCHGEAR BUSHING | 1382 |
| <i>D. Alberto, P. Brun, V. Ferraro, M. Secci</i> | |
| ESTIMATION OF ELECTRIC VEHICLE HOSTING CAPACITY OF A DISTRIBUTION NETWORK INCLUDING AMBIENT TEMPERATURE | 1387 |
| <i>S. S. Letha, M. Bollen</i> | |
| LED LIFE ASSESSMENT BY ACCELERATED TEST METHODS - A REVIEW | 1393 |
| <i>S. S. Letha, M. Bollen</i> | |
| HARMONICS AND WIND POWER INSTALLATIONS..... | 1398 |
| <i>M. H. J. Bollen, S. K. Rönnberg, D. Schwanz, N. Nakhodchi, V. Ravindran</i> | |
| RISK OF NEGATIVE NET CONSUMPTION DURING BACKUP-GENERATOR OPERATION OF LV DISTRIBUTION NETWORKS WITH SOLAR PV | 1403 |
| <i>M. H. J. Bollen</i> | |
| THE THIRD EDITION OF THE AUSTRIAN-CZECH-SWISS-GERMAN (D-A-CH-CZ) TECHNICAL RULE FOR ASSESSMENT OF NETWORK DISTURBANCES | 1408 |
| <i>J. Meyer, W. Mombauer, M. Híckel</i> | |
| VISUALIZING THE RESULTS FROM UNSUPERVISED DEEP LEARNING FOR THE ANALYSIS OF POWER-QUALITY DATA | 1413 |
| <i>R. A. De Oliveira, C. Ge, I. Y. H. Gu, M. H. J. Bollen</i> | |
| DEMAND STATISTICAL CHARACTERIZATION OF LOW VOLTAGE USERS IN ARGENTINIAN DISTRIBUTION NETWORKS FOR DISTRIBUTED GENERATION STUDIES PURPOSES | 1418 |
| <i>A. Jurado, E. Vinson, F. Nicchi</i> | |
| OPTIMAL PLANNING OF PORT MICROGRIDS TO IMPROVE ENERGY EFFICIENCY BY THE INTEGRATION OF RES, FLEXIBLE LOADS AND SMART MOBILITY - POSEIDON | 1423 |
| <i>S. Mocci, F. Pilo, G. G. Soma</i> | |
| REGULATORY INCENTIVES FOR REDUCING LOSSES AND INCREASING NETWORK UTILIZATION WHEN PLUG-IN ELECTRIC VEHICLES ARE CONNECTED IN ARGENTINIAN DISTRIBUTION SYSTEMS | 1428 |
| <i>A. Jurado, E. Vinson, F. Nicchi</i> | |
| REDUCTION OF FAULT LOCATION TIME AND TROUBLESHOOTING TIME IN LOW VOLTAGE DISTRIBUTION NETWORKS BY ANALYSIS OF SMART METER PLC COMMUNICATION DATA TRAFFIC AND ALARM MESSAGES | 1433 |
| <i>P. Favre-Perrod, E. Auberson, C. Bernasconi, G. Mauron, A. Bifrare</i> | |
| A FRAMEWORK TO EVALUATE MULTI-USE FLEXIBILITY CONCEPTS SIMULTANEOUSLY IN A CO-SIMULATION ENVIRONMENT AND A CYBER-PHYSICAL LABORATORY..... | 1438 |
| <i>I. Hacker, F. Schmidtke, D. Van Der Velde, S. Toni Czernik</i> | |
| INTEGRATING DIFFERENT PREDICTIVE DETERMINATIONS FOR THE CONDITION ASSESSMENT OF A HV INSTRUMENT TRANSFORMER FLEET | 1443 |
| <i>J. L. Martínez</i> | |
| UNCERTAINTIES IN RADIATION MODELLING FOR OVERHEAD LINES AND THEIR IMPACT ON THE AMPACITY..... | 1448 |
| <i>Seyedefateme Hajeforosh, Math Hj Bollen</i> | |

| | |
|--|------|
| NTL DETECTION: A INTELLIGENT SYSTEM USING A NON-SUPERVISED CLUSTERING OF CONSUMPTION PROFILES..... | 1453 |
| <i>Júlio P. S. Júnior, Willames J. B. V. Negreiros, Erica M. Laurentino</i> | |
| STUDY OF MANOEUVRE TIME OF DISTRIBUTED MV DISCONNECTORS | 1458 |
| <i>William Eriksson, Anna Lilly Brodersson, Jesper Rydén, Jonas Persson, Ying He</i> | |
| OPTIMIZATION OF EARTHING TRANSFORMER SIZING IN MEDIUM VOLTAGE NETWORKS..... | 1463 |
| <i>Paolo Marini</i> | |
| EVALUATING THE POTENTIAL OF FUTURE E-MOBILITY USE CASES FOR PROVIDING GRID ANCILLARY SERVICES | 1467 |
| <i>Bernd Thormann, Wilfried Purgstaller, Thomas Kienberger</i> | |
| SOLAR PV HOSTING CAPACITY METHODS AND INDUSTRIAL APPLICATION GAPS..... | 1472 |
| <i>Enock Mulenga, Math Hj Bollen, Nicholas Etherden</i> | |
| THERMOGRAPHIC INSPECTION WITH MOBILE MAPPING SYSTEM | 1477 |
| <i>B. B. Cardoso, E. L. Martins, M. A. I. Martins, K. D. Tomaz, S. De Francisci</i> | |
| LIKELIHOOD OF OVERLOAD DUE TO CONNECTED SOLAR PV | 1482 |
| <i>Enock Mulenga, Nicholas Etherden, Math Hj Bollen</i> | |
| INTERHARMONICS UNDER FUNDAMENTAL FREQUENCY VARIATIONS | 1487 |
| <i>Isabelle Löfgren, Vineetha Ravindran, Sarah Rönnberg</i> | |
| LESSONS LEARNT IN IMPLEMENTATION OF COORDINATED VOLTAGE CONTROL DEMONSTRATION..... | 1492 |
| <i>K. Ruuth, A. Supponen, A. Mutanen, S. Repo, K. Røslund Rosenørn, M. Møller</i> | |
| SPECTRUM ANALYSIS OF TRANSIENTS USING THE SHORT-TIME FOURIER TRANSFORM..... | 1497 |
| <i>Elena Gutierrez-Ballesteros, Sarah Rönnberg, Aurora Gil-De-Castro</i> | |
| AN INTEGRATED PLANNING APPROACH FOR THE SCHEDULING OF GRID ACTIVITIES REQUIRING OUTAGES..... | 1502 |
| <i>M. Hanot, P. Ruggoo, J. Le Baut</i> | |
| SENSOR TECHNOLOGY IN A CHANGING ELECTRICAL GRID | 1507 |
| <i>G. Rens, R. Nair, N. Save</i> | |
| PRESENTING A NEW CORRECTION FACTOR FOR IEC 60364-5-52 STANDARD IN CABLE CALCULATIONS UNDER HARMONIC CONDITIONS | 1511 |
| <i>F. G. Mohammadi</i> | |
| STATE OF CHARGE AND THERMAL-RELATED DETERIORATION PREDICTION FOR LI-ION STORAGE SYSTEMS IN HYBRID PHOTOVOLTAIC SYSTEMS IN THE ISLAND OF CORSICA..... | 1516 |
| <i>A. Vazques-Rodriguez, F. P. Neirac, G. Kariniotakis</i> | |
| DISTRIBUTION NETWORK MODERNIZATION IN TNB WITH THE APPLICATION OF LINE LIGHTNING PROTECTION DEVICE ONTO THE 33KV OVERHEAD LINES WITH HIGH SOIL RESISTIVITY IN TENAGA NASIONAL BERHAD - REIMAGINED TNB TOWARDS GRID OF THE FUTURE | 1521 |
| <i>M. F. Ariffin, M. Fazli Nozlan, N. Abdullah</i> | |

| | |
|---|------|
| DESCRIPTION OF A RESIDENTIAL THERMAL ENERGY STORAGE DEMONSTRATOR: MODELLING, IDENTIFICATION, VALIDATION, AGGREGATION AND VALIDATION OF DR PERFORMANCE | 1526 |
| <i>Ana García-Garre, Antonio Gabaldón, Carlos Álvarez-Bel, José L. Martínez-Ramos, Luis A. Fernández-Jiménez, Manuel Alcázar-Ortega</i> | |
| INNSBRUCK'S PROTOTYPE FOR A CROSS-LINKED ENERGY SYSTEM | 1531 |
| <i>Reinhard Fohringer, Sophia Neuner</i> | |
| INTEGRATED LPVT'S IN EACH FUNCTIONAL UNIT FOR SIMPLER PROTECTION AND CONTROL | 1536 |
| <i>P. Alibert, P. Brun, V. Ferraro, M. Secci</i> | |
| HV FUSES WITH IMPROVED CYCLIC STABILITY ICS® | 1541 |
| <i>Dirk Wilhelm, Dr. Jens Weber, Johannes-Georg Gödeke</i> | |
| ASSESSING THE ACCURACY OF DISTRIBUTION GRID ANALYSIS FOR VARIOUS COMBINATIONS OF GRID MEASUREMENTS | 1546 |
| <i>N. Stocker, A. Ulbig, M. González Vayá, N. Beckhaus</i> | |
| PLUG-AND-PLAY PROTECTION: A SOLUTION AGAINST PROTECTION SCHEME DESIGN COMPLEXITY IN MODERN ACTIVE DISTRIBUTION SYSTEMS | 1551 |
| <i>Aristotelis M Tsimtsios, Vassilis C Nikolaidis</i> | |
| ENERGY BENEFITS FROM BIDIRECTIONAL ELECTRICAL SUBSTATIONS IN METRO RAILWAY SYSTEMS | 1556 |
| <i>George Leoutsakos, Kyriakos Papadogiannis, Aris Dimeas, Vasilis A. Kleftakis, Foivos Palaiogiannis, Constantinos Papadogiannis</i> | |
| PASSIVE FILTERS ARE STILL A GOOD SOLUTION FOR HARMONICS DISTORTION MITIGATION | 1561 |
| <i>F. J. B. Silva, C. F. M. Almeida</i> | |
| IMPACT OF SUPRAHARMONICS AND QUASI-DC ON THE OPERATION OF RESIDUAL CURRENT DEVICES | 1566 |
| <i>Ángela Espín-Delgado, Jil Sutaria, Sarah Rönnberg, Naser Nakhodchi, Math Bollen</i> | |
| OPTIMIZING A RESIDENTIAL SOLAR PV SYSTEM BASED ON NET-METERING APPROACHES | 1571 |
| <i>A. Rauf, A. T. Awami, M. Kassas, M. Khalid</i> | |
| SOLID INSULATION DISTRIBUTION TRANSFORMER | 1576 |
| <i>K. Yi, B. Mun, K. Lee</i> | |
| DIFFERENCES IN TRANSIENT STABILITY BETWEEN GRID FORMING AND GRID FOLLOWING IN SYNCHRONIZATION MECHANISM | 1581 |
| <i>Z. Zhang, R. Schiirhuber, L. Fickert, K. Friedl, G. Chen, Y. Zhang, F. Wang</i> | |
| TECHNO-ECONOMIC ANALYSIS OF APPROPRIATE FLEXIBILITY PORTFOLIO FOR DISTRIBUTION SYSTEM OPERATORS | 1586 |
| <i>S. W. Park, S. Y. Son</i> | |
| INTEGRATED APPROACH FOR EXPANSION AND RELIABILITY PLANNING OF RADIAL DISTRIBUTION NETWORKS WITH ISLAND OPERATION OF DISTRIBUTED GENERATORS | 1591 |
| <i>Z. N. Popovic, S. S. Knezevic</i> | |

| | |
|---|------|
| D-A-CH-CZ SURVEY ON MV GRID CHARACTERISTICS FOR THE IMPROVEMENT OF EMISSION LIMIT-ALLOCATION FOR LARGE CUSTOMER INSTALLATIONS..... | 1596 |
| <i>F. Möller, J. Meyer, J. Linke</i> | |
| IMPLEMENTATION OF NON-CASCADE PROTECTION SYSTEM ON SWITCHGEAR USING THE HALF DOWN SECTION METHOD; IMPROVE THE RELIABILITY OF ELECTRICAL DISTRIBUTION SYSTEM | 1601 |
| <i>D. R. Syarif, A. P. Yahya, I. Firdaus, R. A. Sihombing</i> | |
| INCREASING THE GRID CAPACITY FOR ELECTRIC VEHICLE CHARGING USING DYNAMIC RATING..... | 1606 |
| <i>S. F. Hajeforosh, M. H. J. Bollen</i> | |
| INFLUENCE OF NETWORK CONSTRAINTS AND PRODUCT SPLIT ON THE POSSIBLE REVENUE OF DISTRIBUTED GENERATORS PROVIDING ANCIL-LARY SERVICES | 1611 |
| <i>O. Galland, L. Eggenschwiler, W. Sattinger, L. Dunand, P. Favre-Perrod</i> | |
| GRAPHICAL METHODS FOR PRESENTING TIME-VARYING HARMONICS | 1616 |
| <i>N. Nakhodchi, R. Alves De Oliveira, M. H. J. Bollen</i> | |
| DEVIATION FROM LINEAR SUMMATION LAW FOR LARGE NUMBER OF HOMOGENEOUS LED LAMPS | 1621 |
| <i>N. Nakhodchi, M. H. J. Bollen, Á Espín-Delgado, S. K. Rönnberg</i> | |
| ASSESSMENT OF GRID IMPEDANCE IMPACT ON SUPRAHARMONIC PROPAGATION | 1626 |
| <i>Á Espín-Delgado, S. Rönnberg</i> | |
| ULTRA-SENSITIVE LOCALIZATION AND NEUTRALIZATION OF LOW AND HIGH IMPEDANCE EARTH FAULTS IN DISTRIBUTION NETWORKS | 1631 |
| <i>V. Levashov, N. Winter, A. Winter</i> | |
| ESTIMATION OF SAFE HARMONIC HOSTING CAPACITY | 1636 |
| <i>N. Nakhodchi, M. H. J. Bollen</i> | |
| POWER QUALITY DURING AGEING OF LED LAMPS..... | 1641 |
| <i>S. Rönnberg, M. Byström</i> | |
| SUBSTATION AUTONOMY LEVELS | 1646 |
| <i>R. Javora, T. Kozel, M. Stefanka</i> | |
| HARMONIC CORRELATIONS MATRICES TO PRESENT MEASUREMENT RESULTS FROM SINGLE AND MULTIPLE LOCATIONS | 1651 |
| <i>N. Nakhodchi, M. H. J. Bollen</i> | |
| MULTI DISTRIBUTED GENERATION CATEGORIES INTEGRATION INTO DISTRIBUTION NETWORKS VIA MMFO ALGORITHM BASED ON TECHNO-ECONOMIC BENEFITS: A REAL EGYPTIAN CASE STUDY | 1656 |
| <i>A. S. Hassan, A. M. Adbelfattah, E. Othman, F. Bendary, M. A. Ebrahim</i> | |
| TIME-DEPENDENT AND LOCATION-BASED ANALYSIS OF POWER CONSUMPTION AT PUBLIC CHARGING STATIONS IN URBAN AREAS..... | 1661 |
| <i>S. Kreutmayr, D. J. Storch, S. Niederle, C. J. Steinhart, C. Gutzmann, M. Finkel, R. Witzmann</i> | |
| MODELLING THE AGGREGATE LOAD BEHAVIOUR OF EUROPEAN REGIONS AND ITS INFLUENCE ON DYNAMIC AND STATIC VOLTAGE STABILITY | 1666 |
| <i>D. Stenzel, R. Witzmann</i> | |

| | |
|---|------|
| COMPACT GREEN MV GIS WITH ATMOSPHERIC AIR INNOVATION BUILT ON DECades OF HERITAGE..... | 1671 |
| <i>M. Binnendijk, G. Schoonenberg, F. Besseling, N. Borgers</i> | |
| SIMULATION OF PRIVATE AND COMMERCIAL E-MOBILITY CHARGING BEHAVIOUR TO REASSESS COINCIDENCE FACTORS FOR DISTRIBUTION GRID PLANNING | 1676 |
| <i>J. Tran, C. Wirtz, P. Pfeifer, D. Wursthorn, S. Krah, A. Moser</i> | |
| OPTIMAL DISTRIBUTION NETWORK TARIFFS COMPUTATION WITH A BI-LEVEL OPTIMISATION APPROACH | 1681 |
| <i>K. Syrtseva, C. Alasseur, M. Bordigoni, L. Gilotte, R. Zorgati</i> | |
| SMART4RES: NEXT GENERATION SOLUTIONS FOR RENEWABLE ENERGY FORECASTING AND APPLICATIONS WITH FOCUS ON DISTRIBUTION GRIDS | 1686 |
| <i>S. Camal, G. Kariniotakis, F. Sossan, Q. Libois, R. Legrand, L. Raynaud, M. Lange, A. Mehrens, P. Pinson, A. Pierrot, G. Giebel, T. Göcmen, R. Bessa, J. Gouveia, L. Teixeira, A. Neto, R. M. Santos, G. Mendes, B. Nouri, J. Lezaca, R. Verzilbergh, G. Deen, G. Sideratos, C. Vitellas, G. Sauba, M. Eijgelaar, S. Petit</i> | |
| DATA-DRIVEN METHODOLOGY TO PREDICT DISTRIBUTION LINES FAILURE LOCATION..... | 1691 |
| <i>A. Oliveira, A. Leitão, L. Carvalho, L. Dias, L. Guimarães, M. Ribeiro</i> | |
| RESULTS OF ELECTRICAL DIAGNOSTIC TESTS OF THE INSULATION OF MEDIUM VOLTAGE CABLE LINES | 1696 |
| <i>K. Zasada-Chruscinska, A. Rakowska, K. Siodla, S. Noske</i> | |
| A PROPOSAL FOR TECHNICAL AND ECONOMIC SIZING OF ENERGY STORAGE SYSTEM AND PV FOR EV CHARGER STATIONS WITH REDUCED IMPACTS ON THE DISTRIBUTION NETWORK | 1701 |
| <i>A. V. P. G. Araújo, D. N. Araujo, A. S. M. Vasconcelos, W. De A Silva Júnior, P. A. C. Rosas, L. H. A. De Medeiros, J. B. R. Da Conceição, T. Ji</i> | |
| POWER QUALITY MONITORING DATA MANAGEMENT AND ANALYSIS FOR DISTRIBUTION NETWORKS | 1706 |
| <i>A. Hildén, P. Pakonen, P. Koponen</i> | |
| CHALLENGES AND EXPERIENCES ON THE INSTALLATION OF A BATTERY ENERGY STORAGE SYSTEM IN A LOW VOLTAGE NETWORK | 1711 |
| <i>V. R. Riboldi, T. R. Ricciardi, P. A. B. Block, G. F. Rissi, T. Ji, J. Chai</i> | |
| SHORT-CIRCUIT RING FOR IMPROVED PERSONAL SAFETY IN UNDERGROUND LV NETWORKS..... | 1716 |
| <i>J. C. J. Van Der Poel</i> | |
| PASSIVE LOOP MATHEMATICAL MODEL AS A REDUCTION METHOD FOR OVERHEAD LINE MAGNETIC FIELD..... | 1720 |
| <i>A. A. H. Anany</i> | |
| THERMAL RESPONSE TIME OF LV FUSE GEAR IN SECONDARY SUBSTATIONS AND CABLE DISTRIBUTION CABINETS..... | 1725 |
| <i>E. Fjeld, O. D. Sjaastad, W. Rondeel, T. R. Eriksen, F. W. Bekken</i> | |
| NEW METHOD FOR EVALUATING THE STABLE OPERATION OF INVERTERS IN THE PLANNING PHASE USING IMPEDANCE-BASED STABILITY CRITERION..... | 1730 |
| <i>M. Buchner, K. Rudion</i> | |

| | |
|---|------|
| IMPLEMENTATION OF A MOBILE UNINTERRUPTIBLE POWER SUPPLY – DEVICE..... | 1735 |
| <i>H.-J. Wernegger, W. Waldner, B. Obersteiner, M. Rauter, H. Sautner, A. Sautner, K. Etzer</i> | |
| DEEP LEARNING BASED INTELLIGENT METHODOLOGY FOR PHOTOVOLTAIC POWER QUALITY CONTROL WITH ENERGY STORAGE..... | 1740 |
| <i>M. A. Syed, F. Alismail, M. Khalid</i> | |
| LOCAL VERSUS CENTRALIZED CONTROL OF FLEXBIBLE LOADS IN POWER GRID..... | 1744 |
| <i>J. Markkula, V. Tikka, P. Järventausta</i> | |
| WEARABLE SENSING FOR WORK SAFETY AND OCCUPATIONAL HEALTH APPLIED TO AN ELECTRIC POWER DISTRIBUTOR..... | 1749 |
| <i>F. M. De Vasconcelos, C. F. M. Almeida, S. R. Gualtieri, L. A. Danesin, N. Kagan, L. H. Cruz, D. Mollica, V. R. De S. Demuner, A. Dominice, J. S. Filho</i> | |
| COORDINATION CONCEPTS FOR INTERACTIONS BETWEEN ENERGY COMMUNITIES, MARKETS, AND DISTRIBUTION GRIDS..... | 1754 |
| <i>S. Repo, M. Attar, A. Supponen, A. Keski-Koukkari, A. Safdarian, A. Kulmala, M. Vilkko</i> | |
| PREDICTIVE MAINTENANCE 4.0: CONCEPT, ARCHITECTURE AND ELECTRICAL POWER SYSTEMS APPLICATIONS..... | 1760 |
| <i>S. B. Righetto, B. B. Cardoso, M. A. I. Martins, E. G. Carvalho, S. De Francisci, L. T. Hattori</i> | |
| RISK ASSESSMENT OF SERVER OUTAGES DUE TO VOLTAGE DIPS IN THE INTERNAL POWER SUPPLY SYSTEM OF A DATA CENTER..... | 1765 |
| <i>K. M. Uddin Ahmed, R. A. De Oliveira, M. H. J. Bollen, M. Alvarez</i> | |
| THE IMPLEMENTATION OF IMMERSIVE VIRTUAL REALITY TRAININGS FOR THE OPERATION OF THE DISTRIBUTION GRID - DEVELOPMENT AND INTEGRATION OF TWO OPERATIONAL USE CASES | 1770 |
| <i>D. Hecker, M. Faßbender, M. Zdrallek</i> | |
| IMPROVING ENERGY EFFICIENCY IN DC MICROGRIDS WITH INTEGRATED ENERGY STORAGE | 1775 |
| <i>S. Kim, J. Kucka, S.-N. Kim, D. Dujic</i> | |
| INTERNAL ARC ROOT MOVEMENT AND BURNTHROUGH PREDICTION BY SIMULATION USING FIRST PRINCIPLE | 1780 |
| <i>S. Singh, D. S. Thevar, O. Granhaug</i> | |
| EXPERIENCE SHARING: FEEDER AUTOMATION PILOT FROM ONE OF THE GLOBALLY LARGEST URBAN DISTRIBUTION NETWORK IN INDIA..... | 1785 |
| <i>S. Bagchi, V. Shah, R. Rastogi, S. Mishra</i> | |
| AN EXPERIENCE OF LOCATING HIGH-IMPEDANCE FAULTS THROUGH SMART METERS' ALARMS IN POWER DISTRIBUTION NETWORKS | 1790 |
| <i>D. S. Pereira, C. F. M. Almeida, L. H. L. Rosa, N. Kagan, A. Dominice</i> | |
| ASSET MANAGEMENT IN HEP DSO: FROM DEVELOPMENT OF METHODOLOGIES TOWARDS APPLICATION | 1795 |
| <i>T. Baricevic, Ž. Plantic, A. Tunjic, M. Vuksanic, G. Vidmar, J. Peacock, T. Pears</i> | |
| TESTBEDS FOR ACTIVE DISTRIBUTION NETWORKS: CASE EXPERIENCE FROM SYSLAB..... | 1800 |
| <i>O. Gehrke, C. Ziras, K. Heussen, T. V. Jensen, H. W. Bindner</i> | |

| | |
|--|------|
| TAPERED LINK BOX SWITCH FOR MESHING LOW VOLTAGE DISTRIBUTION NETWORKS..... | 1805 |
| <i>J. Bantock, R. Clifford-Smith, L. Grella, H. Shishtawi</i> | |
| EFFICIENT METHOD TO STUDY THE PROPAGATION OF SUPRAHARMONICS ON THE LV GRID THROUGH SYMMETRICAL COMPONENTS AND CHAIN MATRICES | 1810 |
| <i>C. Leroi, E. De Jaeger</i> | |
| IMPACT OF DIFFERENT ELECTRIC VEHICLE CHARGING MODELS ON DISTRIBUTION GRID PLANNING..... | 1815 |
| <i>T. Müller, S. A. Ali, M. Becker, C. Möller, M. Zdrallek, E. Boden, C. Knoll</i> | |
| MACHINE LEARNING BASED EVALUATION OF DYNAMIC EVENTS IN MEDIUM VOLTAGE GRID COMPONENTS | 1820 |
| <i>E. Winkelmann, C. Steiner, I. Shevchenko, P. Steiner, P. Birkholz, U. Kaltenborn</i> | |
| DEVELOPMENT OF FACE RECOGNITION ALGORITHM SYSTEM FOR VERIFICATION OF QUALIFICATION OF FUNCTIONAL PERSONNEL IN CONSTRUCTION SITES | 1825 |
| <i>D. Seo, C. Yoon, Y. Choi, Y. Kim</i> | |
| TESTING OF OFF-SHORE ARRAY CABLES ACCORDING TO IEC 63026 UNDER CRITICAL WEATHER CONDITIONS..... | 1830 |
| <i>U. Kaltenborn, O. Schacht, P. Coors, S. Markalous, K. Vogt</i> | |
| ON THE OPTIMIZATION OF INVESTMENTS IN DISTRIBUTED ENERGY RESOURCES IN A LOW-VOLTAGE ENERGY COMMUNITY | 1835 |
| <i>A. Rosseel, M. Hupez, J.-F. Toubeau, Z. De Grève, F. Vallée</i> | |
| HIGH FREQUENCY INTERACTION OF POWER ELECTRONICS CONVERTERS IN AC AND DC POWERED DATA CENTERS..... | 1840 |
| <i>J. Sutaria, S. K. Rönnberg</i> | |
| SHORT-TERM PHOTOVOLTAIC GENERATION FORECASTING ENHANCED BY SATELLITE DERIVED IRRADIANCE | 1845 |
| <i>K. Bellinguer, R. Girard, G. Bontron, G. Kariniotakis</i> | |
| OPTIMAL MICROGRID DESIGN FOR COMMUNITY RESILIENCE IMPROVEMENT AND STACKED BENEFIT ANALYSIS..... | 1850 |
| <i>R. Ravikumar, S. Jothibasu, G. Singh, A. Maitra</i> | |
| AGENT-BASED APPROACH FOR DECENTRALIZED GENETIC ALGORITHM..... | 1855 |
| <i>M. Galici, M. Mureddu, E. Ghiani, F. Pilo</i> | |
| DESIGN AND DEVELOPMENT OF A SMART METERING SYSTEM WITH DIRECT LOAD CONTROL DEVICES FOR ENERGY EFFICIENCY AND USER EXPERIENCE IN POWER DISTRIBUTION UTILITIES | 1861 |
| <i>F. M. De Vasconcelos, C. F. M. Almeida, S. R. Gualtieri, L. A. Danesin, N. Kagan, M. Cavalcante, L. De P. A. Pinheiro, T. S. Bandeira</i> | |
| SYNTHETIC REPRESENTATION OF FLEXIBILITY FROM AGGREGATED LV DISTRIBUTED ENERGY RESOURCES..... | 1866 |
| <i>G. Celli, F. Pilo, G. Pisano, S. Ruggeri, G. G. Soma</i> | |
| SELF-GROUNDED POLE FOR POWER DISTRIBUTION GRIDS | 1871 |
| <i>R. G. Bento, B. E. M. Ferreira, A. C. A. Cannabrava, G. F. Rissi, J. Tuo</i> | |

| | |
|---|------|
| SELF-HEALING DIELECTRIC FLUID FOR FLUID FILLED CIRCUITS..... | 1876 |
| <i>R. Rhodes, S. Basu, I. German, C. Miners, M. Svensson, G. C. Stevens</i> | |
| HANDS-ON FOR E-REDES CLIMATE RESILIENCE IN THE CONTEXT OF ENERGY TRANSITION | 1881 |
| <i>I. E. Silva, I. Gomes, P. Alberto</i> | |
| ADEQUATE STATISTICAL APPROACH FOR OUTLIERS REMOVAL IN TARIFF REVISION RELATED DATASETS, GIVEN ITS NON-NORMAL AND ASYMMETRIC CHARACTERISTICS..... | 1885 |
| <i>A. A. Azevedo, V. A. V. Lopes, F. H. C. Alencar, H. H. Silva, J. B. R. Conceição</i> | |
| DEMAND SIDE MANAGEMENT USING INTELLIGENT POWER CONTROLLER FOR LARGE CONSUMERS | 1890 |
| <i>H. H. Shalaby, A. M. Azmy, F. M. Bendary, M. N. Ali</i> | |
| SIMPLE ANALYTICAL METHOD FOR MAGNETIC FLUX DENSITY IN AMORPHOUS AND SILICON STEEL HYBRID-CORE FOR THREE-PHASE 30 MVA HIGHER-EFFICIENCY DISTRIBUTION TRANSFORMER..... | 1895 |
| <i>C. Kobayashi, N. Kurita, M. Ogi, A. Nishimizu, S. Ohara, K. Masanao</i> | |
| IMPACTS OF SPOT MARKET OPTIMIZED ENERGY PROCUREMENT FOR PRIVATE EV CHARGING POINTS ON THE DISTRIBUTION GRID | 1900 |
| <i>C. Möller, R. Schmidt, T. Müller, M. Zdrallek, L. Stürmer, T. Stoltmann</i> | |
| METHODOLOGY FOR SIZING BATTERY ENERGY STORAGE SYSTEMS TO SUPPORT THE 13.8 KV DISTRIBUTION GRID | 1905 |
| <i>M. M. Cavalcanti, A. S. M. Vasconcelos, W. A. Silva Júnior, D. D. S. Alves, W. C. Boaventura, L. H. M. Leite, G. E. M. Campos</i> | |
| UPGRADING INTERNAL ARC RESISTANCE OF EXISTING SUBSTATIONS | 1910 |
| <i>M. Berende, H. Van Lijsebeth, C. Van Loon, M. Grooten</i> | |
| FACILITATING THE OPERATION AND INTEGRATION OF DER AND MICROGRIDS USING THE IEC 61850-7-420 STANDARD DATA MODELS, ESPECIALLY FOR MEETING IEEE 1547 AND EN 50549 GRID CODE REQUIREMENTS | 1915 |
| <i>L. Guise, F. Cleveland, A. Apostolov, H. Dawidczack, T. Berry, A. Schröder, T. Otani</i> | |
| ADOPTING STATE-OF-THE-ART ASSET MANAGEMENT THEORY TO CREATE ADDED VALUE IN A UTILITY SETTING | 1920 |
| <i>T. Krause, C. Schroeder</i> | |
| PLATONE: TOWARDS A NEW OPEN DSO PLATFORM FOR DIGITAL SMART GRID SERVICES AND OPERATION | 1925 |
| <i>I. Losa, A. Monti, M. Ginocchi, V. Croce, F. Bosco, E. De Luca, G. Fedele, D. Stratogiannis, B. Petters</i> | |
| PREDICTION OF PRIMARY SUBSTATION DEMANDS WITH EV CHARGING IN URBAN CITY ENVIRONMENT: CASE STUDY HELSINKI..... | 1930 |
| <i>J. Lepistö, P. Heine</i> | |
| MVDC SOLID STATE BREAKER/LIMITER CONTROL WITH ADAPTIVE HYSTERESIS LIMITS..... | 1935 |
| <i>R. Chiumeo, D. Raggini, A. Veroni, A. Clerici</i> | |

| | |
|--|------|
| A STOCHASTIC MODELLING OF ELECTRICAL VEHICLE LOAD AND ITS IMPACTS ON A SWEDISH DISTRIBUTION NETWORK..... | 1940 |
| <i>H. Bakhtiari, K. M. Uddin Ahmed, Math H. J. Bollen, J. Zhong</i> | |
| CALCULATION OF PEAK LOAD AND DIVERSITY FACTORS IN UNBALANCED LOW VOLTAGE GRIDS | 1945 |
| <i>L. Held, F. Müller, J. Geis-Schroer, J. Wirth, M. R. Suriyah, T. Leibfried</i> | |
| A NOVEL APPROACH USING A MACHINE LEARNING CLASSIFICATION FRAMEWORK TO IDENTIFY CRITICAL EVENTS IN AN INCREASING AMOUNT OF CONTROL ROOM ALARM MESSAGES..... | 1950 |
| <i>Patrick Van Eijk, Jeroen D Schuddebeurs, Bart Wp Bikker</i> | |
| EVALUATION OF CHARGING CONCEPTS FOR HIGH DENSITY URBAN AREAS BASED ON REAL MOBILITY AND CHARGING PROFILES OF BEV..... | 1955 |
| <i>Markus Fischer, Klaus Bognerberger, Jörg Elias, Simon Schram</i> | |
| APPLICATION OF TRANSFER FUNCTION METHOD IN A WIND PARK FOR HARMONIC STUDY..... | 1960 |
| <i>Naser Nakhodchi, Vineetha Ravindran, Math H. J. Bollen, Sarah K. Rönnberg</i> | |
| MODELLING THE IMPACT OF ELECTRIC VEHICLE IN POWER DISTRIBUTION GRIDS FROM A DSO PERSPECTIVE | 1965 |
| <i>R. Bernardo, E. Francisco, P. G. Matos, G. Faria</i> | |
| COMPARING HARMONIC UNBALANCE AT MULTIPLE LOCATIONS TO CHARACTERIZE THE UNBALANCE | 1970 |
| <i>Jil Sutaria, Naser Nakhodchi, Elena Gutierrez-Ballesteros, Math H J Bollen, Sarah K Rönnberg</i> | |
| RISK-BASED RESIDENTIAL DEMAND SIDE RESPONSE..... | 1975 |
| <i>S. Soleimani, M. Khoshjahan, M. Kezunovic</i> | |
| TECHNICAL AND NONTECHNICAL LOSS ESTIMATION USING REAL-TIME ACCESS TO DISTRIBUTION SYSTEM | 1980 |
| <i>R. B. Biazzì, E. Becker, D. P. Bernardon, L. M. Chiara, J. A. Silva</i> | |
| TOWARDS DISTRIBUTION NETWORK ENHANCED MAINTENANCE REGIME FOR MEDIUM VOLTAGE OVERHEAD LINES WITH THE DEPLOYMENT OF EXTENDED APPLICATIONS OF UNMANNED AERIAL SYSTEM IN TNB | 1985 |
| <i>M. F. Ariffin, M. F. Nozlan</i> | |
| REFURBISHMENT OF DISTRIBUTION TRANSFORMERS WITH BENEFITS IN THE EXCHANGE OF MINERAL OIL BY NATURAL ESTER INSULATING LIQUID | 1989 |
| <i>R. I. Da Silva, G. S. Mendonça</i> | |
| COMBINED MARKET AND GRID ORIENTED OPERATION OF DISTRIBUTED FLEXIBILITIES – RESULTS OF A PILOT PROJECT | 1994 |
| <i>Matthias Hable, Robert Knoll, Thomas Darda, Holger Hänchen, Maximilian Schmidt, Marcus Kreutziger, Peter Schegner, Jörg Lässig</i> | |
| EXPERIMENTAL AND HIL INVESTIGATION OF UNDER-FREQUENCY AND RATE OF CHANGE OF FREQUENCY LOAD SHEDDING SCHEMES IN INTERCONNECTED NETWORKS WITH HIGH PENETRATION OF RENEWABLE GENERATION | 1999 |
| <i>Patrick Favre-Perrod, Walter Sattinger, Petr Korba, Miguel Ramirez-Gonzalez, Felix Rafael Segundo Sevilla, Bruno Wartmann</i> | |

VOLUME 4

| | |
|---|------|
| THERMAL ANALYSIS AND DEBOTTLENECKING OF HVAC EXPORT CABLES FOR OFFSHORE WINDFARMS | 2004 |
| <i>S. H. H. Kazmi, R. Østerø, R. Holbøll, T. H. Olesen, T. S. Sørensen</i> | |
| A PLANNING TOOL TO DESIGN AND VALUATE MICROGRIDS | 2009 |
| <i>S. Jothibasu, M. Evans, R. Ravikumar, H. Nathwani, A. Maitra, A. Cortes, G. Damato, M. Gravely</i> | |
| FLEXGRID - DEVELOPMENT AND COMPARISON OF DISTRIBUTION NETWORK FLEXIBILITY MARKET ARCHITECTURES | 2014 |
| <i>Nikolaos Efthymiopoulos, Konstantinos Steriotis, Prodromos Makris, Georgios Tsousoglou, Konstantinos Seklos, Konstantinos Smpoukis, Maria Efthymiopoulou, Dimitrios Vergados, Emmanouel Varvarigos</i> | |
| PROPOSAL OF AN ELECTRIC TECHNICAL MODEL FOR THE IMPROVEMENT OF EFFICIENCY AND ENVIRONMENTAL SUSTAINABILITY IN SHRIMP PRODUCTION..... | 2019 |
| <i>J. Sarmiento-Carrillo, J. E. Torres, M. A. Torres</i> | |
| ARC DRIVE DUE TO THE EDDY CURRENT IN IRON ARC EXTINCTION GRID AND INTERRUPTING PERFORMANCE..... | 2024 |
| <i>Tomohiro Nishina, Kotaro Kurashima, Tadashi Koshizuka, Kunihiko Hidaka, Toyoki Nagasaki, Naoya Yamaguchi</i> | |
| ACCELERATED AGEING TEST FACILITY FOR MV/LV DISTRIBUTION TRANSFORMERS: RESULTS AND DISCUSSION..... | 2029 |
| <i>Jean Michel Couyade, Yves Bertrand, Mehdi Kanoun, Jean Pierre Gontier</i> | |
| BEST PRACTICES AND NEW OPPORTUNITIES FOR BIODIVERSITY PROTECTION FACING POWER LINES IMPACTS..... | 2034 |
| <i>C. Rochinha, F. Capela, I. C. Silva, P. S. Furtado, V. Batista</i> | |
| THE ENTRY OF CHARGING POINT OPERATORS INTO THE FLEXIBILITY TRADING DOMAIN – CHALLENGES AND OPPORTUNITIES | 2038 |
| <i>Iliana Ilieva, Olav Henrik Skonnord, Stig Ø Ottesen, Sara Marie Ambjørndalen</i> | |
| IEC 62559-2 USE CASE TEMPLATE-BASED SMART GRID ARCHITECTURE ANALYTICS..... | 2043 |
| <i>J. Schütz, M. Clausen, M. Uslar, J. M. Gómez</i> | |
| APPLICATION OF A STOCHASTIC AGGREGATE LOAD MODEL TO STUDY HARMONIC PROPAGATION IN DISTRIBUTION NETWORKS..... | 2048 |
| <i>Oscar Lennerhag, Math Hj Bollen</i> | |
| FUNCTIONAL SPECIFICATION OF PROTECTION, AUTOMATION & CONTROL APPLICATIONS BASED ON IEC 61850 INDEPENDENT OF THEIR IMPLEMENTATION..... | 2053 |
| <i>N. Ahuja, C. Bloch</i> | |
| DAILY WIND-BASED INTERRUPTION PREDICTION IN ENEDIS' MEDIUM VOLTAGE OVERHEAD LINES USING TIME SERIES DATA..... | 2059 |
| <i>Sophie Bercu, Gérald Fixot, Cécile Donde</i> | |
| A STOCHASTIC MARKOV MODEL FOR RELIABILITY-CENTERED MAINTENANCE APPROACH IN ELECTRICAL DISTRIBUTION NETWORKS | 2063 |
| <i>H. A. R. Ardabili, M. Haghifam, S. M. Abedi</i> | |

| | |
|--|------|
| ARTIFICIAL INTELLIGENCE BASED OPTIMIZATION OF BATTERY ENERGY STORAGE FOR E-MOBILITY UNPREDICTABLE LOADS | 2068 |
| <i>Kacper Sowa, Tomasz Kuczek, Piotr Oramus, Hemangi Borole</i> | |
| SITE INDICES FOR HIGH FREQUENCY HARMONICS FOR LONG TERM POWER QUALITY MONITORING..... | 2073 |
| <i>T. Streubel, C. Kattman, A. Eisenmann, K. Rudion</i> | |
| MULTI-DIMENSIONAL METHOD FOR ASSESSING NON-WIRES ALTERNATIVES WITHIN DISTRIBUTION SYSTEM PLANNING..... | 2078 |
| <i>Davis Montenegro, Jason Taylor</i> | |
| REDUNDANCY FOR POWER UTILITY COMMUNICATION NETWORKS | 2083 |
| <i>F. Steinhauer</i> | |
| GRID VOLTAGE CONTROL INCORPORATING HYBRID CONTROL DEVICES EXPOSED TO VARIABLE WEATHER CONDITIONS | 2088 |
| <i>Davis Montenegro, Mabolaji Bello</i> | |
| EXPANDING EV CHARGING CAPACITY IN DISTRIBUTION NETWORKS: A CASE STUDY FOR CHARGING EVS AT WORK | 2093 |
| <i>O. Alatise, A. Karlsson, A. Deb, R. Wu, J. Ortiz-Gonzalez</i> | |
| FREQUENCY REGULATION COORDINATED FRAMEWORK: HYBRID BATTERY ENERGY STORAGE SYSTEM AND SUPERCAPACITOR | 2098 |
| <i>S. Alshahrani, M. Khalid, M. Abido</i> | |
| DNO LED SITE SELECTION FOR PUBLIC ELECTRIC VEHICLE CHARGING INFRASTRUCTURE..... | 2104 |
| <i>L. Dunn, N. Evans, D. Leggat</i> | |
| MULTI-PORT ACTIVE-BRIDGES: ENERGY EXCHANGE BLOCKS FOR SMARTGRIDS | 2108 |
| <i>S. Galeshi, D. Frey, Y. Lembeye</i> | |
| EXPERIENCE FROM NORWEGIAN INTELLIGENT ELECTRICITY DISTRIBUTION PILOT PROJECTS | 2113 |
| <i>H. Sæle, M. Istad, S. M. Oland, S. A. Kjerpeset, R. Johansen, H. Hagen, K. F. Hansen, L. E. Nesse</i> | |
| VIBRATION MONITORING FOR MEDIUM-VOLTAGE CIRCUIT BREAKER DRIVES USING ARTIFICIAL INTELLIGENCE | 2118 |
| <i>A. Boyaci, O. Becker, I. Amihai</i> | |
| PRE-NORMALISATION OF GRID IMPEDANCE MEASUREMENT IN THE POWER LINE COMMUNICATION FREQUENCY BAND | 2123 |
| <i>D. Roggo, J. Braun, J. Meyer, D. De La Vega, B. Evequoz, C. Blaser, R. Stiegler, I. Fernandez</i> | |
| SURVEY OF HARMONIC AND SUPRAHARMONIC EMISSION OF FAST CHARGING STATIONS FOR ELECTRIC VEHICLES IN CHINA AND GERMANY | 2128 |
| <i>F. Chen, Q. Zhong, H. Zhang, M. Zhu, S. Müller, J. Meyer, W. Huang</i> | |
| ALTERNATIVE PROCEDURE FOR INCENTIVE REGULATIONS OF ELECTRICITY SUPPLY CONTINUITY IN BRAZIL | 2133 |
| <i>E. De Moraes, J. P. G. Pérez, C. F. M. Almeida, C. M. V. Tahan, M. R. Gouvea, N. Kagan</i> | |

| | |
|---|------|
| A NEW PATH MARKING TECHNOLOGY FOR LOCATING BURIED ASSETS BASED ON A NOVEL MAGNETO-MECHANICAL RESONATOR | 2138 |
| <i>Z. Doany, F. Van Meijl</i> | |
| DEEP LEARNING FOR PATTERN RECOGNITION OF INTERHARMONICS IN TIME-SERIES AND SPECTROGRAMS | 2143 |
| <i>R. A. Oliveira, V. Ravindran, S. Rönnberg, M. H. J. Bollen</i> | |
| CHARACTERISATION OF LONG-TERM DEMAND ON FRENCH MOTORWAYS FOR LONG-DISTANCE MOBILITY OF EVS AND EVALUATION OF THE IMPACT ON FRENCH DISTRIBUTION NETWORKS | 2147 |
| <i>F. Robin, A. Bouorakima</i> | |
| NOVEL CLOUD-BASED SUBSTATION CONTROL SYSTEM FOR NEXT-LEVEL RELIABILITY AND RESILIENCE IN ELECTRIC POWER UTILITIES | 2152 |
| <i>B. J. O. Sousa, S. Musunuri, M. Loukkalahti, J. Haapaniemi</i> | |
| INFLUENCE OF DISTRIBUTION GRID CHARACTERISTICS ON REDISPATCH POTENTIAL OF DISPERSED FLEXIBILITY | 2157 |
| <i>B. Müller, H. Lens</i> | |
| EXTREME WEATHER CONDITIONS EFFECTS ON UNDERGROUND CABLE JOINTS FAILURES: STRATEGIES FOR RELIABILITY AND RESILIENCE IMPROVEMENT | 2162 |
| <i>A. Bosisio, B. Greco, G. Iannarelli, L. Perfetto, A. Morotti, A. Pegoiani</i> | |
| POWER FLOW AND ECONOMICS ANALYSIS FOR RMU-BASED LOW-VOLTAGE DISTRIBUTION NETWORKS OPERATION..... | 2166 |
| <i>B. H. Shin, G. D. Oh, S. C. Kim, K. H Jung</i> | |
| EXPERIMENTAL MEASUREMENTS OF FREQUENCY-DEPENDENT ACTIVE COMPONENT IMPEDANCES FOR HARMONIC STABILITY ASSESSMENT..... | 2171 |
| <i>S. Simon, M. Quester, S. Karthik Gurumurthy, A. Monti</i> | |
| REVENUE POTENTIAL OF DIFFERENT PROSUMER TYPES AT LOCAL FLEXIBILITY MARKETS | 2176 |
| <i>S. Pack, K. Kotthaus, J. Hermanns, M. Zdrallek, C. Baumeister, F. Baumeister</i> | |
| A NEW SUSTAINABLE, READILY BIODEGRADABLE AND HIGH-PERFORMANCE INSULATING LIQUID FOR POWER TRANSFORMERS | 2181 |
| <i>C. P. Wolmarans, R. Fairholm</i> | |
| DYNAMIC BEHAVIOUR OF WIND TURBINES WHEN SUBMITTED TO DISTINCTLY CHARACTERIZED VOLTAGE DIPS | 2185 |
| <i>R. A. Oliveira, M. H. J. Bollen</i> | |
| DEVELOPMENT OF PREDICTIVE FAULT DETECTION AND CAUSE ESTIMATION WITH SENSOR-EQUIPPED SECTIONALIZERS IN ADVANCED DISTRIBUTION AUTOMATION SYSTEM | 2190 |
| <i>H. Hokazono, H. Motoi, D. Muramoto, T. Inuzuka, M. Shiga</i> | |
| INTEGRATED APPROACH TO HANDLING RISKS IN CRITICAL INFRASTRUCTURES - PILOT FOR TRANSFORMERS - | 2195 |
| <i>S. Marwitz, M. Hopfensitz, H. Spitzer</i> | |
| ENEDIS REQUIREMENTS FOR USE OF VACUUM TECHNOLOGY FOR CIRCUIT-BREAKERS IN MV SWITCHGEARS FOR PRIMARY SUBSTATIONS..... | 2200 |
| <i>F. Gaillard, M. Cordonnier</i> | |

| | |
|--|------|
| A BAYESIAN APPROACH FOR THE OPTIMAL INTEGRATION OF RENEWABLE ENERGY SOURCES IN DISTRIBUTION NETWORKS OVER MULTI-YEAR HORIZONS | 2205 |
| <i>B. Barracosa, J. Morin, H. Dutrieux Baraffe, J. Bect, E. Vazquez, J. Fournel</i> | |
| FEASIBILITY AND SOCIOECONOMIC STUDY OF BLACK START SERVICES PROVISION FROM DISTRIBUTION NETWORK USING DISTRIBUTED ENERGY RESOURCES | 2210 |
| <i>C. Vilá, M. Martínez, J. Gilabert, A. Belinchón, V. Fuster</i> | |
| EFFICIENT DISTRIBUTION GRID FLEXIBILITY PROVISION THROUGH MODEL-BASED MV GRID AND MODEL-LESS LV GRID APPROACH | 2215 |
| <i>A. Majumdar, O. Alizadeh-Mousavi</i> | |
| UNDERSTANDING THE IMPACT OF HIGH PENETRATION RESIDENTIAL BATTERIES WITH LOW CARBON TECHNOLOGIES ON THE LOW VOLTAGE NETWORKS | 2220 |
| <i>A. A. R. Mohamed, R. J. Best, X. Liu, D. J. Morrow</i> | |
| OPTIMGP - INDUSTRIAL OPTIMISATION FOR ENEDIS' SHORT-TERM OPERATIONAL PLANNING..... | 2225 |
| <i>B. Swaminathan, M. Alchourroun, B. Bouzigon</i> | |
| NEW EMBEDDED DEVELOPMENTS AND ALGORITHMS FOR ASSESSING PARALLEL OPERATION OF POWER TRANSFORMERS IN PRIMARY SUBSTATIONS..... | 2230 |
| <i>J. M. R. Gordon</i> | |
| FUTURE MEDIUM VOLTAGE SWITCHGEAR: COMPRESSED AIR OR ALTERNATIVE INSULATION GAS? | 2235 |
| <i>M. Hyrenbach, M. Saxegaard, L. Chenet</i> | |
| A SCALABLE APPROACH TOWARDS REAL-TIME CABLE RATINGS FOR UNDERGROUND MEDIUM VOLTAGE CABLES..... | 2240 |
| <i>S. Rieken, T. Weelinck, J. Ressing, D. Van Der Gun, T. Gu</i> | |
| BALANCING 2ND LIFE BATTERIES WITH DIFFERENT SOH FOR USE IN STORAGE SYSTEMS..... | 2245 |
| <i>G. L. Lacey</i> | |
| EFFECT OF DISTRIBUTED ENERGY RESOURCES INTEGRATION IN THE DISTRIBUTION SYSTEM | 2251 |
| <i>H. Hatta, S. Yamashiro, M. Oshiro, Y. Taira, N. Higa</i> | |
| THE UTILIZATION OF DEMAND RESPONSE PROGRAMS IN RENEWABLE-BASED MICROGRIDS: BENEFITS AND CHALLENGES..... | 2256 |
| <i>H. Bakhtiari, J. Zhong, M. Alvarez</i> | |
| METHODS FOR ON-SITE QUALIFICATION AND CALIBRATION OF INDUCTIVE INSTRUMENT VOLTAGE TRANSFORMERS FOR HARMONIC MEASUREMENTS | 2261 |
| <i>R. Stiegler, M. Freiburg, J. Von Zyl, J. Meyer, F. Feustel, C. German</i> | |
| RESULTS OF BLACKOUT- AND BLACKSTART-TESTS OF 1 KV SUPPLY FOR THE NEW SWISS RAILWAY TUNNEL EPPENBERG | 2266 |
| <i>D. Aegeuter, G. Wälchli</i> | |
| INFLUENCE OF BONDING OF MEDIUM AND HIGH VOLTAGE CABLES ON ANNUAL COSTS | 2271 |
| <i>D. Aegeuter</i> | |

| | |
|---|------|
| THE REAL TIME VOLTAGE CALCULATION METHOD OF SERIES COMPENSATION CIRCUITS FOR TIME DOMAIN PROTECTION SOLUTION | 2276 |
| <i>J. Wang, Y. Y. Li</i> | |
| LIMITATIONS OF THE APPLICABILITY OF THE CONCEPT OF HYBRID RENEWABLE ENERGY SOURCE PLANT IN PRACTICAL IMPLEMENTATION..... | 2281 |
| <i>A. Radovanovic, J. V. Milanovic</i> | |
| EVALUATION OF THE FUTURE IMPACT OF ELECTRIC VEHICLES ON THE DISTRIBUTION NETWORK OF BRESCIA | 2286 |
| <i>G. Viganò, C. Michelangeli, D. Clerici, C. Carlini, D. Moneta, A. Morotti, B. Greco, C. Pasetti</i> | |
| REALISTIC QOS OPTIMIZATION POTENTIAL AT COMMERCIAL EV CHARGING SITES THROUGH PRICING-BASED PRIORITIZATION..... | 2291 |
| <i>T. Simolin, K. Rauma, A. Rautiainen, P. Järventausta</i> | |
| FREQUENCY RESPONSE ANALYSIS TO ASSESS THE APPLICATION BANDWIDTH OF INDUCTIVE VOLTAGE TRANSFORMERS | 2296 |
| <i>D. Gopp, M. Freiburg, T. Bischof, R. Stiegler, J. Meyer</i> | |
| AN OPTIMAL POWER DISTRIBUTION SCHEME FOR THE DENSE NETWORK COMPOSED OF 5G BASE STATIONS BASED ON VIRTUAL ENERGY BACKUP..... | 2302 |
| <i>W. Bao, C. Yang, D. Yao, Q. Cheng, X. Yang, T. Zhou</i> | |
| EVALUATION METHOD OF VOLTAGE SAG SEVERITY FROM GRID SIDE BASED ON POINT-TO-LINE DISTANCE INDEX | 2308 |
| <i>Q. Zhong, W. Yao, Z. Xu, W. Huang, G. Wang</i> | |
| LINE PARAMETER ESTIMATION IN MULTI-PHASE DISTRIBUTION NETWORKS WITHOUT VOLTAGE ANGLE MEASUREMENTS..... | 2313 |
| <i>S. Claeys, F. Geth, G. Deconinck</i> | |
| EARTH VOLTAGE RISE IN MV NETWORKS - HOLISTIC SIMULATIONS EVALUATION AND FIELD TESTS VALIDATION..... | 2318 |
| <i>Q. Antoine, W. Finotto, H. Grandjean, D. Valmacco</i> | |
| PROXIMITY EFFECT IN HIGH-CURRENT CONDUCTORS - A CASE STUDY OF BREAKDOWNS IN A HYDROPOWER PLANT | 2323 |
| <i>K. S. Thinn, J. K. Lervik</i> | |
| FALSE TRIPPING OF A MV BUNDLE FEEDER DUE TO INDUCTIVE COUPLING | 2328 |
| <i>Q. Antoine, D. L. Martinez, P. Lindeboom</i> | |
| 3D SHIELDING MODELLING AND DESIGN OF THREE PHASE CURRENT LIMITING REACTANCES | 2333 |
| <i>A. Canova, J. C. Del-Pino-López</i> | |
| OPTIMISING MV NEUTRAL TREATMENT, EARTH FAULT DETECTION, LOCALISATION AND RESPONSE | 2338 |
| <i>H. Borland</i> | |
| CELLULAR NETWORKS PROVIDING DISTRIBUTION GRID COMMUNICATIONS PLATFORM..... | 2344 |
| <i>P. Hovila, H. Kokkoniemi-Tarkkanen, S. Horsmanheimo, P. Raussi, S. Borenius, K. Ahola</i> | |

| | |
|---|------|
| PREDICTABLE SECURE CHARACTERISTICS AND STANDARDS, FUTURE PROOF FIFTH GENERATION (5G) ENABLING - WHY PRIVATE LONG TERM EVOLUTION (LTE) IS THE CHOICE FOR DISTRIBUTION AUTOMATION | 2349 |
| <i>F. Chanda, S. Pike, N. Nawacki</i> | |
| IMPACT OF SLIP-UP IN MV CABLES ACCESSORIES ASSEMBLY ON ITS PERFORMANCES: AN EXPERIMENTAL STUDY..... | 2354 |
| <i>F. Zorzi, M. Kanoun, E. Durcik, H. Tanzeghti, C. Lin</i> | |
| STANDARDIZATION OF ELECTRIC VEHICLES' CHARGING BEHAVIOR VIA LOAD-SIMULATION OF CHARGING PARKS | 2358 |
| <i>E. Schnittmann, R. Schmidt, S. Azad, B. Dahlmann, M. Zdrallek, T. Armoneit</i> | |
| EXTENSION OF HARMONIC CALCULATION CONSIDERING GRID-CONNECTED INVERTER | 2363 |
| <i>N. Okada</i> | |
| SMART PROCEDURE TO DETECT INCORRECT INSTALLATION AND CONFIGURATION OF INDIRECT POWER METERS..... | 2368 |
| <i>A. Akila, M. Etman</i> | |
| IMPACT OF ENERGY INTERMITTENCE ON CABLES AND THEIR ACCESSORIES RELIABILITY | 2373 |
| <i>M. Kanoun, D. Meurice, E. Durcik, H. Tanzeghti, C. Lin</i> | |
| DETERMINING THE IMPACTS OF FAST-CHARGING OF ELECTRIC BUSES ON THE POWER QUALITY BASED ON FIELD MEASUREMENTS | 2377 |
| <i>T. Slanger, S. Bhattacharyya</i> | |
| PRACTICAL USE OF A NEW METHOD OF ARC SUPPRESSION COIL TUNING..... | 2382 |
| <i>P. Vancata, I. Matuljak, X. Tomáš</i> | |
| DYNAMIC SHORT TERM CORRECTION OF ENERGY CONSUMPTION FORECASTS DURING COVID-19 EPIDEMICS..... | 2387 |
| <i>A. Rosin, S. Delbos</i> | |
| INTEGRATED NETWORK DEVELOPMENT & PLANNING - FROM FORECASTING TO GRID SCREENING AND CONCEPTS - | 2391 |
| <i>C. Engels, D. Feismann, D. Giavarra, E. Mameghani, A. Maier, R. Schiwek</i> | |
| INTERPRETATION OF REDUCTION FACTOR AND EARTHING IMPEDANCE ACCORDING TO EN 50522 THROUGH EARTH FAULT TESTS IN A MEDIUM-VOLTAGE GRID WITH LOW-IMPEDANCE NEUTRAL EARTHING | 2396 |
| <i>C. Schmoger, C. Ehlert, L. H. Fickert</i> | |
| ASSESSMENT OF MULTI-ENERGY FLOW IN COUPLED NETWORKS WITH POWER-TO-HYDROGEN AND POWER-TO-HEAT..... | 2402 |
| <i>K. Koralewicz, J. Jakob, J. Garzon-Real, M. Kerzel, K. Pambour, S. Reigardt, M. Zdrallek</i> | |
| OVERLOADABLE DISTRIBUTION TRANSFORMERS FOR FLEXIBLE LOADING IN FUTURE DISTRIBUTION NETWORKS..... | 2407 |
| <i>R. Szewczyk, G. Kalkan</i> | |
| OPTIMIZATION OF TRANSFORMERS FOR SOLAR OR BATTERY STORAGE INSTALLATIONS BASED ON A CYCLIC LOADING PATTERN..... | 2412 |
| <i>G. Kalkan, R. Szewczyk</i> | |

| | |
|---|------|
| COMPARISON OF SYNTHETIC AND NATURAL ESTERS WITH FOCUS ON THERMAL ASPECTS OF INSULATION SYSTEMS..... | 2417 |
| <i>R. Szewczyk, R. Wicks, R. Martin</i> | |
| MITIGATION OF VOLTAGE UNBALANCE IN RURAL LOW VOLTAGE NETWORKS USING SINGLE-PHASE BESS INVERTERS..... | 2422 |
| <i>I. Mexas, G. Todeschini, F. Möller, J. Meyer</i> | |
| HOLISTIC VIEW FOR ENVIRONMENTALLY CONSCIOUS DESIGN OF MV SWITCHGEAR..... | 2428 |
| <i>T. Cormenier, F. Trichon, D. Serve</i> | |
| A STANDARDIZED KNOWLEDGE MODEL FOR HIGH-VOLTAGE EQUIPMENT CATALOGUE DATA CONTRIBUTES TO SIMPLIFY THE LIFE OF END USERS AND MANUFACTURERS..... | 2433 |
| <i>L. Guise, T. Cormenier, S. Blumenthal, N. Baumier, A. Dehouck, E. Lambert, A.-F. Cutting-Decelle, J.-L. Rayon, P. Tailhades, M. Zouiti</i> | |
| SMART ENERGY MANAGEMENT OF MULTIPLE BATTERY TYPES FOR AGGREGATORS USE CONSIDERING NEGOTIATED CONTRACTS WITH THE DISTRIBUTION SYSTEM OPERATOR AND BATTERY DEGRADATION..... | 2438 |
| <i>L. W. Stringini, H. E. O. Farias, C. A. S. Rangel, L. N. Canha, T. A. S. Santana, Z. I. Nadal</i> | |
| EVALUATION OF SUSTAINABLE SF6 ALTERNATIVE GAS MIXTURES USED IN ELECTRIC POWER EQUIPMENT | 2443 |
| <i>R. V. San, A. Xiao, J. Bonk, M. Delorme, J. Owens, R. Kurz</i> | |
| INCREASING HOSTING CAPACITY FOR DISTRIBUTED GENERATION BY USING LOCAL AUTONOMOUS VOLTAGE CONTROLS, FROM CASE STUDY TO DSO-PRODUCT | 2448 |
| <i>F. Woltjer, P. Laagland, A. C. Lopez, W. Van Den Akker</i> | |
| COMPARISON OF ALGORITHMS FOR FLICKER IRRITATION ASSESSMENT | 2453 |
| <i>L. Kukacka, R. Stiegler, J. Drápela, J. Meyer, M. Halpin, W. Mombauer</i> | |
| FORMULATION OF PARAMETRIC COST-FUNCTIONS FOR ANCILLARY SERVICES FROM DISTRIBUTED RENEWABLE ENERGY RESOURCES IN DISTRIBUTION NETWORKS..... | 2458 |
| <i>K. Oureilidis, K.-N. Malamaki, S. Gkavanoudis, C. Demoulas</i> | |
| OPTIMAL PLACEMENT AND SIZING OF DISTRIBUTED GENERATION IN A RADIAL DISTRIBUTION SYSTEM FOR RESILIENCE ENHANCEMENT AGAINST VOLCANIC ERUPTIONS | 2463 |
| <i>M. Saltos-Rodríguez, M. Aguirre-Velasco, A. Velásquez-Lozano, D. Ortiz-Villalba</i> | |
| OPTIMAL RECONFIGURATION STRATEGY FOR DISTRIBUTION NETWORKS WITH PV CONNECTED SYSTEMS | 2468 |
| <i>O. H. Abdalla, G. Abdel-Salam, A. A. A. Mostafa</i> | |
| MODELLING OF FLICKER IN LARGE REAL MEDIUM VOLTAGE DISTRIBUTION NETWORKS..... | 2473 |
| <i>A. Bosovic, H. Renner, A. Abart, E. Traxler, M. Music</i> | |
| RISK OF OVERLOADING AND HOSTING CAPACITY UNDER CHARGING LOAD FOR NORDIC CITIES | 2478 |
| <i>Z. N. Ahmad, M. Bollen</i> | |

| | |
|--|------|
| EQUIVALENT CELLULAR-BASED ELECTRICAL NETWORK MODELS FOR VOLTAGE REGULATION USING HYBRID CONVERSION TECHNOLOGIES AT THE MEDIUM-VOLTAGE LEVEL..... | 2483 |
| <i>A. Traupmann, M. Greiml, T. Kienberger</i> | |
| HARMONIC CHARACTERISTIC OF AN ISLANDED MICROGRID WITH RESIDENTIAL LOADS..... | 2488 |
| <i>A. M. Blanco, S. Kannan, M. Meinck, C. A. Garzón, M. F. Romero, V. Quintero, A. Pavas, J. Meyer</i> | |
| IMPACT OF THE MODELLING DEPTH OF DISTRIBUTION GRIDS ON THE ACCURACY OF AGGREGATED DISTRIBUTION NETWORKS..... | 2493 |
| <i>T. L. Würl, M. D. Librandi, R. Witzmann</i> | |
| ELECTRIC ENERGY DISTRIBUTION IN THE CONTEXT OF ECONOMIC RECESSION, THE COVID 19 PANDEMIC AND THE QUARANTINE..... | 2498 |
| <i>M. Pulice</i> | |
| DATA-DRIVEN TRANSIENT TEMPERATURE RISE PREDICTION MODEL FOR MEDIUM-VOLTAGE SWITCHGEAR | 2503 |
| <i>L. Zeng, X. Ge, W. Zheng</i> | |
| PREDICTING VALVE REGULATED LEAD-ACID BATTERY SENSITIVITY TO AGEING PROCESSES | 2508 |
| <i>N. Barnel, M. Cordonnier</i> | |
| CROSS-COUNTRY FAULTS IN RESONANT-EARTHELD NETWORKS: FAULT ANALYSIS AND DISTANCE PROTECTION | 2513 |
| <i>G. M. G Guerreiro, Z. Gajic, S. Zubic, N. Taylor, M. Z Habib</i> | |
| ENEDIS REQUIREMENTS FOR SECONDARY SUBSTATIONS MONITORING AND CONTROL | 2518 |
| <i>F. Serafini, F. Montel-Ragu, K. Kamga, C. Cholin, M. Chochois</i> | |
| FORECASTING METHOD OF NEWLY-CONNECTED CUSTOMER&S LOAD CURVE ON LV DISTRIBUTION BY MEANS OF REGRESSION TREE UTILIZING SMART METER DATA..... | 2523 |
| <i>Y. Kanazawa, T. Nonoyama, K. Yasunami, T. Takano, K. Matsuda</i> | |
| COMBINING THE EVALUATION OF RELIABILITY INDEX FOR ELECTRIC SYSTEMS WITH THE LONG-TERM ANALYSIS OF INFRASTRUCTURES | 2528 |
| <i>D. Lehnen, G. Willms, M. Hopfensitz</i> | |
| CENTRAL ENERGY METER FOR SMART BUILDINGS | 2533 |
| <i>T. Bajánek, M. Štefanka, J. Orságová, V. Jurák, P. Mlýnek</i> | |
| POWER CONTROL MODEL FOR CONVENTIONAL AND BATTERY TROLLEYBUSES TO IMPROVE VOLTAGE PROFILE IN A DC TRACTION NETWORK SIMULATION | 2538 |
| <i>D. Baumeister, M. Salih, M. Wazifehdust, M. Koch, M. Zdrallek, P. Steinbusch, C. Von Kalben, J. O. Schumacher</i> | |
| GRID STATE EVALUATION OF A LVDC TRACTION NETWORK: METHODS FOR THE ANALYSIS OF FORECAST DATA..... | 2543 |
| <i>M. Wazifehdust, D. Baumeister, M. Salih, P. Steinbusch, M. Zdrallek, C. Von Kalben, C. Troullier</i> | |

| | |
|--|------|
| LOCAL ENERGY AND FLEXIBILITY MARKETS TO FOSTER DEMAND RESPONSE MODES OF USE ENABLING COMMUNITY AND ENERGY PROVIDER ORIENTED BUSINESS MODELS..... | 2548 |
| <i>E. Rodrigues, G. Mendes</i> | |
| OPTIMAL DISTRIBUTION NETWORK SWITCH PLANNING CONSIDERING MALFUNCTION OF SWITCHES | 2553 |
| <i>M. Jooshaki, S. Karimi-Arpanahi, J. Millar, M. Lehtonen, M. Fotuhi-Firuzabad</i> | |
| DESIGNING A 5G BASED SMART DISTRIBUTION GRID PROTECTION SYSTEM | 2558 |
| <i>M. O. Nait Belaid, V. Audebert, B. Deneuville</i> | |
| APPLICATION OF BUSINESS INTELLIGENCE TOOLS FOR EFFICIENT MANAGING BUSINESS PROCESSES AND DATA IN DISTRIBUTED SYSTEM OPERATOR | |
| ELEKTROPRIVREDA B&H | 2563 |
| <i>A. Ašceric, S. Kovacevic</i> | |
| FAULT DIAGNOSIS OF TRANSFORMER FOCUSING ON CIRCULATING CURRENT | 2568 |
| <i>K. Yuki, T. Nakajima, T. Koshizuka, K. Hidaka</i> | |
| AN INITIAL VALIDATION OF A REAL-TIME CLOUD-BASED ‘WEB-OF-CELLS’ ENERGY MANAGEMENT SYSTEM..... | 2573 |
| <i>L. Hunter, S. Galloway</i> | |
| TABEDE: A NEW SOLUTION FOR DEMAND RESPONSE, CLEAN ENERGY & COST SAVINGS..... | 2578 |
| <i>Andre De Fontaine, Amin Amin, Pablo Gallegos, Oudom Kem, Feirouz Ksontini, Zia Lennard, Francesco Martinelli, Monjur Mourshed, Henri Obara, Emmanuel Onillon, Marco Rocchetti, Balsam Shallal, Kui Weng</i> | |
| DISTRIBUTED PROPERTIES OF MULTI-CONDUCTOR LOW VOLTAGE CABLES AT 2–500 KHZ: NETWORK ANALYSIS BY FOUR-TERMINAL SENSING, TIME-DOMAIN REFLECTOMETRY AND IMPEDANCE MEASUREMENTS..... | 2583 |
| <i>Georgios G. Roumeliotis, Jan Desmet, Sean Ameele, Jos Knockaert</i> | |
| PREDICTIVE MAINTENANCE OF HV AND MV CIRCUIT BREAKERS | 2588 |
| <i>M Inês Verdelho, Luís Cordeiro, Ana F Ribeiro, André Pimenta, Hugo Albuquerque, Miguel Freitas, Pedro M Fernandes</i> | |
| SURVEY ON FLEXIBLE OPERATIONS TECHNICIANS TEAMS ROUNDS..... | 2593 |
| <i>Thomas Triboulet, Raphael Payen</i> | |
| “INTEGRATED ELECTRICAL AND LONG-TERM ANALYSIS” FOR THE MEDIUM AND LOW VOLTAGE GRIDS OF KWH NETZ | 2597 |
| <i>Alexander Zeh, Julian Dollichon, Heiko Spitzer</i> | |
| INFLUENCE OF THE SPATIAL DISTRIBUTION OF GRID-FORMING CONVERTER-BASED GENERATION ON THE FREQUENCY SUPPORT IN A MEDIUM-VOLTAGE BENCHMARK GRID | 2602 |
| <i>Anna Pfendler, Martin Coumont, Soham Choudhury, Jutta Hanson</i> | |
| STUDY ON NON-MECHANISTIC MODELLING IN DISTRIBUTION NETWORK STRUCTURE PLANNING | 2608 |
| <i>Fang Yihang, Wang Chengmin, Xie Ning</i> | |

| | |
|--|------|
| STATISTICAL ANALYSIS OF FIELD MEASUREMENT DATA OF HARMONIC CURRENTS IN RESIDENTIAL DISTRIBUTION SYSTEMS | 2613 |
| <i>Pablo Rodríguez-Pajarón, Araceli Hernández, Rosa M De Castro, Mohamed Izzeddine</i> | |
| ENABLING INTEROPERABLE FLEXIBILITY AND STANDARDIZED GRID SUPPORT SERVICES | 2618 |
| <i>João Falcão, Carlos Cândido, Diogo Silva, José Sousa, Mário Pereira, David Rua, Clara Gouveia, Fábio Coelho, Ricardo Bessa, Alexandre Lucas</i> | |
| RESEARCH ON PATTERNS AND PLANNING METHOD OF AUTONOMOUS WEB-OF- CELL..... | 2623 |
| <i>Zhao Pengzhen, Wang Chengmin, Xie Ning</i> | |
| THE PROCUREMENT OF CLOSER TO REAL TIME DSO FLEXIBILITY SERVICES, WHILST MINIMISING THE IMPACT ON BALANCE RESPONSIBLE PARTIES | 2628 |
| <i>Matthew Watson, Stuart Fowler, Sofia Eng, Gary Swandells, David Penfold</i> | |
| THE ROLE OF INTEROPERABLE, AGNOSTIC AND FLEXIBILITY ENABLING INTERFACES FOR DSO AND SYSTEM COORDINATION | 2633 |
| <i>Pedro Marques, João Falcão, Susete Albuquerque, Ricardo Bessa, Clara Gouveia, David Rua, José Villar, Helena Gerard, Kris Kessels, Kirsten Glennung, Antonello Monti, José Pablo Chaves Ávila</i> | |
| SELF-REPAIR, WATER BLOCKING MATERIALS FOR SUB-SEA POWER CABLES | 2638 |
| <i>Tom Andrews, Amy Pye, Gary C Stevens, Ian German, Rhys Rhodes, Alex Neumann, David Hoyle</i> | |
| A ROBUST APPROACH FOR DETERMINING FUTURE PROJECTIONS FOR THE DISTRIBUTION GRID BASED ON NATIONAL PROJECTIONS | 2644 |
| <i>Tilman Weckesser, Mikkel Vesterbæk</i> | |
| METHODOLOGY FOR RURAL MICROGRIDS DEVELOPMENT..... | 2649 |
| <i>Victoria Tan, Antoine Trobois, Laurent Karsenti, Stéphane Jamet</i> | |
| EXPLORING EVOLVING FAULTS WITH INTERACTIVE MULTI-TIME-SCALE VISUALIZATION OF PROTECTION RELAY EVENTS FROM A SUBSTATION | 2654 |
| <i>C. Backe, P. Hovila</i> | |
| FROM SMART GRID EVENTS TO A PROACTIVE FAULT APPROACH..... | 2659 |
| <i>D. F. Lopes, R. Mourão, J. Sousa, B. Coelho, M. Morais</i> | |
| FEASIBILITY OF IMPLEMENTING MV/LV SOLID STATE TRANSFORMERS IN THE DUTCH ELECTRICITY GRIDS - FROM ECONOMIC PERSPECTIVE | 2664 |
| <i>S. Bhattacharyya, M. Berende</i> | |
| FORECASTING ELECTRICITY DEMAND AT LOW VOLTAGE USING A MULTIVARIATE MODEL..... | 2669 |
| <i>K. Vestergaard, K. R. Thomsen</i> | |

VOLUME 5

| | |
|---|------|
| VOLTAGE TRANSFORMER HARMONIC CHARACTERISTICS FOR DISTRIBUTION POWER QUALITY MONITORING | 2674 |
| <i>P. Davis, P. Wright, J. King, S. Jupe, S. Pinkerton-Clark</i> | |

| | |
|---|------|
| A VIEW OF 2020 POWER QUALITY WITHIN GB DISTRIBUTION NETWORKS | 2679 |
| <i>J. King, A. Forster, S. Jupe, S. Pinkerton-Clark</i> | |
| EFFECT OF A SUPPLEMENTARY RETURN PATH ON GROUND RETURN CURRENT | 2684 |
| <i>S. Lilley, P. Jones, M. Davies, S. Tucker</i> | |
| AN INTEGRATED PLATFORM FOR POWER QUALITY MONITORING | 2689 |
| <i>J. King, D. Wiley, S. Hoda, S. Jupe, S. Pinkerton-Clark</i> | |
| DOMINOES- A ROADMAP TO INTEGRATED ENERGY MARKET OPERATION AND MANAGEMENT | 2694 |
| <i>S. Repo, O. Kilkki, R. Hirvelä, S. Annala, S. Klein, L. Matos, J. E. Sousa, S. Albuquerque, G. Pires</i> | |
| ESTIMATED IMPACT OF SELF-GENERATION AND PROSUMERS TO DSO AND TSO REVENUES IN CROATIA | 2699 |
| <i>M. Skok, L. Wagmann, D. Vidovic</i> | |
| EVALUATION OF INNOVATION APPROACHES AS ADDITIONAL REGULATORY INSTRUMENTS FOR THE INCENTIVE REGULATION OF GRID OPERATORS IN GERMANY | 2704 |
| <i>N. Reuter, S. Nykamp, O. Franz</i> | |
| INTEGRATED ICT TOOLS TO SUPPORT FLEXIBILITY MANAGEMENT IN FUTURE DISTRIBUTION NETWORKS | 2709 |
| <i>B. Pellerin, F. Farrukh, I. Ilieva, P. Makris, E. M. Varvarigos, N. Efthymiopoulos, M. Calin, M. Thoma</i> | |
| OPTIMIZING LOAD STEP PRE-ANNOUNCEMENT AND BANG-BANG CONTROLLER FOR ENHANCED ISLANDED MICROGRID FREQUENCY STABILITY | 2714 |
| <i>Y. Guo, T. Görlich, W. Gawlik</i> | |
| IMPACT OF DISTRIBUTED ENERGY RESOURCES AND ELECTRIC VEHICLE SMART CHARGING ON LOW VOLTAGE GRID STABILITY | 2719 |
| <i>F. Gonzalez Venegas, S. Meunier, C. Protopapadaki, Y. Perez, D. Saelens, M. Petit</i> | |
| LIFE CYCLE ASSESSMENT OF THE 72,5 KV G3 GIS AND 66KV/14MVA GREEN TRANSFORMER FOR INTEGRATION INTO THE 13 MW OFFSHORE WIND TURBINE | 2724 |
| <i>Y. Kieffel, E. Laruelle, C. Perrier, C. G. Zemmouri, B. Portal, R. Lüscher, M. Kavuk</i> | |
| ANALYTICS 4 ASSETS - THE ADVANCED ASSET MANAGEMENT PROJECT | 2729 |
| <i>M. Freitas, L. Cordeiro, A. Peixoto, J. Mendes, T. Abreu, P. Gomes, A. Neves, A. Delfino</i> | |
| COMPENSATION OF SHORT-TERM POWER FLUCTUATIONS AT THE TRANSMISSION GRID LEVEL BY CENTRALIZED AND DISTRIBUTED SHORT-TERM STORAGE TECHNOLOGIES ON THE EXAMPLE OF AUSTRIA | 2734 |
| <i>S. Nemec-Begluk, W. Gawlik</i> | |
| FLEXIBILITY SCHEDULING FOR DISTRIBUTION SYSTEMS: A CASE STUDY IN AUSTRIA..... | 2739 |
| <i>D. Huo, M. Santos, J. McGrath, N. Wade, D. Greenwood</i> | |
| CUSTOMER SEGMENTATION AND TARGETING FOR DEMAND RESPONSE IN THAILAND | 2744 |
| <i>S. Kaewchird</i> | |

| | |
|---|------|
| ONLINE AGGREGATION OF THE FLEXIBILITY POTENTIAL IN DISTRIBUTION GRIDS USING STATE ESTIMATION | 2749 |
| <i>S. Müller, D. A. Contreras, H. Früh, K. Rudion, C. Exner, A. Von Haken</i> | |
| VALIDATION OF THE EQUIVALENT MODEL OF WIND FARM FOR PROBABILISTIC HARMONIC PROPAGATION STUDIES | 2754 |
| <i>Y. Zhao, J. V. Milanovic</i> | |
| USE OF LV MEASUREMENTS IN ORDER TO FEED A STATE ESTIMATOR AIMING AT EVALUATING THE MV VOLTAGE WITH A 1% PRECISION | 2759 |
| <i>D. Croteau, K. Kamga, B. Bouzigon</i> | |
| IS POWER TO HYDROGEN AN APPROPRIATE APPROACH TO MITIGATE PV-INDUCED STRAIN ON 110 KV HIGH-VOLTAGE GRIDS? | 2764 |
| <i>T. Kienberger, M. Greiml, R. Braunstein</i> | |
| APPLICATION OF ASSISTED REALITY AT MAINTENANCE ACTIVITIES: E-REDES' PILOT PROJECT RESULTS..... | 2770 |
| <i>B. Almeida, J. M. Bolas, R. J. Santos, J. M. Teodoro, J. Bento, L. Matos, E. Romão, F. Guerreiro</i> | |
| DEVELOPMENT OF AN ADVANCED PLANNING TOOL FOR SUPPORTING THE CHOICE OF OPTIMAL INVESTMENTS AIMED AT OPTIMIZING THE INFRASTRUCTURE OF POWER DISTRIBUTION SYSTEMS IN FUTURE SCENARIOS..... | 2775 |
| <i>C. Alberti, F. Dura, M. Ceci, G. Pio</i> | |
| INNOVATIVE APPLICATIONS OF ARTIFICIAL INTELLIGENCE ON SCADA DATA | 2781 |
| <i>B. Almeida, R. J. Santos, M. Louro, P. M. Santos, A. F. Ribeiro, R. J. Bessa, C. Gouveia, J. R. Andrade, R. E. Silva, C. N. Rocha, J. P. Viana</i> | |
| ADVANCED CONTROL OF INDUSTRIAL SOLAR VARIABLE SPEED DRIVE FOR THREE PHASE INDUCTION MOTOR | 2786 |
| <i>B. E. Elnaghi, R. H. Mohammed, A. M. Ismaiel</i> | |
| DESIGNING ENERGY-EFFICIENT RESIDENTIAL BUILDINGS FOR NIGERIA AND SUB- SAHARAN AFRICA CONSIDERING AEROGEL THERMAL INSULATION MATERIAL AND PHOTOVOLTAIC POWER GENERATION..... | 2791 |
| <i>A. Abubakar, A. W. Bashir, C. F. M. Almeida, B. C. C. Leite, M. Gemignani</i> | |
| FLEXIBLE LOAD MANAGEMENT: HOW DSOS CAN BENEFIT FROM ENERGY EFFICIENCY PLUGS FOR HOT WATER MANAGEMENT | 2796 |
| <i>D. F. M. Tavares, M. B. Gough, T. A. S. Bandeira, B. P. A. Coutinho, H. M. P. Severino, J. P. S. Catalão</i> | |
| CO-SIMULATION OF OPENDSS AND RTDS TO REALISE REAL-TIME SIMULATION OF LARGE DISTRIBUTION NETWORKS..... | 2801 |
| <i>I. K. Park, Y. Zhang, J. Sim</i> | |
| ESTIMATION OF ENERGY LOSSES IN LV NETWORKS USING DATA MINING ALGORITHM | 2806 |
| <i>A. Khazaee, H. Mosaddegh, H. Delavaripour, M. Ghasempour</i> | |
| APPROACHES TO ENSURING RELIABILITY OF MV ALUMINIUM CABLE SPLICING REGARDING JOINT PROCESSING PROCEDURES AND CRITERIA..... | 2810 |
| <i>S. Moon, I. Choi, H. Lim, S. Kim, B. S. Lee</i> | |

| | |
|--|------|
| IDENTIFICATION OF UNAUTHORIZED MINING FARMS USING SMART METERING DATA..... | 2815 |
| <i>H. Delavaripour, H. Chenarani, A. Khazaee, M. Ghasempour</i> | |
| VERIFICATION OF FAULT LOCATION BY TDR MEASUREMENT ON AN ACTUAL LINE INCLUDING MULTIPLE GROUND-MOUNTED EQUIPMENT | 2819 |
| <i>J. Oasa, M. Yamanaka, S. Higashiyama, Y. Inaoka, T. Hisakado, O. Wada, T. Matsushima, T. Hirayama, K. Yamaoka</i> | |
| VERIFICATION OF A LOW-VOLTAGE MONITORING CONCEPT USING HIGHRESOLUTION MEASUREMENTS IN THE DISTRIBUTION GRID OF ZURICH | 2824 |
| <i>T. Feizi, F. Sperr, M. Auer, D. Tziritas, R. L. Fauci</i> | |
| QUALITY OF DISPATCHING VALIDATION PROCEDURE FOR IMPROVED DISTRIBUTION NETWORK OPERATION..... | 2829 |
| <i>S. Davidov, T. Knez, R. Gorišek, D. Krnjak</i> | |
| PRACTICAL VERIFICATION OF MEDIUM VOLTAGE SWITCHGEAR THERMAL LOADABILITY BASED ON THE IEC62271 THERMAL MODEL..... | 2833 |
| <i>J. Erbrink, R. Vosse, M. Mosselaar, T. Van Rijn</i> | |
| FAST DECENTRALISED POWER FLOW AND VOLTAGE CONTROL SYSTEM IN MV GRIDS..... | 2838 |
| <i>J. Hrouda, A. Bodor, F. Kysnar, K. Procházka</i> | |
| PRACTICAL VERIFICATION OF POWER TRANSFORMER THERMAL LOADABILITY BASED ON THE IEC60076-7 THERMAL MODEL FOR TOP-OIL AND HOT-SPOT TEMPERATURE | 2843 |
| <i>J. Erbrink, R. Leich, R. Van Etten, R. Torensma, R. De Jong, K. Heida</i> | |
| SPATIAL MODELLING OF ELECTRICAL LOADS IN DISTRIBUTION GRIDS BASED ON SOCIOECONOMIC DATA..... | 2848 |
| <i>M. Trageser, C. Vertegwall, M. Kurth</i> | |
| IMPACT OF CLIMATE CHANGE ON NETWORK COMPONENTS: ROOT CAUSE ANALYSIS OF OVERHEAD DISTRIBUTION NETWORK FAILURES DUE TO HEAVY SNOWFALL- A CASE STUDY GILAN, IRAN, FEB. 2020 | 2853 |
| <i>A. Salmanpour, N. E. Noorali, M. Gholizadeh, M. B. Ghadikolaei, G. R. Mehr</i> | |
| GRID PLANNING IN THE MIDST OF SEVERAL EXISTING VOLTAGE LEVELS | 2858 |
| <i>B. Kers, H. Vergnes, E. Coster, J. Van Gelderen</i> | |
| ANALYZING THE IMPACT OF THE CUSTOMERS' DECISION-MAKING ON THE IMPLEMENTATION OF DEMAND RESPONSE | 2863 |
| <i>A. Lahti, P. Heine, S. Honkapuro</i> | |
| ASSESSING REAL ALTERNATIVES TO MV SF6 GAS-INSULATED SWITCHGEAR | 2868 |
| <i>J. M. Inchausti, J. Arostegui, S. Sebastián, M. De-La-Cruz, J. Izcara, J. A. Sanchez</i> | |
| ASSET MANAGEMENT SYSTEM IN DSO USING BUSINESS INTELLIGENCE TOOLS AND ADVANCED ANALYTICS | 2873 |
| <i>A. Teringl, J. Kula, L. Kozubík, M. Osladil</i> | |
| DAY-AHEAD ELECTRICITY MARKET ESTIMATION OF FINLAND IN 2030 | 2878 |
| <i>P. Hasanpor Divshali, N. Riaz, A. Kulmala, S. Repo</i> | |

| | |
|---|------|
| APPLICATION OF MEASUREMENT METHODS FOR THE FREQUENCY RANGE 2-150 KHZ TO LONG-TERM MEASUREMENTS IN PUBLIC LOW VOLTAGE NETWORKS..... | 2883 |
| <i>V. Khokhlov, J. Meyer, D. Ritzmann, S. Lodetti, P. S. Wright, D. De La Vega</i> | |
| COMPARISON OF ON-SITE PARTIAL DISCHARGE MEASUREMENTS USING VLF-, DAC- AND SLOPE-VOLTAGE FORMS AND DISSIPATION FACTOR MEASUREMENTS ON SERVICE-AGED MEDIUM VOLTAGE CABLES | 2888 |
| <i>N. Tichelkamp, T. Reske, N. Hopfer, M. Zdrallek, J. Herzer, J. Albert, O. Strempel</i> | |
| NOVEL INTERMEDIATE METHOD OF IMPEDANCE CALCULATION FOR CONNECTION REQUIREMENTS TO HIGH VOLTAGE GRIDS | 2893 |
| <i>H. Hansen, J. R. Vinther, M. T. Dalsgaard, A. V. Christiansen, C. S. Hansen, K. R. Kanstrup</i> | |
| BOTTOM-UP SERVICES & NETWORK INTEGRITY: THE NEED FOR OPERATING ENVELOPES | 2898 |
| <i>M. Z. Liu, L. F. Ochoa, T. Ting, J. Theunissen</i> | |
| DEVELOPMENT OF IMAGE DIAGNOSIS USING ARTIFICIAL INTELLIGENCE FOR DIAGNOSIS OF POLE TRANSFORMERS | 2903 |
| <i>Y. Kokubo, S. Kokubo, Y. Inaoka, Y. Inaoka, K. Sanda, A. Fuji, T. Hirayama, K. Yamaoka</i> | |
| ENERGY SAVING STRATEGY USING PREPAID SMART METER VERSUS CONVENTIONAL METER | 2908 |
| <i>M. A. Mohamed, E. S. M Mahmoud</i> | |
| MOBILE NETWORK MULTICAST SUPPORTED MAINTENANCE OF FREQUENCY STABILITY IN LOW INERTIA POWER GRIDS | 2911 |
| <i>S. Borenius, P. Tuomainen, J. Costa-Requena, M. Lehtonen, P. Hovila, H. Kokkonieni-Tarkkanen</i> | |
| EVALUATION OF ENERGY SAVINGS USING CUSTOMER METER DATA | 2916 |
| <i>P. Charpentier, C. Donon</i> | |
| SIMULATION TOOL FOR TECHNO-ECONOMIC ANALYSIS OF HYBRID AC/DC LOW VOLTAGE DISTRIBUTION GRIDS | 2921 |
| <i>N. Fuchs, G. Jambrich, H. Brunner</i> | |
| CHALLENGES IN DERIVING EQUIVALENT MODELS OF ACTIVE DISTRIBUTION GRIDS FROM OPERATIONAL DATA..... | 2926 |
| <i>J. Denecke, J. R. Torres, H. Vennegeerts</i> | |
| SECONDARY SUBSTATION CONTROL ARCHITECTURE FOCUSING ON OLTC BASED TRANSFORMER INTEGRATION..... | 2931 |
| <i>J. A. Valparis, M. A. Escalona, I. A. Arana, M. S. Heras</i> | |
| VERY SHORT TO MEDIUM-TERM DEMAND AND GENERATION FORECAST: A STUDY CASE IN AUSTRIA | 2935 |
| <i>M. Santos, D. Huo, M. Resch, N. Wade, D. Greenwood</i> | |
| FAULTY PHASE EARTHING AS AN ALTERNATIVE TO AUTORECLOSING IN RESISTOR EARTHEDE NETWORKS | 2940 |
| <i>D. Topolanek, M. Ptacek, V. Krcal, J. Drapela, P. Toman</i> | |
| IMPACT ASSESSMENT OF COVID-19 ON ELECTRICITY DEMAND BY UTILIZING SMART METER..... | 2945 |
| <i>K. Uehara, S. Takemoto, Y. Matsuura, K. Kimura, M. Ohnishi, J. Takamiya</i> | |

| | |
|--|------|
| SELF-HEALING FROM THEORY TO REALITY: THE PORTUGUESE CASE STUDY | 2949 |
| <i>Pedro S Alves, J. A. Gonçalves, J. Basílio, R. R. Cadete, P. Ribeiro, J. Carvalho, C. F. Santos</i> | |
| HARMONIC ANALYSIS – DISTRIBUTION TRANSFORMER MONITORING | 2953 |
| <i>J. F. Tissier, J. Cornet, A. Benrahmoun</i> | |
| A DATA AUGMENTATION METHODOLOGY FOR MACHINE LEARNING MODELLING OF DISTRIBUTION POWER GRID: APPLICATION ON OPTIMAL STORAGE SIZING AND CONTROL | 2958 |
| <i>A. Weibel, Prof. N. Jordan, Prof D. Wannier</i> | |
| INTERFERENCES IN AC-DC LED DRIVERS DUE TO HARMONIC VOLTAGE EMISSION..... | 2963 |
| <i>S. Sakar, S. Rönnberg</i> | |
| IMPACT OF MODERN POWER ELECTRONICS HOUSEHOLD EQUIPMENT ON HARMONIC RESONANCE IN RESIDENTIAL LV NETWORKS | 2968 |
| <i>S. Kannan, J. Meyer, A. M. Blanco</i> | |
| MODELING OF ACTIVE ZERO-SEQUENCE CURRENTS IN DISTRIBUTION GRIDS MIXING OVERHEAD AND UNDERGROUND SEGMENTS | 2973 |
| <i>G. Villeret, O. Azizi, A. Garry, V. Gabrion, B. Schuler</i> | |
| ESTABLISHMENT OF UTILITY POLES' LIFETIME ASSESSMENT BY ARTIFICIAL INTELLIGENCE WITH BIG DATA ANALYSIS..... | 2978 |
| <i>N. Haramoto, T. Oda, A. Koyama, S. Amimoto, T. Hirayama, K. Yamaoka, M. Ono, S. Tanaka</i> | |
| AN EFFICIENT CHARGING/DISCHARGING STRATEGY FOR A COMMUNITY OF EESS IN A SMART GRID BASED ON A MODIFIED WATER-FILLING ALGORITHM..... | 2983 |
| <i>H. Mansouri, M. Jalali, H. Sabouri</i> | |
| RESILIENCE OF THE FRENCH DISTRIBUTION NETWORK TO CLIMATE CHANGE: PROJECTED CHANGES FOR MAIN METEOROLOGICAL HAZARDS AROUND 2050..... | 2988 |
| <i>S. Parey, A. Marty</i> | |
| COMPUTATION OF TRANSFER FUNCTIONS USING A BOTTOM-UP MODELLING APPROACH IN THE 9 TO 500 KHZ FREQUENCY RANGE | 2993 |
| <i>A. Haded, C. Lavenue, D. Picard, M. Serhir</i> | |
| DEMAND FACTOR IDENTIFICATION OF ELECTRIC VEHICLE CHARGING POINTS FOR DISTRIBUTION SYSTEM PLANNING | 2999 |
| <i>S. Ali, P. Wintzek, M. Zdrallek, C. Böse, J. Monscheidt, B. Gemsjäger, A. Slupinski</i> | |
| FIRST STEPS TOWARDS LV NETWORK AUTOMATION SOLUTIONS | 3004 |
| <i>I. A. Arana, J. A. Valparis, S. Sebastian, J. Cormenzana, J. J. Carmona, O. Etxebarria</i> | |
| RELEVANT OPERATING POINTS FOR FUTURE GRID PLANNING OF URBAN LOW- VOLTAGE GRIDS | 3009 |
| <i>P. Wintzek, F. Göbelmann, S. Ali, M. Zdrallek, F. Brinkmann, J. Monscheid, B. Gemsjäger, A. Slupinski</i> | |
| HOW TO CHOOSE THE BEST ELECTRIC NETWORK FOR A LARGE DEPOT OF ELECTRIC BUSES?..... | 3014 |
| <i>X. Thai</i> | |
| MINIMIZE DISTRIBUTION NETWORK LOSSES USING WIND POWER | 3019 |
| <i>A. Baviskar, K. Das, A. D. Hansen</i> | |

| | |
|--|------|
| THE IMPACT OF IEC60076-3 ON SOLID-STATE TRANSFORMER DESIGN..... | 3024 |
| <i>B. Van Dam, K. Wijnands, D. Yang, V. Cuk, E. De Jong, G. Pemen</i> | |
| A PERSPECTIVE OF ENERGY AND POWER QUALITY OF DATA CENTER ON THE GRID | 3029 |
| <i>J. Sutaria, S. Hajizadeh, S. Rönnberg, A. Krook-Riekkola</i> | |
| EXPLOITING RIPPLE20 TO COMPROMISE POWER GRID CYBER SECURITY AND IMPACT SYSTEM OPERATIONS | 3034 |
| <i>V. S. Rajkumar, A. Stefanov, S. Musunuri, J. De Wit</i> | |
| CLIMATE CHANGE AND THE LOWEST AND HIGHEST TEMPERATURES TO BE EXPECTED IN THE NEXT DECADE | 3039 |
| <i>S. Parey, B. Gourguechon, N. Kong</i> | |
| REVENUE METERING BASED ON LOW-POWER PASSIVE INSTRUMENT TRANSFORMERS COMPLYING WITH IEC 61869-10 AND IEC 61869-11 STANDARDS INCLUDING LEGISLATIVE VIEW ON LEGAL METROLOGY | 3044 |
| <i>V. Prokop, J. Hula, P. Jakubík, R. Kovalová, J. Válek</i> | |
| NETWORK EFFECTS FROM ELECTRICITY GRID CONNECTIONS: FROM TRADITIONAL GRIDS TO SMART GRIDS | 3049 |
| <i>K. Gillingham, M. Ovaere, C. Vila, R. Martinez, D. Rubio</i> | |
| INVESTIGATION OF THE IMPACT OF Q(U) CONTROL AND GRID PARAMETERS ON INVERTER STABILITY AND POWER QUALITY IN LOW VOLTAGE GRIDS | 3054 |
| <i>T. Feizi</i> | |
| HARDWARE IN THE LOOP FOR MICROGRID CONTROL VALIDATION IN IELECTRIX PROJECT | 3059 |
| <i>J. Wild, D. Pampliega, M. Rahmani, P.-J. Le Quellec, A. Pal, S. Kamajaya</i> | |
| COMPARISON OF OPTIMIZED OPERATION OF ENERGY COMMUNITY'S FLEXIBILITY CONSIDERING DIFFERENT REGULATIONS AND TRADING STRUCTURES | 3064 |
| <i>H. Khajeh, H. Firoozi, H. Laaksonen, M. Shafie-Khah</i> | |
| DIGITALISATION OF URBAN GRID FOR IMPROVED GRID PLANNING | 3069 |
| <i>C. Tzanetopoulou, A. Sarrazin, T. Stahn, O. Alizadeh-Mousavi, A. Pinto, G. Schmitz</i> | |
| POWER SYSTEMS WITH MASSIVE INSERTION OF DISTRIBUTED RESOURCES: IMPACTS ON DISTRIBUTION GRIDS | 3074 |
| <i>V. Costan, V. Gabrion, B. Deneuville</i> | |
| CENTRALIZED OBSERVATION AND CONTROL OF ROOFTOP PHOTOVOLTAICS | 3079 |
| <i>T. Simões, M. Louro, B. Coelho, J. Sousa, F. Machado, M. Vaz, J. Antunes, F. Gravanita</i> | |
| VERIFICATION OF THE AUTONOMOUS VOLTAGE CONTROL FOR SVR BASED ON THE ADVANCED VOLTAGE-ESTIMATION CORRESPONDING TO THE VOLTAGE DROP PHENOMENON | 3083 |
| <i>H. Oue, N. Takahashi, S. Uemura</i> | |
| ASSEMBLY AND INSTALLATION GUIDANCE BY AUGMENTED REALITY | 3088 |
| <i>M. Deb, P. Kannan</i> | |
| DIGITAL LOW VOLTAGE GRID - USING NEW TECHNOLOGIES TO OPTIMISE PLANNING AND OPERATIONAL PROCESSES | 3092 |
| <i>M. Radauer, W. Schaffer</i> | |

| | |
|--|------|
| MEDIUM VOLTAGE CABLE SCREEN CONNECTION BEHAVIOUR | 3098 |
| <i>K.-D. Haim, K.-U. Bentkowski, V. Brade, Y. Xia</i> | |
| IMPROVING EARTH-FAULT DETECTION PERFORMANCE AND SUPPLY SECURITY OF CABLED RURAL MV-NETWORKS WITH FAULT ISOLATION | 3103 |
| <i>A. Wahlroos, J. Altonen, H.-M. Aalto</i> | |
| GRID FORMING ENERGY STORAGE WITH MICROGRID CONTROLS PROVIDES GREEN HYDROGEN, ENHANCED RELIABILITY, REDUCED SITE COSTS AND LOWER EMISSIONS -ATCO CLEAN ENERGY INNOVATION HUB (A CASE STUDY) | 3108 |
| <i>S. Sproul, S. Cherevatskiy, S. L. Mohan</i> | |
| MEASUREMENT OF THE VOLTAGE QUALITY AND LOAD PROFILES OF ELECTRIC VEHICLES..... | 3113 |
| <i>C. Biedermann, G.-L. Di Modica, B. Engel</i> | |
| APPLICABILITY OF IEC 61850 FOR SCADA COMMUNICATION WITH CENTRALIZED PROTECTION AND CONTROL..... | 3118 |
| <i>A. Kostianen, J. Valtari</i> | |
| ONLINE MV PD MONITORING SYSTEM: IMPROVEMENTS ON THE AUTOMATIC ASSESSMENT OF THE INSULATION SYSTEMS..... | 3123 |
| <i>A. Caprara, G. Ciotti, L. Paschini, K. X. Lai, K. W. Lo, C. F. Lee, Y. Fu, B. H. Leck, S. Tapnil, K. H. Tan</i> | |
| A JOINT FRAMEWORK FOR DISTILLING THE EXPERTISE IN ELECTRIC POWER UTILITY DOMAIN WITH GENBERT | 3128 |
| <i>Y. Shim, H. Lim, Y. Ha, S. Kim, I. Lee, S. Jeong</i> | |
| MODELLING OF LOCATION AND TIME DEPENDENT CHARGING PROFILES OF ELECTRIC VEHICLES BASED ON HISTORICAL USER BEHAVIOUR | 3133 |
| <i>C. M. Vertgwall, M. Trageser, M. Kurth</i> | |
| THE CHALLENGE OF GRID PRE-DEPLOYMENT VALIDATION OF NEW TECHNOLOGIES FOR FLEXIBLE NETWORK OPERATION..... | 3138 |
| <i>I. Orue, I. Gilbert, F. Garnacho, J. A. Bregel</i> | |
| LOAD PREDICTION TOOL FOR EV CHARGING INFRASTRUCTURE..... | 3143 |
| <i>T. M. Schwarz, J. Maasmann, J. Hiriy, C. Rehtanz</i> | |
| SMART SWITCHGEARS WITH MV SENSORS - FIELD TESTS IN DISTRIBUTION GRID..... | 3148 |
| <i>M. Jurik, R. Hochmann, J. Cernoch, L. Podrazil</i> | |
| ENHANCEMENT OF GAS FLOW SIMULATION OF INTERNAL ARC IN MEDIUM VOLTAGE SWITCHGEAR | 3153 |
| <i>M. S. Roy, J. Snajdr, P. Novak</i> | |
| A HIERARCHICAL OPTIMAL POWER FLOW METHOD FOR SMART GRIDS WITH FIELD MEASUREMENTS | 3158 |
| <i>R. Palaniappan, O. Molodchyk, C. Rehtanz</i> | |
| IMPACT OF REACTIVE POWER PROVISION BY DISTRIBUTED ENERGY RESOURCES ON SUPERIMPOSED VOLTAGE LEVELS..... | 3163 |
| <i>J. Weber, M. Modemann, M. Zdrallek, H. Abele, M. Mogel</i> | |

| | |
|--|------|
| DEMONSTRATION OF RESERVE MARKET OPERATION AND LOCAL FLEXIBILITY IN A SMART OFFICE ENVIRONMENT | 3168 |
| <i>S. Takala, O. Ojala, A. Hyttinen, J. Lepistö, P. Heine</i> | |
| AUTOMATED HATCH FOR THE UNDERGROUND DISTRIBUTION GRID WITH ACCESS CONTROL | 3173 |
| <i>T. R. Chaves, M. A. I. Martins, R. Callegaro, R. O. Brandão, S. De Francisci</i> | |
| DQN BASED DYNAMIC DISTRIBUTION NETWORK RECONFIGURATION FOR ENERGY LOSS MINIMIZATION CONSIDERING DGS..... | 3178 |
| <i>S.-H. Lim, L. F. Nishimwe H., S.-G. Yoon</i> | |
| SET-UP OF A NEW COORDINATED PROCESS FOR ANCILLARY SERVICES PROVISION FROM DSO TO THE TSO: AN INNOVATIVE APPROACH TO THE EXPLOITATION OF FLEXIBILITIES CONNECTED TO THE DISTRIBUTION GRID | 3183 |
| <i>C. Marino, S. Tegas, L. D'Orazio, G. Di Felice, D. Clerici, G. Viganò, C. Michelangeli</i> | |
| ACCURACY OF LOAD AND GENERATION FORECASTS FOR THE OPERATIONAL PLANNING OF POWER DISTRIBUTION SYSTEMS | 3188 |
| <i>P. Pfeifer, J. Tran, A. Fendri, S. Krahl, A. Moser, L. Verheggen</i> | |
| MITIGATION OF REACTIVE POWER OVERFLOWS WITH ANCILLARY SERVICES | 3193 |
| <i>F. Reiskup, M. Jurik, M. Ptacek, M. Holub</i> | |
| RESIDENTIAL ENERGY COMMUNITIES: HOW TO MINIMIZE THE INVESTMENT RISK FROM AN INVESTOR PERSPECTIVE | 3198 |
| <i>D. Vangulick, M. M. De Villena, R. Fonteneau, D. Ernst</i> | |
| NETWORK ADMINISTRATION PROTOCOLS IN DISTRIBUTION AUTOMATION SYSTEMS..... | 3203 |
| <i>I. García, D. Camarero, E. Jauregui, M. Echevarría, M. Morillo, R. Ballesteros</i> | |
| NOVEL WORKFLOW FOR PREDICTION OF CIRCUIT BREAKER PARTS ENDURANCE | 3208 |
| <i>O. Frantisek, S. Breisch, M. Schneider, A. Stucchi, F. Belloni, D. S. Thevar, L. Chenet</i> | |
| REAL-TIME CONDITION MONITORING OF GROUNDING TRANSFORMERS | 3213 |
| <i>J. Estima, B. Almeida, E. Marques, R. Prata, V. Ribeiro, L. Pires, M. Ferreira</i> | |
| LOAD-BREAK SWITCH WITH VACUUM INTERRUPTER (VI) IN AUXILIARY-PATH | 3218 |
| <i>D. Pesch, M. Schaak, D. Becht, S. Hohmann, K. Ermeler</i> | |
| A COMPARISON OF ARTIFICIAL INTELLIGENCE TIME-SERIES DATA ANALYSIS TECHNIQUES FOR LOAD DEMAND FORECASTING | 3223 |
| <i>A. Forster, S. Jupe, S. Hoda</i> | |
| PLATFORM FOR VERTICAL COORDINATION OF SECONDARY CONTROL RESERVE USING BLOCKCHAIN TECHNOLOGY..... | 3228 |
| <i>H. Cai, X. Song, Q. Zhao, T. Jiang, S. Schlegel, D. Westermann</i> | |
| COST COMPARISON OF CONNECTED AND ISOLATED MICROGRIDS IN REALISTIC CASES INCLUDING LOAD MODELING AND DEMAND SIDE MANAGEMENT | 3233 |
| <i>X. Le Pivert, P. Marechal, T.-P. Do, M. Billaud, F. Perrotton</i> | |
| GLOBAL ANALYSIS ON DEMAND RESPONSE STATUS AND FURTHER NEEDS FOR JOINT RESEARCH..... | 3238 |
| <i>K. Maki, M. Aro, H. Bindner</i> | |

| | |
|---|------|
| INTERVAL OPTIMIZATION TO SCHEDULE MULTI-ENERGY SYSTEMS CONSIDERING PV POWER GENERATION UNCERTAINTY | 3242 |
| <i>M. Kaffash, G. Ceusters, G. Deconinck</i> | |
| INDUSTRIALIZATION OF FRENCH SMART GRID SOLUTIONS FOR A MORE EFFICIENT, DIGITALIZED DISTRIBUTION GRID | 3247 |
| <i>L. Karsenti, M. Casanovas</i> | |
| AN ALTERNATIVE APPROACH FOR REGULATORY EVALUATION OF NON- TECHNICAL LOSSES IN BRAZIL | 3252 |
| <i>J. Pulz, C. F. M. Almeida</i> | |
| LOAD FORECASTING OPTIMIZATION..... | 3256 |
| <i>R. Gonçalves, M. Louro, R. Veríssimo, N. Pereira</i> | |
| FROM TRADITIONAL TO DIGITAL ASSET MANAGEMENT OF NETWORK COMPONENTS | 3260 |
| <i>G. V. Cebrián, C. M. Gómez, A. B. Royo, J. A. Valparís, A. González, M. Mañana</i> | |
| USING OPEN DATA IN PLANNING THE NET ZERO DISTRIBUTION NETWORK..... | 3265 |
| <i>M. Black, S. Jesson, P. Connell, S. Lowe, P. Lake, I. Middleton</i> | |
| POWER QUALITY ASSESSMENT OF EMERGENCY GENERATOR UNITS | 3270 |
| <i>M. T. Chaves, A. Jorge, C. Marques, M. Almeida, M. Veríssimo, P. A. Torrão, S. M. Morgado</i> | |
| FLEXIBILITY PREDICTION IN SMART GRIDS: MAKING A CASE FOR FEDERATED LEARNING..... | 3275 |
| <i>S. Caušević, R. Snijders, G. Pingén, P. Pileggi, M. Theelen, M. Warnier, F. Brazier, K. Kok</i> | |
| HOW TO OVERCOME DIFFICULTIES MET IN DEPLOYING DIGITAL TWINS OF ELECTRICAL ASSETS OVER THEIR WHOLE LIFE CYCLE? A DATA MANAGEMENT PERSPECTIVE | 3280 |
| <i>L. Guise, L. Hossenlopp, T. Cormenier, A.-F. Cutting-Decelle, G. D. Marzo Serugendo, I. Khan</i> | |
| TESTING SOLUTION FOR FIELD DATA CONCENTRATORS MULTI CHANNEL INTEGRATION | 3285 |
| <i>D. Ribeiro, C. Varandas, M. Silva</i> | |
| DIAGNOSING PROBLEMATIC LV GRIDS USING GEOREFERENCED SMART METER DATA | 3290 |
| <i>F. Lourenço, H. Rosa, G. Pires, A. Águas, R. Prata</i> | |
| GRID SCOPE - AN ONLINE PLATFORM FOR BETTER DISTRIBUTION SYSTEM PLANNING | 3295 |
| <i>B. Mattlet, X. B. Mparsakis, O. Piraux</i> | |
| SENSITIVITY ANALYSIS OF CABLE TRENCH MODELLING WITH CONCRETE DUCT BANK AND MULTIPLE MATERIAL LAYERS FOR THE CURRENT RATING OF 150KV CABLES..... | 3300 |
| <i>M. Bossio, R. Lengwiler, B. Heimbach, R. Kälin, R. L. Fauci, A. Casura</i> | |
| REINFORCEMENT LEARNING BASED FLEXIBILITY OPTIMIZATION IN DISTRIBUTION GRIDS | 3305 |
| <i>S. De Jongh, D. Freund, F. Mueller, M. Suriyah, T. Leibfried</i> | |

| | |
|---|------|
| GRID IMPACT OF HEAT PUMP INTEGRATION IN THE RESIDENTIAL SECTOR | 3310 |
| <i>N. Belonogova, S. Honkapuro, J. Partanen, P. Heine, J. Lepistö, J. Virtanen, T. Manner</i> | |
| UNIVERSAL CONTROL FRAMEWORK FOR SMART GRIDS - VERIFICATION RESULTS | 3315 |
| <i>P. Gamper, A. V. Perger, R. Witzmann</i> | |
| ENERGY BOX MAPPING AND ENERGY BALANCE IN LOW VOLTAGE GRIDS | 3320 |
| <i>B. Galhardo, F. Cordeiro, T. Cerqueira</i> | |
| AUTOMATICALLY EVALUATING THE IMPACT TO LOADS CAUSED BY VOLTAGE DIPS IN ELECTRICAL SYSTEMS | 3324 |
| <i>D. Sabin, J. Bickel</i> | |
| TRAINING OF HUMAN RESOURCES IN ELECTRIC ENERGY DISTRIBUTION UNDER THE RESTRICTIONS OF THE COVID-19 PANDEMIC..... | 3329 |
| <i>D. A. N. Lepez, N. F. Gutierrez</i> | |
| “BOUNDARY VOLTAGE LIMITS” - AN INSTRUMENT TO INCREASE THE UTILIZATION OF THE EXISTING INFRASTRUCTURES | 3333 |
| <i>D.-L. Schultis, A. Ilo</i> | |

Author Index