

Western Society of Weed Science Research Progress Report 2022

Newport Beach, California, USA
7 – 10 March 2022

Editor:

Traci Rauch

ISBN: 978-1-7138-4507-2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2022) by Western Society of Weed Science
All rights reserved.

Printed with permission by Curran Associates, Inc. (2022)

For permission requests, please contact Western Society of Weed Science
at the address below.

Western Society of Weed Science
12011 Tejon Street, Ste. 700
Westminster, CO 80234
USA

Phone: 303-327-8016

info@wsweedscience.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

Project 1: WEEDS OF RANGE AND NATURAL AREAS	<u>Page</u>
Winter annual grass and broadleaf weed control at natural sites.....	5
Spring application of indaziflam and imazapic for downy brome control at natural sites	6
Winter annual grass control with aerial and ground application of indaziflam and imazapic.....	7
Testing aminopyralid/florpyrauxifen-benzyl rates and formulations for bur chervil control at natural sites	9
Efficacy of postemergence herbicides for the control of stinknet [<i>Oncosiphon piluliferum</i> (L. f.) Kallersjo] in the spring.....	10
New ventenata control concept at natural sites.....	12
Ventenata control with spring-applied aminopyralid and imazapic at natural sites	13
Efficacy of oxeye daisy control with aminopyralid/florpyrauxifen-benzyl at natural sites	14
 Project 2: WEEDS OF HORTICULTURAL CROPS	
Tolerance of asparagus to indaziflam	15
Brassica, Swiss chard and table beet crop tolerance to pronamide herbicide.....	16
Puncturevine control with preemergence herbicides in pumpkin grown with subsurface drip and sprinkler irrigation.....	18
Effect of growth regulator herbicide timing and tankmix partner on control of field horsetail	19
 Project 3: WEEDS OF AGRONOMIC CROPS	
Grass weed control and tolerance in Kentucky bluegrass with indaziflam	20
Chickpea response to dimethenamid with and without irrigation	22
Tolpyralate/nicosulfuron at two timings compared to standards in corn.....	23
Single and split applications for efficacy in corn.....	29
Quizalofop alone and with fenoxaprop and chlorimuron for efficacy in fallow	33
Pyraflufen tank mixtures for efficacy in fallow.....	35
Industrial weed control with indaziflam, aminocyclopyrachlor, and imazapyr application timings	37
Long-term control of smooth scouringrush with glyphosate and chlorsulfuron/metsulfuron in wheat/fallow cropping systems.....	40
Precision and broadcast sprayer applications of picloram in fall and spring for rush skeletonweed control in fallow.....	42
Imazamox rates for efficacy in imidazolinone-tolerant grain sorghum.....	44
Quizalofop for efficacy in ACCase-tolerant grain sorghum.....	47
Wild oat and common lambsquarters control in spring wheat	52
Downy brome control in winter wheat with mesosulfuron/thiencarbazone combinations	54
Italian ryegrass control with pyroxasulfone combinations in winter wheat	56

Author Index58

Keyword Index.....59