

SME Annual Conference & Expo 2022

Salt Lake City, Utah, USA
27 February - 2 March 2022

ISBN: 978-1-7138-4508-9

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2022) by Society for Mining, Metallurgy and Exploration (SME)
All rights reserved.

Printed with permission by Curran Associates, Inc. (2022)

For permission requests, please contact Society for Mining, Metallurgy and Exploration
at the address below.

Society for Mining, Metallurgy and Exploration Inc.
12999 East Adam Aircraft Circle
Englewood, CO 80112-4167

Phone: (303) 948-4200

Fax: (303) 973-3845

cs@smenet.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

| | |
|--|----|
| SURVEY OF ELECTROMAGNETIC EMISSIONS IN UNDERGROUND COAL MINES | 1 |
| <i>R. Jacksha, C. Zhou, J. Srednicki, N. Damiano</i> | |
| TRANSFORMATION OF LIGNITE MINING REGIONS: THE GERMAN STRATEGY | 7 |
| <i>J. Kretschmann, K. van de Loo, J. Brune</i> | |
| PRACTICAL EXPERIENCE WITH BELTGENIOUS MONITORING AND EVALUATION OF THE OPERATING BEHAVIOR OF A CONVEYOR SYSTEM IN A CHILENIAN COPPER MINE WITH A DIGITAL TWIN | 10 |
| <i>M. Ziegler, J.M. Voith</i> | |
| APPLYING THE REASONABLENESS STANDARD EARLY IN A PROPERTY EVALUATION | 15 |
| <i>D. Abbott</i> | |
| A DIRECT DERIVATIVE METHOD TO CALCULATE RESISTANCE SENSITIVITY FOR MINE VENTILATION NETWORKS | 18 |
| <i>L. Zhou, D. Bahrami</i> | |
| LITERATURE REVIEW AND CHALLENGES FOR THE ADAPTATION, IMPLEMENTATION OF DIGITIZATION, AND DATA ANALYTICS FOR OPERATIONAL EXCELLENCE IN THE CEMENT AND AGGREGATE PRODUCTION INDUSTRY | 22 |
| <i>K. Boakye, D. Winters, S. Simske</i> | |
| A LABORATORY STUDY OF THE DUST DEPOSITION AND SUPPRESSION PROCESS FOR RESPIRABLE COAL DUST IN A CONFINED CHAMBER | 28 |
| <i>H. Jiang, Y. Zheng, S. Klima, C.E. Seaman, T.W. Beck</i> | |
| A NETWORK MODEL ANALYSIS OF AN UNCONVENTIONAL GAS WELL BREACH ABOVE AN UNDERGROUND COAL MINE | 33 |
| <i>H. Dougherty, E. Watkins, R. Kimutis</i> | |
| USE OF COGNITIVE TASK ANALYSIS TO INFORM FUTURE RESEARCH AND IDENTIFY SOLUTIONS FOR HAUL TRUCK SAFETY | 37 |
| <i>J.K. Hrica, J.L. Bellanca, I. Benbourenane, T.J. Orr, W. Missildine</i> | |
| COMPARISON OF THE FOS AND SRF VALUES FROM SLOPE STABILITY ANALYSES OF A LARGE OPEN PIT | 44 |
| <i>J. Killian, S. Cox</i> | |
| HOT SURFACE IGNITION OF LIQUID FUELS UNDER VENTILATION | 48 |
| <i>W. Tang, D. Bahrami, L. Yuan, R. Thomas, J. Soles</i> | |
| RELATIONSHIP BETWEEN SUSTAINABILITY PERFORMANCE AND DISCLOSURE POLICIES OF MINING FIRMS | 53 |
| <i>M. Fikru, L.L. Eng, E.A. Gyawu, K. Awuah-Offei</i> | |
| REVIEW OF RICHMOND HILL COPPER ELUTION OPERATIONS | 59 |
| <i>S. Dixon</i> | |
| THE U. S. URANIUM BOOM 1942-1980 | 61 |
| <i>T. McNulty</i> | |

| | |
|---|-----|
| CHARACTERIZING RESPIRABLE DUST GENERATED FROM CUTTING POTASH IN LABORATORY FULL SCALE CUTTING TESTS WITH RADIAL PICKS AT DIFFERENT STAGES OF WEAR | 65 |
| <i>S. Slouka, M. Ishaq, J. Brune, J. Rosami, C. Tsai, E. Sidrow</i> | |
| THERMO-ADHESIVE SEPARATION - A NOVEL DRY COAL BENEFICIATION TECHNIQUE | 73 |
| <i>D.P. Patil, B.K. Parekh</i> | |
| REPLACEMENT OF WET BALL MILLING WITH HIGH-PRESSURE GRINDING AHEAD OF MINERAL SEPARATION | 78 |
| <i>C. Gagnon, A. Rosa, S. Makni, R. McIvor, B. Klein, A. Kumar, F. Wang, D. Gong, C. Saud</i> | |
| A NOVEL METHODOLOGY TO LOCATE AN ABNORMAL AIRFLOW IN UNDERGROUND MINE VENTILATION NETWORKS | 84 |
| <i>D. Bahrami, L. Zhou</i> | |
| DECARBONIZATION STRATEGIES FOR MINERS | 89 |
| <i>R. Miller</i> | |
| BIOPHARMACEUTICALS TO CAT LITTER INNOVATION IN THE DIATOMITE AND PERLITE INDUSTRIES | 93 |
| <i>S.K. Palm</i> | |
| ROCKMASS PERMEABILITY INDUCED BY LONGWALL MINING UNDER DEEP COVER: POTENTIAL GAS INFLOW FROM A SHEARED GAS WELL | 100 |
| <i>Z. Khademian, K.M. Ajayi, D.W.H. Su, S.J. Schatzel, B.H. Kim, G.S. Esterhuizen</i> | |
| SEARCH FOR CANDIDATES FOR SALES COMPARISON APPROACH IN NON-DISCLOSURE STATES | 106 |
| <i>F. Pirkle, J. Gustavson, E. Mallard</i> | |
| EVALUATION OF THE SAFETY FACTOR UNDER STATIC AND PSEUDO-STATIC CONDITIONS FOR SLOPE STABILITY AND REDESIGN OF MINING PHASES IN AN OPEN PIT MINE IN THE SOUTHERN HIGHLANDS OF PERU | 113 |
| <i>Y.T.M. Ocsa, V.O. Tenorio</i> | |
| AN OPERATIONAL TOOL TO ADJUST ORE POLYGONS FOR BLAST MOVEMENT | 117 |
| <i>S.S. Kanchibotta, G. Quispe, E. Calcina, R. Mattos</i> | |
| INVESTIGATING RELATIONSHIPS BETWEEN METHANE EMISSIONS AND ATMOSPHERIC DATA IN UNDERGROUND COAL MINES TO DEVELOP A FORECASTING MODEL | 124 |
| <i>J. Diaz, Z. Agioutantis, S. Schafrik, D.T. Hristopulos, K. Luxbacher</i> | |
| IDENTIFYING THE LOCATION AND SIZE OF AN UNDERGROUND MINE FIRE WITH SIMULATED VENTILATION DATA AND RANDOM FOREST MODEL | 129 |
| <i>Y. Xue, D. Bahrami, L. Zhou</i> | |
| MANAGING CONTINUOUS IMPROVEMENT OF MINE TO MILL BEGINS WITH MEASUREMENT | 134 |
| <i>J. Loeb, P. Cameron, R. Raranathan</i> | |
| GREENHOUSE GAS (GHG) REDUCTION POTENTIAL IN THE MINERAL INDUSTRY THROUGH SMART FLEET MANAGEMENT | 138 |
| <i>D. Huo, R. Kealey, Y.A. Sari, Q. Zhang</i> | |

| | |
|--|-----|
| NUMERICAL INVESTIGATION OF THE SIZE EFFECT ON SHALE STRENGTH UNDER UNIAXIAL STRESS STATE..... | 143 |
| <i>Y. Zhao, B. Mishra, Q. Shi, G. Zhao</i> | |
| ESTIMATION OF A BLASTING INDUCED VIBRATION PREDICTION MODEL OF MID AND FAR FIELDS FOR THE STRUCTURE CARE ON AN OPEN PIT MINE IN CLOSURE PROCESS..... | 149 |
| <i>P.A. Cornejo</i> | |
| GEOCHEMICAL MODEL TO PREDICT AQUIFER RESTORATION FOLLOWING LOW PH IN-SITU URANIUM RECOVERY..... | 156 |
| <i>K. Johnson, B. Schiffer</i> | |
| NUMERICAL ANALYSIS OF THE EFFECT OF LAMINATION PROPERTIES ON ROOF FAILURE IN COAL MINES USING COUPLED FDM-DEM..... | 159 |
| <i>Q. Shi, B. Mishra</i> | |
| STRESS MEASUREMENT AND MONITORING IN ANISOTROPIC ROCK..... | 166 |
| <i>W.G. Pariseau</i> | |
| DEVELOPMENT OF A FLOTATION SIMULATION INCLUDING RELIABILITY-BASED MAINTENANCE MODEL AND A MULTI-COMPARTMENT MODEL FOR METALLURGICAL PERFORMANCE AND QUALITY..... | 186 |
| <i>R. Silva, P. Mendoza, D. Rivera, C. Canaza, R. Siwale, R. van Reenen, M. Richards, V. Ngcoza, H. Amini</i> | |
| NIOSH GAS WELL STABILITY RESEARCH – STATUS AND SIGNIFICANT FINDINGS..... | 190 |
| <i>D.W.H. Su, P. Zhang, H. Dougherty, M. Van Dyke</i> | |
| CONFIGURATION LAYOUT OF A SUPERVISORY SYSTEM FOR UNDERGROUND MINING OPERATIONS BASED ON 5G TECHNOLOGY AND WIRELESS PLATFORM..... | 195 |
| <i>K.P. Hague, V.O. Tenorio</i> | |
| INCLINED PILLAR STRENGTH CONSIDERATIONS: REVIEW OF DIFFERENT METHODOLOGIES | 200 |
| <i>R. Flattery, Z. Agioutantis</i> | |
| USE OF AMINO ACIDS FOR COPPER DISSOLUTION | 204 |
| <i>C. Perea, O. Restrepo, C. Ihle, H. Estay</i> | |
| IMPROVED CANOPY AIR CURTAIN DUST PROTECTION USING A NOVEL DESIGN COMBINING THE IMPINGING JET AND A TWO-LEVEL MANIFOLD | 208 |
| <i>N.A. Amoah, A.R. Kumar, G. Xu</i> | |
| A NEW MINING VIEW: A PROPOSAL TO MOVE MINING PROJECTS FORWARD AND THE OPPORTUNITY TO ACHIEVE SUSTAINABLE DEVELOPMENT IN PERU | 214 |
| <i>P. Altamirano, B. Bustamante, J. Manrique, J. Mendoza, J. Reyes</i> | |
| RUMBLE IN THE JUNGLE: LESSONS LEARNED FROM A WASTE ROCK DUMP FAILURE..... | 216 |
| <i>T. Braun</i> | |
| PHYTOREMEDIATION OF HEAVY METALS IN MINING LIABILITIES BY STIPA ICHU AND CORTADERIA NITIDA: A LABORATORY ASSESSMENT..... | 221 |
| <i>M. Guzman, M.R. Arribasplata, M.F. Obispo, S.B. Thais</i> | |

| | |
|--|-----|
| EVALUATION OF HEAVY METAL REMOVAL FROM CONTAMINATED EFFLUENTS USING PHRAGMITES AUSTRALIS (CAV.) TRIN. EX STEUD. AND SCHOENOPLECTUS CALIFORNICUS (C.A. MEY.) | 224 |
| <i>M. Guzman, M.R. Arribasplata, M.F. Obispo, S.B. Thais</i> | |
| TOWARDS THE CONCENTRATION OF GOLD-RICH ARSENOPYRITE AND REJECTION OF GANGUE PYRITE FROM AN AURIFEROUS CONCENTRATE | 227 |
| <i>P. Forson, M. Zanin, W. Skinner, R. Asamoah</i> | |
| ACOUSTIC MEASUREMENTS OF DIFFERENT AG/SAG MILL SLURRY DENSITIES AND PERFORMANCE | 233 |
| <i>K.B. Owusu, G. Abaka-Wood, W. Skinner, R. Asamoah</i> | |
| TAILINGS DRAINDOWN ESTIMATES – IMPLEMENTATION AND CONSIDERATIONS | 238 |
| <i>N. Rocco, G. Johnson</i> | |
| IDENTIFYING LONGWALL-INDUCED FRACTURE ZONE HEIGHT THROUGH CORE DRILLING | 241 |
| <i>M.A. Van Dyke, P. Zhang, H. Dougherty, D. Su, B.H. Kim</i> | |
| A NOVEL CORROSION RESISTANT, METALLURGICALLY BONDED COATING FOR HPAL AND POX MINING APPLICATIONS | 247 |
| <i>G. Qiao, J. Scheepers, P. Smith</i> | |
| STATISTICAL ANALYSIS OF DIESEL PARTICULATE MATTER AND SILICA FOR UNDERGROUND STONE MINES | 254 |
| <i>M.L. Harris, E. Rubenstein, K.V. Raj, V. Gangrade</i> | |
| OPTIMIZATION OF AUXILIARY FAN PLACEMENT FOR LARGE-OPENING UNDERGROUND STONE MINES | 259 |
| <i>E. Watkins, V. Gangrade</i> | |
| RECOVERY OF GOLD MINING TAILINGS SANDS FOR CLINKER MANUFACTURE | 263 |
| <i>N.J. Zapata, O.J.R. Baena</i> | |
| METHOD TO ELIMINATE THE USE OF HYDROCARBONS IN ARTISANAL MINING | 266 |
| <i>I.C. Sanchez, J.L.G. Guzman, O.J.R. Baena</i> | |
| SUCCESSFUL TAILINGS DEWATERING DESIGN USING MULTI-LINEAR DRAINAGE GEOCOMPOSITES | 270 |
| <i>P. Saunier, S. Fourmont, J. Mlynarek, A. Jung, R. Stafford</i> | |
| SIMULATING THE IMPACT OF A SHALE GAS WELL BREACH ON LONGWALL MINE VENTILATION UTILIZING A SCALED PHYSICAL MODEL..... | 275 |
| <i>V. Gangrade, R. Kimutis, E. Watkins, S.J. Schatzel, J. Addis, C. Hollerich</i> | |
| A LABORATORY INVESTIGATION OF UNDERSIDE SHIELD SPRAYS WITH A SHEARER-CLEARER WATER SPRAY SYSTEM TO IMPROVE DUST CONTROL ON LONGWALL FACES | 283 |
| <i>S.S. Klima, T.W. Beck, J.S. Driscoll, A.L. Mazzella</i> | |
| ASSESSMENT OF THE REAL ECONOMIC FEASIBILITY OF POTENTIAL CRITICAL RAW MATERIALS MINING PROJECTS IN THE U.S.; IMPLEMENTATION OF A NEWLY DEVELOPED COMPUTATIONAL TOOL..... | 289 |
| <i>M.A. Islam, G. Barakos, H. Mischo</i> | |

| | |
|--|-----|
| MODERN METHODS OF GEOMONITORING IN POST-MINING PROCESSES | 295 |
| <i>M. Pawlik, X. Yin, T. Rudolph, P. Goerke-Mallet, J. Benndorf</i> | |
| CIRCULAR BUSINESS MODEL INNOVATION IN MINING: TOWARDS A SECTOR-SPECIFIC FRAMEWORK | 300 |
| <i>S. Krause, O. Drusche, J. Kretschmann</i> | |
| EMPLOYING CLEANTECH TO INCREASE PRODUCTIVITY AND ENERGY EFFICIENCY AT OPEN-PIT MINES..... | 304 |
| <i>C. McKinnon</i> | |
| A QUICK EVALUATION TOOL FOR CAPEX AND OPEX APPLIED TO MINING OPERATIONS AND ESG MITIGATION | 307 |
| <i>C. Petter, A. Young, V.I. Araujo, F. Cantini, R. Petter, J. Oppermann, T. Fernandez, R. Darrigo, I.G. da Costa, V. Lenz, V. Juchen, H. Souza, L. Wives</i> | |
| USING FIBER SHOTCRETE AS TEMPORARY WALL SUPPORT AT BARRICK TURQUOISE RIDGE #3 SHAFT SINKING | 310 |
| <i>R. Wu, J. Dase, R. Howell</i> | |
| DEVELOPMENT OF A HYDROMETALLURGICAL PATH TO RECOVERY OF CRITICAL MATERIALS FROM SPENT LITHIUM ION BATTERY BLACK MASS | 315 |
| <i>T.E. Lister, M. Shi, L.A. Diaz, J.R. Klaehn, J.S. McNally</i> | |
| EVALUATION OF PARAMETERS INFLUENCING POTENTIAL GAS FLOW TO THE MINE IN THE EVENT OF A NEARBY UNCONVENTIONAL SHALE GAS WELL CASING BREACH..... | 320 |
| <i>K.M. Ajayi, Z. Khademian, S.J. Schatzel</i> | |
| PENALTY ELEMENT METALLURGICAL AMERLIORATION BY AUTOMATED MINERALOGY: PROGRESS TOWARDS A DEPARTMENT OF FLUORINE IN THE GRASBERG, DMLZ AND BLOCK CAVE MINES, PAPUA, INDONESIA..... | 326 |
| <i>W.A. Matthews</i> | |
| RESTORATION AND RECLAMATION IN TWO UTAH MINING DISTRICTS: PARK CITY AND BINGHAM CANYON (KENNECOTT)..... | 338 |
| <i>D. Symonds, A.J. Richins, M.G. Nelson</i> | |
| UTILIZATION OF STATISTICAL ANALYSIS TO IDENTIFY INFLUENTIAL SLOPE PARAMETERS ASSOCIATED WITH ROCKFALL AT OPEN PIT MINES..... | 353 |
| <i>J. Bourgeois, S. Warren, J. Armstrong</i> | |
| GEOTECHNICAL STUDY FOR IN-PIT COAL REFUSE TAILING CELLS | 361 |
| <i>R.J. Sheets, F. Abbasy, M.B. Haggerty</i> | |
| LABORATORY SCALE COPPER ELECTROREFINING – COPPER DEPOSIT STRUCTURE, ROUGHNESS AND ADHESION TO STAINLESS STEEL | 367 |
| <i>J. Young, M. Moats</i> | |
| THE NECESSITY FOR IMPROVED HAND AND FINGER PROTECTION IN MINING | 373 |
| <i>J.R. Heberger, M.F. Nasarwanji, J.P. Pollard, L.M. Kocher</i> | |
| ASSESSING THE IMPACT OF A RESIDENTIAL METALS ABATEMENT PROGRAM ON CHILD BLOOD LEAD LEVELS IN BUTTE, MT..... | 382 |
| <i>R.A. Schoof, C. Van Landingham, A. Bailey</i> | |

| | |
|--|-----|
| MAKING INFORMED OPERATIONAL DECISIONS FOR WATER MANAGEMENT AT A REMOTE LEGACY MINE USING A PROBABILISTIC WATER BALANCE MODEL | 385 |
| <i>M. Unger, D. Kolstad, C. Anderson</i> | |
| SUMMARY OF RESPIRABLE COAL MINE CRYSTALLINE SILICA DUST RESEARCH ACCOMPLISHED THROUGH THE MINER ACT UNDER THE NIOSH OFFICE OF MINE SAFETY AND HEALTH RESEARCH..... | 389 |
| <i>W.R. Reed, G.W. Luxbacher</i> | |
| FINANCING OPTIONS FOR SMALL MINES—WHAT WE LEARNED IN OUR SENIOR DESIGN PROJECT | 399 |
| <i>G.V. Campbell, O.T. Holdsworth, M.G. Nelson</i> | |
| ROCK HARDNESS PREDICTION USING GEOPHYSICAL AND GEOCHEMICAL DATA AND MACHINE LEARNING | 405 |
| <i>N. Houshmand, S. Goodfellow, J.C. Ordonez-Calderon, K. Esmaeili</i> | |
| APPLYING ULTRA-FINE COAL DEWATERING TECHNOLOGY TO REFUSE TAILINGS DISPOSAL..... | 410 |
| <i>M. Barish, J. Fisher</i> | |
| MODELING BASELINE METAL RECOVERY IN ORDER TO MEASURE THE IMPACT OF MAJOR CONCENTRATOR PROCESS IMPROVEMENTS USING ADVANCED ANALYTICS | 414 |
| <i>S. Ennis, T. Doshi</i> | |
| RAMP DESIGN FUNDAMENTALS FOR THE EXCAVATION OF ICY REGOLITH ON THE MOON..... | 418 |
| <i>V.O. Tenorio, K.J. Kingsbury, K.W. Brown, J.B. Nickels, D. Tolmachoff, G.J. Nail</i> | |
| MINER-CENTERED APPROACH TO UNDERSTANDING TECHNOLOGY NEEDS FOR SELF- ESCAPE IN UNDERGROUND COAL MINE EMERGENCIES | 422 |
| <i>E.A. Gyawu, K. Awuah-Offei, D.A. Baker</i> | |
| CONCEPTS FOR DEVELOPMENT OF SHUTTLE CAR AUTONOMOUS DOCKING WITH A CONTINUOUS MINER USING 3-D DEPTH CAMERAS | 426 |
| <i>S. Miller, J. Sottile, H.P. Chiu, S. Schafrik, A. Krasner, M. Sizintsev, Z. Agioutanis, A. Rajvanshi</i> | |
| DETECTION AND CHARACTERIZATION OF NANOPARTICLES IN RESPIRABLE COAL MINE DUST | 431 |
| <i>S. Assemi, T. Akinseye, F. Sime, X. Wang, L. Pan, J.D. Miller</i> | |
| CLIMATE CHANGE ADAPTATION AND MITIGATION IN THE AGGREGATES INDUSTRY | 434 |
| <i>S.E. Restrepo</i> | |
| METHODOLOGICAL PROPOSAL TO INCENTIVIZE THE CIRCULAR ECONOMY IN THE AGGREGATES INDUSTRY | 437 |
| <i>S.E. Restrepo</i> | |
| QUANTIFYING ENVIRONMENTALLY PERSISTENT FREE RADICALS (EPFRS) OF SUBMICRON COAL DUST | 439 |
| <i>S. Azam, S. Liu, V. Kurashov, J.H. Golbeck, S. Bhattacharyya, R. Zhang</i> | |
| ASSET MAINTENANCE READINESS BY METSO OUTOTEC | 444 |
| <i>P. Gillies, E. Gutierrez</i> | |

| | |
|--|-----|
| ANALYSIS OF U.S. SURFACE MINING HAUL-TRUCK-RELATED FATALITIES | 446 |
| <i>J. Homer, J. Bickson, C. DeGennaro, M. Girman</i> | |
| NEW INSIGHTS INTO THE PRE-CONCENTRATION OF ALUNITE FROM A SILICEOUS ORE USING BA ²⁺ , CA ²⁺ , AND F- IN FROTH FLOTATION | 454 |
| <i>F. Dehghani, H. Askari-Sabzkoochi, T. Ghosh</i> | |
| AN OVERVIEW OF METHODS AND PARAMETERS TO EVALUATE DETECTION PERFORMANCE AND VALIDATION OF COLLISION WARNING AND AVOIDANCE SYSTEMS | 461 |
| <i>J. Bickson, J.P. Homer, C.R. DeGennaro, M.R. Girman, C.C. Jobes</i> | |
| ENVIRONMENTAL DREDGING FOR THE REMEDIATION OF AREAS DEGRADED BY ILLICIT MINING IN THE QUITO RIVER BASIN, COLOMBIA | 467 |
| <i>L. Klinger, T. Vallejo, S. Fernandez</i> | |
| EXPERIMENTAL INVESTIGATION OF FIRE AND PRODUCT OF COMBUSTION (POC) SPREAD IN UNDERGROUND MINES: A CASE STUDY | 470 |
| <i>O. Salami, G. Xu</i> | |
| ASSAYING RARE EARTH ELEMENTS WITHIN THE APATITE-RICH TAILING FROM THE PEA RIDGE IRON MINE FOR FROTH FLOTATION PROCESSING | 474 |
| <i>J.L. Corchado-Albelo, L. Alagha</i> | |
| GROUNDFAIL RISK ASSESSMENT METHODOLOGY TO MINIMIZE THE NUMBER OF FATAL ACCIDENTS IN ARTISANAL AND SMALL- SCALE MINING (ASM): MINER'S PERCEPTIONS IN HUMAN BEHAVIORAL FACTORS | 482 |
| <i>S.C. Falcon, C.N. Vasquez, L.M. Sandoval, R. Kaunda</i> | |
| FROTH LAUNDER MODIFICATION IN 300M ³ FLOTATION CELLS AT KENNECOTT COPPERTON CONCENTRATOR | 488 |
| <i>G. Bermudez, T. Perkins, R. Sorensen, C. Smith, L. Bartsch, J. Moyo, R. Dube, M. Brandstrom</i> | |
| CALIBRATION OF LOW-COST PARTICULATE MATTER SENSORS FOR COAL DUST MONITORING | 494 |
| <i>N.A. Amoah, A. Kumar, Y. Wang, G. Xu</i> | |
| OPTIMAL PITWALL SHAPES TO INCREASE FINANCIAL RETURN AND DECREASE CARBON FOOTPRINT OF OPEN PIT MINES | 501 |
| <i>S. Utili, A. Agosti, N. Morales, C. Valderrama, R. Pell, G. Albornoz</i> | |
| GAS SOURCE DISCRIMINATION METHODS TO IDENTIFY THE OCCURRENCE OF A HYPOTHETICAL, UNCONVENTIONAL GAS WELL BREACH INTO A NEARBY LONGWALL MINE | 514 |
| <i>S.J. Schatzel, K. Ajayi, E. Watkins, V. Gangrade</i> | |
| WAVELENGTH SELECTIVE PORTABLE DEVICE FOR QUANTIFYING ORGANIC AND ELEMENTAL CARBON IN DIESEL PARTICULATE MATTER | 519 |
| <i>D.A. Parks, K.V. Raj, A.T. Weakley, A.L. Miller</i> | |
| STRATEGIC UNDERGROUND MINE PLANNING THROUGH NESTED STOPES AND CONSTRAINT-BASED SCHEDULING | 523 |
| <i>K. Jetmore, C. Roos</i> | |

| | |
|---|-----|
| THE PERMITTING AND PUBLIC RELATIONS OF CONTROVERSIAL PROJECTS IN MINING | 528 |
| <i>M. Akers, C. Roos, C. Okrusch, S. Rosenthal</i> | |
| ADAPTING OPEN PIT MINE DESIGN FUNDAMENTALS TO LEVERAGE THE ADVANTAGES OF AUTONOMOUS HAULAGE SYSTEMS | 537 |
| <i>R. Owens, C. Roos, S. Rosenthal, B. Hill</i> | |
| ENCOURAGING YOUNG PEOPLE TO JOIN THE MINING INDUSTRY - NEW APPROACHES IN EMPOWERMENT LEARNING | 544 |
| <i>L. Michael, T. Rudolph, P. Goerke-Mallet, J. Kretschmann</i> | |
| DAM SAFETY INVENTORY AND SEMI-QUANTITATIVE RISK ANALYSIS FOR SASKATCHEWAN POTASH MINES | 547 |
| <i>A. Kalmes, B. Dehler, D. Kopp</i> | |
| RESEARCH CENTER OF POST-MINING AT THGA BOCHUM / GERMANY | 550 |
| <i>P. Goerke-Mallet, C. Melchers, J. Kretschmann</i> | |
| FASTER UNDERGROUND MINE DEVELOPMENT: GETTING TO FIRST ORE QUICKER USING A NOVEL, NON-CIRCULAR TUNNELLING MACHINE..... | 554 |
| <i>D. Ofiara, M. Lewis</i> | |
| CONVERSION OF COPPER CYANIDE TO COPPER OXIDE..... | 559 |
| <i>P. Moyo, S. Dixon, R. Norcross</i> | |
| POST-COAL TRANSITION IN GERMANY AND THE UN SUSTAINABILITY GOALS | 562 |
| <i>J.F. Brune, P. Goerke-Mallet, N.M. Smith, J. Kretschmann</i> | |
| TAILING DAM MONITORING – SAFETY ENHANCEMENT THROUGH DATA FUSION | 566 |
| <i>A. Muterthies, T. Rudolph, P. Goerke-Mallet, J. Kretschmann, C. Yang</i> | |
| INHERENT UNCERTAINTIES IN DETERMINING DAM BREACH PARAMETERS UTILIZED IN NUMERICAL TAILINGS DAM BREACH ANALYSIS..... | 570 |
| <i>M. Walden, S. Melberg, R. Berton, N. Rocco</i> | |
| ENHANCED FLOTATION OF ULTRA-FINE APATITE AND CA-AL PHOSPHATE FROM QUARTZ AND MUSCOVITE USING ERIEZ’ COLUMN FLOTATION TECHNOLOGY | 575 |
| <i>M. Fan, A. Hobert, W. van Dyk</i> | |
| RARE EARTH ELEMENTS RECOVERY FROM COAL REFUSE USING ORGANIC ACIDS CONVERTED FROM FOOD WASTE | 586 |
| <i>B. Jones, Q. Li, W. Zhang</i> | |
| EFFECTS OF FOAM ADDITIVE ON THE DUCTILITY OF CEMENTED PASTE BACKFILL..... | 588 |
| <i>D. Sweet, T. Emery, B. Seymour, J. Bourgeois, J. Feiler, M. Gomez</i> | |
| CONSTANT TORQUE RESULTS OF A MEDIUM VOLTAGE AFD USING OUTPUT TRANSFORMER | 595 |
| <i>S.R. Simms, F. Guevara, I.A. Gibbs, T.A. Farr, G. Nojima</i> | |
| LITHIUM-ION BATTERY THERMAL RUNAWAY IN A METHANE-AIR ENVIRONMENT..... | 601 |
| <i>N. Rayyan, T.H. Dubaniewicz, L. Yuan, C. Brown, J. Soles, R. Thomas</i> | |
| STIEBER AND SVENDBORG BRAKES COMBINED THEIR EXPERTISE FOR PROVIDE INTEGRATED SYSTEM..... | 606 |
| <i>T. Kretschmer, F. Villwock</i> | |

| | |
|---|-----|
| THALLIUM REMOVAL FROM MINING INFLUENCED WASTEWATER USING PERMANGANATE OXIDATION..... | 609 |
| <i>A. Karunanayake, L. Berwick, D. Skutt, J. Wang, H. Heath</i> | |
| FROM BLIND TO CLEAR VIEW, INTEGRATION OF DIFFERENT SYSTEMS AND HOW THEY HELPED TO IMPROVE THE MINE PLANNING..... | 613 |
| <i>C. Calderon-Arteaga, K. Anim</i> | |
| VIDEO DATA ANALYTICS FOR QUANTITATIVE MEASUREMENT OF FEEDER ORE FLOW CHARACTERISTICS IN UNDERGROUND SYSTEMS..... | 617 |
| <i>J. Fastle, M. Weinstock</i> | |
| GOLD PRESSURE OXIDATION CIRCUIT DESIGN: A 40 YEAR HISTORICAL REVIEW..... | 622 |
| <i>R. Frischmuth, K.S. Fraser</i> | |
| DEVELOPMENT OF MATRIX-STABILIZED REPOSITORY BACKFILL (GESAV-II- PROJECT) AND FURTHER R & D PROSPECTS..... | 628 |
| <i>L. Schaarschmidt, F. Daniela, I. Paschke, H. Mischo</i> | |
| A KINEMATIC APPROACH FOR BLAST MODELING..... | 632 |
| <i>R. Yang</i> | |
| EFFECT OF BINDER CONTENT ON THE DUCTILITY OF CEMENTED HYDRAULIC BACKFILL..... | 642 |
| <i>T.M. Emery, B. Seymour, D.J. Sweet, J.P. Bourgeois, W. Johnson, M. Armatys</i> | |
| THICKENER 101 – APPLYING THEORY TO REALITY PART 2 – SETTLING BASICS AND TEST WORK..... | 648 |
| <i>G. Seale, D. Romo, R. Jansen, T. Wisdom</i> | |
| NEAR-TECHNICAL LIMIT GOLD RECOVERY FROM A DOUBLE REFRACTORY CARLIN- TYPE ORE AFTER PRE-TREATMENT BY HIGH-TEMPERATURE PRESSURE OXIDATION..... | 653 |
| <i>D. Dyson, S. Yopps, J. Langhans, S. Dimov, B. Hart</i> | |

Author Index