2022 Workshop on Recent Advances in Photonics (WRAP 2022)

Mumbai, India 4 – 6 March 2022



IEEE Catalog Number: CFP2251X-POD ISBN: 978-1-6654-0703-8

Copyright © 2022 by the Institute of Electrical and Electronics Engineers, Inc. All Rights Reserved

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

*** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

 IEEE Catalog Number:
 CFP2251X-POD

 ISBN (Print-On-Demand):
 978-1-6654-0703-8

 ISBN (Online):
 978-1-6654-0702-1

Additional Copies of This Publication Are Available From:

Curran Associates, Inc 57 Morehouse Lane Red Hook, NY 12571 USA Phone: (845) 758-0400

Fax: (845) 758-2633

E-mail: curran@proceedings.com Web: www.proceedings.com



Table of Contents

| Method of Lines Framework for Analysis of Arbitrary-shaped Spatial Periodic Structures: A Generalized Formalism | 1 |
|--|----|
| ZnO coated evanescent field-based fiber optic fuel adulteration sensor | 3 |
| Propagation Dynamics of Ultrashort Laguerre-Gauss Vortices in a Nonlinear Medium Shakti Singh and Akhilesh Kumar Mishra | 5 |
| Flexible Paper Substrates with Silver Nano-dendrites for Trace Detection of Dye and Explosive Molecules using SERS | 7 |
| Highly Efficient Reciprocal Mode Converters | 9 |
| Automated Route and Cycle Finding Algorithms for Programmable Photonic Integrated Circuits | 11 |
| Double electromagnetically induced transparency resonance in slotted metasurfaces supporting bound states in the continuum | 13 |
| Liquid Crystal-Au Grating Assisted Surface Plasmon Resonance Based Temperature Sensor | 15 |
| Design of a SiGe Waveguide Photodetector with PxC cavity for broadband MWIR Sensing Anurag Sharma, Dr. Jyoti Kedia and Dr. Neena Gupta | 17 |
| Ballistic soliton from Airy pulse | 19 |
| If Optical-processing-enabled Networks Come | 21 |
| Coherent light beam spotting sensor optics for battlefield surveillance | 23 |
| Numerical simulation of NFA organic solar cells with C60 and NiO as charge transport layers | 25 |
| Effect of multilayer Graphene on Symmetric Mode induced Optical Bistability at Terahertz frequency | 27 |
| Optical Add/Drop Filter and Pressure Sensor Design Using Two-Dimensional Photonic Crystal | 29 |

| Bimetallic nanowire based multianalyte SPR biosensor with Photonic Crystal Fiber Ankur Gupta, Ankit Singh, Rajat Kumar Singh and Akhilesh Tiwari | 31 |
|--|----|
| Terahertz Spectral Imaging for Monitoring the Spatial and Temporal Change of Water Dynamics in Plant Leaves | 33 |
| Naveen Kumar Periketi and Anil Kumar Chaudhary | |
| Study of THz time domain spectroscopy based optical properties and detection of minerals and explosives from soil samples of different origins | 35 |
| Interplay of Modal Dispersion with Nonlinear Impairments on Mode Division Multiplexed Fibers | 37 |
| Computational imaging system that can see outside the sensor boundary | 40 |
| Blue-ray DVD as a low-cost substrate for the fast sensing of paracetamol in aqueous medium using surface-enhanced Raman spectroscopy (SERS) | 42 |
| Smartphone-based Photometric Detection of Nitrite Level in Water | 44 |
| Dual Channel Graphene Based Optical Switch | 46 |
| Dual core photonic crystal fiber based carbon dioxide gas sensor | 48 |
| Detection of ultrasound up to 10 MHz frequency using an FBG sensor | 50 |
| Comparative Analysis of Ridge and Slot Sidewall-Etched Waveguide Bragg Grating for Cancer Cell Detection | 52 |
| Weighted mutation assisted genetic algorithm focuses light tightly through scattering media. Amit Kumar, Sarvesh Thakur and S. K. Biswas | 54 |
| Carrier Phase Recovery Scheme tolerant to Transmitter IQ Imbalance with Adaptive Constellation Referencing | 56 |
| Experimental Demonstration of Quasi-Nyquist 1.024 Tbps Superchannel with 7.1 b/s/Hz Spectral Efficiency | 58 |
| Vanadium Dioxide Assisted Thermo-optic Perfect Absorbers for Optical Switching Ashish Kumar Chowdhary, Veluri Anurag Reddy, Tanmay Bhowmik and Debabrata Sikdar | 60 |

| Band Structure Analysis of Silica Clad Silicon-based 2D Photonic Crystal for C-band Applications | 62 |
|---|----|
| Ring-Star based transmission over Fiber/FSO Links for Reliable Access Network Services. Shalini Khare, Amit Kumar Garg and Vijay Janyani | 64 |
| Reliable TWDM Optical Network Architecture With Multilevel Fault Correction Capability | 66 |
| Refractometry using Large Index Contrast Narrow Width Micro-ring Resonator | 68 |
| Convective Boundary Layer Height Detection from Active Optical Sensor Signals | 70 |
| Controlling the slow light properties in a corrugated parallel plate terahertz plasmonic waveguide | 72 |
| Randomness Generation with Untrusted Devices | 74 |
| ML Based Risk Analysis and Route Prediction for Optical Fibre Link Network | 76 |
| Sensing in a toroidal coupled dual-band EIT terahertz metadevice | 78 |
| Resonance hybridization in terahertz stacked metamaterials near Fano excitation threshold | 80 |
| High Q-factor terahertz topological ring resonator | 82 |
| Near-field coupled toroidal metasurfaces based on âall' bright resonators framework Soumyajyoti Mallick and Dibakar Roy Chowdhury | 84 |
| PZT based acoustic resonator for the refractive index modulation | 86 |
| Dual-Band Electromagnetic Induced Transparency in a Terahertz Metawaveguide Design . Bhairov Kumar Bhowmik, Maidul Islam and Gagan Kumar | 88 |
| Coupling-assisted Epsilon-Near-Zero Material based Energy-efficient Electro-Absorption Modulator | 90 |
| Z-domain Modeling of FBG Sensors | 92 |

| Propagation of Quantum Squeezed Light through a non-Hermitian Bilayer: Effective Medium Approach |
|--|
| Elnaz Pilehvar, Ehsan Amooghorban and Mohammad Kazem Moravvej-Farshi |
| Variable angle Anomalous refraction employing Terahertz Metasurfaces |
| Modulating broadband terahertz in a Graphene assisted dielectric Metamaterial |
| Evolutionary Algorithm based design approach for Metamaterials in Terahertz Regime 100 Ajinkya Punjal and Shriganesh Prabhu |
| Study of Four-wave mixing and Normal mode splitting in Kerr-nonlinear optical system containing coupled double quantum dot |
| Composite Nitrogen-Vacancy Centers Nanodiamonds Grating using Soft Lithography 104 Rajesh Kumar and S Anantha Ramakrishna |
| Fragmentation-Aware Routing, Core and Spectrum Assignment in Multi-Core Fiber based SDM-EON |
| Frequency mode conversion in far infrared range using Bulk quartz crystal |
| Effect of Mg-doped zinc oxide nanoparticles as inorganic electron transport layer in quantum dot light-emitting diodes |
| Analysis of quasi-Fermi level split in ratchet-type intermediate band solar cells \dots 112 Ahna Sharan and Jitendra Kumar |
| Plasmonic Lab-on-fiber Sensor: Fabrication and Subsequent Optimization |
| Experimental Demonstration of Multimode Optoelectronic Oscillator at 2.4 GHz 116 Siva Subramaniyam C N and Deepa Venkitesh |
| Machine Learning based Biospeckle Technique for Identification of Seed Viability using Spatio-temporal Analysis |
| Laser Biospeckle Technique for Evaluating Biotic Stress on Seed Germination |
| OPTIMIZATION OF SENSITIVITY AND Q-FACTOR OF RING RESONATOR BASED LABEL FREE BIOSENSOR |

| Highly-Miniaturized Multi-Peak Narrow-Band Plasmonic Absorber based on Triangular |
|---|
| Arrays |
| Sharp Fano Resoancens in an Ultra-Copmact Plasmonic Waveguide and its Sensing |
| Application |
| Millimeter wave frequency synthesizers using integrated photonics aided phase locked loops |
| Rakesh Ashok, Shivangi Chugh and Shalabh Gupta |
| 125 µm Cladding 4-Core Fiber with Low Inter-core Crosstalk |
| Spectral Characteristics of Cascaded Apodized FBGs of Varying Lengths |
| High Quality Fano Resonance by Lattice Mode Coupling in Terahertz Metamaterials 134 Chandan Chandan, Sukhvinder Kaur and R. K. Varshney |
| Study of Gold nanoparticles binding dynamics on functionalized surface by ATR-evanescent wave absorption method |
| Optical Studies of Cadmium Telluride based Solar Cell using Photonic Crystal as a back Reflector |
| Successful 200G Transmission over 45 km of 4-Core single mode MCF |
| Femtosecond optical nonlinearities and Ultrafast dynamics in Metal-dielectric photonic |
| structure |
| Possibility of plastic discrimination using picosecond laser induced breakdown |
| spectroscopy |
| BER Evaluation in the cascade of 2R BMORs in the presence of Atmospheric Turbulence 146 $Yash\ Deodhar\ and\ Priyanka\ Desai\ Kakade$ |
| Broad-band Terahertz Polarization Conversion in a Planar Metasurface |
| Interference effect in second harmonic light emitted from sub-micron size nonlinear particles |

| Plasmonic sensor utilizing oxide and antemonene heterojunction for glucose sensing15. Ankit Kumar Pandey and Sukrit Chatterjee |
|--|
| Influence of sub-system non-idealities on the performance of Gaussian modulated CV-QKD |
| R Muralekrishnan, Lakshmi Narayanan Venkatasubramani, Sameer Ahmad Mir and Deepa Venkitesh |
| Topological Surface State by Hierarchical Concatenation of Photonic Stopbands 150 Nitish Kumar Gupta, Aditi Chopra, Mukesh Kumar, Anjani Kumar Tiwari, Sudipta Sarkar Pal, Harshawardhan Wanare and S. Anantha Ramakrishna |
| Plasmonic Fiberoptic competitive immunosensor: Proof-of-concept studies |
| Quantum Regression Model for Prediction of Surface Plasmon Resonance Sensor |
| behaviour |
| Terahertz Surface Plasmon Propagation in Metal Dielectric Metal Waveguide with |
| Corrugated Surface |
| Optical Equalizer for Short-Reach PAM-4 Data Center Interconnects |
| Crosstalk-Aware vs. Crosstalk-Avoided Approaches in Spectrally-Spatially Elastic Optical Networks: Which is the Better Choice? |
| Design and Optical Studies for Nanostructure Intermediate Reflector based Perovskite Silicon Tandem solar cell |
| Plasmonic Fiber Optic Absorbance Biosensor for MDR-Mtb detection using Padlock Probing |
| Waveguide Bragg Grating Optical MEMS Accelerometer based on Circular Diaphragm 17: M Balasubramanian, Subhradeep Pal, Kannan Ramaswamy and Prasant Kumar Pattnaik |
| Facile fabrication of nanoapertures with tunable plasmonic resonances |
| Study of Event Classification from Distributed Acoustic Sensor |
| Real time monitoring of assembly of plasmonic nanoparticles on polyelectrolyte coated |
| surfaces |
| Zinc oxide and MXene based plasmonic sensor for glucose monitoring |

| Wavelength Selective Beam Switching Using Electrically Driven Nano-Strip MIM Tunnel Junctions |
|--|
| Saurabh Kishen, Jinal Tapar and Naresh Emani |
| Numerical study of propagating surface plasmons in complex alloy thin films |
| Phase Changing Material based Multi/Demultiplexer with Photonic Crystal Waveguide Couplers for Optical Communication |
| Comparative Study of 0.5 and 1.5 Terahertz bands Efficiency from the N-benzyl-2-methyl-4-nitroaniline (BNA) Crystal |
| Simulation and fabrication of multi-layer plasmonic substrates for potential SERS application |
| Effect of phase separation on the behavior of surface plasmons in Ag-Cu alloy thin films 19 $Pravallika\ Bandaru\ and\ Shourya\ Dutta-Gupta$ |
| Development of Compact, Indigenous Terahertz Systems for Medical Diagnostics and NDT Applications |
| Janus nanoparticles for dual wavelength surface enhanced Raman scattering applications . 19 Bharadwaj Peela, Pravallika B and Shourya Dutta-Gupta |
| Investigation of the Performance Limits of PGC-based Distributed Acoustic Sensing 20 R Muralekrishnan, Neethu Sasikumar, Prasanth P P, Deepa Venkitesh and Balaji Srinivasan |
| Engineering strong magnetic dipole resonance in all- dielectric metasurfaces |
| Surfactant-less Ag@Au decorated U-bent fiber optic probes for plasmonic sensing 20 J Kuzhandai Shamlee, M Hariharan and Vvr Sai |
| Influence of pulse repetition rate on SINAD performance of time-stretched photonic ADCs20 Karamdeep Singh, Sreeraj S J, Balaji Srinivasan and Deepa Venkitesh |
| Silica and polymeric fiber optic refractometric sensor probes: Performance evaluation 20 N Thrilok Venkat, Swetha Menon, Divagar M, A Gowri, Sruthi Prasood Usha and V V R Sai |
| Photon Pair Comb Generation Using Four Wave Mixing in a Highly Nonlinear Fiber 21 Debanuj Chatterjee, Gautam Shaw and Anil Prabhakar |
| Pipeline Intrusion Monitoring with Distributed Acoustic Sensing |

| Wavelength Division Multiplexed PMC-SH Link with Adaptive Polarization Control 215 Rashmi Kamran, Aboobackkar Sidhique, Sana Naaz, Anusha Krishnan and Shalabh Gupta |
|--|
| Design and Simulation of Gas Cell for Mid-IR Trace Multi-Gas Sensing using Photoacoustic Spectroscopy |
| Direct Laser Written Multi-channel Optical Waveguide for Refractive Index Sensing 219 Amrit Patnaik, Geethu P., Sonatan Das and Tapanendu Kundu |
| Thickness measurement of multi-layered structures using SD-OCT Imaging System |
| Design and simulation of terahertz wire grid polarizer with sub additional gaps |
| Tunable Photonic Platform using Optically Reduced Graphene Oxide |
| Ultra Pure Signal Generation using Simple Direct Modulation Optoelectronic Oscillator 227 Yerranna H, Samrat L Sabat and Krishna S Kumar |