

2022 Photonics & Electromagnetics Research Symposium (PIERS 2022)

**Hangzhou, China
25-27 April 2022**

Pages 1-592



**IEEE Catalog Number: CFP22C18-POD
ISBN: 978-1-6654-6024-8**

**Copyright © 2022 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP22C18-POD
ISBN (Print-On-Demand):	978-1-6654-6024-8
ISBN (Online):	978-1-6654-6023-1
ISSN:	2831-5790

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

Contents

Silicon Photonics for Neuromorphic Computing and Artificial Intelligence: Applications and Roadmap	18
Online Traffic Classification Scheme Based on Bidirectional Long-short Term Memory and Attention in Edge Computing Oriented Optical Networks	27
An Efficient Reconfigurable Metagrating	31
Metamaterial Aperture for Frequency-diverse Dual-mode OAM Beams	37
2D Pixel Based Inversion of Ultra-deep Electromagnetic Logging Data for Look-ahead Applications	43
Looking for New LWD Tools That Can Look Farther Ahead	49
Shifted Base Mode Character of Array Antenna with Failed Elements	57
Wideband Direction-of-Arrival Estimation and Phase Noise Compensation	64
Wide Beam Scanning Antenna Array and Near Field Testing System for 5G Millimeter-wave Communications	70
A Novel Circularly Polarized Filtering Patch Antenna	74
Wideband Schiffman Phase Shifters Designed with Deep Neural Networks	78
Inversion of Sophisticated Thermal Conductivity via Deep Learning	81
Effects of Attachment Structure of Feed Source on Radiated Field of Conical Antenna	85
Field-based Description of the Coupling between a Transmon Qubit and a Transmission Line Geometry	90
Modelling Studies of Magnetostatic Modes in Hybrid MW-YIG Structures	99
Hybrid High-bandwidth Microwave-magnon Systems for Quantum Communications and Sensing	103
A Simple Method for Calculating the Sensitivity of Near-field Scanning System Based on Transfer Function	107
Recent Advances in Novel Training Approaches for Microwave Parametric Modeling Using Padé via Lanczos and EM Sensitivities	113
Transmission Line Model of Field-to-wire Coupling with Shielded TWP/Twinax Cables with line Apertures	116
Electromagnetic Coupling between Power Distribution Network and On-chip Inductors in Package	125
Minimal State Space Realization on Delay Rational Green's Function-based Macromodel	129
Spatio-Temporal Data Prediction of Braking System Based on Residual Error	134
On-chip Current Sensing Technique for H-bridge Driver System	138
Range Migration Correction Method Based on Improved Keystone Transform for GPS-based Passive Radar	143
A Novel Target Detection Method for GNSS-based Bistatic Radar	151
Least Mean Square Adaptive Filter Detection Based on Wavelet Transform in Spectrum Monitoring	155
Radio Frequency Fingerprint Feature Extraction Based on I/Q Data Distribution Features	161
An RF I/Q Sample Data Set Acquisition Method Based on Environmental Characteristic Parameters	166
Offshore Electromagnetic Wave Propagation Loss Model Based on Ray Tracing Method	171
Pre-earthquake Prediction Method Based on Electromagnetic Wave Abnormal Signal Detection	177
Visualization of Electromagnetic Spectrum Based on Distributed Database	182

An Optical Computing Chip for Executing Complex-valued Neural Network and Its On-chip Training	189
Application of Industrial CT Technology in Additive Manufacturing Field	197
Optically and Chemically Controllable Light Flow in Topological Plasmonic Waveguides Based on Graphene Metasurfaces	204
A Widely Tunable InGaAs/InGaAsP DBR Laser for Gas Detection	209
Mid-infrared Chalcogenide Waveguide CH ₄ Sensor Based on Surface-enhanced Infrared Absorption Spectroscopy	214
Study of Two-dimensional Plasmon Resonance of a Grating Gate HEMT	219
Analysis of Extrinsic Chirality in Layer by Layer Structures Distributed in Non-planar Unit-cell Arrangements at Microwave Frequencies	222
Thermally Tunable Polarization-insensitive Ultra-broadband Absorber in a Terahertz Metamaterial Sustained by the Coupled Toroidal Dipole Modes	227
Realizing Ultra-bandwidth Cross-polarization Conversion by a Double-layer Metasurface	233
A Gravity Tailored Ultra-broadband Absorber Based on High-impedance Surface	239
Application of Two-dimensional Photonic-crystal Array for Optical Switches	245
SAR Open Set Recognition Based on Counterfactual Framework	249
A Robust Bypass Detection Method for LED Operating States Based on PWM Interference	254
A Deep Learning-based Model for Cold Anticyclonic Eddies and Warm Cyclonic Eddies Detection in the Kuroshio Extension	258
Precipitation Inversion from MWHTS Data Using Tensorflow Framework	264
A Machine-learning-based Model to Inverse Internal Solitary Wave Amplitude from Satellite Image	269
Automatic Waterline Extraction of Tidal Flats from SAR Images Based on Deep Convolutional Neural Networks	273
MEO-SAR in-orbit Elevation Antenna Pattern Determination Using Nano Calibration Satellite	278
Study of Chirp-mismatch SAR Echo Imaging and Application Based on Active Radar Transponder	283
Effect Analysis of the Core Algorithm in Fast Fourier Transform Spectrometer (FFTS)	288
Stability Estimates of LIDAR Range Profile Feature Extraction Techniques under Random Time Shifts	294
Design of a Health-monitoring Device for Surveillance of Power Modules Based on Fluctuations of the Local Magnetic Field	300
Multi-domain Joint Designed W-band Transmission-reflection Cavity Metasurface Antenna for Coincidence Imaging	310
W-band Frequency-Polarization-Diverse Metasurface Antenna for Coincidence Imaging	317
Single-layer Efficient Broadband Polarization Conversion Metasurface Based on Multiple Plasmon Resonances	324
Dynamically Tunable Electromagnetic Stealth Metasurface	329
Coding Metasurface Design via Intelligence Algorithm	333
Compact Multi-beam Antennas for Full-azimuth and Hemispherical Scan Coverage	337
System and Design Solutions for Ground-based Deep Space Infrastructure: Optimization of the Small-base Radio Interferometer	342
A Low-profile Wideband Dielectric Resonant Antenna under Multi-resonant Modes	348
UWB-MIMO Antenna with Band-notched Structure	353
The Pattern Reconfigurable Array Design for Lens Feeding	357
Large-scale Real-time Lattice Simulations of Strong-field Quantum Electrodynamics on Heterogeneous Clusters	363
Using Electric Field to Monitor the Continuous Casting	370
Model of a 4-waveguide Regional Applicator for Microwave Hyperthermia	378

Sensor for Microwave Medical Diagnostics Based on Array of 8 Waveguides	382
Artificial Doppler and Micro-Doppler Effect Induced by Time-modulated Metasurface	387
A Novel Approach to Analyse the Band Gap of Mushroom-like Electromagnetic Band Gap Structure ..	391
Passive Monopulse Amplitude-comparison Three-dimensional Direction-finding Based on Six-element Antenna Array	397
Compressive Direction of Arrival Estimation with Wave-chaotic Antennas	403
A Compact Bandpass Filter Using 2.5-D Spoof Surface Plasmon Polaritons with Wide Out-of-band Suppression	409
WR15 Six-port Interferometric Set-up for Millimeter-wave Characterization for Harsh Environments ..	414
Design and Fabrication of Compact Waveguide Filter with Complementary Split-ring Resonators (CSRR)	420
Femtosecond Laser Induced In-volume Nanostructures and Their Applications	425
Integrated Metasystem for Fourier Optics and Machine Learning	428
Design Method of Broadband Acoustic Metasurfaces Based on the Transmission-line Theory	432
Efficient Singlet Fission via a High-lying 3^1A_g Dark Intermediate State	439
Atmospheric Humidity Analysis over Tibetan Plateau Based on FY-3C/D MWHTS Observations	443
Investigation on Calibration and Validation for FY-3 Series Microwave Humidity Sounders	448
Estimation of Wind Induced Ocean Microwave Emission at C- and X-band Frequencies from the AMSR2 Measurements over the Arctic Waters	452
Variability of Wind Energy in the South China Sea	456
Classifying Sea Ice Types with a U-Net Model from Dual-polarized Sentinel-1 Images and GLCM Texture Feature	460
Real-time Interferometric Processing Techniques and Acceleration Methods for UAV SAR	465
A Design of a New Strong Electromagnetic Pulse Ground-penetrating Radar System	472
Quantifying the Hydrometeorological Impacts of Lowering Operational Weather Radar Scan Elevation Angle	478
Design of a Wide-beam Waveguide Slot Antenna for Anti-interference Applications	483
Design of the Share-aperture Dual Circularly Polarization Waveguide Antenna Array	489
A Metasurface Omnidirectional Antenna Design Using CMA	492
Design of Band-notched UWB Antenna Based on Characteristic Mode Theory	500
Transient Thermal Simulation of 3-D ICs with Integrated Microchannel Cooling Using Laguerre Polynomials	503
A Finite Volume Scheme for Thermal Simulation Using Locally Refined Semi-structured Grids	508
A Physics-based Compact Model for Set Process of Resistive Random Access Memory (RRAM) with Graphene Electrode	513
Geometric Diode Modeling for Energy Harvesting Applications	517
Dual-electron-beams Steering Direction Tunable THz Radiation Waves at a Fixed Frequency	524
Spectral Shadowing Compensation in Double-pulse FBG-assisted φ -OTDR	530
Diverse Pulsating Solitons in Spatiotemporal Mode-locked Fiber Laser	536
Wavelength-tunable Q-switched Mode-locked Multimode Fiber Laser	540
Carrier Phase Recovery for Synthesized 16-QAM Signals with Hierarchical Blind Phase Search Algorithm	544
Spectral Features with the Temporal and Spatial Mode-coupling Dynamic in a Few-mode System	547
Design of Few-mode Erbium-doped Fiber Amplifiers with Tunable Differential Mode Gain	553

Optical Dispersion Compensation through a Nonlinear-optical Loop Mirror (NOLM)-based Optical Reservoir	557
Vortex Beam with Direction Control Based on Coding Chiral Metamirrors	563
Programmable Photonic RF Filter Based on Two-soliton Microcombs	568
Recent Progresses in Dispersion Engineering for Broadband Nonlinear Applications	572
Research on Lithium Niobate-based Photonic Crystal with Wide Bandgap	578
Design of Optical Gyroscope Based on the Cavity Optomechanics Structure	585
Single Cell Optical Manipulation and Molecular Detection	593
A Value Piking Method for Mixed Boundary Conditions in Inverse Scattering Problems	605
Self-supervised Human Pose Recovery for Through-wall Radar Based on Convolutional Neural Networks	613
Robust Phase Error Correction and Coherent Processing for Automotive TDMA-MIMO Radar	617
High-resolution Automotive Radar Point Cloud Imaging and Processing	624
Off-grid DOA Estimation for Temporally Correlated Source via Robust Block-SBL in Mutual Coupling	633
Discrimination of Single-channel Radar Micro-doppler of Human Joints Based on Kinect Sensor	640
An Improved Oriented Ship Detection Method in High-resolution SAR Image Based on YOLOv5	647
Significant Wave Height Estimation from CYGNSS Delay-doppler Map Average Observations	654
Time Series Remote Sensing of Land Use Changes and Influences on Runoff and Sediment Yield in Dongjiang River Basin, China	660
The mm-wave Active Phased-array Antenna Module Design for 5G Applications	666
LTCC Dual-polarization Array Antenna with Scalability by Tiling Based on 4×4 Elements for 5G (28 GHz) Base Station and CPE	669
Demystifying Self-healing Property of Accelerating Beams for Obstacles Circumvention in Communication Applications	673
Miniaturized Three-in-one Module of Wideband Dual-polarized Millimeter-wave Antennas-in-Package as Non-millimeter-wave Antennas (AiPaA) for Mobile Phones	682
Dual-band Antenna Integrated with Solar Cells for WLAN and 5G Wi-Fi Applications	687
Machine Learning Based MIMO Antenna Arrays Optimization for 5G/6G	690
A W-band Circularly Polarized Antenna	697
A Tunable Dipole Antenna Controlled by Motor	700
A Polarization and Frequency Reconfigurable Antenna Based on Liquid Metal	704
A Dual-band Pattern Reconfigurable Antenna Based on Liquid Metal	710
Liquid Metal Antenna: Application and Fabrication	715
A Theoretical Model for Nonlinear Waves Observed in Space Plasmas	718
Free-electron-driven Vortex Smith-Purcell Radiation with Higher-order Topological Charge	725
Investigation of G-band Extended Interaction Klystron Broadband Beam-wave Interaction	729
Study of Terahertz-band Sheet Electron Beam Extended Interaction Oscillators	733
Cherenkov Radiation Based on Effective Surface Plasmon Polaritons	736
Parameter Analysis of Two-color Laser Sources for Terahertz Wave Radiation from Liquid Water	739
A RF Frequency Tripler with High Output Power in 180 nm CMOS	743
100mW G-band MMIC Power Amplifier Based on 50 nm GaN HEMT Technology	748
A D Band Zero Bias Detector Chip Using Schottky Diode	752
Graphene-based Optically Transparent and Dynamically Tunable Metasurface with Anisotropic Modulations	755
Switched Ultra-broadband Metamaterials Absorber and Polarization Converter with Vanadium Dioxide	759

Pseudo-Random Sequence (PRS) Space-time-modulated Metasurfaces: General Concept and Fundamental Operations	765
Doping Effect on Ferroelectric Soft Optic Mode of SrTiO ₃ Crystals with Cubic Perovskite Structure ..	769
Prediction of Quality Attributes of Fresh Unpasteurized Milk Using Dielectric Spectroscopy Coupled to Chemometric Tools	776
TiN-based Tamm-FP Coupling Infrared Perfect Absorber with a Narrowed Linewidth	783
Second Order Central Moment Estimation of Single and Multiple Scattering Intensities in Full-field Reflective Tissue Imaging under Coherent Illumination	792
Satellite Passive Microwave Sea Ice Concentration Retrieval Errors over the Russian Arctic Seas	797
An Assessment of MWHTS Onboard FY-3C/D Over Quasi-Stable Scenes	801
On the Color Visualization of Three-component Model-based Decomposition for Polarimetric SAR Data	806
An Unsupervised Classification of PolSAR Image Based on Polarimetric Scattering Similarity and Complex Wishart Classifier	812
A Wideband C-shaped Open Slot Array for Millimeter-wave Applications	818
A Dual-polarized Lens Antenna Using LTCC Based Phase-shifting Surface for D Band Applications ..	822
A Broadband Low Profile Transmitarray Based on SIW Structures	827
A Wideband High Gain Taper Slot Antenna for 5G Millimeter-wave Imaging System Application	833
Recent Advance of Integrated Passive Device Bandpass Filters Using Lumped and Distributed Elements	839
A Low-loss CPW-DWG-CPW Transition	843
A Low-loss Transition for Substrate Integrated Coaxial Line to Grounded Coplanar Waveguide Based on Bayesian Optimization Approach	848
Development of Reconfigurable Band Stop Filter Using Metamaterial for WLAN Application	854
Direct Laser Writing Spiral Sagnac Waveguide for Sensing Magnetic Field with Ultrahigh Sensitivity ..	862
A High Sensitivity Surface Plasmon Resonance Biosensor Based on Photonic Crystal Fibers for Refractive Index Sensing	873
Dielectric-supported Rhombus-shaped Meander-line Slow-wave Structure for a V-band Dual-sheet Beam Traveling Wave Tube	881
Recent Results on Development of Sub-GW Long-pulse THz-band FEL	885
Numerical Simulation of a Beam Splitter on a Silicon Chip for the Terahertz Wavelength Range	892
On-chip Photonic Crystal Cavity Integrated with Thermal Graphene Source	899
Towards the Development of Ultrafast Photodetectors Based on Graphene for the Next-generation Telecommunication Systems	904
Thermo Optical Properties of 3D Photonic Wire Bonding Connecting Silicon Nitride Waveguides	908
A Compact 2D Polarization Splitting Grating Coupler with Lens Tapers	912
Manipulation of Strong Light-matter Interactions in Two-dimensional Transition-metal Dichalcogenides Coupled with Nanophotonic Structures	916
Modeling of Microstrip Quantum Cascade Lasers	919
Visible to Near-infrared Chip-integrated Tunable Optical Modulators Based on Niobium Plasmonic Nano-antenna and Nano-circuit Metasurface Arrays	924
Wireless Channel Design and Optimization Method for 1-bit Programmable Metasurface	930
An Active Metamaterial Antenna with Tunable Zero-order Resonances	935
Metamaterials Based Intelligent Microwave Human Behavior Recognition	941
Numerical Demonstrations of Beam Reconfigurable Reflective-type Opto-mechanical Metasurface	947
A Broadband High-efficiency Multifunctional Ultrathin Metasurfaces	954

Anapole Observation in All-dielectric Trimer-based Metasurface	961
Active Terahertz Modulator and Slow Light Metamaterial Devices with Hybrid Graphene-superconductor Coupled Split-ring Resonator Arrays	967
White Light Correlation Holography Using a Random Lens for Astronomical Imaging Applications ...	972
Simultaneous Detection of Modal Composition and Wavelength of OAM Fields Using a Hexagonal Vortex Filter	981
Large Dynamic Frequency Up-conversion by Using Parallel Dual-drive Mach-Zehnder Modulators and Balance Detection	985
Approach of Frequency Doubling Digital Modulation Signal Generation Based on Optical Modulation Switch	990
Inversion of Ocean Wavenumber Spectrum from the Bistatic High-frequency Radar Sea Echoes	996
Evaluation of Model Simulations of Polar Lows with Satellite Data	1004
Multi-instrumental View of the Auroral Oval	1009
Spatio-temporal Fluctuations in Downwelling K-band Radiation of Atmosphere in the Presence of Clouds	1014
Mapping and Evaluation of the 2020 Catastrophic Floods in the Yangtze River Basin Using Sentinel-1 Imagery	1018
Assessing the Performance of Models for Ionospheric Correction for Single-frequency GNSS Positioning	1023
Ultra-miniaturized Narrow-band Metamaterial Absorber for L-band	1029
Multiscale Roughness Influence on Microwave Scattering and Emission in Soil Moisture Response	1033
Modeling of Spatial-temporal Sea Clutter with I/Q Components Based on the Data-driven Approximation of Koopman Theory	1039
Extrapolated Virtual Antenna Array for Enhancement of Resolution of Uniform Linear Array	1045
An Overview of Metamaterial Absorbers and Their Applications on Antennas	1053
A Wideband Circularly Polarized Leaky-wave Antenna	1061
A Versatile Slot Antenna Fed by a 2×2 Reconfigurable Network	1066
Antipodal Vivaldi Antenna for On-chip Millimeter-wave Wireless Communication	1069
GEO SAR Antenna Three-dimensional Pointing Error Calibration Method Based on Ground Receiver	1075
Non-periodic and Conformal Antenna Arrays Design Using Parallel Evolutionary Algorithm Based on GA and PSO	1079
A Quasi-Helmholtz Decomposition Method for Solving Surface Integral Equations Involved in Electro- magnetic Scattering Problems	1086
An Elementwise Stability Estimation Algorithm for Explicit Discontinuous Galerkin Time Domain Method	1092
A Low-Memory DGTD and FETD Method for Electromagnetic-circuit-thermal Co-simulation	1097
Higher Order Impedance Boundary Condition with Integral Method for the Scattering Problem in Elec- tromagnetism	1101
Influence of the Earth's Ionosphere on the Polarization Characteristics of Radio Waves in the Megahertz Range	1108
Extension of the LOD-FDTD Method to Accurately Investigate the Transmission Properties of the Magnetized Graphene-based Structures	1119
Analysis of Induced Current and Voltage of GIL Enclosure Based on Equivalent Circuit Model and Finite Element Computation	1123
Homogenization Based Fast Computation of Electromagnetic Scattering by Inhomogeneous Objects with Honeycomb Structures	1134
Terahertz Scattering Characteristics of Rough Metallic and Dielectric Corner Reflectors	1141
Development of High-Q Sensor for NQR Detection of Dangerous Materials	1145

Simulator of UHF Signal of the Partial Discharge	1150
Electromagnetic-circuit-thermal Multiphysics Simulation of Microwave Amplifier	1155
Indirect Temperature Measurement for Quasi-continuous-wavelength High Power Laser Diode Bars ..	1159
A New Method for Improving Isolation of GPR Antenna	1165
A 0.0081 mm ² 0.15–5.9-GHz Low Noise Amplifier with Noise Cancelling and Current Reuse Techniques	1171
Long-lived Bloch Wave in All-dielectric Photonic Crystal	1177