

# **2022 International Symposium on Power Electronics, Electrical Drives, Automation and Motion (SPEEDAM 2022)**

**Sorrento, Italy  
22-24 June 2022**

**Pages 1-484**



**IEEE Catalog Number: CFP2248A-POD  
ISBN: 978-1-6654-8460-2**

**Copyright © 2022 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP2248A-POD
ISBN (Print-On-Demand):	978-1-6654-8460-2
ISBN (Online):	978-1-6654-8459-6

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

# SPEEDAM 2022 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION  
SORRENTO (Italy), June 22<sup>nd</sup>– June 24<sup>th</sup>

## PROCEEDINGS INDEX

### Modeling of Electric Machines I

- 1      *Liebrich J., Kreischer C.* - (Germany)  
Novel method for characterization of the influence of axial tensile stress on the critical temperature of high-temperature superconductor windings in electrical machines
- 7      *Gerlach M. E., Bender T. N., Ponick B.* - (Germany)  
Influence of round wire winding and insulation on the vibration behavior of electric machines
- 14     *Contò C., Cinti L., Bianchi N.* - (Italy)  
Comparison between hybrid excited permanent magnet and wound rotor motor
- 20     *Behrendt C. N., Dittmann J., Knebusch B., Ponick B.* - (Germany)  
Common-mode impedance prediction of a high frequency hairpin stator winding based on FEM and modified nodal analysis
- 27     *Erd N., Binder A.* - (Germany)  
Eddy currents in the solid rotor yoke of a high-torque PMSM with tooth-coil winding
- 35     *Fujii Y., Tanaka Y., Chiba A.* - (Japan)  
Radial force harmonics reduction of IPM motor by injection of zero-sequence harmonic current

### Electric Storage Systems: Modeling and Parametrization

- 41     *Kondratiev S., Kuznetsov A.* - (Germany)  
Application of embedded electrochemical impedance spectroscopy for on-board battery diagnostics
- 46     *Barcellona S., Colnago S., Piegari L.* - (Italy)  
Analysis of the lithium-ion batteries resistance hysteresis phenomenon
- 52     *Šimčák M., Frivaldský M.* - (Slovakia)  
Influence of short circuit on electrochemical cell and its replacement equivalent scheme
- 58     *Chen Y., Wang W., Pagliari D. J., Macii E., Poncino M.* - (Italy)  
Assessing the dependence of Li-ion batteries capacity on load current frequency
- 64     *Bocca A., Chen Y., Macii A., Macii E., Poncino M.* - (Italy)  
Adapting the Peukert equation to batteries discharged at pulse currents
- 70     *Jannif N. I., Ram K., Bangalini K., Loli A., Cirrincione M., Mohammadi A.* - (Fiji, Vanuatu)  
Supercapacitor parameter estimation and hybridization with PEMFC for purge compensation

### Control of Electric Drives I

- 76     *Karau F., Leuer M.* - (Germany)  
Model predictive velocity control of electrical drives on an industrial PC
- 82     *Schlegel L., Hofmann W.* - (Germany)  
Harmonic current control of high dynamic periodical torque reference values for permanent magnet synchronous machines
- 88     *Di Tommaso A. O., Miceli R., Nevolo C., Scaglione G., Schettino G., et al.* - (Italy)  
Field oriented control of IPMSM fed by multilevel cascaded H-Bridges inverter with NI-SOM sbRIO-9651 FPGA controller

# SPEEDAM 2022 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION  
SORRENTO (Italy), June 22<sup>nd</sup>– June 24<sup>th</sup>

## PROCEEDINGS INDEX

- 94 *Möller A., Binder A.* - (Germany)  
Survey of third harmonic voltage injection in star-connected five-phase windings for induction and permanent magnet synchronous machines
- 100 *Rodriguez-Montero E., Vogelsberger M., Wolbank T.* - (Austria)  
Analysis of speed dependency for feedforward saliency separation
- 106 *Zhang J., Li H., Li Z., Zhang Z.* - (China)  
Predictive power factor control of induction motor drives
- Quality Aspects in Electric Power Systems**
- 112 *Giannuzzi G. M., Lauria D., Pisani C., Tessitore S.* - (Italy)  
An optimization procedure for power system stabilizer tuning
- 118 *Berg S. J. K., Vadlamudi V. V., Peftitsis D.* - (Norway)  
Improving distribution transformer reliability in micro grids with distributed generation
- 124 *Courteau G., Auberson E., Favre-Perrod P., De Marignac O., Bozorg M., Carpita M.* - (Switzerland)  
STATCOM optimal placement method applied to a swiss urban distribution network considering future photovoltaic integration scenarios
- 130 *Kortenbruck J., Premgamone T., Ortjohann E., Holtschulte D., Schmelter A., Varada S. D.* - (Germany)  
Harmonic voltage compensation with power electronic grid regulator based on symmetrical components
- 137 *Bosisio A., Berizzi A., Brenna M., Morotti A., Greco B., Iannarelli G.* - (Italy)  
A practical risk analysis for reliability improvement of distribution grids
- 143 *Yao J., Judge P., Djokic S.* - (United Kingdom)  
Evaluation and comparison of some common methods for waveform distortion analysis
- Modeling and Design of Power Converters**
- 149 *Deepak K., Tran M. T., Tran D. D., El Baghdadi M., Hegazy O.* - (Belgium)  
Design investigation of liquid cooled heat sink for GaN fet dual-three phase inverter
- 155 *Schramm A.* - (Germany)  
Amplitude pseudo-spectra based comparison of input filter installation spaces for current-DC-link-and matrix converters
- 160 *Solimene L., Corti F., Musumeci S., Ragusa C. S., Reatti A.* - (Italy)  
Magnetic control of LCC-S compensated wireless power transfer system
- 166 *Boecker J.* - (Germany)  
Concept study of an LLC converter with magnetically resonant inductor
- 171 *Schumann M., Ebersberger S., Graichen K.* - (Germany)  
Dynamic and stationary state estimation of fluid cooled three-phase inverters
- 179 *Solomon O. R.* - (United States)  
Carrier-based PWM modulation method for evaluation of multi-level inverters
- Analysis and Control of Microgrids**
- 186 *Rahimpour S., Husev O., Vinnikov D.* - (Estonia)  
Impedance-source DC solid-state circuit breakers: an overview

# SPEEDAM 2022 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION  
SORRENTO (Italy), June 22<sup>nd</sup>– June 24<sup>th</sup>

## PROCEEDINGS INDEX

- 192 *Premgamone T., Ortjohann E., Kortenbruck J., Holtschulte D., Schmelter A., Varada S. D.* - (Germany)  
Thévenin equivalent impedance estimation for power electronic devices in smart grids
- 200 *Söffker C., Hüttig F., Stephan A., Klausner S., Weyers C., Berendes E.* - (Germany)  
GUW+: a smart grid for public transport in urban environments
- 205 *Wang J., Lopes L., Eicker U.* - (Canada)  
Performance assessment of an isolated DC nanogrid with boost type interfaces and current-mode primary control
- 212 *Ribeiro E., Dagnese L. L., Chaves T. R., Izumida Martins M. A., Simão M. S., Garrido M. F.* - (Brazil)  
Protection, communication and topology aspects of an electrical underground distribution grid
- 217 *Jalilirad M., Azimi E., Mehrasa M., Escadas R., Rodrigues E.* - (Portugal, France, Iran)  
Power sharing control of multi-cell D-type multilevel inverters in an AC micro-grid
- Control of Electric Drives II**
- 223 *Wredfors A., Korhonen J., Pyrhönen J., Niemelä M., Silventoinen P.* - (Finland)  
Improved excitation method for a brushless synchronous generator
- 229 *Comanescu M.* - (United States)  
Sensorless sliding mode flux observer for the induction motor with input speed estimate and gradient descent optimization
- 235 *Benevieri A., Cocco S., Formentini A., Marchesoni M., Passalacqua M., Vaccaro L.* - (Italy)  
Sensorless control exploiting PWM ripple in PMSM with low anisotropy
- 240 *Comanescu M.* - (United States)  
Chattering reduction in sliding mode observers with sinusoidal states using continuous equivalent control feedback
- 246 *Fireteanu V., Constantin A. I.* - (Romania)  
Finite element analysis of starting and speed adjustment in electrical drive with permanent magnet synchronous motors
- Advances in Heavy - Duty Transportation Electrification**
- 252 *Paternost R. F. P., Mandrioli R., Ricco M., Barbone R., Bonora G., et al.* - (Italy)  
Energy storage management in support of trolleybus traction power systems
- 258 *Barbone R., Mandrioli R., Ricco M., Paternost R. F. P., Cirimele V., Grandi G.* - (Italy)  
Modelling trolleybus networks: a critical review
- 264 *Diab I., Chandra Mouli G. R., Bauer P.* - (Netherlands)  
Increasing the integration potential of EV chargers in DC trolleygrids: a bilateral substation-voltage tuning approach
- 270 *Grazian F., Soeiro T. B., Bauer P.* - (Netherlands)  
Design trade-offs between the coupled coils' inductance and the series-series compensation capacitance for EV wireless charging systems

# SPEEDAM 2022 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION  
SORRENTO (Italy), June 22<sup>nd</sup>– June 24<sup>th</sup>

## PROCEEDINGS INDEX

- 277 *Fedele E., Spina I., Iannuzzi D.* - (Italy)  
Semi-two-stage traction system based on the NPC multisource inverter for tram vehicles with onboard supercapacitors
- Design and Modeling of Electric Motor and Drives**
- 283 *Lim J. H., Lee H. W., Park C. B., Lee J. B., Kim J. C., et al.* - (South Korea)  
A study on efficiency and power factor increase of spoke type 45kW MG-PMSM
- 288 *Bruno L., Monopoli V. G.* - (Italy)  
A method for the parameter identification of an AC motor high-frequency model based on the exchange market algorithm
- 294 *Ntontis K., Martis C. S.* - (Romania)  
An effort to replace interior permanent magnets rotors with assisted reluctance rotors
- 299 *Antunes H. R. P., Fonseca D. S. B., Cardoso A. J. M.* - (Portugal)  
Stator faults detection and severity evaluation in a symmetrical six-phase induction motor with single and dual isolated neutral point
- 305 *Furmanik M., Scelba G., Rafajdus P.* - (Slovakia, Italy)  
Fault-tolerant sensorless control for six-phase PMSM with dual back-EMF observer
- 312 *Petri A. M., Petreus D.* - (Romania)  
Field-oriented control of permanent magnet synchronous machine for electric traction systems
- 318 *Vidlak M., Gorel L., Makys P.* - (Slovakia)  
Performance evaluation, analysis, and comparison of the back-EMF-based sensorless FOC and stable V/f control for PMSM
- Topologies and Control of Power Converters**
- 324 *Dannier A., Guerriero P., Coppola M., Daliento S., Del Pizzo A.* - (Italy)  
A battery charger based on cascaded h-bridge rectifier with integrated PV generators
- 330 *Ahmed S., Saqib M. A., Rahman Kashif S. A.* - (Pakistan)  
A novel single-phase 71-level hybrid cascaded h-bridge inverter for solar PV applications
- 336 *Bottaro E., Rizzo S. A., Salerno N.* - (Italy)  
Analysis of topologies used for SiC MOSFET circuit modelling
- 342 *Rizzo S. A., Bottaro E., Cammarata F., Longo G., Nicolosi G., Scrimizzi F.* - (Italy)  
Microcontroller based closed control-loop of an interleaved synchronous buck converter exploiting monolithic GaN technology
- 348 *Resutík P., Kaščák S.* - (Slovakia)  
Power losses analysis of 3x5 matrix converter based on SiC semiconductors in Matlab Simulink
- 354 *Wang Y., Chakraborty S., Tran D. D., Guery T., Hegazy O.* - (Belgium)  
Design and optimization of the arm inductor for modular multilevel converter
- 360 *Mecke R.* - (Germany)  
Active clamping wide-bandgap switches in multilevel inverters

# SPEEDAM 2022 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION  
SORRENTO (Italy), June 22<sup>nd</sup>– June 24<sup>th</sup>

## PROCEEDINGS INDEX

- 365 *Bronshtein S., Horen Y., Baimel D.* - (Israel)  
A DC transformer model based analysis and design of MISO SEPIC
- 372 *Emiliani P., Blinov A., Peftitis D., Giannakis A., Vinnikov D.* - (Estonia)  
Reactive power control for bidirectional isolated high-frequency link converter
- 377 *Foti S., Scimone T., Giordano O., De Caro S., Testa A.* - (Italy)  
A resonant hybrid multilevel inverter
- 383 *Ciocia A., Amato A., Di Leo P., Malgaroli G., Sbriglia G., Spertino F.* - (Italy)  
Photovoltaic-battery systems design to improve the self-sufficiency of telecommunication towers
- 389 *Granello P., Pellitteri F., Miceli R., Schirone L.* - (Italy)  
Highly efficient capacitive galvanic isolation for EV charging stations
- 395 *Afjei E., Siadatan A., Rezaei-Zare A., Gholizadeh H.* - (Canada, Iran)  
A quadratic boost converter with continuous input current and low normalized voltage/current stresses
- 402 *Afjei E., Siadatan A., Naghash A., Gholipour A., Rezaei-Zare A.* - (Canada, Iran)  
Impact of body tissue on induced electromotive force in wireless power transfer coils
- 407 *Siadatan A., Ahmadi L., Rezaei-Zare A.* - (Canada)  
Analysis and design of an interleaved DC-DC Cuk converter with high efficiency
- Applications of Power Electronics and Automation**
- 412 *Liccardo A., Bonavolontà F., Pisani C., Giannuzzi G. M., Tessitore S., Cristiano S.* - (Italy)  
DMD dynamic order algorithm for the estimation of inter-area oscillations
- 418 *Di Fazio E., Porpora F., Di Monaco M., Tomasso G.* - (Italy)  
Model-based design methodology for an active equalization circuit based on a multi-winding transformer
- 424 *Fusco D., Porpora F., Di Monaco M., Tomasso G.* - (Italy)  
High performance battery SOC estimation method based on an adaptive square-root unscented Kalman filter
- 430 *Khan H. H., Foti S., Mumtaz F., Testa A.* - (Italy)  
A review of shore infrastructures for electric ferries
- 436 *Andreotti A., Di Pasquale A., Pagano M., Ravichandran N., Volpe F.* - (Italy)  
An optimal centralized control strategy for regenerative braking energy flow exchanges in DC railway traction systems
- 442 *Iglesias I., Gorostiza J., Di Domenico G., D'Andrea M.* - (Spain, Italy)  
Failsafe innovative electromechanical actuator with advanced electric motor control technique against single point of failure
- 449 *Bai Y., Wang D.* - (United States)  
Using an adaptive neuro fuzzy inference system to improve the calibration accuracy of modelless robots
- 455 *Bhoi S. K., Chakraborty S., Verbrugge B., Helsen S., Robyns S., et al.* - (Belgium)  
Advanced edge computing framework for grid power quality monitoring of industrial motor drive applications

# SPEEDAM 2022 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION  
SORRENTO (Italy), June 22<sup>nd</sup>– June 24<sup>th</sup>

## PROCEEDINGS INDEX

### Design of Electric Machines

- 460 *Dajaku G., Roth C.* - (Germany)  
Hybrid claw pole machine with consequent permanent magnet rotor
- 466 *Berndl S., Kleimaier A.* - (Germany)  
Influence of the U-core geometry on the torque behavior of scalable axial flux motors
- 473 *Poskovic E., Franchini F., Ferraris L., Bianchi N.* - (Italy)  
Selection of NdFeB bonded magnets prepared by compression molding for application in assisted reluctance machine
- 479 *Köster R., Binder A.* - (Germany)  
Electromagnetic design considerations on HTS excited homopolar inductor alternators
- 485 *Adascalitei C., Martis R., Martis C. S.* - (Romania)  
Electrical machine design aspects for different DC voltage level in automotive applications
- 491 *Sun H., Krebs G., Bahri I., Rodriguez-Ayerbe P., Khanchoul M.* - (France)  
PMSM design optimization concerning sensorless performance and torque ripple

### Power Electronic Devices

- 497 *Raviola E., Fiori F.* - (Italy)  
A low complexity active gate driver to damp the oscillations caused by switching power transistors
- 503 *Velic T., Barkow M., Parspour N.* - (Germany)  
Loss model for SiC MOSFET based power modules using synchronous rectification
- 511 *Korhonen J., Mattsson A., Nuutinen P., Peltoniemi P., Pyrhönen O., et al.* - (Finland)  
Double pulse test method for neutral point clamped inverter switches at the nominal rating while using only half of the nominal DC link voltage
- 517 *Frivaldszky M., Spanik P., Resutik P., Sedo J.* - (Slovakia)  
Comparison of loss behavior of discrete type and power module SiC transistor in 3-phase NPC converter
- 523 *Kumar A., Losito M., Moradpour M., Gatto G.* - (Italy)  
Current source gate driver for SiC MOSFETs in power electronics applications
- 528 *Torrisi A., Brunelli D.* - (Italy)  
High dv/dt pulse generator based on series-connection SiC MOSFETs

### Control and Modulation of Power Converters

- 534 *Spina I., Fedele E., Cervone A.* - (Italy)  
Simplified low-cost experimental setup for battery loss evaluation in MMC converters
- 541 *De Souza R. P. C., Kader Z., Caux S.* - (France)  
Switching control applied to interconnected boost converters: a comparison with hysteresis current control
- 547 *Matiushkin O., Husev O., Vinnikov D., Vosoughi N.* - (Estonia)  
Comparative analysis of buck-boost inverters based on unfolding circuit versus H5, H6, HERIC topologies
- 553 *Igney J., Hahn I.* - (Germany)  
Modulation strategy and control range function for matrix converters without trigonometric functions

# SPEEDAM 2022 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION  
SORRENTO (Italy), June 22<sup>nd</sup>– June 24<sup>th</sup>

## PROCEEDINGS INDEX

- 561 *Omotoso O., Kiselychnyk O., McMahon R., Mawby P., James P., Mawby M.* - (United Kingdom)  
The challenges in the implementation and voltage ripple analysis of Quasi-three-phase dual active bridge converter
- Vehicle Battery Charging**
- 568 *Tran M. T., Deepak K., Tran D. D., El Baghdadi M., Hegazy O.* - (Belgium)  
A novel high-frequency hybrid resonant converter for CC-CV charger of 48V urban electric vehicles
- 574 *Rasool H., Jaman S., Chakraborty S., Geury T., El Baghdadi M., Hegazy O.* - (Belgium)  
Direct predictive power control strategy to improve charging and power quality of autonomous robotic electric vehicle charging systems
- 581 *Kilicoglu H., Arya H., Dass M., Tricoli P.* - (United Kingdom, India)  
A-new high-power charging points for battery electric vehicles with modular push-pull converters
- 587 *Bracale A., Caramia P., De Falco P.* - (Italy)  
An advanced methodology for characterizing the net load of electric vehicle charging stations equipped with onsite PV systems
- 593 *Hong S. Y., Lee H. W., Park C. B., Lim J. H., Kim J. C., et al.* - (South Korea)  
A new structure of 500W bidirectional DC-DC converter with low profile in battery charging/discharging system
- Modeling of Electric Machines II**
- 599 *Keller M., Maier M., Petri T., Parspour N.* - (Germany)  
Modelling the dynamic voltage distribution in electric traction motor windings
- 605 *Hanisch L. V., Eisele L., Lünne K., Henke M.* - (Germany)  
Modeling of transient overvoltages in inverter-fed machines with hairpin winding
- 610 *Craiu O., Melcescu L., Ichim T., Popescu L.* - (Romania)  
Optimization of a high torque density small hybrid stepper using 3D FEM model
- 616 *Cosman S. I., F. P. Pop., Martis C. S.* - (Romania)  
Modelling and scaling procedure of a SRM for vehicle electric HVAC system
- 622 *Zollet B., Ruzbehi S., Hahn I.* - (Germany)  
Magnetic direction analysis of permanent magnet in permanent magnet synchronous machine
- Developments in Electric and Green Marine Solutions (Part I)**
- 628 *Zaccone R., Figari M., Martelli M.* - (Italy)  
A simulation based tool to assess the propulsion performance of modern conventional submarines
- 634 *Altosole M., Campora U., Mocerino L., Scamardella A.* - (Italy)  
Comparison between high-efficiency propulsion systems in electric ship applications
- 640 *Acanfora M., Balsamo F., Fantauzzi M., Lauria D., Proto D.* - (Italy)  
Load levelling through storage system for hybrid diesel electric ship propulsion in irregular wave conditions
- 645 *Donnarumma S., Martelli M., D'Agostino F., Kaza D., Silvestro F.* - (Italy)  
Multiphysics modeling and simulation of integrated electric propulsion system for ship dynamic positioning

# SPEEDAM 2022 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION  
SORRENTO (Italy), June 22<sup>nd</sup>– June 24<sup>th</sup>

## PROCEEDINGS INDEX

### Fault Tolerant Electric Drives

- 651 *Ribièvre A., Nguyen N. K., Semail E., Espanet C.* - (France)  
Comparison of five-phase, six-phase and seven-phase fault tolerant electric drives
- 657 *Spampinato A., Forte G., Tornello L. D., Scelba G., Scarcella G.* - (Italy)  
Performance assessment of a modular fault-tolerant multiphase inverter
- 663 *Kellner J., Praženica M.* - (Slovakia)  
Research into the possibility of improving the efficiency and torque ripple of a drive with a five-phase induction motor by changing the control in a fault state
- 671 *Damhuis C., Kammermann J., Herzog H. G.* - (Germany)  
Analysis of internal short-circuit faults in the stator winding of a nine-phase permanent magnet synchronous machine using finite element analysis
- 677 *D'Andrea M., Di Domenico G., Pizzoni L., Borgarelli N.* - (Italy)  
Electromagnetic design of a fault tolerant electromechanical actuator for landing gear

### Developments in Electric and Green Marine Solutions (Part II)

- 683 *Coppola T., Micolì L., Russo R.* - (Italy)  
Concept design and feasibility study of propulsion system for yacht: innovative hybrid propulsion system fueled by methanol
- 689 *Tavagnutti A. A., Bertagna S., Bosich D., Bucci V., Sulligoi G.* - (Italy)  
Coordinated power control for flexible and sustainable operation of DC microgrids in yacht marinas
- 695 *Ruggiero V.* - (Italy)  
Study of new consequences on small ferries stability of Li-Po batteries for hybrid propulsion
- 701 *Bertagna S., Braidotti L., Padolecchia D., Marinò A., Bucci V.* - (Italy)  
Feasibility study of a hybrid-electric taxi boat for the Venice lagoon
- 707 *Degan G., Bucci V., Marino A.* - (Italy)  
A ranking method for the selection of ship energy storage systems based on batteries

### Multilevel Power Converters

- 712 *Goff G. L., Fadel M., Bodson M.* - (France, United States)  
Scalable control allocation: real-time optimized current control in the modular multilevel converter for polyphase systems
- 719 *Buccella C., Cimoroni M. G., Cecati C., Di Tommaso A. O., Nevoloso C., Schettino G.* - (Italy)  
Mathematical formulation of pulse amplitude modulation selective harmonic elimination in multilevel three-phase inverters
- 725 *Tresca G., Formentini A., Di Salvo S. R., Leuzzi R., Anglani N., Zanchetta P.* - (Italy)  
Reconfigurable cascaded multilevel converter design for battery energy system storage
- 730 *Roknuzzaman M., Hamasaki S.* - (Japan)  
Control of loop power controller applying hexagonal modular multi-level converter
- 736 *Paul J. M., Jacob B.* - (India)  
Discontinuous space vector pulse density modulation scheme for multilevel inverter using abc coordinates

# SPEEDAM 2022 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION  
SORRENTO (Italy), June 22<sup>nd</sup>– June 24<sup>th</sup>

## PROCEEDINGS INDEX

- 742 *Kazemirova Y., Balashenko N., Kulik E., Grishin S., Burmistrov A., Anuchin A.* - (Russia)  
Thermal condition equalization of power modules in a low-voltage cell of modular multilevel converter
- 748 *Jalilirad M., Azimi E., Mehrasa M., Escadas R., Rodrigues E.* - (Portugal, France, Iran)  
An optimal sliding-integral-derivative (SID) control of a grid-tied multilevel inverter under parameters mismatch

### Analysis of Power Systems

- 754 *Poudel B., Aslami P., Aryal T., Bhujel N., Rai A., et al.* - (United States)  
Comparative analysis of state and parameter estimation techniques for power system frequency dynamics
- 762 *Ghadi R., Mehrasa M., Rodrigues E.* - (Portugal, France, Iran)  
Stable performance of a multi-terminal MMC-HVDC system under loads and DC link voltage variation
- 768 *Hu J. C., Chen Z. C., Mohammed Ansar M. M., Lu C. N.* - (Taiwan)  
Applicability of matrix completion method for distribution system state estimation
- 774 *Jiang X., Han X., Liu L., Li X., Chen G., Wei W.* - (China)  
An extraction method of key mode for wide-band oscillation in power electronic-based power systems
- 779 *Bosisio A., Grillo S., Morotti A., Bionda E., Soldan F., Iannarelli G.* - (Italy)  
Analysis of fault data in urban electric distribution grids: lesson learned from Milan, Italy

### Diagnostics in Electrical Machines

- 785 *Weicker M., Binder A.* - (Germany)  
Characteristic parameters for electrical bearing damage
- 791 *Amitabh P., Bozalakov D., De Belie F.* - (Belgium)  
Induction motor modelling for bearing fault diagnosis using stator currents
- 798 *Valikhani M., Schäfer U.* - (Germany)  
Modeling interturn fault for multiphase induction generator in wind turbine application
- 808 *Pietrzak P., Wolkiewicz M.* - (Poland)  
Stator phase current stft analysis for the PMSM stator winding fault diagnosis
- 814 *Skowron M., Krzysztofiak M., Orłowska-Kowalska T.* - (Poland)  
Application of PMSM fault detector based on Kohonen classifier and FEM model

### Electric Vehicles

- 820 *El Arayshi M., Amato G., Pischiutta F.* - (Italy)  
A new monitoring strategy and automatic speed reduction for PI slip control in autonomous electric vehicles with in-wheel motors: experimental results
- 826 *Tran D. D., Tran M. T., Deepak K., El Baghdadi M., Hegazy O.* - (Belgium)  
48V 25kW GaN inverter design consideration for urban-sized electric utility vehicles
- 832 *Oztekin M., Kiselychnyk O., Wang J.* - (United Kingdom)  
Energy efficient and transients optimal IPMSM drive for electric vehicles
- 838 *Ruba M., Nemes R., Raia R., Martis C. S., Zuber D., Husar C.* - (Romania)  
Hardware in the loop analysis of urban utility electric vehicle powered from supercapacitors

# SPEEDAM 2022 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION  
SORRENTO (Italy), June 22<sup>nd</sup>– June 24<sup>th</sup>

## PROCEEDINGS INDEX

- 844 *Colombo C. G., Miraftabzade S., Aimar M., Zaninelli D., Yaici W., Longo M.* - (Italy)  
A comprehensive study on electrification of old bus fleets: a real case study in Ottawa
- 850 *Popescu L., Melcescu L., Craiu O., Crăciunescu A., Bostan V.* - (Romania)  
Phase advance and dwell control applied to a PM BLDC motor for increasing the maximum speed of an electric vehicle
- Electric Drives and Systems for Aircraft**
- 856 *Corcău J. I., Dinca L.* - (Romania)  
Fuzzy logic controller in a Cuk converter for aerospace application
- 861 *Corcău J. I., Dinca L.* - (Romania)  
Stability studies of power systems for more electric aircraft
- 865 *Fornaro E., Cardone M., Dannier A.* - (Italy)  
Hybrid electric aircraft model based on ecms control
- 871 *Bianchi N., Michieletto D., Cinti L., Contò C., Carlet P. G., et al.* - (Italy)  
Permanent magnet synchronous motor drives for more-electric aircraft
- 877 *Akcay Y., Tweedy O., Giangrande P., Galea M.* - (United Kingdom)  
Design and development of an axial magnetic coupling for reliable aircraft power generation
- Renewable Energy Systems**
- 883 *Munoz J., Diaz M., Rivera M., Dekka A.* - (Chile, Canada)  
Push-pull microinverter based on a sub-modular structure
- 889 *Venegas L., Munoz J., Tapia O.* - (Chile)  
Power sharing strategy for PV microinverter with embedded hybrid energy storage system
- 896 *Palma L., Tapia B.* - (Chile)  
Double boost microinverter for on-grid PV applications
- 901 *Palma L.* - (Chile)  
Reduced 2nd harmonic input current ripple Quasi Z-source microinverter for on-grid PV power conversion
- 906 *Mohammed G., Leila G., Noureddine Z.* - (Algeria, France)  
Dynamical diagnostic method for solar panels health maintenance
- 912 *Delmiglio F., Frosini L., Anglani N.* - (Italy)  
Modeling of hydrodynamics and mechanical aspects of a wave energy converter (WEC) to understand the main principles
- 918 *Wilson D., Robinett III R., Weaver W., Glover S.* - (United States)  
Wave energy converter buoy with variable geometry that improves energy and power capture for changing sea states
- Data - Driven Systems Characterization**
- 924 *Tonkoski R., Guruwacharya N., Bhandari H., Subedi S., Vasquez-Plaza J. D., et al.* - (United States, Nepal)  
Data-driven modeling of commercial photovoltaic inverter dynamics using power hardware-in-the-loop
- 930 *Tonkoski R., Subedi S., Vasquez-Plaza J. D., Fourney R., Rekabdarkolae H. M., et al.* - (United States, Nepal)  
Impact of PLL design on data-driven models for grid-connected single-phase inverters

# SPEEDAM 2022 - Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION  
SORRENTO (Italy), June 22<sup>nd</sup>– June 24<sup>th</sup>

## PROCEEDINGS INDEX

- 936 *Gul S., De Belie F.* - (Belgium)  
Model identification of varying systems based on compensation through model structure selection
- 942 *Calderón H. M., Hammoud I., Oehlschlägel T., Werner H., Kennel R.* - (Germany)  
Data-driven model predictive current control for synchronous machines: a Koopman operator approach
- Cyber Security in Industrial Automation**
- 948 *Palahalli H., Hemmati M., Gruosso G.* - (Italy)  
Analysis of cyber security threat of using IEC61850 in digital substations involving DERMS
- 954 *Valdez-Cruz F. J., Rabelo L., Ballester A.* - (Mexico)  
System dynamics to analyze malware for IoT-based smart grids
- 958 *Canaan B., Colicchio B., Abdeslam D. O.* - (France)  
Experimental HIL implementation of RNN for detecting cyber-physical attacks in AC microgrids
- 964 *Katulić F., Sumina D., Erceg I., Groš S.* - (Croatia)  
Enhancing Modbus/TCP-based industrial automation and control systems cybersecurity using a misuse-based intrusion detection system