

United Thermal Spray Conference (ITSC 1999)

Dusseldorf, Germany
17-19 March 1999

Editors:

**E. Lugscheider
P.A. Kammer**

ISBN: 978-1-7138-6078-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (1999) by DVS Media GmbH
All rights reserved.

Printed by Curran Associates, Inc. (2024)

For permission requests, please contact DVS Media GmbH
at the address below.

DVS Media GmbH
P. O. Box 10 19 65
40010 Dusseldorf
Germany

Phone: 49 (0)211 / 1591-0
Fax: 49 (0)211 / 1591-150

media@dvs-hg.de

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

| | |
|---|----|
| Development of the Thermal Spray (TS) Industry into Year 2000 from a Spray Shop Point of View | 1 |
| <i>Chr. Wasserman</i> | |
| Instandsetzung Von Verschleißgeschädigten Zylinderoberflächen Durch Thermisches Spritzen (Repair of Damaged Cylinder Surfaces by Thermal Spraying)..... | 5 |
| <i>K. Ebert, H. Königshofen, M. Osthoff, C. Verpoort, H. Poredda, U. Gebauer, G. Kissner, H. Gedon</i> | |
| The Advantages of the Plasma Spray Process for the Coating of Cylinder Bores on ALSi Cast Alloy in the Automotive Industry..... | 10 |
| <i>G. Barbezat, S. Keller, G. Wuest</i> | |
| Spray Forming Composite Combustion Chamber Structures..... | 15 |
| <i>J. Vlcek, H. Huber, J. Kretschmer, T. Schenkel, H. Voggenreiter</i> | |
| Evaluation of Molybdenum-Based Silicides in a Combustion and Endothermic Environment | 20 |
| <i>R. G. Castro, R. U. Vaidya, A. Ayala, B. D. Bartram, D. E. Gallegos, H. S. Kurek</i> | |
| Plasma Spraying of Hydroxyapatite/Ti-6Al-4V Composite Coatings | 27 |
| <i>C. H. Quek, K. A. Khor, P. Cheang</i> | |
| Vakuumplasmaspritzen Hartmagnetischer Schichten Auf Nd-Fe-B-Basis (Vacuum Plasma Spraying of Hard Magnetic Coatings Based on Neodymium-Iron-Boron) | 32 |
| <i>Fr.-W. Bach, T. Duda, W. Unterberg, G. Rieger, J. Wecker, W. Rodewald, W. Sattler</i> | |
| Synthetisierte Verbundpulver Für Das Thermische Spritzen (Synthesized Composite Powders for Thermal Spraying)..... | 35 |
| <i>A. Ilyuschenko, T. Azarova, B. Wielage, S. Steinhäuser, U. Hofmann</i> | |
| Potentiodynamic Corrosion Testing of HVOF Sprayed Stainless Steel Alloy | 39 |
| <i>C. M. Eminoglu, R. Knight, J. Defalco, M. Dorfman</i> | |
| Mechanisms of Oxidation of Thermally Sprayed Coatings..... | 45 |
| <i>V. V. Sobolev, J. M. Guilemany</i> | |
| Corrosion and Wear Resistance of WC Based Coatings with High Alloy Binders | 51 |
| <i>J. Berget, T. Rogne, T. Solem</i> | |
| Microstructure-Wear Resistance Relationships for YSZ and Alumina Plasma-Sprayed Deposits | 57 |
| <i>J. Ilavsky, H. Boukari</i> | |
| Thermal Spray Coating for Food Processing: the Problem of Compatibility and Migration Tests | 63 |
| <i>A. Scrivani, N. Antolotti, S. Bertini, R. Groppetti, T. Gutema, A. Mangia, C. Mucchino, G. Rizzi</i> | |
| Separation and Insulating Layers of Atmospheric Plasma-Sprayed Ceramics for High Temperature Fuel Cells - Development and Implementation | 69 |
| <i>T. Jansing, R. Fleck, J. Decker, C. Verpoort</i> | |
| Spray Forming of FeSi ₂ Thermoelectric Device..... | 76 |
| <i>K. Ueno, S. Sodeoka, M. Suzuki, T. Inoue, H. Yamada, A. Tsutsumi, K. Kuramoto, J. Sawazaki, K. Yoshida, H. Huang, K. Nagai, H. Kondoh, S. Nakahama</i> | |

| | |
|---|-----|
| Surface Protection of Components for Hydro Power Stations | 82 |
| <i>S. Gustafsson, Chr. Wasserman, L. Chapuis</i> | |
| Metallische Beschichtungen Zum Schutz Gegen Schweren Verschleiß (Metallic Coatings for Heavy-Wear-Protection)..... | 86 |
| <i>H. Reimann</i> | |
| Neue Entwicklungen Beim Thermischen Spritzen - Systeme, Spritzwerkstoffe Und Anwendungen (New Developments for Thermal Spray Systems, Materials and Applications) | 90 |
| <i>H. Kreye, A. Kirsten, R. Schwetzke</i> | |
| Technische Gase Beim Thermischen Spritzen – Von Der Herstellung Bis Zum Einsatz Mit Der Erforderlichen Reinheit (Industrial Gases for Thermal Spraying – from Production to Application, with the Required Purity) | 95 |
| <i>P. Heinrich, Ch. Penszior, H. Meinaß</i> | |
| Thermally Sprayed Zinc Coatings for the Corrosion Protection of Concrete Structures..... | 106 |
| <i>M. Knepper, J. Spriestersbach, J. Wisniewski</i> | |
| Wiederverwertung Aufbereiterter Schleifschlämme Durch Thermisches Spritzen (Re-Usage of Upgraded Grinding Muds by Thermal Spraying)..... | 111 |
| <i>A. Schulz, J. Eckebrécht, M. Weber, H. Grützner</i> | |
| Investigation of Thermal Spray Coatings for Applications with Abrasion, Erosion, Corrosion and Cavitation Wear..... | 117 |
| <i>K. Berreth, M. Buchmann, R. Gadow</i> | |
| Tungsten Carbide-Based Coatings as Alternatives to Electrodeposited Hard Chromium..... | 122 |
| <i>B. R. Marple, J. Voyer, S. Simard</i> | |
| Development and Application of TiC-Ni-Based Plasma Sprayed Coatings..... | 128 |
| <i>L.-M. Berger, M. Nebelung, P. Vuoristo, M. Heinonen, T. Mäntylä, T. Reinhardt, M. Delaet</i> | |
| An Experimental and Analytical Study of the Air Plasma Spraying of Tribaloy 800 | 134 |
| <i>P. Nylén, J. Wigren, M. O. Hansson, A. C. Leger</i> | |
| High Temperature Sliding Wear of Co-Based Plasma Sprayed Coatings for Aeronautical Applications..... | 141 |
| <i>S. Economou, D. Grimanellis, E. Georgopoulos, C. Stournaras, M. Vardavoulias</i> | |
| Untersuchungen Zum Mineralgleitverschleiß Von Thermisch Gespritzten Hartstoffschichten (Survey of Sliding Wear of Thermally Sprayed Hard-Coatings with Minerals) | 147 |
| <i>A. Köhler, D. Adam, P. Männel, G. Stehr</i> | |
| New Thermal Spray Coating Solutions for Sliding Wear Under Starved Lubrication..... | 153 |
| <i>J. A. Peters, W. Straub, M. Dorfman, A. R. Nicoll</i> | |
| Hartstoffsynthese Aus Flüssigen Precursoren Auf Siliziumbasis Mittels DC-Plasmajet (Hard Material Coatings Synthesized of Silicon Based Liquid Precursors by DC-Plasmajet) | 158 |
| <i>J. Wilden, A. Wank</i> | |
| Auswirkungen Der Abscheidebedingungen Auf Das Kavitationsverhalten Von Plasmajet-CVD-Diamantschichten (Effects of the Conditions of Diamond Synthesis on the Cavitation Behaviour of Plasma Jet CVD Diamond Coatings) | 163 |
| <i>F. Deuerler, H. Gruner, M. Pohl, L. Tikana</i> | |

| | |
|---|-----|
| Einbindung Und Nachweis Von Polymeren in Thermisch Gespritzten Schichten (Implementation and Characterization of Polymers in Thermally Sprayed Coatings)..... | 169 |
| <i>S. Hartmann, F. Bültmann, F. Janke</i> | |
| Thermal Spraying of Coatings Containing Solid Lubricants..... | 174 |
| <i>A. Borisova, Y. Borisov, A. Tunik, L. Adeeva, E. Lugscheider, Chr. Herbst</i> | |
| Arc Spray Process Efficiency Analysis for Zinc and Aluminium Coatings | 182 |
| <i>V. Belashchenko, R. Unger, A. Ivanov, J. Murdock, V. Sedov, E. Smith</i> | |
| The Deposition Efficiency of Thermally Sprayed Nanopowders..... | 185 |
| <i>S. M. Jaffe, E. J. Lavernia</i> | |
| Spraying Characteristics of Nanostructured Zirconia Particles | 190 |
| <i>R. S. Lima, U. Senturk, C. C. Berndt, C. R. C. Lima</i> | |
| Thermal Spray Deposition of Metallic and Ceramic Coating on Aluminium and Titanium Alloys Using the PROTAL Process | 196 |
| <i>F. Folio, G. Barbezat, C. Coddet, G. Montavon, S. Costil, O. Fréneaux</i> | |
| Investigation of Transferred-Arc Cleaning for Thin Film Removal..... | 202 |
| <i>K. Hollis, R. Castro, B. Bartram</i> | |
| Adhesion Improvement of Plasma-Sprayed Ceramic Coatings on Steel Through Boronizing | 208 |
| <i>V. Brožek, V. Dufek, K. Neufuss</i> | |
| Improvement of Coating Characteristics and End-Use Performance of Thermal Sprayed Coatings Through Posttreatments Like Hardening, Nitriding Or Carburizing | 213 |
| <i>M. C. Nestler, H.-J. Spies, K. Herrmann</i> | |
| Residual Stresses in Plasma Sprayed Alumina and Chromia Coatings and Their Effect on Wear | 219 |
| <i>S. Ahmaniemi, J. Knuutila, T. Mäntylä</i> | |
| Nachbehandlung Thermisch Gespritzter Schichten Auf Magnesiumwerkstoffen (Post-Treatment of Coatings Plasma-Sprayed onto Magnesium Alloys) | 223 |
| <i>B. Wielage, K. Fleischer, R. Zenker, S. Schammer</i> | |
| Microstructural Changes in YSZ Deposits During Annealing | 228 |
| <i>A. J. Allen, G. G. Long, J. Wallace, J. Ilavsky, C. C. Berndt, H. Herman</i> | |
| Nitriding of Titanium Plate and Atmospheric Plasma Sprayed Titanium Coating Using Nitrogen Plasma Jets Under a Low Pressure Environment | 234 |
| <i>Y. Andoh, S. Tobe, H. Tahara, T. Yoshikawa</i> | |
| Hochgeschwindigkeitslichtbogenspritzen (High Velocity Arc Spraying)..... | 240 |
| <i>Fr.-W. Bach, Z. Babiak, T. Duda, G. Tegeder</i> | |
| A Study and Comparison of Spray Stream Formation Using Two Wire Arc 90-Degree, and 0- Degree Spray Processes..... | 242 |
| <i>R. Benary, J. Margolies, J. Gutleber</i> | |
| Effects of Nozzle Fluid Dynamics on the Dynamic Characteristics of a Plasma Spray Torch | 247 |
| <i>Z. Duan, J. Heberlein, S. Janisson, K. Wittmann, J. F. Coudert, P. Fauchais</i> | |
| PTA Reclamation of Cast Iron and Nickel-Base Alloy Substrates with Films Deposited by Tape Casting..... | 253 |
| <i>M. Leylavergne, T. Chartier, A. Grimaud, P. Fauchais</i> | |

| | |
|---|-----|
| Möglichkeiten Des Reaktiven Thermischen Spritzens Von Neuen Eisenbasislegierungen (Possibilities of Reactive Thermal Spraying of New Ferrous Alloys)..... | 259 |
| <i>O. C. Brandt, S. Siegmann</i> | |
| Fabrication of Ti-Nitrides by Reactive Plasma Spray | 265 |
| <i>M. Suzuki, S. Sodeoka, T. Inoue, K. Ueno, T. Valente</i> | |
| Triplex - a High Performance Plasma Torch..... | 271 |
| <i>G. Barbezat, J. Zierhut, K. D. Landes</i> | |
| The Development of a Low to Medium Power Atmospheric Mobile Plasma System | 275 |
| <i>M. Zwetsloot, P. Mor, R. Prince</i> | |
| Thermal Sprayed Thin Coatings Produced by LPPS (Low Pressure Plasma Spraying)..... | 278 |
| <i>M. Loch, G. Barbezat</i> | |
| The High Frequency Pulse Detonation (HFPD) Spray Process..... | 282 |
| <i>I. Fagoaga, G. Barykin, J. De Juan, T. Soroa, C. Vaquero</i> | |
| Spraying the Current Conducting Coatings on Electrotechnical Unit by the CGS Method | 288 |
| <i>A. N. Papyrin, A. P. Alkimov, V. F. Kosarev</i> | |
| Thermal Coating Technology in Controlled Atmospheres (ChamPro) | 291 |
| <i>P. Ambuhl, P. Meyer</i> | |
| Plasma Coating from the Synthesized Composite Powders | 293 |
| <i>P. Vityaz, A. Belyaev, T. Talako, V. Koval</i> | |
| High Temperature Corrosion Resistance of Newly Developed Cr-Based Alloy Coatings..... | 296 |
| <i>S. Tobe, Y. Andoh, K. Hidaka, K. Tanaka, S. Nishimura, K. Kawaharada, K. Shirai</i> | |
| Thermal Spraying of Titanium Carbide Composite Materials | 301 |
| <i>B. Wielage, S. Steinhäuser, T. Schnick, U. Hofmann, A. Ilyuschenko, T. Azarova</i> | |
| Long-Term Stability of Plasma Spraying: Study on the Evolution of the In-Flight Particle State, Coating Microstructure, Voltage and Acoustic Signatures..... | 306 |
| <i>L. Leblanc, C. Moreau, P. Gougeon, J. Xi</i> | |
| On-Line Process Monitoring During Spraying of TTBCs by Acoustic Emission Analyses | 312 |
| <i>E. Lugscheider, F. Ladru, H.-A. Crostack, G. Reuss, T. Haubold</i> | |
| In-Situ Temperature Control of Coating and Workpiece in Thermal Spraying..... | 318 |
| <i>P. Jokinen, T. Varis, K. Korpiola, T. Kauppinen</i> | |
| On-Line-Prozeßüberwachung Mittels Schallemission Beim Beschichten Von Walzen (On-Line Control by Acoustic Emission During Coating of Rolls) | 321 |
| <i>H.-A. Crostack, G. Reuss, U. Beller</i> | |
| The Thin Layer Activation (TLA) Technique for the Solution of Wear Problems in Coating Industry..... | 325 |
| <i>O. Lacroix, S. Bertini, A. Scrivani, T. Sauvage, U. Bardi</i> | |
| Characterization of Plasma Spray Processes by Monitoring the State of the Sprayed Particles..... | 329 |
| <i>L. Leblanc, C. Moreau, J.-G. Legoux, B. Arsenault</i> | |
| Control of Jet Convergence in Wire Arc Spray Systems..... | 335 |
| <i>N. Hussary, J. Schein, J. Heberlein</i> | |

| | |
|---|-----|
| In-Situ-Diagnostik Bei Verfahren Des Thermischen Beschichtens – Particle Flux Imaging (PFI) (In-Situ Diagnostic Related to the Process of Thermal Coating – Particle Flux Imaging (PFI))..... | 340 |
| <i>J. Zierhut, K. Landes, C. Waas, D. Kutscher, P. Heinrich, W. Krömmer</i> | |
| Zerstörungsfreie Prüfung Von Thermisch Gespritzten Schichten Durch Puls-Thermographie (Non-Destructive Testing of Thermal Sprayed Coatings by Pulsed Infrared Technique) | 345 |
| <i>M. Dvorak, A. Rupp, C. Florin</i> | |
| Scratch Testing of Ceramic Plasma-Sprayed Coatings | 350 |
| <i>L. C. Erickson, H. M. Hawthorne, T. Troczynski</i> | |
| Surface Texture Correlations with Tensile Adhesive Strength of Thermally Sprayed Coatings Using Area-Scale Fractal Analysis..... | 355 |
| <i>S. Siegmann, C. A. Brown</i> | |
| Schnellthermoanalyse Von Spritzpulvern (Fast Thermal Analysis of Powders for Thermal Spraying) | 361 |
| <i>Fr.-W. Bach, P. Stoll, T. Duda, C. Bruns</i> | |
| Vergleichende Untersuchungen Zur Partikelgrößenanalyse Von Spritzpulvern (Comparative Surveys for Analysing Particle Sizes) | 365 |
| <i>H.-G. Suk, E. Lugscheider, R. Killing, H.-K. Lee</i> | |
| Wegweiser in Die “GTS-Qualifizierte Zukunft” (The Ways to the “GTS-Qualified Future”)..... | 370 |
| <i>H. H. Höschele</i> | |
| Qualitätssicherung in Deutschen Spritzbetrieben – Erfahrungen Aus Sicht Eines Auditors Und Eines Spritzbetriebes (Quality Assurance in German Thermal Spray Shops – Experiences from the Point of View of a Certifying Agency and a Thermal Spray Shop) | 372 |
| <i>D. Böhme, R. Huber, A. Ohliger, A. L. Schumacher</i> | |
| Thermisch Gespritzte Schichtdicken-Normale Für Eine Kalibrierstelle – Anforderungen Und Realisierung (Thermally Sprayed Layer Thickness Standards for Calibration - Requirements and Implementation) | 378 |
| <i>H. R. Bürki, S. Siegmann</i> | |
| Characterisation of Plasma Sprayed Ceramic Coatings for Advanced Industrial Applications | 383 |
| <i>T. Gutema, P. Bracali, R. Groppetti, S. Bertini, A. Scrivani</i> | |
| Tensile Testing of HVOF-Sprayed Coatings..... | 389 |
| <i>T. Varis, K. Korpiola, P. Jokinen, P. Auerkari</i> | |
| Sicherheitsaspekte Im TS-Anlagenbau (Safety Aspects in Designing TS-Equipment)..... | 392 |
| <i>K. Nassenstein, S. Kill</i> | |
| Safe Working Practices with Thermal Spray Gases | 397 |
| <i>G. Creffield, M. Cole</i> | |
| Schulung Und Prüfung Von Spritztechnischem Personal Nach Europäischen Normen Und Richtlinien (Education, Training and Qualification of Thermal Spraying Personnel According to European Standards and Guidelines)..... | 402 |
| <i>D. Böhme, A. Ohliger</i> | |
| Möglichkeiten Zur Verbesserung Der Verschleißeigenschaften Von Aluminium-Legierungen Durch Plasma-Pulver-Schweißverfahren (Possibilities for Improving Wear-Properties of Aluminium-Alloys by Plasma Powder Welding Process) | 410 |
| <i>E. Lugscheider, G. Langer, K. Schlimbach, U. Dilthey, L. Kabatnik</i> | |

| | |
|---|-----|
| Rollennaht-Auftragschweißen – Eine Alternative Zum Thermischen Spritzen Hochbeanspruchter Oberflächen (Resistance Roller Seam Deposition Welding – an Alternative for Thermal Spraying of High Strained Surfaces) | 414 |
| G. Sitte, S. Keitel | |
| Approval for Laser Beam Cladding of Marine Engine Components..... | 418 |
| S. Bludszuweit, P. Liebke, J. Hoffmann, J. Schwarte, H. Kohn, E. Schubert, C. Theiler | |
| Slurry and Dry Erosion of Arc-Sprayed Metal and Composite Coatings..... | 422 |
| J. G. Legoux, B. Arsenault, J. P. Immarigeon, V. R. Parameswaran, H. Hawthorne | |
| Influence of HVOF Process Parameters on Particle Parameters During Spraying of Metal Alloys..... | 428 |
| E. Lugscheider, Chr. Herbst, A. Fischer, L. Zhao | |
| Investigation of HVOF Carbides as D-Gun Coating Replacements in the Gas Turbine Industry | 434 |
| R. Radmard, S. Stoykewich, L. Russo | |
| Study of the Decarburisation Reactions and Phase Transformations of a WC-Co Powder..... | 439 |
| L. Jacobs, M. M. Hyland, J. Gutleber, S. Sampath | |
| Spray Gun Influence on the Oxidation of TiC+Ni-Ti Based Powders During HVOF Spraying..... | 446 |
| J. M. Guilemany, J. Sánchez, J. M. De Paco | |
| Experimental Validation of a Curvilinear Nozzle Design for Improved DC Plasma Spraying..... | 452 |
| I. Thomson, V. Pershin, J. Mostaghimi, S. Chandra | |
| Corrosion Behavior in Seawater of WC-Co Coatings Obtained by HVOF and APS..... | 458 |
| C. Richard, G. Béranger, F. Merlier, D. Dalmas, J. Lu | |
| HVOF Coatings for Hard-Chrome Replacement – Properties and Applications | 462 |
| U. Erning, M. C. Nestler, G. Tauchert, T. Seitz, G. Prenzel | |
| Fatigue Life of HVOF Tungsten Carbide Coated Aluminum and Hard Anodized Aluminum in Cyclic Bending and the Influence of Coating Residual Stresses | 468 |
| J. M. Wilson, J. Kim, J. R. Shadley, E. F. Rybicki, W. A. Emery, D. A. Somerville, J. D. Nuse, R. T. R. McGinn, D. J. Greving | |
| Electrochemical Measurements and Characterisation of a Thermal Sprayed HVOF Cr ₃ C ₂ -NiCr Coating in a Corrosive Environment | 474 |
| J. M. Guilemany, J. Fernández, J. Delgado | |
| Cyclic Deformation and Fatigue Damage of Aluminum Alloy and Steel HVOF Sprayed with WC-Co Coatings | 479 |
| A. Ibrahim, C. C. Berndt, U. Senturk | |
| Praktische Erfahrungen Mit Dem Hochgeschwindigkeits-Flammspritzsystem Diamond Jet Hybrid in Der Papierindustrie (Practical Experiences with the HVOF Diamond Jet Hybrid System in Paper Industry Applications) | 483 |
| H.-M. Höhle, S. Zimmermann, M. Gwosdz-Kaupmann | |
| Comparison of Erosion-Corrosion and Wear Resistance of HVOF Sprayed Coatings with Different Types of Carbides..... | 487 |
| T. Rogne, J. Berget, T. Solem | |
| HVOF-Gespritzte Schichten in Wasserkraftanlagen; Herstellung, Prüfung Und Erfahrungen (HVOF-Sprayed Coatings for Hydroelectrics: Process, Testing and Experiences)..... | 493 |
| O. C. Brandt, S. Siegmann, R. Hitzek | |

| | |
|--|-----|
| HVOF-Sprayed Functionally Gradient Coating | 498 |
| <i>P. Jokinen</i> | |
| Anisotropic Behaviour of the Structure-Properties Relationship in HVOF Self-Standing Forms..... | 502 |
| <i>J. M. Guilemany, R. Franch, C. Lorenzana, J. Llibre</i> | |
| Mathematical Modeling of Splat Formation at Off-Normal Angles in Thermal Spray..... | 513 |
| <i>H. Fukanuma, C.-J. Li</i> | |
| Simulation of the Thermal Spray Process and Off-Line Programming..... | 519 |
| <i>R. Bonnet, R. Bolot, C. Coddet</i> | |
| Optical Diagnostics of Heterogeneous Gas-Flame and Plasma Jets..... | 527 |
| <i>Y. A. Chivel, E. A. Kostyukevich, L. Y. Min'Ko, V. S. Ivashko, V. A. Okovityj, V. V. Kletsko</i> | |
| A Mechanism of the Splashing During Droplet Splatting in Thermal Spraying | 530 |
| <i>C.-J. Li, J.-L. Li, W.-B. Wang, A.-J. Fu, A. Ohmori</i> | |
| Duplex Thermal Barrier Coatings for Cryogenic High-Performance Rocket Combustion Chambers | 536 |
| <i>J. Vicek, H. Huber, S. Beyer, F. Neuner, H. Voggenreiter</i> | |
| Weiterentwickelte Gebrauchseigenschaften an Wärmedämmsschichten (Enhanced Properties of Thermal Barrier Coatings)..... | 542 |
| <i>T. Cosack, E. Bayer</i> | |
| Entwicklung Und Reproduzierbarkeit Von Plasmagespritzten TBCs (Spraying and Improving Reproducible Plasma Sprayed Thermal Barrier Coatings)..... | 546 |
| <i>W. Malléner, R. Vaßen, K.-H. Rauwald, B. Siebert, D. Stöver</i> | |
| Optimization of Thermal Barrier Coatings Sprayed by the PlazJet Plasma Gun..... | 550 |
| <i>D. Sacriste, N. Goubot, J. Dhers, A. Vardelle</i> | |
| Comparison of TBC Coatings Obtained by Conventional and High Velocity Plasma Spraying | 556 |
| <i>N. Goubot, J. Dhers, M. Ducos</i> | |
| Comparison of Vacuum and Atmospheric Plasma Sprayed ZrO ₂ 7Y ₂ O ₃ Thermal Barrier Coatings | 561 |
| <i>Fr.-W. Bach, Z. Babiak, W. Unterberg, T. Duda</i> | |
| Fracture Mechanism of Thick Thermal Barrier Coating | 565 |
| <i>M. Takahashi, M. Saitoh, K. Takaishi, T. Kawasaki</i> | |
| Thermal Fatigue Characteristics of the Membrane Formed by the Plasma Spraying of ZrO ₂ -NiCrAlY..... | 571 |
| <i>K. Sonoya, C.-J. Li, S. Tobe</i> | |
| Structure and Barrier Properties of Nano-Reinforced Polymer Coatings..... | 577 |
| <i>E. Petrovicova, R. Knight, T. E. Twardowski, L. S. Schadler</i> | |
| Flame Spraying of PEEK and PPS Polymers for Engineering Applications..... | 582 |
| <i>E. Lugscheider, A. Fischer, Chr. Herbst</i> | |
| Thermal Spraying of Metal-Polymeric Composite Coatings with an Increased Corrosion and Wear Resistance..... | 588 |
| <i>Y. Borisov, I. Sviridova, V. Korzhyk</i> | |
| Diagnostics on a Thermal RF Plasma Process Used for the Evaporation of Zirconia Powders | 592 |
| <i>P. Buchner, H. Schubert, M. Weiß, K. Willée, J. Uhlenbusch</i> | |

| | |
|--|-----|
| New Applications and New Product Qualities by RF Plasma Spraying..... | 598 |
| <i>R. Henne, V. Borck, M. Müller, R. Ruckdäschel, G. Schiller</i> | |
| Microstructural Comparison of Alumina Coatings Prepared by RF and DC Plasma Spraying..... | 603 |
| <i>H. C. Chen, E. Pfender, B. Dzur, G. Nutsch</i> | |
| Comparison of DC and RF Plasma Sprayed Carbon Short Fibre Reinforced Aluminum Coatings | 608 |
| <i>K. Fleischer, B. Wielage, M. Müller, R. Henne, V. Borck</i> | |
| Characterization of the Thermal Spray Coatings Having Amorphous and Nanocrystalline Structure | 615 |
| <i>T. Shmyreva, A. Ivanov</i> | |
| Simulation of Particle Flattening and Solidification Under Plasma Spraying..... | 618 |
| <i>G. Gromyko, G. Zajats, S. Kundas, A. Ilyuschenko</i> | |
| Optimization of Plasma Spraying Modes for Hydroxyapatite Coatings..... | 623 |
| <i>A. Ilyuschenko, V. Okovity, V. Ivashko, A. Shevtsov, S. Sobolevsky, A. Kulak, L. Lesnikovich, O. Kovaleva</i> | |
| Development of Scuffing Phenomena in Detonation Sprayed Coatings | 627 |
| <i>B. Antoszewski, T. Otmanianowski, W. Zórawski</i> | |
| Plasma Sprayed Ceramic Coatings for Ultrasonic Wave Guidance in Severe Environments | 630 |
| <i>J. Voyer, B. R. Marple, C.-K. Jen</i> | |
| Plasma Spraying of Silicates II..... | 636 |
| <i>K. Neufuss, J. Ilavsky, J. Dubsky, B. Kolman, P. Chraska</i> | |
| Plasma Sprayed Coating – Substrate Interface Study..... | 641 |
| <i>J. Písacka, D. Laub, F. Buffat</i> | |
| Characterisation of Bond Coatings Tested in Oxidising Environments | 645 |
| <i>J. M. Guilemany, J. M. De Paco, S. Armada</i> | |
| Influence of Substrate Deformation on Formation of Splats During Thermal Spraying | 651 |
| <i>V. V. Sobolev, J. M. Guilemany</i> | |
| Effect of Wetting and Surface Phenomena on Development of Coatings in Thermal Spraying | 655 |
| <i>V. V. Sobolev, J. M. Guilemany</i> | |
| Residual Stresses and Young's Modulus of Alumina and Chromia Plasma Sprayed Deposits..... | 659 |
| <i>J. Dubský, B. Kolman, M. Vyšohlíd</i> | |
| Manufacturing and Experimental Evaluation of Combined Ceramic Polymer Coating Systems for Tribological Application | 664 |
| <i>D. Scherer, R. Gadow, A. Killinger</i> | |
| Evaluation of Residual Stresses in Thermal Sprayed Coatings | 670 |
| <i>K. Berreth, M. Buchmann, R. Gadow, J. Tabellion</i> | |
| Thermally Sprayed Multilayer Coatings as Electrodes and Dielectrics in High Efficiency Ozonizer Tubes | 676 |
| <i>C. Friedrich, R. Gadow, A. Killinger</i> | |
| Characterization and High Temperature Behaviour of Cr ₂ O ₃ -NiCr Plasma Sprayed Coatings | 683 |
| <i>V. H. Hidalgo, F. J. B. Varela, S. P. Martínez</i> | |

| | |
|---|-----|
| Thermisch Gespritzte Schichten Auf Der Magnesiumlegierung AZ 91 Zur Verbesserung Der Korrosions- Und Verschleißeigenschaften (Thermal Sprayed Coatings on the Magnesium Alloy AZ 91 for Improvement of Corrosion and Wear Resistance) | 687 |
| <i>A. Weisheit, U. Lenz, B. L. Mordike</i> | |
| Connection of the Thermal, Displacement and Strain Processes Under Dispersive Welding | 693 |
| <i>L. Péter, L. Kiss</i> | |
| The Optimization of Plasma Sprayed Ni-50%Cr Coatings by Orthogonal Experimental Design..... | 699 |
| <i>C.-J. Li, F.-H. Li, K. Sonoya</i> | |
| Stabflammspritzen Von Oxidkeramischen Werkstoffen (Rod Flame Spraying of Oxide Ceramic Materials) | 705 |
| <i>P. Harmathy</i> | |
| Increase of Wear Resistance of the Spraying Coatings by Means of Impulse-Plasma Processing..... | 708 |
| <i>A. Ilyuschenko, V. Ivashko, V. Okovity, N. Tolochko, A. Shevtsov, K. Buykus</i> | |
| Versiegeln Von Thermisch Gespritzten Schichten (Sealing of Thermally Sprayed Coats)..... | 711 |
| <i>B. Wielage, U. Hofmann, S. Steinhäuser</i> | |
| Electromagnetic Acceleration Plasma Spraying for Ceramic Coatings..... | 715 |
| <i>H. Tahara, T. Shibata, Y. Andoh, T. Yasui, Y. Kagaya, T. Yoshikawa</i> | |
| High Frequency Pulse Detonation (HFPD): Processing Parameters | 726 |
| <i>I. Fagoaga, G. Barykin, J. De Juan, T. Soroa, C. Vaquero</i> | |
| Laser Shock Processing of Al-SiC Composite Coatings | 731 |
| <i>T. Schnick, U. Hofmann, S. Steinhäuser, B. Wielage, S. Tondu, P. Peyre, E. Bartnicki, L. Pawłowski</i> | |
| Nanostructured Hydroxyapatite Powders and Coatings | 736 |
| <i>T. Shmyreva, E. Popov, A. Papyrin, E. Smith</i> | |
| Failure Analysis of Plasma Sprayed ZrO ₂ -CeO ₂ -Y ₂ O ₃ Thermal Barrier Coatings..... | 740 |
| <i>H. K. Kim, H. S. Choi, C. H. Lee</i> | |
| Praktische Erfahrungen Beim Einsatz Eines Spektrometer-Meßsystems Zur Prozeßüberwachung Und -optimierung Beim Thermischen Spritzen (Experiences with the Application of a Spectroscopic Measurement System for Thermal Spray Process Control and Optimization)..... | 747 |
| <i>B. Aumüller, A. Lang, K. Dotzler, H. W. Bergmann, K. Schutte</i> | |
| Prozeßdiagnostik an Thermischen Beschichtungsverfahren – Eine DFG-Geförderte Forschungsgruppe Stellt Sich Vor (Diagnostic Methods in Thermal Coating Processes – Presentation of a Project Group Funded by the DFG) | 750 |
| <i>Fr.-W. Bach, R. Henne, K. Landes, E. Lugscheider</i> | |
| Ausbildung Zum Europäischen Thermischen Spritzer (ETS) Mit Modernen Lehrmethoden (Education and Training of the European Thermal Sprayer (ETS) by Advanced Training Methods) | 756 |
| <i>D. Böhme, A. Ohliger, W. Mayr, H. Voggenreiter, B. Carlson, A. Choms, P. Palme, P. Heinrich, P. Möller, M. Nestler, A. Nicoll, Nuno, M. Oechsle, L. Oesterberg, K. Sullyvan, S. Zimmermann</i> | |
| Plasma-Pulver-Auftragschweißen Unter Erhöhtem Umgebungsdruck (Plasma Powder Welding Under Raised Pressure Environment)..... | 757 |
| <i>Fr.-W. Bach, P. Stoll, J. Zühlendorf</i> | |

| | |
|---|-----|
| Changes in Properties of Detonation Sprayed Coatings as a Function of Temperature | 761 |
| <i>T. Babul</i> | |
| Study and Characterisation of the W ₂ C-Phase Formation During the HVOF Spraying of WC+12%Co Powders..... | 765 |
| <i>J. M. Guilemany, J. M. De Paco</i> | |
| Residual Stresses in HVOF-Sprayed Cr ₃ C ₂ /NiCr-Coatings | 771 |
| <i>J.-J. Han, R. Knight, L. S. Schadler</i> | |
| Numerical Results of Off-Angle Thermal Spray Particle Impact..... | 783 |
| <i>M. Bussmann, S. Chandra, J. Mostaghimi</i> | |
| Numerically Calculated Thermal Stresses in Thermal Barrier Coatings on Cylindrical Substrates | 787 |
| <i>G. Kerkhoff, R. Vaßen, D. Stöver</i> | |
| Modeling of Simultaneous Plasma Spraying of Two Powders | 793 |
| <i>B. Dussoubs, A. Vardelle, G. Mariaux, P. Fauchais, N. J. Themelis</i> | |
| The Role of Feedstock Particle Size on the Microstructural Behavior of Plasma-Sprayed YSZ Deposits During Annealing | 799 |
| <i>H. Boukari, A. J. Allen, G. G. Long, J. Wallace, J. Ilavsky, C. C. Berndt, H. Herman</i> | |
| Analysis of the Formation of Plasma Sprayed Thermal Barrier Coatings..... | 805 |
| <i>V. Okovity, A. Ilyuschenko, T. Talako, N. Tolochko, V. Ivashko, S. Sobolevsky</i> | |
| Investigations of Thermal Barrier Coatings with Loading and Unloading to Various Stress Levels | 809 |
| <i>C. K. Lin, U. Senturk, R. Lima, C. C. Berndt, J. C. Shieh, P. Y. Lee</i> | |
| Processing and Mechanical Properties of Plasma Sprayed Thermal Barrier Coatings..... | 815 |
| <i>U. Senturk, R. S. Lima, C. C. Berndt, C. K. Lin, C. R. C. Lima</i> | |
| Influence of Spray Angle on the Microstructure of YSZ and Alumina Plasma-Sprayed Deposits | 820 |
| <i>J. Ilavsky, B. Kolman, K. Neufuss, P. Chraska</i> | |
| La ₂ Zr ₂ O ₇ – a New Candidate for Thermal Barrier Coatings | 830 |
| <i>R. Vaßen, X. Cao, F. Tietz, G. Kerkhoff, D. Stöver</i> | |
| The Stiffness of Plasma Sprayed Zirconia Top Coats in TBCS | 835 |
| <i>J. A. Thompson, T. W. Clyne</i> | |
| Plastic Coating Properties Obtained by Flame Spraying Process and Their Applications | 841 |
| <i>V. Gourlaouen, R. Dominguez, F. Monerie-Moulin, M. Mendelsohn</i> | |
| Variation in Molar Mass of Polymers During Thermal Spray Deposition | 846 |
| <i>D. T. Gawne, Y. Bao, T. Zhang</i> | |
| Induction Thermal Plasma Deposition of Mo ₅ Si ₃ -B-Composites | 849 |
| <i>X. Fan, T. Ishigaki</i> | |
| Conversion of Silanes into SiC by RF Plasma Technology | 853 |
| <i>E. Bouyer, M. Müller, G. Schiller, R. Henne</i> | |
| Production of Porous Functional Coatings with Radio-Frequency Plasma Spraying..... | 859 |
| <i>H. Thaler, V. Borck, R. Henne, G. Schiller</i> | |

| | |
|---|-----|
| Komponenten- Und Verfahrensentwicklung Beim DLR Für Das DC- Und Das HF-Plasmaspritzen (Components and Process Development of DC- and RF-plasma Spraying at the German Aerospace Center DLR) | 864 |
| <i>V. Borck, G. Schneider, R. Henne, G. Schiller, M. Fischer</i> | |

Author Index