

SPE ANTEC 2022

Charlotte, North Carolina, USA
14 – 16 June 2022

ISBN: 978-1-7138-6515-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2022) by the Society of Plastics Engineers
All rights reserved.

Printed with permission by Curran Associates, Inc. (2023)

For permission requests, please contact the Society of Plastics Engineers
at the address below.

Society of Plastics Engineers
100 Reserve Road, Suite B-310
Danbury, CT 06810 USA

Phone: (203) 740-5400

Fax: (203) 740-5405

info@4spe.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

| | |
|---|----|
| Zirconium Dioxide as a Thermo-Insulating Coating for Molds in Plastic Injection Molding..... | 1 |
| <i>Anatoliy Batmanov, Vanessa Frettleoh, Ruben Schlutter, Frank Mumme, Paul Ditjo, Ivan K. Kibet, Juergen Wieser</i> | |
| Relative Humidity Effects on Accelerated Aging of Medical-Grade Polymers: Should ASTM F1980 Be Revised to Recommend Constant RH Instead of Constant Moisture Content? | 7 |
| <i>Aniruddha Palsule, Rachel Jacobs, Martin Gibler, Robert J. Klein</i> | |
| Effects of Sample Shape and Adhesive Type on Rheology of Unidirectional Carbon Fiber Prepregs | 13 |
| <i>Arit Das, Kathleen J. Chan, Michael J. Bortner, David A. Dillard, Davide S.A. De Focatiis</i> | |
| Mechanical Recycling of Single-Use Polyethylene into Materials with Variable Properties | 17 |
| <i>Arun Ghosh, Ashik C. Kannan</i> | |
| Thermal & Rheological Characterization of Two High Density Polyethylene Grades..... | 22 |
| <i>Phat T. Vu, Azizeh-Mitra Yousefi</i> | |
| Using In-Mold Switches for Control and Monitoring of a Multicavity Hot Runner Mold..... | 27 |
| <i>Brad Johnson</i> | |
| Effect of Plasticizer Content in EPDM on Ex-Situ Wear Test After High Pressure Hydrogen Exposure..... | 36 |
| <i>Byeonglyul Choi, Byoung-Ho Choi, Un Bong Baek</i> | |
| Stress Corrosion Crack Growth of High Density Polyethylene with Cracked Round Bar Specimen in Chlorine Medium | 40 |
| <i>Jung-Wook Wee, Alexander Chudnovsky, Byoung-Ho Choi</i> | |
| Diffusion-Softening of Cellulose Nanocrystal and Thermoplastic Polyurethane Composites | 44 |
| <i>Cailean Q. Pritchard, Jacob J. Fallon, Jeffrey Shelton, Michael J. Bortner, Cody Weyhrich, Katherine Heifferon, Boer Liu, Timothy E. Long, E. Johan Foster</i> | |
| Enhanced Compost Rate with Simultaneous Toughening by Multifunctional Particle Additives in Poly(Lactic Acid) | 49 |
| <i>Caroline R. Multari, Raymond A. Pearson</i> | |
| Characterization of Vibration Welded Pine, Maple, and Bamboo | 56 |
| <i>Curtis Covelli, David Grewell, Shichen Yuan, Klaus Schmidt-Rohr</i> | |
| GLIM: Glas Fabric Insert Molding - Polymer Back-Injection of Glass Fabrics to Increase Strength..... | 62 |
| <i>Christian Rust</i> | |
| Effect of Plasma Treatment on Degradation of Biodegradable Mulch Film | 66 |
| <i>Swapnil Bhattacharya, Harshal J. Kansara, Celina E. Alvarado, Carlos A. Diaz, Jeffrey Lodge, Christopher L. Lewis</i> | |
| Effect of Talc and Carbodiimide on the Hydrolytic Resistance of a Poly(L-Lactic Acid) Compound | 72 |
| <i>Nishant Singh, Celina Alvarado, Carlos A. Diaz, Baxter Lansing, Christopher L. Lewis</i> | |
| Investigation of Orotic Acid Effects on the Crystallinity Development of Poly-Lactic Acid..... | 80 |
| <i>Faisal J. Alzahrani, Peng Gao, Alaauldeen Duhduh, John P. Coulter</i> | |

| | |
|--|-----|
| Automated Optimization of a Block-Head-Mixer with an Innovative Algorithm | 86 |
| <i>Felix Vorjohann, Lucas Schulz, Mirco Janßen, Reinhard Schiffers</i> | |
| Curing Behavior Simulator for Robotic 3D Printing of Uvcurable Thermoset Polymers | 92 |
| <i>Luke Weger, Luis Velazquez, Corina Barbalata, Debaroty Roy, Genevieve Palardy</i> | |
| Injection Molding of Microporous Ultra-High Molecular Weight Polyethylene..... | 97 |
| <i>Huanguang Yang, Lih-Sheng Turng</i> | |
| From Petroleum to Biobased Crude: A Thermoplastic Polyurethane from Lignin-Oil Without Isocyanates | 102 |
| <i>James Sternberg, Srikanth Pilla, David G. Brandner, Reagan J. Dreiling, Arik Ringsby, Jacob S. Kruger, Gregg T. Beckham</i> | |
| Simulation of Polymer Imprinting and Embossing Using Smoothed Dissipative Particle Dynamics..... | 107 |
| <i>James St Julien, Donggang Yao</i> | |
| Chemorheological Analysis of Slow Reacting Polyurethanes..... | 111 |
| <i>John Reynolds, Michael Bortner</i> | |
| Development of an Inline-Measurement System of the Surface Temperature of Square Hollow Profiles | 115 |
| <i>Jonas Köllermeier, Volker Schöppner</i> | |
| Deformation Mechanisms of Toughened Poly(Lactic Acid) Using Novel Additives | 121 |
| <i>Jordan Greenland, Caroline Multari, Raymond A. Pearson</i> | |
| Pressure-Controlled Injection Molding of Recycled Polyolefins | 127 |
| <i>Joshua Krantz, Peng Gao, Zarek Nieduzak, Elizabeth Kazmer, Olvia Ferki, Margaret Sobkowicz-Kline, Davide Masato</i> | |
| Potential of Five-Axis Kinematic Systems for Additive Manufacturing Using Fused Deposition Modelling (FDM) | 132 |
| <i>Joshua Voll, Jonathan Baier, Rene Brunotte, Stefan Roth</i> | |
| Investigating the Optical and Mechanical Properties of Stimuli Responsive Electrosterically Stabilized Nanocellulose Crystals in Thermoplastic Polyurethane | 138 |
| <i>Justin Anderson, Tyler Sequine, Mica Pitcher, Amir Sheikhi, Michael J. Bortner</i> | |
| Fabrication of Expandable Filaments Towards In-Situ Foam 3D Printing of Microcellular Poly(Lactic Acid) | 141 |
| <i>Karun Kalia, Benjamin Francoeur, Alireza Amirkhizi, Amir Ameli</i> | |
| Novel Nanocellulose Based Supports for PHBV Composites - Synthesis and Properties | 147 |
| <i>Kavan Sheth, Ting Zheng, James Sternberg, Craig Clemons, Srikanth Pilla</i> | |
| Production of Flexible Thermally Conductive Thermoplastic Pipes by Orientation of Filler Particles | 153 |
| <i>Kevin Buchalik, Reinhard Schiffers, André Kayser, Marco Grundler</i> | |
| In-Depth Rheological Study of Acrylic Processing Aids for Rigid Pvc Applications | 159 |
| <i>Manoj Nerkar, Sam LaRosa, Mark Swain, Rich Ketz</i> | |
| Scale Up Optimization of Optical Nanolayer Films: Improved Thickness & Compositional Control..... | 164 |
| <i>Michael Cantwell, Chris Oseredczuk, Mike Hus, Joseph Dooley, Michael Ponting</i> | |
| Development of a Micro-Capillary Rheometer for High Solids Content Rheology..... | 168 |
| <i>Michael C. Coco, Michael J. Bortner</i> | |

| | |
|--|-----|
| Evaluation of Component Specifications of Largeformat Plastic Products Through the Use of Machine Learning Methods..... | 171 |
| <i>Michael Werner, Thomas Seul, Michael Gehde, Andreas Wenzel, Norbert Greifzu, Markus Lehr</i> | |
| Recycled Carpet-Reinforced Composites from Polyester Carpet and Recycled Pet Resin | 177 |
| <i>Mohamadreza Y. Azarfam, Anuj Maheshwari, Frank D. Blum, Siddhesh Chaudhari, Clinton Switzer, Ranji Vaidyanathan, Jay C. Hanan</i> | |
| High Shear Viscosity Measurement of a Natural Rubber and Synthetic Rubber Materials Using the Rubber Screw Rheometer..... | 182 |
| <i>Myung-Ho Kim, JaeSik Hyun, InSu Seol, Sunwoong Choi</i> | |
| Development of Modified Synthetic Fiber Reinforced Tpu Composites for Industrial Applications..... | 187 |
| <i>Nabeel Ahmed Syed, Utkarsh, Mohammed Tariq, Amir H. Behraves, Ghaus Rizvi, Remon Pop-Iliev</i> | |
| Aqueously Degradable Pet Films Containing a Latent Metal Oxide Reagent..... | 191 |
| <i>Natalie Duprez, Christopher Luetgen, Donggang Yao</i> | |
| Effect of Seal Pressure on Leak Resistance of Rigid Hot Tool Sealing Over Film Thickness Transitions in Multilaminate Films | 196 |
| <i>Flint Colvin, Avraham Benatar</i> | |
| Reheat Injection Stretch Blow Molded Bottles of High-Density Polyethylene Blended with Cyclo Olefin Copolymer to Improve Processing, Properties and Sustainability | 201 |
| <i>Paul D. Tatarka</i> | |
| Fitting of Tait Coefficients for Molding Simulation..... | 209 |
| <i>Paul Van Huffel</i> | |
| Fibril-Flash Formation During Vibration Welding | 217 |
| <i>P.J. Bates, C. Quijano-Solis, J. Vanderveen, B.K. Baylis</i> | |
| Enhancing Emi Shielding Performance of Thermoplastics with Long Steel Fibers and Carbon Fibers..... | 221 |
| <i>Prabuddha Bansal, Suresh Subramonian, Young-Chul Yang, Soo Hee Choi</i> | |
| Moisture Sensitivity Characterization in Pla/Pbs Parts During Ultrasonic Welding | 225 |
| <i>Raihan Quader, David Grewell, Lokesh Narayanan, Leo Klinstein, Bill Reed</i> | |
| Impact Modification of Pla (Poly Lactic Acid) by Blending Small Amounts of Amorphous Pha (Polyhydroxyalkanoate) Copolymers | 231 |
| <i>John Licata, Raj Krishnaswamy, Michael Andrews, Allen Padwa, Zhiguan Yang</i> | |
| Mechanical, Thermal and Rheological Properties of E-Beam Crosslinked Ethylene Octene Copolymer..... | 235 |
| <i>Rajesh Theravalappil, Petr Svoboda</i> | |
| Long Term Aging Characteristics of Post-Consumer Recycled (Pcr) Polycarbonates | 240 |
| <i>Rashed Islam, Jacki Laiz, Dolaphine Kwok, Swanand Vaidya, Ayyana Chakravartula</i> | |
| Improving the Ductility of Recycled Pet for Plastic Lumber Applications | 244 |
| <i>Richard P. Heggs, Prabhat Krishnaswamy</i> | |

| | |
|--|-----|
| Improving Part Properties During Injection Molding with 3D Printed Co2 Cooled Plastic Mold Inserts | 248 |
| <i>Ruben Schlutter, Stefan Hins</i> | |
| Shape-Memory Polymers Based on Castor Oil and Lignin Sulphonate Synthesized from Waterborne Dispersion | 255 |
| <i>Samy A. Madbouly</i> | |
| Anisotropic Structural Analysis for Injection Molded Fiber Reinforced Thermoplastics | 260 |
| <i>Sean C. Kim, Esteban B. Marin, Christophe Desard</i> | |
| Understanding the Effects of Process Parameters on the Curing of Hexcel As4/8552 Prepreg Composites | 266 |
| <i>Shardul Panwar, Royan J. D'Mello, Umesh Gandhi</i> | |
| Foaming Behavior and Property of PMMA Nanofoam Fabricated by by Hot-Bath and Hot-Press Foaming..... | 270 |
| <i>Po-Chih Tseng, Kiday Fiseha Gebremedhin, Nigus Maregu Demewoz, Shu-Kai Yeh</i> | |
| Complex Viscosity of Star-Branched Macromolecules from Analytical General Rigid Bead-Rod Theory | 276 |
| <i>S.J. Coombs, M.A. Kansa, K.E. Haddad, A.J. Giacomin</i> | |
| Biobased and Recyclable Polysulfones Using Imine Chemistry | 284 |
| <i>Vitasta Jain, James Sternberg, Mark Johnson, Srikanth Pilla</i> | |
| Ultrasonic Joining of Additively Manufactured Metalpolymer Lightweight Hybrid Structures | 289 |
| <i>W. S. de Carvalho, S. T. Amancio-Filho</i> | |
| Melting Performance Analysis of a Single-Screw Extruder with a NSB Screw..... | 297 |
| <i>Xiaofei Sun, Ryan A. Pratt, Mark A. Spalding, Jeffery A. Myers, Robert A. Barr, Aaron F. Spalding</i> | |
| Investigating the Processing of Stimuli-Responsive Cellulose Nanocrystal Polymer Composites in Graded 3D Printing | 303 |
| <i>Yimin Yao, Michael J. Bortner</i> | |
| Turnkey Solution for 3D Metal Printed Conformally Cooled Injection Mold Inserts | 308 |
| <i>Zakary Smith</i> | |
| Development of a Gas-Based Temperature Control System for Injection Molds - Gasmold..... | 314 |
| <i>Alexander Paskowski, Ruben Schlutter</i> | |
| High Shear Rate Rheology of Cellulose Nanofibrils..... | 322 |
| <i>Aliya J. Kaplan, Bradley P. Sutliff, Michael J. Bortner</i> | |
| Discover the Physical Mechanism of the Interface Formation in Co-Injection Molding Using Rheological Behavior | 325 |
| <i>You-Ti Rao, Kuan-Yu Ko, Chao-Tsai Huang, Chih-Chung Hsu, You-Sheng Zhou, David Hsu, Rong-Yue Chang, Shi-Chang Tseng</i> | |
| Study on Machine Identification and Its Effect on the Rsm Optimization in Injection Molding | 330 |
| <i>Rui-Ting Xu, Tsung-Han Wang, Chao-Tsai Huang, Po-Hsuan Chen, Wen-Ren Jong, Shia-Chung Chen, David Hsu, Rong-Yeu Chang</i> | |

| | |
|--|-----|
| Quality Prediction in Injection Molding Based on Thermal Images with Convolutional Neural Networks | 335 |
| <i>Dimitri Kvaktun, Yannick Elsinghorst, Reinhard Schiffers</i> | |
| An Explicit Non-Newtonian Fluid Model for Polymeric Flow with Finite Stretch..... | 341 |
| <i>Donggang Yao</i> | |
| Changes in Polyamide 11 Microstructure and Chemistry During Selective Laser Sintering | 346 |
| <i>Gabrielle Esposito, Raymond A. Pearson</i> | |
| Twin Screw Melting Model Prediction of Experimental Study of LDPE Melting in a Twin Screw Extruder | 351 |
| <i>Gregory A. Campbell, Mark D. Wetzel, Paul Andersen, Joseph Golba</i> | |
| Temperature-Dependent Anomalous Rheological Behavior of TPU Nanocomposites with Carbon Nanofillers | 359 |
| <i>Li-Min Yu, Han-Xiong Huang</i> | |
| ABS/Carbon Fiber Composite Foams with Bimodal Fine-Cell Structure Prepared Using Supercritical CO ₂ | 364 |
| <i>Han-Xiong Huang, Chang-Zhi Guo</i> | |
| Preliminary Investigation of Oxygen Pressurized Chambers for Accelerated UV Weathering | 369 |
| <i>Henry K. Hardcastle III</i> | |
| An Integrated Three Dimensional Numerical Simulation of Nonlinear Warpage Analysis for Injection-Molding Process..... | 374 |
| <i>Hsiang-Liang Lin, Li-Hsuan Shen, Chih-Chung Hsu, Rong-Yeu Chang</i> | |
| Multilayer Extrusion of Higher and Lower Modulus Alternating Polymer System | 380 |
| <i>Joel Thambi, Vamsy Godthi, Marco Neffs, Nadia Grossiord, Jongwoo Lee</i> | |
| Fabrication of Expandable Filaments Towards In-Situ Foam 3D Printing of Microcellular Poly(Lactic Acid) | 386 |
| <i>Karun Kalia, Benjamin Francoeur, Alireza Amirkhizi, Amir Ameli</i> | |
| Part 1: Ultraviolet-C (UVC) Exposure and Its Effect on Color Change for Polystyrene | 392 |
| <i>Kristen Chang</i> | |
| Scratch & Fracture Behavior of Talc-Reinforced Polypropylene | 397 |
| <i>Kwanghae Noh, Hung-Jue Sue</i> | |
| Monitoring of Injection Molding Process with Piezo-Electric Sensor | 400 |
| <i>Mostafa M. Pasha, Kyehwan Lee, Heinrich Foltz, Jesus Valladares</i> | |
| Deformation Analysis of Mold Cavity with Sla Conformal Cooling Channel Insert | 407 |
| <i>Olumide Aladesiun, Kyehwan Lee, Yooseob Song, Younggil Park</i> | |
| A Recycle Stream in the Reactive Extrusion Process for Preparing Lignocellulosic Thermoplastic | 414 |
| <i>Jinlei Li, David J. W. Lawton, Guerino G. Sacripante, Michael R. Thompson</i> | |
| Experimental Studies of High Density Polyethylene Exposed to Chlorine Dioxide Media with Various Concentrations and Temperatures | 419 |
| <i>Min-Seok Choi, HyeongJu Lee, Ilhyun Kim, Byoung-Ho Choi</i> | |
| A Semi-Genetic Process for Fitting Polymer Viscosities and Selecting Best Models | 423 |
| <i>Paul Van Huffel</i> | |

| | |
|--|-----|
| Density-Based Analysis of Polymers Using Magnetic Levitation Device Constructed by Magnet Arrays..... | 430 |
| <i>Peng Zhao, Jun Xie, Yuhan Jia, Lih-Sheng Turng</i> | |
| Analytical Method Development for Additive Analysis in Polyethylene..... | 435 |
| <i>Praveenkumar Boopalachandran, Jörg Theuerkauf, Alexander Williamson, Jorge Gomes, Avery Brown</i> | |
| Colloidal Stability and Gel Prevention of Urethane-Acrylate Interpenetrating Polymer Network Systems..... | 439 |
| <i>Puneet Garg, Zbigniew Stachurski, David Nisbet, Antonio Tricoli</i> | |
| Extraction of Cure-Dependent Fatigue Behavior of Filament-Wound Composites for Fuel Cell Vehicle Applications..... | 446 |
| <i>Royan J. D'Mello, Shardul Panwar, Anthony M. Waas, Umesh Gandhi</i> | |
| Development of a Non-Destructive Measurement Method for Quality Assessment of Foamed Plastic Parts | 452 |
| <i>Ruben Schlutter, Alexander Paskowski, Manuel Schneider, Rainer Jahn, Joshua Voll, Thomas Seul, Andreas Wenzel, Gerd Telljohann</i> | |
| The Toughening of Highly Crosslinked Epoxy Networks Using Core-Shell Rubber Particles..... | 457 |
| <i>Samuel R. Swan, Claudia C. Creighton, Russell J. Varley, James M. Griffin, Bekim V. Gashi, Sayed Mohsen Seraji</i> | |
| Foaming Behavior and Property of PMMA Nanofoam Fabricated by by Hot-Bath and Hot-Press Foaming..... | 463 |
| <i>Po-Chih Tseng, Kiday Fiseha Gebremedhin, Nigus Maregu Demewoz, Shu-Kai Yeh</i> | |
| Fem Modeling on Scratch Behavior of Micro-Patterned Polymer Surfaces..... | 469 |
| <i>Sumit Khatri, Shuang Xiao, Hung-Jue Sue, Xing Cheng</i> | |
| Cyclic Olefin Copolymer Foam: A Promising Thermal Insulation Material..... | 473 |
| <i>Ruiyan Zhang, Eric S. Kim, Sandra Romero-Diez, Patrick C. Lee</i> | |
| Diffusion-Bonded Mold Inserts Expand the Portfolio of Injection Molding Tool Manufacture | 478 |
| <i>Vanessa Frettloeh, Udo Hinzpeter, Jan Pfeiffer, Christian Kolbe, Udo Staps, Felix Gemse, Simon Jahn</i> | |
| Evaluation of Shear Modulus Using Destructive Shear Test and Non-Destructive Ultrasonic Shear Waves | 485 |
| <i>Yannick Bernhardt, Marc Kreuzbruck, Ruben Czichos, Jörg Dittmann, Peter Middendorf</i> | |
| Experiment and Simulation of 1D Flow and In-Plane Permeability Validation Considering Fabrics Orientation Effects in Resin Transfer Molding..... | 491 |
| <i>Yu-Ho Chen, Yi-Kai Kao, Chen-Chieh Wang, Hsun Yang, Yuan Yao, Chia-Hsiang Hsu, Rong-Yeu Chang</i> | |
| Turnkey Solution for 3D Metal Printed Conformally Cooled Injection Mold Inserts..... | 496 |
| <i>Zakary Smith</i> | |
| Machine Learning Modeling to Predict Transient Cavity Pressure Profile in Injection Molding Process..... | 513 |
| <i>Arjav Thakkar, Yi Zhang, Sean Kim, Niels Kitzhoefer, Eduardo Siegel</i> | |

Author Index