

# **2022 IEEE CPMT Symposium Japan (ICSJ 2022)**

**Kyoto, Japan  
9-11 November 2022**



**IEEE Catalog Number: CFP22PWJ-POD  
ISBN: 978-1-6654-8614-9**

**Copyright © 2022 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

|                         |                   |
|-------------------------|-------------------|
| IEEE Catalog Number:    | CFP22PWJ-POD      |
| ISBN (Print-On-Demand): | 978-1-6654-8614-9 |
| ISBN (Online):          | 978-1-6654-8613-2 |
| ISSN:                   | 2373-5449         |

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

## TABLE OF CONTENTS

|  |    |
|--|----|
| 56-Gb/s PAM4 × 8-Channel VCSEL-Based Optical Transceiver for Co-Packaged Optics .....  | 1  |
| <i>Wataru Yoshida, Yuta Ishige, Kazuya Nagashima, Hideyuki Nasu</i>  |    |
| Testing Station Using a 0.3-Mm-pitch LGA Interface for a 25-Gbaud X 16-channel CPO Transceiver .....   | 5  |
| <i>Yuta Ishige, Kazuya Nagashima, Wataru Yoshida, Hideyuki Nasu</i>  |    |
| Novel Packaging Structure Using VCSEL Array and Multi-Core Fiber for Co-Packaged Optics .....  | 9  |
| <i>Takatoshi Yagisawa, Makoto Miyoshi, Jumpei Miike, Tomonori Azuma, Yoshiyuki Harada, Satoshi Ide, Ken Morito</i>                                     |    |
| Design of CPO Daughter Board with FPGA and 25-Gbaud × 16-Channel Ultra-Compact Optical Transceivers.....   | 13 |
| <i>Kei Takahashi, Kensuke Miura, Hikaru Nakajima, Satoru Torimitsu, Naoki Soya, Yuta Ishige, Kazuya Nagashima, Hideyuki Nasu, Shoji Fukutomi</i>       |    |
| Targeted Sample Preparation and Analysis of Advanced Packaging Using Correlated X-Ray Microscopy and Laser FIB .....                                   | 17 |
| <i>Vignesh Viswanathan, Etsuo Maeda, Chisato Yamamoto, Takehide Oda, Longan Jiao</i>   |    |
| PCB Embedding Technology for the Miniaturization of Complex Electronic Systems.....  | 21 |
| <i>Thomas Löher, David Schütze, Malte Spanier, Andreas Ostmann, Martin Schneider-Ramelow</i>   |    |
| Low Temperature Fluxless Cu Bonding with Cu Micropillar Array .....  | 25 |
| <i>Han Jiang, Ligu Zhao, Changqing Liu, Zhaoxia Zhou</i>   |    |
| Low-Temperature and Rapid Direct Bonding Through nano-Ag Coating for High-Temperature and High-power Density Electronics Packaging.....                | 29 |
| <i>Canyu Liu, Allan Liu, Zhaoxia Zhou, Changqing Liu</i>   |    |
| Chemical Sensors Based on Organic Field-Effect Transistors for Real-Sample Analysis.....   | 33 |
| <i>Tsuyoshi Minami</i>   |    |
| Rubber-Like Stretchable Electronics for Skin-conformable Wearable Devices .....  | 35 |
| <i>Naoji Matsuhisa</i>   |    |
| Microfluidic Technology for Making String-Like Cell Tissues.....   | 37 |
| <i>Katsuo Mogi, Hiroyuki Kimura, Naoki Takada</i>  |    |
| Design and Fabrication of Three-Dimensional Polymer Optical Waveguide-based Fan-in/out Device for Multicore Fibers .....                               | 41 |
| <i>Yuto Yamaguchi, Sho Yakabe, Takaaki Ishigure</i>  |    |
| Fabrication for Y-Branched Polymer Optical Waveguide Using the Imprint Method and Its Application for Mode Division Multiplexing Devices .....         | 45 |
| <i>Shinnosuke Ono, Takaaki Ishigure</i>  |    |
| Optical Polymer Waveguides with Precise Core Location by Mechanical Planarization of Bottom Clad Layer for Efficient and Uniform Optical Coupling..... | 49 |
| <i>Taro Itatani, Takeru Amano</i>  |    |
| Optical Coupling Structures Printed with Two-Photon-Polymerization.....  | 53 |
| <i>Jörg Smolenski, Remmi Baker</i>   |    |

|   |     |
|---|-----|
| Surface Activated Bonding of ALD Al <sub>2</sub> O <sub>3</sub> Films .....   | 57  |
| <i>Junsha Wang, Ryo Takigawa, Tadatomo Suga</i>   |     |
| Removal of Adsorbed Water on Si Wafers for Surface Activated Bonding.....   | 61  |
| <i>Kai Takeuchi, Eiji Higurashi, Junsha Wang, Akira Yamauchi, Tadatomo Suga</i>   |     |
| Packaging Technologies for High-Bandwidth Silicon Photonic Datacom Transceivers .....   | 65  |
| <i>Hiren D. Thacker, Tong Wang, Aparna Prasad, Vipul Patel, Sandeep Razdan, Ginni Chadha</i>  |     |
| 8-Channel CWDM TOSA for CPO External Laser Sources .....  | 68  |
| <i>Taketsugu Sawamura, Kazuhiko Kashima, Kyoko Nagai, Nitidet Thudsalingkarnsakul, Rattanaporn Suksomboon, Sanguan Anantathanasarn, Hideyuki Nasu</i> |     |
| Low-Loss, Polarization-independent Spot-size Converter Manufacturable with a 0.18 μm CMOS Process.....  | 72  |
| <i>Reona Motoji, Hirotaka Uemura, Naoki Matsui, Dan Maeda, Tomoya Sugita</i>  |     |
| Electromagnetic Noise Evaluation of Transceiver IC and Communication Modules in CAN-FD Communication .....  | 76  |
| <i>Shohei Nishida, Tohlu Matsushima, Yuki Fukumoto</i>  |     |
| Improving Traffic Participant Safety Using Connected Active Safety Techniques and Collective Perception.....  | 80  |
| <i>Robert Gee</i>   |     |
| New Die Bonding Material with PSQ as a Main Agent Having High Heat Dissipation .....  | 84  |
| <i>Yoshiki Furukawa, Manabu Miyawaki, Susumu Miura, Hironori Shizuhata, Naoya Saiki</i>   |     |
| Micro-Displacement Sensing Technique Using a Fabry-Pérot Interferometer with a Relay Optical Fiber .....  | 88  |
| <i>Yuya Mori, Takeru Fukahori, Ryo Nagase</i>   |     |
| Miniaturization of Polymer Spot Size Expander for Silicon Photonics Chip and Optical Fiber Coupling.....  | 90  |
| <i>Yoshiki Kamiura, Taiga Kurisawa, Chiemi Fujikawa, Osamu Mikami</i>   |     |
| Fabrication for Low-Loss Polymer Optical Waveguide with Vertically 90° Bent Core .....  | 92  |
| <i>Daiki Suemori, Maho Ishii, Naohiro Kohm, Takaaki Ishigure</i>  |     |
| Detectability of Open Defects at Interconnects Between Dies in 3D Stacked ICs with Relaxation Oscillators.....  | 94  |
| <i>Masao Ohmatsu, Fumiya Sako, Yuki Ikiri, Hiroyuku Yotsuyanagi, Shyue-Kung Lu, Masaki Hashizume</i>  |     |
| Study on Electrical Characterization of hexagonal-BN.....   | 96  |
| <i>Riki Yamanishi, Soshi Motoda, Satoko Shinkai, Masataka Hasegawa</i>  |     |
| Driver's Sleepiness Estimation Using Millimeter Wave Radar and Camera .....   | 98  |
| <i>Katsuki Kubo, Toshio Ito</i>   |     |
| Investigation of Fabrication Conditions for Y-Branched Polymer Optical Waveguides Using the Mosquito Method .....                                     | 100 |
| <i>Kentaro Sekitani, Ryosuke Hatai, Takaaki Ishigure</i>  |     |
| Polymer Tapered Pillar Grown from SMF Core for Silicon-Photonics Chip Coupling .....  | 102 |
| <i>Taiga Kurisawa, Yoshiki Kamiura, Chiemi Fujikawa, Osamu Mikami</i>   |     |

|  |     |
|--|-----|
| Self-Localization with Omnidirectional Camera Using Colored Point Cloud.....   | 104 |
| <i>Shell Yamauchi, Toshio Ito</i>  |     |
| Research on Implementing of Human Ethics in Automated Driving Using Driver's Choice Behavior.....                                    | 106 |
| <i>Kaito Kusakari, Toshio Ito</i>  |     |
| Development of Oxide Glass-Ceramic Derived All-solid-state Sodium Battery.....   | 108 |
| <i>Tsuyoshi Honma</i>  |     |
| Advanced Insulation Materials for Next Generation Packaging Technology.....  | 111 |
| <i>Shiro Tatsumi</i>   |     |
| Development of a Simple Glucose Sensor Patch Using Low Melting-Point Polymer's Porous<br>Microneedles for Pre-diabetic Patients..... | 115 |
| <i>Yosuke Koma, Yuko Tsuruma, Jongho Park, Shigenori Aoki, Shinya Takyu, Beomjoon Kim</i>  |     |
| Fabrication for Circular Cross-Sectional Microchannels and Their Application for On-off Valves.....                                  | 119 |
| <i>Kaori Uehara, Yukata Hori, Takaaki Ishigure</i>   |     |
| An Oxytocin Sensor Based on an Organic Field-Effect Transistor Functionalized with a<br>Molecularly Imprinted Polymer .....          | 123 |
| <i>Qi Zhou, Tsuyoshi Minami</i>  |     |
| Porosity Control of Polylactic Acid Porous Microneedles Using Microfluidic Technology .....  | 127 |
| <i>Boyu Qin, Jongho Park, Heyi Jing, Leilei Bao, Beomjoon Kim</i>  |     |
| AI-Accelerator Proof of Concept by a Multi-IP Chip Project .....   | 131 |
| <i>Shin-Ichi O'Uchi</i>  |     |
| A Study on Alternative Substrate for FCBGA.....  | 134 |
| <i>Li-Chieh Hung, Po-I Wu, Hung-Chun Kuo, Ming-Fong Jhong, Chen-Chao Wang, Si-Min Wang</i>   |     |
| A Housing Design to Optimize Heat Dissipation and Reduced Noise for LTE Card Module in<br>Communication Terminal .....               | 138 |
| <i>Atsushi Nakamura, Takashi Yajima, Hideki Osaka, Hiroshi Sugita, Daisuke Tsugane</i>   |     |
| Sum of Squares Partial Fractions: Application in Modeling of Interconnects in Heterogeneous<br>Integration .....                     | 142 |
| <i>Francisco Coronado, Arif Ege Engin</i>  |     |
| Application of SiC Power Devices to Ultra-High Voltage Equipment.....  | 146 |
| <i>Takashi Nakamura, Kei Nishioka, Yoshimi Nishimura, Toshio Hanada, Takafimi Okuda</i>  |     |
| Evaluation of Electrical and Thermal Properties of POL-KW by Simulation and Actual<br>Measurement .....                              | 150 |
| <i>Youichi Nishihara, Koji Bando, Shingo Hayashibe, Takumi Yumoto, Takumi Ikeda, Toshio Gomyo</i>                                    |     |
| A Load-Variable Noise-source Equivalent Circuit Model for DC-DC Converter Considering Cubic<br>Spline Interpolation .....            | 154 |
| <i>Shuqi Zhang, Kengo Iokibe, Yoshitaka Toyota</i>   |     |
| Material Solutions for High-Reliability and High-temperature Power Electronics.....  | 158 |
| <i>Aarief Syed-Khaja</i>   |     |

|   |     |
|---|-----|
| International Standards to Enable the Exploitation of Emerging Integrated Photonic Technologies<br>for Future Hyperscale Data Centres .....                                   | 160 |
| <i>Richard Pitwon, Bernard Lee, Liam O'Faolain</i>  |     |
| Demonstration of Small-Aperture Cavity-resonator-integrated Guided-mode Resonance Mirror<br>with Grating Apodization for Vertical-external-cavity Surface-mounted Laser ..... | 164 |
| <i>Akari Watanabe, Keisuke Ozawa, Shunsuke Teranishi, Aika Taniguchi, Junichi Inoue, Kenji<br/>Kintaka, Shogo Ura</i>   |     |
| Time of Flight Three-Dimensional Imaging Camera Using Compressive Sampling Technique with<br>Sparse Frequency Intensity Modulation Light Source.....                          | 168 |
| <i>Quang Duc Pham, Yoshio Hayasaki</i>  |     |
| Novel Solder-Reflow Resistant Thermoplastic Polyetherimides for Co-packaged Optical<br>Applications.....  | 172 |
| <i>Gabrie Hoogland, Takamune Sugawara, Norihiko Ohno, Peter M. Johnson</i>  |     |

**Author Index**