## 2022 29th Asia-Pacific Software **Engineering Conference** (APSEC 2022)

**Virtual Conference** 6-9 December 2022



**IEEE Catalog Number: CFP22154-POD** 

978-1-6654-5538-1

**ISBN**:

### Copyright © 2022 by the Institute of Electrical and Electronics Engineers, Inc. All Rights Reserved

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

 IEEE Catalog Number:
 CFP22154-POD

 ISBN (Print-On-Demand):
 978-1-6654-5538-1

 ISBN (Online):
 978-1-6654-5537-4

ISSN: 1530-1362

#### Additional Copies of This Publication Are Available From:

Curran Associates, Inc 57 Morehouse Lane Red Hook, NY 12571 USA

Phone: (845) 758-0400 Fax: (845) 758-2633

E-mail: curran@proceedings.com Web: www.proceedings.com



# 2022 29th Asia-Pacific Software Engineering Conference (APSEC) **APSEC 2022**

#### **Table of Contents**

| Message from the General Chairs and Program Chairs  APSEC 2022 Conference Organizers                            | <b>xv</b> i  |
|---|--------------|
| APSEC 2022 Program Committee  |              |
| APSEC 2022 Keynotes   |              |
| APSEC 2022 Tutorial   |              |
| APSEC 2022 Panel  | <b>xxv</b> i |
| APSEC 2022 Sponsors and Supporters  | xxvii        |
| Technical Research Track  |              |
| Grey-box Fuzzing Based on Execution Feedback for EOSIO Smart Contracts  | 1            |
| Exploring Activity and Contributors on GitHub: Who, What, When, and Where                                       | 11           |
| The Language of Programming: On the Vocabulary of Names   | 21           |
| Efficient Reinforcement Learning with Generalized-Reactivity Specifications                                     | 31           |
| UTCache: Updatable Transactional Cache for Database-Driven Applications   | 41           |
| Automated Generation of Bug Samples Based on Source Code Analysis   | 51           |
| Adversarial Deep Reinforcement Learning for Improving the Robustness of Multi-Agent Autonomous Driving Policies | 61           |
| (Simula Research Laboratory, Norway)  |              |

| Empirical Study of Co-renamed Identifiers  | . 71 |
|--|------|
| Systematic Analysis of Defect-Specific Code Abstraction for Neural Program Repair  | . 81 |
| Incorporating Ethics in Software Engineering: Challenges and Opportunities   | . 90 |
| Incremental Relational Topic Model for Duplicate Bug Report Detection  | . 99 |
| Bisection Value Iteration  | 109  |
| DronLomaly: Runtime Detection of Anomalous Drone Behaviors via Log Analysis and Deep Learning  | 110  |
| Lwin Khin Shar (Singapore Management University, Singapore), Wei Minn (Singapore Management University, Singapore), Nguyen Binh Duong Ta (Singapore Management University, Singapore), Jiani Fan (Nanyang Technological University, Singapore), Lingxiao Jiang (Singapore Management University, Singapore), and Daniel Lim Wai Kiat (Singapore Management University, Singapore)  |      |
| Non-Intrusive Annotation-Based Domain-Specific Analysis to Certify Event-B Models  | 4.00 |
| Behaviours  Ismail Mendil (INPT-ENSEEIHT / IRIT, Universié de Toulouse, France), Peter Rivière (INPT-ENSEEIHT / IRIT, Universié de Toulouse, France), Yamine Ait-Ameur (INPT-ENSEEIHT / IRIT, Universié de Toulouse, France), Neeraj Kumar Singh (INPT-ENSEEIHT / IRIT, Universié de Toulouse, France), Dominique Méry (Telecom Nancy / LORIA, Université de Lorraine, France), and Philippe Palanque (IRIT, Université de Toulouse, France) | 129  |
| An Experimental Comparison of Clone Detection Techniques using Java Bytecode   | 139  |
| Data Flow Reduction Based Test Case Generation for Smart Contracts  Shunhui Ji (Hohai University, China), Shaoqing Zhu (Hohai University,  China), Pengcheng Zhang (Hohai University, China), and Hai Dong (RMIT  University, Australia)   | 149  |
| SysML Flow Model   | 159  |
| Catch Me If You Can: Blackbox Adversarial Attacks on Automatic Speech Recognition using Frequency Masking  | 169  |

| Symbolic Execution of Floating-Point Programs: How far are we?  |
|---|
| Goal-Oriented Knowledge Reuse via Curriculum Evolution for Reinforcement Learning-Based Adaptation  |
| Diff Feature Matching Network in Refactoring Detection  |
| Automatic Generation of Metamorphic Relations for a Cyber-Physical System-of-Systems using Genetic Algorithm  |
| Toward a Better Alignment Between the Research and Practice of Code Search Engines 219 Yin Liu (Beijing University of Technology, China), Shuangyi Li (Virginia Tech, USA), and Eli Tilevich (Virginia Tech, USA) |
| Code Question Answering via Task-Adaptive Sequence-to-Sequence Pre-Training   |
| Two-Stage Patch Synthesis for API Migration from Single API Usage Example   |
| An Empirical Study of Predicting Fault-Prone Components and Their Evolution   |
| Tuning SAT Solvers for LTL Model Checking   |
| A Reference Architecture for Blockchain-Based Traceability Systems using Domain-Driven  Design and Microservices  |
| An Approach for Hazard Analysis of Multiple-Cooperative Systems Considering Dynamic Configuration Uncertainty   |

| Multifaceted Hierarchical Report Identification for Non-Functional Bugs in Deep Learning Frameworks  |
|--|
| Guoming Long (Loughborough University, United Kingdom), Tao Chen<br>(Loughborough University, United Kingdom), and Georgina Cosma<br>(Loughborough University, United Kingdom)   |
| Optimal Refinement-Based Array Constraint Solving for Symbolic Execution   |
| How Libraries Evolve: A Survey of Two Industrial Companies and an Open-Source Community 309  |
| Oleksandr Zaitsev (Arolla, France; Univ. Lille, Inria, CNRS, Centrale<br>Lille, UMR 9189 CRIStAL, France), Stéphane Ducasse (Univ. Lille,<br>Inria, CNRS, Centrale Lille, UMR 9189 CRIStAL, France), Nicolas<br>Anquetil (Univ. Lille, Inria, CNRS, Centrale Lille, UMR 9189 CRIStAL,<br>France), and Arnaud Thiefaine (Arolla, France)  |
| An Empirical Study on Multi-source Cross-Project Defect Prediction Models  |
| Synergizing Symbolic Execution and Fuzzing by Function-Level Selective Symbolization32 Guofeng Zhang (National University of Defense Technology, China), Zhenbang Chen (National University of Defense Technology, China), Ziqi Shuai (National University of Defense Technology, China), Yufeng Zhang (Hunan University, China), and Ji Wang (National University of Defense Technology, China) |
| NumFuzz: A Floating-Point Format Aware Fuzzer for Numerical Programs   |
| Multi-perspective Alignment Mechanism for Code Search  |
| Retrieve-Guided Commit Message Generation with Semantic Similarity And Disparity   |
| NEGAR: Network Embedding Guided Architecture Recovery for Software Systems   |
| Quantifying the Similarity of BPMN Processes 33.  Gwen Salaün (University Grenoble Alpes, France)  |

| Reducing Syntactic Complexity for Information Extraction from Japanese Requirement Specifications   |
|---|
| Maiko Onishi (Ochanomizu University, Japan), Shinpei Ogata (Shinshu<br>University, Japan), Kozo Okano (Shinshu University, Japan), and<br>Daisuke Bekki (Ochanomizu University, Japan)  |
| Detecting High Floating-Point Errors via Ranking Analysis 397  Zheng Wang (National University of Defense Technology, China), Xin Yi (National University of Defense Technology, China), Hengbiao Yu (National University of Defense Technology, China), and Banghu Yin (National University of Defense Technology, China)  |
| Bounded Model Checking of Synchronous Reactive Models in Ptolemy II   |
| Software Engineering in Practice Track  |
| On the Usefulness of Crossover in Search-Based Test Case Generation: An Industrial Report 417 Changze Huang (Ant Group, China), Hailian Zhou (Ant Group, China), Hongbing Zhao (Ant Group, China), Wenting Cai (Ant Group, China), Zhi Quan Zhou (Ant Group, China; University of Wollongong, Australia), and Mingyue Jiang (Zhejiang Sci-Tech University, China) |
| Refactoring Community Smells: An Empirical Study on the Software Practitioners of Bangladesh  |
| Unified Program Cross-Architecture Migration Framework Model  |
| RP2A: Rare Process-Pattern Analysis – Identifying Potential Problem Process-Patterns by Analyzing System Execution Data   |
| Early Research Achievements Track   |
| AMF: A Field to Realize the Values of Agile Manifesto Through Retrospective   |
| Quality Assurance Study with Mismatched Data in Sentiment Analysis  |

| SCAR: Smart Contract Alarm Ranking  |
|---|
| Combining Model-Based Testing and Automated Analysis of Behavioural Models using GraphWalker and UPPAAL   |
| Reusing My Own Code: Preliminary Results for Competitive Coding in Jupyter Notebooks 457  Natanon Ritta (Mahidol University, Thailand), Tasha Settewong (Mahidol  University, Thailand), Raula Gaikovina Kula (Nara Institute of Science  and Technology, Japan), Chaiyong Ragkhitwetsagul (Mahidol University,  Thailand), Thanwadee Sunetnanta (Mahidol University, Thailand), and  Kenichi Matsumoto (Nara Institute of Science and Technology, Japan) |
| Why Visualize Data When Coding? Preliminary Categories for Coding in Jupyter Notebooks 462 Tasha Settewong (Mahidol University, Thailand), Natanon Ritta (Mahidol University, Thailand), Raula Gaikovina Kula (Nara Institute of Science and Technology, Japan), Chaiyong Ragkhitwetsagul (Mahidol University, Thailand), Thanwadee Sunetnanta (Mahidol University, Thailand), and Kenichi Matsumoto (Nara Institute of Science and Technology, Japan)    |
| Testing for Event-Driven Microservices Based on Consumer-Driven Contracts and State Models 467  |
| Chu-Fei Wu (National Taiwan Ocean University, Taiwan), Shang-Pin Ma<br>(National Taiwan Ocean University, Taiwan), An-Chi Shau (National<br>Taiwan Ocean University, Taiwan), and Hang-Wei Yeh (National Taiwan<br>Ocean University, Taiwan)  |
| Visualizing Contributor Code Competency for PyPI Libraries: Preliminary Results   |
| Analyzing and Monitoring Kubernetes Microservices Based on Distributed Tracing and Service  Mesh  |
| Yu-Te Wang (National Taiwan Ocean University, Taiwan), Shang-Pin Ma (National Taiwan Ocean University, Taiwan), Yue-Jun Lai (National Taiwan Ocean University, Taiwan), and Yan-Cih Liang (National Taiwan Ocean University, Taiwan)  |
| eBAT: An Efficient Automated Web Application Testing Approach Based on Tester's Behavior 482  |
| Mridha Md. Nafis Fuad (University of Dhaka, Bangladesh) and Kazi Sakib<br>(University of Dhaka, Bangladesh)   |
| Preliminary Analysis of the Influence of the Stereotype Threat on Computer Programming 487  Yuriko Takatsuka (Kindai University, Japan) and Masateru Tsunoda  (Kindai University, Japan)  |

| Preliminary Analysis of Review Method Selection Based on Bandit Algorithms  |
|---|
| Managing Complexity in Microservices Architecture: A Nested MultiTree Domain-Driven  Approach   |
| A Checklist-Based Approach to Assess the Systematicity of the Abstracts of Reviews  Self-Identifying as Systematic Reviews  |
| Software Engineering Education Track  |
| Virtual Reality for Software Engineering Presentations  |
| How Students Design Simple Programs: a Study on the Effort and Perceptions of the Design  |
| Activity  |
| Automatic Programming Assessment System for a Computer Science Bridge Course - An  Experience Report  |
| Balancing Between Creativity and Efficiency in Software Engineering Project Courses   |
| Threshold Concepts and Skills in Software Architecture: Instructors' Perspectives   |
| Poster Track  |
| A Preliminary Finding on Programs Fixed by an APR Tool Based on a Genetic Algorithm 554 Kanon Harada (Ritsumeikan University, Japan) and Katsuhisa Maruyama (Ritsumeikan University, Japan) |
| Comparison of Different Keyphrase Extraction Algorithms for Supporting Problem Selection in Online Judge System   |

| A Support Tool for Test Case First  | 58  |
|---|-----|
| Verifying Attention Robustness of Deep Neural Networks Against Semantic Perturbations 5 Satoshi Munakata (Fujitsu, Japan), Caterina Urban (Inria & ENS, PSL & CNRS, France), Haruki Yokoyama (Fujitsu, Japan), Koji Yamamoto (Fujitsu, Japan), and Kazuki Munakata (Fujitsu, Japan)   | 60  |
| EDPS: Early Dropout Prediction System of MOOC Courses   | 62  |
| On the Scrutinization of the NFT Valuation Factors  | 64  |
| Bytecode Obfuscation for Smart Contracts  | 666 |
| How Does Grit Affect the Performance of Software Developers?  | 68  |
| Defending Against Code Injection Attacks using Secure Design Pattern  | 70  |
| Comparison of Developer's Work Efficiency Between Different Editors 5<br>Sentaro Onizuka (Osaka University, Japan), Tetsuya Kanda (Osaka<br>University, Japan), and Katsuro Inoue (Nanzan University, Japan)  | 72  |
| What Pakistani Computer Science and Software Engineering Students Think About Software Testing?   | 74  |
| A New Measure to Assess the Systematicity of the Abstracts of Reviews Self-Identifying as  Systematic Reviews   | 576 |
| SceneCommitter: A Screen Scenario Review System using the GitHub and Figma WebAPI in the Waterfall Based Software Development   |     |
| An Additional Approach to pre-Trained Code Model with Multilingual Natural Languages 5 Teruno Kajiura (Japan Women's University, Japan), Nao Souma (Japan Women's University, Japan), Miyu Sato (Japan Women's University, Japan), Mai Takahashi (Japan Women's University, Japan), and Kimio Kuramitsu (Japan Women's University, Japan) | 80  |

| Risk Assessment to Design Business Process Incorporating AI Tasks   | 582 |
|---|-----|
| Systematic Literature Review on Educational Effectiveness of Project-Based Learning for Software Development                                      | 584 |
| DigiSoC – Digital Software City – toward Software 3R: Reduce, Reuse, and Recycle  | 586 |
| How Does Future Perspective Affect Job Satisfaction and Turnover Intention of Software Engineers?   | 588 |
| Ikuto Yamagata (Kindai University, Japan), Masateru Tsunoda (Kindai<br>University, Japan), and Keitaro Nakasai (Kagoshima College, NIT,<br>Japan) |     |
| Battle of the Blocs: Quantity and Quality of Software Engineering Research by Origin  | 590 |
| Author Index  | 593 |