## **PROCEEDINGS OF SPIE**

# Electroactive Polymer Actuators and Devices (EAPAD) XXV

Herbert R. Shea Editor

13–15 March 2023 Long Beach, California, United States

Sponsored and Published by SPIE

Volume 12482

Proceedings of SPIE 0277-786X, V. 12482

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in *Electroactive Polymer Actuators and Devices (EAPAD) XXV*, edited by Herbert R. Shea, Proc. of SPIE 12482, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510660717 ISBN: 9781510660724 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) SPIE.org Copyright © 2023 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

• The first five digits correspond to the SPIE volume number.

• The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

### Contents

vii Conference Committee

#### EAP APPLICATIONS FOR MICROROBOTS AND ON THE BODY

- 12482 02 TouchBand: a modular low-power elastomer-based watchband for touch input and hand gesture recognition [12482-6]
- 12482 03 Dynamic data physicalization by unimorph dielectric elastomer actuators [12482-7]
- 12482 04 A self-sensing approach for multi-mode dielectric elastomer actuator-loudspeaker devices [12482-8]

#### EAP APPLICATIONS IN NON-PLANAR SHAPES

- 12482 05 Transparent PDMS fiber actuator with ionic liquid-based electrodes (Invited Paper) [12482-9]
- 12482 06 A method of testing pear fruit firmness with dielectric elastomer actuator excitation [12482-10]
- 12482 07 Low profile dielectric elastomer actuator system with unibody compliant joint transmission [12482-11]

#### SOFT STRAIN AND FORCE SENSORS I

12482 08Leveraging machine learning for arrays of soft sensors (Invited Paper) [12482-13]12482 09Sensitive robust tactile fingertips and shape-morphing actuation for robotic grippers [12482-14]12482 0AFor dielectric elastomers, fringe-sensing is not as quirky as it sounds [12482-15]12482 0BInvestigating open and closed dielectric elastomer structures for the development of a soft<br/>flexible and stretchable pressure sensor array for pressure injury prevention [12482-16]12482 0CEfficient swimming through electroactive polymer hydrodynamic sensing [12482-17]

#### FABRICATION AND MATERIALS FOR EAPS

12482 0D Electrode filling using capillary action of 3D printed elastomer microchannels [12482-18]

12482 OE	Self-healable, high-permittivity elastomers for dielectric elastomer actuators [12482-20]
12482 OF	Effects of the soft matrices in dielectric elastomer actuator electrodes on their actuation performance [12482-22]
12482 0G	Towards an understanding of piezoresistivity in filled polymer composites [12482-23]
	SOFT STRAIN AND FORCE SENSORS II
12482 OH	Improving diver-robot empathy with a haptic feedback smart glove [12482-26]

- 12482 01 An embedded self-sensing motion control system for a strip-shaped dielectric elastomer actuators [12482-27]
- 12482 OJ Dielectric elastomer sensors adapted for monitoring compression load of clamped battery cells [12482-28]

#### IONIC ACTUATORS

12482 OK Experimental characterization of actuation of anion-exchange membranes in salt solution [12482-30]

#### EAP ACTUATORS

12482 OL	Modeling of the actuation performance of dielectric elastomer unimorph bending actuators consisting of different materials (Invited Paper) [12482-35]
12482 OM	A bio-inspired multi-directional HASEL actuator-driven soft robotic tail: design and characterization [12482-36]
12482 ON	Free-standing tubular DEAs for multi-directional bending [12482-37]
12482 00	Investigation of the pre-stretch-dependent stability and force output of carbon-fiber-reinforced dielectric elastomer actuators [12482-38]
12482 OP	Printing electrodes for P(VDF-TrFE-CTFE) actuators using a consumer-grade inkjet printer [12482-39]
	POSTER SESSION

#### POSTER SESSION

12482 0Q An energy-based model for both rate-dependent and rate-independent hysteretic effects in uniaxially-loaded dielectric elastomer actuators [12482-40]

12482 OR	Multilayering VHB films for dielectric elastomer generators with improved lifetime [12482-41]
12482 OS	Influence of the active-to-passive area ratio on the electrically induced strain of a fiber-reinforced dielectric elastomer actuator [12482-43]
12482 OT	Peristaltic pumps based on polyvinyl chloride gel actuator [12482-45]
12482 OU	Modeling and control of conducting polymer based tri-layer transducer [12482-46]
12482 OV	What are steric effects? A purely continuum model [12482-47]
12482 OW	High-performance dielectric elastomer unimorph bending actuators without pre-stretch [12482-49]
12482 OX	Nylon-11 nanowires embedded in flexible substrates for piezoelectric transducers [12482-50]
12482 OY	Morphologically intelligent dielectric elastomer sensors based on micro-structured electrodes as resistive strain elements [12482-52]
12482 OZ	Digitalized data access of DE material models and their parameters using an OBD(M)A approach [12482-53]