2023 IEEE 34th International Symposium on Software **Reliability Engineering** (ISSRE 2023)

Florence, Italy 9-12 October 2023



IEEE Catalog Number: CFP23087-POD **ISBN:**

979-8-3503-1595-0

Copyright © 2023 by the Institute of Electrical and Electronics Engineers, Inc. All Rights Reserved

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

*** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

IEEE Catalog Number:	CFP23087-POD
ISBN (Print-On-Demand):	979-8-3503-1595-0
ISBN (Online):	979-8-3503-1594-3
ISSN:	1071-9458

Additional Copies of This Publication Are Available From:

Curran Associates, Inc 57 Morehouse Lane Red Hook, NY 12571 USA Phone: (845) 758-0400 Fax: (845) 758-2633 E-mail: curran@proceedings.com Web: www.proceedings.com



2023 IEEE 34th International Symposium on Software Reliability Engineering (ISSRE) **ISSRE 2023**

Table of Contents

xvii
xix
xxi
. xxiii
xxvi
xxvii
xxxiii

Research Track Sessions

Best Research Paper Candidates

On the Vulnerabilities of Text-to-SQL Models Xutan Peng (The University of Sheffield, UK), Yipeng Zhang (North China University of Technology, China), Jingfeng Yang (Amazon, USA), and Mark Stevenson (The University of Sheffield, UK)	. 1
 AutoKAD: Empowering KPI Anomaly Detection with Label-Free Deployment	13
Mind Your Enclave Pointers! Detecting Privacy Leaks for SGX Apps via Sparse Taint Analysis	24

Yang Chen (Fudan University; Ant Group), Jianfeng Jiang (Ant Group), Shoumeng Yan (Ant Group), and Hui Xu (Fudan University)

Research Session 1: Anomaly Detection I

 Practical Anomaly Detection over Multivariate Monitoring Metrics for Online Services	6
AFALog: A General Augmentation Framework for Log-Based Anomaly Detection with Active Learning	6
Chiming Duan (Peking University, China), Tong Jia (Peking University, China), Huaqian Cai (Peking University, China), Ying Li (Peking University, China), and Gang Huang (Peking University, China)	0
 An Empirical Analysis of Anomaly Detection Methods for Multivariate Time Series	7
 Efficient and Robust Trace Anomaly Detection for Large-Scale Microservice Systems	9

Research Session 2: Software Testing I

A Survey on What Developers Think About Testing Philipp Straubinger (University of Passau, Germany) and Gordon Fraser (University of Passau, Germany)	80
Towards the Implementation of a Mobile Application Testing Infrastructure at Von Braun Labs	91
Pedro Henrique Kuroishi (Federal University of São Carlos, Brazil), José Carlos Maldonado (University of São Paulo, Brazil), and Auri	
Marcelo Rizzo Vincenzi (Federal University of São Carlos, Brazil)	

Mind the Gap: The Difference Between Coverage and Mutation Score Can Guide Testing Efforts 10 Kush Jain (Carnegie Mellon University, Pennsylvania), Goutamkumar Tulajappa Kalburgi (Northern Arizona University, Arizona), Claire Le Goues (Carnegie Mellon University, Pennsylvania), and Alex Groce (Northern Arizona University, Arizona)	12
Do Mutations of Strongly Subsuming Second-Order Mutants Really Mask Each Other?	.4
Research Session 3: Security	
Intrusion Detection Without Attack Knowledge: Generating Out-of-Distribution Tabular Data 12 Andrea Ceccarelli (University of Florence, Italy) and Tommaso Zoppi (University of Florence, Italy)	25
An Approach to Characterize the Security of Open-Source Functions Using LSP	\$7
SAPPX: Securing COTS Binaries with Automatic Program Partitioning for Intel SGX	8
 Lark: Verified Cross-Domain Access Control for Trusted Execution Environments	0

Research Session 4: Anomaly Detection II

DeepUserLog: Deep Anomaly Detection on User Log Using Semantic Analysis and Key-Value Data.... 172

Wenjing Wang (Fudan University, China), Shida Lu (State Grid Shanghai Information & Telecommunication Company, China), Jianhui Luo (Fudan University, China), and Chengrong Wu (Fudan University, China)

fKPISelect: Fault-Injection Based Automated KPI Selection for Practical Multivariate Anomaly Detection
 LogRep: Log-Based Anomaly Detection by Representing Both Semantic and Numeric Information in Raw Messages
Parameter-Efficient Log Anomaly Detection Based on Pre-Training Model and LORA

Research Session 5: Software Testing II

Crucible: Graphical Test Cases for Alloy Models Adam G. Emerson (University of Texas at Arlington, USA) and Allison Sullivan (University of Texas at Arlington, USA)	. 218
Search-Based Test Case Selection for PLC Systems Using Functional Block Diagram Programs Miriam Ugarte Querejeta (Mondragon Unibertsitatea, Spain), Eunkyoung Jee (KAIST, South Korea), Lingjun Liu (KAIST, South Korea), Pablo Valle (Mondragon Unibertsitatea, Spain), Aitor Arrieta (Mondragon Unibertsitatea, Spain), and Miren Illarramendi Rezabal (Mondragon Unibertsitatea, Spain)	. 228
Can Code Representation Boost IR-Based Test Case Prioritization? Lin Yang (Tianjin University, China), Junjie Chen (Tianjin University, China), Hanmo You (Tianjin University, China), Jiachen Han (Tianjin University, China), Jiajun Jiang (Tianjin University, China), Zhe Sun (Tianjin University, China), Xinqi Lin (Tianjin University, China), Fang Liang (Tianjin University, China), and Yuning Kang (Tianjin University, China)	. 240

Contrastive Coincidental Correctness Representation Learning	252
Maojin Li (Chongqing University, China), Yan Lei (Chongqing	
University, China; Peng Cheng Laboratory, China), Huan Xie (Chongqing	
University, China), Jiaguo Wang (Chongqing University, China), Chunyan	
Liu (Chongqing University, China), and Zhengxiong Deng (Chongqing	
University, China)	

Research Session 6: Software Engineering for Reliability

How to Manage Change-Induced Incidents? Lessons from the Study of Incident Life Cycle
A Two-Stage Framework for Ambiguous Classification in Software Engineering
Identifying Root-Cause Changes for User-Reported Incidents in Online Service Systems
CODEC: Cost-Effective Duration Prediction System for Deadline Scheduling in the Cloud

Research Session 7: Autonomous Systems

EvoScenario: Integrating Road Structures into Critical Scenario Generation for Autonomous Driving System Testing	309
 From Collision to Verdict: Responsibility Attribution for Autonomous Driving Systems Testing Jixiang Zhou (University of Science and Technology of China, China), Shuncheng Tang (University of Science and Technology of China, China), Yan Guo (University of Science and Technology of China, China), Yan Guo (University of Science and Technology of China, China), Yan Guo (University, China), and Yinxing Xue (University of Science and Technology of China, China) 	321
Characterizing Reliability of Three-Version Traffic Sign Classifier System Through Diversity Metrics <i>Qiang Wen (University of Tsukuba, Japan) and Fumio Machida (University of Tsukuba, Japan)</i>	333
Risk-Driven Online Testing and Test Case Diversity Analysis for ML-Enabled Critical Systems Jubril Gbolahan Adigun (University of Innsbruck. Austria; Ainnov8 Technologies Ltd, Nigeria; Center for Artificial Intelligence (AI) Research Nepal, Nepal), Tom Philip Huck (Karlsruhe Institute of Technology (KIT), Germany), Matteo Camilli (Politecnico di Milano, Italy), and Michael Felderer (University of Innsbruck, Austria; German Aerospace Center (DLR), Germany; University of Cologne, Germany)	344

Research Session 8: Log Analysis

Loghub: A Large Collection of System Log Datasets for AI-Driven Log Analytics Jieming Zhu (The Chinese University of Hong Kong, China), Shilin He (The Chinese University of Hong Kong, China), Pinjia He (The Chinese University of Hong Kong Shenzhen, China), Jinyang Liu (The Chinese University of Hong Kong, China), and Michael R. Lyu (The Chinese University of Hong Kong, China)	355
Using Transformer Models and Textual Analysis for Log Parsing Vithor Bertalan (Polytechnique Montreal, Canada) and Daniel Aloise (Polytechnique Montreal, Canada)	367
Log Parsing Evaluation in the Era of Modern Software Systems Stefan Petrescu (Leibniz University Hannover), Floris den Hengst (ING Analytics), Alexandru Uta (DFINITY, Switzerland), and Jan S. Rellermeyer (Lebniz University Hannover)	379

EvLog: Identifying Anomalous Logs over Software Evolution	
Yintong Huo (The Chinese University of Hong Kong, China), Cheryl Lee	
(The Chinese University of Hong Kong, China), Yuxin Su (Sun Yat-sen	
University, China), Shiwen Shan (Sun Yat-sen University, China),	
Jinyang Liu (The Chinese University of Hong Kong, China), and Michael	
R. Lyu (The Chinese University of Hong Kong, China)	

Research Session 9: Reliability of Mobile Software Systems

Effectively Finding ICC-Related Bugs in Android Apps via Reinforcement Learning
Demand-Driven Information Flow Analysis of WebView in Android Hybrid Apps
 APIMind: API-Driven Assessment of Runtime Description-to-Permission Fidelity in Android Apps
ReSPlay: Improving Cross-Platform Record-and-Replay with GUI Sequence Matching

Research Session 10: Fault Injection and Root Cause Analysis

Online Failure Prediction Through Fault Injection and Machine Learning: Methodology and Case Study	451
Case Study João R. Campos (University of Coimbra), Ernesto Costa (University of Coimbra), and Marco Vieira (University of Coimbra)	
Evaluating and Enhancing the Robustness of Federated Learning System Against Realistic	
Data Corruption	462
Chen Yang (Beijing University of Posts and Telecommunications, China),	
Yuanchun Li (Tsinghua University, China), Hao Lu (Beijing University	
of Posts and Telecommunications, China), Jinliang Yuan (Beijing	
University of Posts and Telecommunications, China), Qibo Sun (Beijing	
University of Posts and Telecommunications, China), Shangguang Wang	
(Beijing University of Posts and Telecommunications, China), and	
Mengwei Xu (Beijing University of Posts and Telecommunications, China)	

Evaluating the Effect of Common Annotation Faults on Object Detection Techniques 4	474
Abraham Chan (The University of British Columbia, Canada), Arpan	
Gujarati (The University of British Columbia, Canada), Karthik	
Pattabiraman (The University of British Columbia, Canada), and Sathish	
Gopalakrishnan (The University of British Columbia, Canada)	
ServerRCA: Root Cause Analysis for Server Failure Using Operating System Logs Jiahao Shi (Fudan University, China), Sihang Jiang (Fudan University,	486

China), Bo Xu (Donghua University, China), and Yanghua Xiao (Fudan University, China)

Research Session 11: Deep Learning and Deep Neural Networks

Assessing and Improving Dataset and Evaluation Methodology in Deep Learning for Code Clone Detection Haiyang Li (Peking University, China), Qing Gao (Peking University, China), and Shikun Zhang (Peking University, China)	497
Why Do Deep Learning Projects Differ in Compatible Framework Versions? An Exploratory Study	509
Huashan Lei (Nanjing University of Aeronautics and Astronautics, China), Shuai Zhang (Nanjing University of Aeronautics and	
Astronautics, China), Jun Wang (Nanjing University of Aeronautics and Astronautics, China), Guanping Xiao (Nanjing University of Aeronautics	
and Astronautics, China), Yepang Liu (Southern University of Science and Technology, China), and Yulei Sui (University of New South Wales, Australia)	
Multi-Objective White-Box Test Input Selection for Deep Neural Network Model Enhancement Hongjing Guo (Nanjing University of Aeronautics and Astronautics, China) Churging Lawrence Intervention of Aeronautics and	521

China), Chuanqi Tao (Nanjing University of Aeronautics and Astronautics, China), and Zhiqiu Huang (Nanjing University of Aeronautics and Astronautics, China)

Zhiyang Zhou (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Jie Liu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China; University of Chinese Academy of Sciences, Nanjing, China), Wensheng Dou (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, Institute of Software, Chinese Academy of Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China; University of Chinese Academy of Sciences, Beijing, China; University of Chinese Academy of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Liangyi Kang (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Muzi Qu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Muzi Qu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), and Dan Ye (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China)	Fixing Robust Out-of-Distribution Detection for Deep Neural Networks
Academy of Sciences, Beijing, China), Jie Liu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China; University of Chinese Academy of Sciences, Nanjing, China), Wensheng Dou (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China; University of Chinese Academy of Sciences, Beijing, China; University of Chinese Academy of Sciences, Beijing, China; University of Chinese Academy of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Liangyi Kang (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Muzi Qu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), and Dan Ye (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China;	Zhiyang Zhou (State Key Lab of Computer Sciences, Institute of
Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China; University of Chinese Academy of Sciences, Nanjing, China), Wensheng Dou (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China; University of Chinese Academy of Sciences, China), Shuo Li (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Liangyi Kang (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Muzi Qu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Muzi Qu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), and Dan Ye (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China;	Software, Chinese Academy of Sciences, China; University of Chinese
China; University of Chinese Academy of Sciences, Beijing, China; University of Chinese Academy of Sciences, Nanjing, China), Wensheng Dou (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China; University of Chinese Academy of Sciences, China), Shuo Li (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Liangyi Kang (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Muzi Qu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Chinese Academy of Sciences, Beijing, China), Muzi Qu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), and Dan Ye (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China;	Academy of Sciences, Beijing, China), Jie Liu (State Key Lab of
University of Chinese Academy of Sciences, Nanjing, China), Wensheng Dou (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China; University of Chinese Academy of Sciences, China), Shuo Li (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Liangyi Kang (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Muzi Qu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), and Dan Ye (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; Sciences, Institute of Software, Chinese Academy of Sciences, China;	Computer Sciences, Institute of Software, Chinese Academy of Sciences,
Dou (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China; University of Chinese Academy of Sciences, China), Shuo Li (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Liangyi Kang (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Muzi Qu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), and Dan Ye (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; Institute of Software, Chinese Academy of Sciences, China; Sciences, Institute of Software, Chinese Academy of Sciences, Seijing, China),	China; University of Chinese Academy of Sciences, Beijing, China;
Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China; University of Chinese Academy of Sciences, China), Shuo Li (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Liangyi Kang (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Muzi Qu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), and Dan Ye (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China;	University of Chinese Academy of Sciences, Nanjing, China), Wensheng
Sciences, Beijing, China; University of Chinese Academy of Sciences, China), Shuo Li (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Liangyi Kang (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Muzi Qu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), and Dan Ye (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, Institute of Software Sciences, Institute of Software, Chinese Academy of Sciences, China;	Dou (State Key Lab of Computer Sciences, Institute of Software,
China), Shuo Li (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Liangyi Kang (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Muzi Qu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), and Dan Ye (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, Institute of Software,	Chinese Academy of Sciences, China; University of Chinese Academy of
Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Liangyi Kang (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Muzi Qu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), and Dan Ye (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, Institute of Software,	Sciences, Beijing, China; University of Chinese Academy of Sciences,
Academy of Sciences, Beijing, China), Liangyi Kang (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Muzi Qu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), and Dan Ye (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, Institute of Software,	China), Shuo Li (State Key Lab of Computer Sciences, Institute of
Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), Muzi Qu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), and Dan Ye (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China;	Software, Chinese Academy of Sciences, China; University of Chinese
China; University of Chinese Academy of Sciences, Beijing, China), Muzi Qu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), and Dan Ye (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China;	Academy of Sciences, Beijing, China), Liangyi Kang (State Key Lab of
Muzi Qu (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), and Dan Ye (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China;	Computer Sciences, Institute of Software, Chinese Academy of Sciences,
Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, Beijing, China), and Dan Ye (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China;	China; University of Chinese Academy of Sciences, Beijing, China),
Sciences, Beijing, China), and Dan Ye (State Key Lab of Computer Sciences, Institute of Software, Chinese Academy of Sciences, China;	Muzi Qu (State Key Lab of Computer Sciences, Institute of Software,
Sciences, Institute of Software, Chinese Academy of Sciences, China;	Chinese Academy of Sciences, China; University of Chinese Academy of
	Sciences, Beijing, China), and Dan Ye (State Key Lab of Computer
University of Chinese Academy of Sciences, Beijing, China)	Sciences, Institute of Software, Chinese Academy of Sciences, China;
	University of Chinese Academy of Sciences, Beijing, China)

Research Session 12: Smart Contract Vulnerability Detection

 Evaluating Ethereum Reentrancy Detection Tools via Mutation Testing
 PSCVFinder: A Prompt-Tuning Based Framework for Smart Contract Vulnerability Detection 556 Lei Yu (Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Junyi Lu (Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Xianglong Liu (Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Li Yang (Institute of Software, Chinese Academy of Sciences, China), Fengjun Zhang (Institute of Software, Chinese Academy of Sciences, China; State Key Laboratory of Computer Science, Institute of Software, Chinese Academy of Sciences, China), and Jiajia Ma (Institute of Software, Chinese Academy of Sciences, China)
 GraBit: A Sequential Model-Based Framework for Smart Contract Vulnerability Detection
ConvMHSA-SCVD: Enhancing Smart Contract Vulnerability Detection Through a Knowledge-Driven and Data-Driven Framework

Research Session 13: Fault Detection, Localization, and Prediction

IFCM: An Improved Fuzzy C-Means Clustering Method to Handle Class Overlap on Aging-Related Software Bug Prediction
Chen Zhang (Wuhan University of Technology, China; Wuhan University of Technology Chongqing Research Institute, China), Shuo Feng (Zhengzhou University, China), Wenzhi Xie (Wuhan University of Technology, China; Wuhan University of Technology Chongqing Research Institute, China), Dongdong Zhao (Wuhan University of Technology, China; Wuhan University of Technology Chongqing Research Institute, China), Jianwen Xiang (Wuhan University of Technology, China; Wuhan University of Technology Chongqing Research Institute, China), Roberto Pietrantuono (University of Naples Federico II, Italy), Roberto Natella (University of Naples Federico II, Italy), and Domenico Cotroneo (University of Naples Federico II, Italy)
TraceStream: Anomalous Service Localization Based on Trace Stream Clustering with Online Feedback
Tong Zhou (Fudan University, China; Shanghai Collaborative Innovation
Center of Intelligent Visual Computing, China), Chenxi Zhang (Fudan
University, China; Shanghai Collaborative Innovation Center of
Intelligent Visual Computing, China), Xin Peng (Fudan University,
China; Shanghai Collaborative Innovation Center of Intelligent Visual
Computing, China), Zhenghui Yan (Fudan University, China; Shanghai
Collaborative Innovation Center of Intelligent Visual Computing,
China), Pairui Li (Tencent Inc., China), Jianming Liang (Tencent Inc.,
China), Haibing Zheng (Tencent Inc., China), Wujie Zheng (Tencent
Inc., China), and Yuetang Deng (Tencent Inc., China)
Detecting Interpreter Bugs via Filling Function Calls in Skeletal Program Enumeration
Enabling Efficient Assertion Inference
Aayush Garg (University of Luxembourg, Luxembourg), Renzo Degiovanni
(University of Luxembourg, Luxembourg), Facundo Molina (IMDEA Software
Institute, Spain), Maxime Cordy (University of Luxembourg,
Luxembourg), Nazareno Aguirre (University of Río Cuarto and CONICET,
Argentina), Mike Papadakis (University of Luxembourg, Luxembourg), and
Yves Le Traon (University of Luxembourg, Luxembourg)

Research Session 14: Large Language Models and Reliability

LLaMA-Reviewer: Advancing Code Review Automation with Large Language Models Through Parameter-Efficient Fine-Tuning Junyi Lu (Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Lei Yu (Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Xiaojia Li (Tsinghua University, China), Li Yang (Institute of Software, Chinese Academy of Sciences, China), and Chun Zuo (Sinosoft Company Limited, China)	647
Resilience Assessment of Large Language Models Under Transient Hardware Faults Udit Kumar Agarwal (The University of British Columbia, Canada), Abraham Chan (The University of British Columbia, Canada), and Karthik Pattabiraman (The University of British Columbia, Canada)	659
 ShellGPT: Generative Pre-Trained Transformer Model for Shell Language Understanding Jie Shi (Fudan University, China), Sihang Jiang (Fudan University, China), Bo Xu (Donghua University, China), Jiaqing Liang (Fudan University, China), Yanghua Xiao (Fudan University, China), and Wei Wang (Fudan University, China) 	671

Research Session 15: Vulnerability Analysis and Fuzzing

Vulr A	cient Avoidance of Vulnerabilities in Auto-Completed Smart Contract Code Using nerability-Constrained Decoding	583
Ji C (I	EST: A Tree-Based Black-box Fuzzing Approach for RESTful APIs	595
K a o, A In In Ja a o, A In In	zing with Sequence Diversity Inference for Sequential Decision-Making Model Testing	'06
C	ne Peripheral Register Values for Fuzzing MCU Firmware	718

Research Session 16: Program Analysis

Characterizing Runtime Performance Variation in Error Detection by Duplicating Instructions	730
Dynamic Program Analysis with Flexible Instrumentation and Complex Event Processing Chukri Soueidi (Univ. Grenoble Alpes, CNRS, Inria, Grenoble INP, LIG, France), Yliès Falcone (Univ. Grenoble Alpes, CNRS, Inria, Grenoble INP, LIG, France), and Sylvain Hallé (Université du Québec à Chicoutimi, Canada)	742
 Precise Lazy Initialization for Programs with Complex Heap Inputs	752
A Probabilistic Delta Debugging Approach for Abstract Syntax Trees Guancheng Wang (Peking University, China), Yiqian Wu (Peking University, China), Qihao Zhu (Peking University, China), Yingfei Xiong (Peking University, China), Xin Zhang (Peking University, China), and Lu Zhang (Peking University, China)	763

Research Session 17: AI and Reliability

OPTango: Multi-Central Representation Learning Against Innumerable Compiler Optimization for Binary Diffing	774
Hongna Geng (SKLP, ICT, CAS, UCAS, China), Ming Zhong (SKLP, ICT, CAS, UCAS, China), Peihua Zhang (SKLP, ICT, CAS, UCAS, China), Fang Lv (SKLP, ICT, CAS, China), and Xiaobing Feng (SKLP, ICT, CAS, UCAS, China)	//4
Hidden-in-Wave: A Novel Idea to Camouflage AI-Synthesized Voices Based on	
Speaker-Irrelative Features	786
Xin Liu (Lanzhou University, China), Yuan Tan (Lanzhou University,	
China), Xuan Hai (Lanzhou University, China), Qingchen Yu (Zhejiang University, China), and Qingguo Zhou (Lanzhou University, China)	
Automatic Static Vulnerability Detection for Machine Learning Libraries: Are We There Yet?	795
Nima Shiri Harzevili (York University), Jiho Shin (York University),	
Junjie Wang (Institute of Software, Chinese Academy of Sciences), Song	
Wang (York University), and Nachiappan Nagappan (Meta)	
Author Index	807