# PROCEEDINGS OF SPIE

# Fourteenth International Conference on Information Optics and Photonics (CIOP 2023)

**Yue Yang** *Editor* 

7–10 August 2023 Xi'an, China

Organized by Chinese Laser Press (China)

Technical Cosponsor and Publisher SPIE

**Volume 12935** 

Part One of Two Parts

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in Fourteenth International Conference on Information Optics and Photonics (CIOP 2023), edited by Yue Yang, Proc. of SPIE 12935, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510671744

ISBN: 9781510671751 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2023 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

## Contents

xv Conference Committee

### Part One

### FOURTEENTH INTERNATIONAL CONFERENCE ON INFORMATION OPTICS AND PHOTONICS 12935 02 Erosion-clustering connected domain segmentation algorithm for phase error compensation [12935-2] 12935 03 Laser Doppler velocimeter using phase shift method for discrimination of the motion direction [12935-3] 12935 04 Light-sheet dual-modality imaging flow cytometry with a single detector for label-free particle **analysis** [12935-4] 12935 05 Optical design of a continuous zoom MWIR lens system with large field of view [12935-5] 12935 06 Adaptive communication anti-jamming technology based on microwave photonic [12935-6] 12935 07 Photon statistics of non-Gaussian entanglement based on two-mode photon-subtracted squeezed vacuum states [12935-7] 12935 08 Design of Si<sub>3</sub>N<sub>4</sub> microring array for optical pulse differentiation at multiple orders [12935-9] 12935 09 A deep neural network-based distortion registration technique for astronomical images [12935-10] 12935 0A Tongue diagnosis method based on the percentage of the primary color of the tongue and H-component-assisted analysis [12935-11] 12935 OB Analysis of the effect of profile selection on the simulation accuracy of fast simulation of satellite infrared channel transmittance [12935-13] 12935 0C Research progress on digital ROIC of infrared focal plane array detector [12935-15] 12935 0D Reliability investigation and failure analysis of 25Gb/s 850 nm oxide-confined VCSELs [12935-16] 12935 OE Three-dimensional shape measurement based on deep learning [12935-17] 12935 OF Compact lensless optoelectronic convolutional neural network for image classification [12935-18]

12935 0G	Low-loss compact 1×2 MMI coupler with hybrid structure based on rib-strip-rib waveguide for thick-silicon platform [12935-21]
12935 OH	Particle size analysis of transformer oil pollutants using dynamic light scattering technique [12935-22]
12935 01	Simple multi-band radar signals generation using photon-photon resonance effect in three-section monolithic integrated directly-modulated laser [12935-25]
12935 OJ	Raman distributed optical fiber temperature measurement system based on scattered light power correction [12935-26]
12935 OK	Correcting aberrations while adjusting the focal length of holographic optical elements on a large scale $[12935\text{-}27]$
12935 OL	Vascular imaging of in vivo human skin using a fiber-based PS-OCT system [12935-28]
12935 OM	A prospective approach for retrieving the values of distinct anisotropic source in tissues [12935-29]
12935 ON	Performance of optical OAM demultiplexing system based on a scattering medium diffuser [12935-30]
12935 00	Design of high-Q and high-sensitivity terahertz metamaterial sensors for trace detection [12935-31]
12935 OP	Intelligent target detection of underwater optical images based on image enhancement [12935-33]
12935 OQ	Infrared and visible maritime image fusion based on PIAFusion [12935-34]
12935 OR	Optical image super-resolution in dark underwater background via SwinIR [12935-35]
12935 OS	Spatial separation of azimuthally and radially polarized beams via patterned liquid-crystal alignment induced by sparse polymer ribbons [12935-36]
12935 OT	Scattering characteristics of dual Gaussian beams by a uniaxial anisotropic coated sphere [12935-37]
12935 OU	The simulation design of composite heat sink of 830nm energy-supplying laser [12935-38]
12935 OV	High-performance microring resonator enhanced Ge-on-Si single photon avalanche diode [12935-40]
12935 OW	Mitigating the impact of non-ideal PRBS on photonics-assisted compressive sensing systems through complementary PRBS and parallel links [12935-41]
12935 OX	Research on feedback type all fiber current transformer status monitoring [12935-42]
12935 OY	Highly integrated repetition frequency locking control system for optical frequency comb

12935 OZ	Four-channel voltage-driven cylindrical liquid crystal lenses with a laterally shiftable optical axis [12935-45]
12935 10	Spectral width calibration technology of frequency modulated laser pulse using morphology matching [12935-46]
12935 11	Photoelectronic synaptic transistor with tunable plasticity for neuromorphic computing system [12935-47]
12935 12	Suppression of mechanical error in micro-rotation-angle measurement of optical pumped atomic magnetometers [12935-50]
12935 13	Two-color patterned display of perovskite thin films by laser direct writing technology [12935-53]
12935 14	An external-cavity wavelength-swept laser with a wide mode-hopping free tuning range based on Littman-Metcalf configuration [12935-54]
12935 15	Frequency-stabilized 1550-nm single-frequency all-fiber pulsed laser for coherent Doppler lidar [12935-56]
12935 16	E- and S-band bismuth-doped fiber amplifier [12935-57]
12935 17	Research of femtosecond laser-assisted etching of fused silica micro-optics devices [12935-58]
12935 18	Design and crosstalk suppression of deep subwavelength waveguides [12935-59]
12935 19	Ultrasonic detection of aircraft composite structures by using a high-sensitivity and high-reliability TPU sensor [12935-60]
12935 1A	Polarization-insensitive silicon oxynitride Mach-Zehnder interferometers for LAN-WDM [12935-61]
12935 1B	Photoacoustic property of Gallium-based liquid metals measured with intensity modulated high repetition supercontinuum laser [12935-63]
12935 1C	Unraveling the origin of dominant exciton and band structure details in bilayer MoTe <sub>2</sub> [12935-64]
12935 1D	Binocular depth estimation method based on multi-layer guiding feature fusion [12935-67]
12935 1E	Area expansion effect of glare suppression with low-transmittance eigenchannels of transmission matrices [12935-68]
12935 1F	Design and performance of OSR based on AZO metasurface [12935-70]
12935 1G	An attention-based kernel correlation neural network for 3D point cloud registration [12935-71]

12935 1H	A simulation study of photoacoustic imaging for bladder cancer [12935-72]
12935 11	IR chalcogenide microlens arrays [12935-73]
12935 1J	Photosensitizer concentration monitoring in photodynamic therapy of bladder by photoacoustic imaging technique [12935-74]
12935 1K	Selective preparation of high-performance Cu metal micropatterns based on laser direct writing technology [12935-75]
12935 1L	The two methods for simulation implementation of laser jamming effect image [12935-77]
12935 1M	Pulse generation with user-defined position in phase-modulated optical frequency-shifting loop [12935-78]
12935 1N	Defect detection and recognition technology in wheel images based on deep learning [12935-79]
12935 10	Close-to-carrier phase noise suppression in optoelectronic oscillator [12935-80]
12935 1P	Near-infrared plasmonic switch effect of polarization modulation induced by surface plasmon polaritons [12935-81]
12935 1Q	Multi-feature fusion weld crack segmentation method based on visible image detection and ECPT [12935-82]
12935 1R	High precision 3D measurement with few images based on deep learning [12935-84]
12935 18	Three-dimensional displacement sensing with a nanoparticle on waveguide film structure [12935-85]
12935 1T	Efficient and broad-bandwidth nonlinear optical frequency conversion based on the electro-optic effect [12935-90]
12935 1U	Tunable terajets formed by core-shell microspheres for high-resolution terahertz zoom imaging [12935-92]
12935 1V	Analysis of temperature characteristics of high power vertical cavity surface emitting laser arrays [12935-93]
12935 1W	Design and comparison of dispersion lens for spectral confocal displacement sensor [12935-94]
12935 1X	Modulation format identification based on the mean-shift algorithm [12935-95]
12935 1Y	Parameter design and optimization of light field 3D display [12935-96]
12935 1Z	Low noise figure bismuth-doped fiber amplifier based on Sagnac comb filter [12935-97]
12935 20	Mitigation of the impact of Doppler shift on ranging accuracy [12935-98]

12935 21	Wavelength multiplexed $\Phi$ -OTDR based on a cross-arranged dual-wavelength UWFBG array [12935-100]
12935 22	Single-shot quantitative phase imaging (QPI) using wavelength multiplexing [12935-101]
12935 23	Semi-analytical Monte Carlo simulation of lidar underwater target [12935-105]
12935 24	Highly sensitive SPR refractive index sensor based on twisted dual side-hole optical fiber [12935-106]
12935 25	Short-coherence laser based on ASE-induced white noise modulation [12935-107]
12935 26	Interference-induced noise-like soliton molecules in a fiber laser [12935-108]
12935 27	Real-time reproduction of mode-locked pulse generation via high-speed spectrum matching algorithm [12935-109]
12935 28	Three-segment fiber transmission dispersion management method for femtosecond lasers in terahertz time-domain spectroscopy systems [12935-110]
12935 29	Research on the effect of light source beam angle on the performance of ultraviolet communication [12935-111]
12935 2A	Filtering characteristics of external cavity diode laser based on angular spectrum theory [12935-112]
12935 2B	Hybrid MPI-CUDA accelerated multi-frame blind deconvolution algorithm [12935-113]
12935 2C	Eight-dimensional trellis coded modulation scheme based on probabilistic-geometric joint shaping in high-speed optical communications [12935-115]
12935 2D	A new simulation method for moiré control of LED background screen in film and television shooting [12935-116]
12935 2E	A comprehensive equivalent circuit model of silicon microring modulators for electronic and photonic integrated circuit codesign [12935-118]
12935 2F	A polarization-maintaining mode-locked laser consuming 30mW of pump power: design and characterization $[12935\text{-}119]$
12935 2G	Application of vortex beam interference in displacement measurement [12935-120]
12935 2H	Linear dual-chirp microwave waveforms generation based on period-one state of integrated mutual injection laser [12935-121]
12935 21	A high efficiency metrology for asymmetric grating structure based on scalar diffraction theory and intelligence optimization [12935-122]

12933 ZJ	[12935-123]
12935 2K	A inertial navigation/laser Doppler velocimeter/geomagnetic sensor integrated navigation method [12935-124]
12935 2L	Dispersion engineering of mid-infrared quantum cascade laser frequency combs based on silicon photonic integrated circuits [12935-125]
12935 2M	The role of color-centered models in the fiber-forming process [12935-127]
12935 2N	Focal length measurement of Greek-ladder photon sieves using quasi-Walsh phase retrieval [12935-128]
12935 20	Mechanisms of active detection on micro-cameras based on cat-eye effect with different incident angles [12935-130]
Part Two	
12935 2P	Ion shuttling based on accurate potential control technology [12935-131]
12935 2Q	Analysis on calibration and control of diffuse laser signal in guidance simulation [12935-132]
12935 2R	Simultaneous position prediction and intensity correction of quadrant detector-based detection system [12935-133]
12935 2S	Study on neural network setting proper samples in dynamic light scattering particle size analysis [12935-135]
12935 2T	Longitudinal tear detection of conveyor belt based on laser line assist template matching method [12935-136]
12935 2U	Physical layer encryption scheme using chaotic index permutation based on M-ary bit reversal mechanism in CO-OFDM system [12935-137]
12935 2V	Pure optical detection photoacoustic microfluidic chip for studying two-phase flow droplets [12935-138]
12935 2W	Watt-level antimony laser diodes emitting at 2 µm [12935-139]
12935 2X	FLANN-based inter-code crosstalk suppression study for underwater laser communication [12935-140]
12935 2Y	Broadband microwave signal reception based on optical down-conversion and coherent demodulation [12935-142]
12935 2Z	Research on laser confocal free-form surface measurement method based on adaptive ant colony algorithm [12935-143]

12935 30	Dual-comb pulses in a wavelength multiplexed fiber laser based on multimodal interference filtering effect [12935-144]
12935 31	Autofocus optical imaging system based on image processing [12935-145]
12935 32	Design and implementation of trusted production lines based on active metric control technology for optical access networks [12935-146]
12935 33	Improved IQ imbalance compensation algorithm in faster-than-Nyquist coherent optical communication systems [12935-149]
12935 34	Analysis of the dominating factors affecting the ability of laser detection and scattering interception [12935-153]
12935 35	Research on global stereo matching technology based on dynamic programming [12935-155]
12935 36	Flexible continuous phase shifts method for binary defocusing technique with short pitch fringes [12935-156]
12935 37	Computation efficient and low jitter timing synchronization scheme enabled a single-lane 112 Gb/s PAM-4 optical link [12935-157]
12935 38	Effect of azimuthal phase gradient variation on optical spiral vortex [12935-158]
12935 39	High sensitivity integrated optical waveguide electric field sensor based on lithium niobate [12935-159]
12935 3A	A flexible EKF/CKF switching scheme with fast frequency offset estimation method compensating fast RSOP induced by the lightning strikes [12935-160]
12935 3B	Wavelet denoising implementation in acetylene concentration detection based on swept frequency modulated photoacoustic spectroscopy [12935-161]
12935 3C	Polarimetric imaging based on coherent lidar for target detection [12935-163]
12935 3D	Analysis of extreme ultraviolet mask defect inspection based on complex amplitudes of the aerial images [12935-164]
12935 3E	Simulation research on steering hydrogen maser to the strontium optical lattice clock to generate the time scale [12935-169]
12935 3F	Distributed fiber seismic detection coverage and earthquake magnitude estimation [12935-170]
12935 3G	A simple and effective method for shaping Gaussian beam into collimated flat-top beam [12935-171]
12935 3H	Research progress of InGaAs single-photon avalanche diode arrays detector [12935-172]
12935 31	Free-running dual-comb spectroscopy based on calibration of passive devices [12935-173]

12935 3J	Hole-assisted dual-core fiber refractive index sensor based on LP $_{01}$ and LP $_{11}$ mode coupling $\left[12935\text{-}174\right]$
12935 3K	Adaptive fringe generation with OBB and homography transform for various objects [12935-175]
12935 3L	Femtosecond laser inscribed Bragg grating in hollow suspended-core fiber for refractive index sensing [12935-179]
12935 3M	Micro-lab on tip: Michelson interference and Fabry-Perot interference cascade dual-core optical fiber sensor [12935-181]
12935 3N	End-to-end deep learning method for absolute phase retrieval [12935-182]
12935 30	Application of multidimensional polarization in aerosol source analysis [12935-186]
12935 3P	Research on characteristics of reverse reflected signals in visible light communication [12935-187]
12935 3Q	Design and fabrication of the single side-nickel-core optical fiber [12935-188]
12935 3R	Luminescence enhancement of green perovskite by localized surface plasmon resonance [12935-189]
12935 3\$	Research on single-frame fringe phase unwrapping methods [12935-193]
12935 3T	High resolution soft x-ray spectrometer: description and performance [12935-194]
12935 3U	Research on wavelength hopping low probability of intercept coherent LiDAR technology [12935-195]
12935 3V	Study on the efficiency improvement of side-pumped all-solid-state ultraviolet lasers [12935-196]
12935 3W	Experimental demonstration of PSK Y-00 quantum noise randomized stream cipher based on cascaded multiple phase modulators [12935-197]
12935 3X	A multi-axis interferometer based 6-DoF readout system for the gravitational wave detection [12935-198]
12935 3Y	Low-loss silicon nitride waveguides and high-Q microring resonators at 2-µm wavelength [12935-199]
12935 3Z	The influence of the surface passivation layer of SiPM on its optical response characteristics [12935-200]
12935 40	Explainable feature selection by SHAP for signal recognition of $\Phi$ -OTDR system [12935-203]
12935 41	Photo-birefringent effects of crystalline coatings in ultra-stable cavities [12935-204]

12935 42	On-chip circulator-free dispersion compensator with large and linear group delay based on chirped waveguide Bragg gratings [12935-206]
12935 43	Wavelength beam combining of 850 nm and 2000 nm lasers based on an adiabatic optical coupler [12935-207]
12935 44	Comparison of light scattering and dispersion features of nanoparticles manipulated by pulsed and continuous optical tweezers $[12935-208]$
12935 45	Measurement of cell mechanical properties based on a light-navigating probe [12935-209]
12935 46	Performance bounds of dual-hop hybrid RF-UWOC system with inverse Mellin transform [12935-212]
12935 47	Few-mode erbium-doped fiber amplifier for mode-division multiplexed transmission [12935-214]
12935 48	Four-core erbium-doped fiber amplifier for space division multiplexing transmission [12935-215]
12935 49	Design of a compact single-photon LiDAR optical system for aerosol detection [12935-216]
12935 4A	Laser cleaning of marble samples using picosecond laser at three different wavelengths [12935-217]
12935 4B	Experimental research on laser cleaning of an ancient bronze ware [12935-225]
12935 4C	Method to enlarge the viewing angle of integral imaging using two overlapped display panels [12935-227]
12935 4D	Wavelength-switchable polarization-multiplexed dual-comb fiber laser based on intracavity loss and birefringence tuning [12935-228]
12935 4E	Multilayer defect compensation based on three dimensional absorber correction in EUV lithography [12935-229]
12935 4F	Fabrication and characterization of few mode S-shape optical waveguide at 1310 nm/1550 nm $\left[12935\text{-}230\right]$
12935 4G	Deterministic generation of Kerr soliton microcomb in coupled microresonators by a single shot pulsed trigger [12935-235]
12935 4H	Study of InGaAs/InP avalanche photodiodes to suppress edge breakdown [12935-238]
12935 41	Terahertz confocal microscopy based on Fibonacci super-oscillatory lens [12935-239]
12935 4J	Spectral characteristics optimization of high power semiconductor laser diodes by adjusting the reflectivity of the cavity surface coating film [12935-240]
12935 AK	Research on TSOM detection method for subsurface defects of ontical components [12935-241]

12935 4L	Fiber-integrated catenary wave-driven metasurfaces for beam focusing [12935-243]
12935 4M	Mode diagnostic methods for few-mode optical fiber devices [12935-245]
12935 4N	Theoretical study of multi-gas sensing chip using backward interference \$i <sub>3</sub> N <sub>4</sub> microcavity Kerr comb [12935-247]
12935 40	System parameter optimization with improved genetic algorithm for laser triangulation sensors [12935-251]
12935 4P	An ultra-stable laser based on a room-temperature optical cavity with crystalline coatings [12935-253]
12935 4Q	Design and fabrication of a butterfly-packaged diode laser with stabilized power output for space applications [12935-259]
12935 4R	Parallel FPI using concave cavity and collimator for large-range displacement and temperature sensing [12935-260]
12935 4\$	Single shot 3D imaging by active illumination and point-spread-function engineering [12935-262]
12935 4T	A compact silicon hybrid plasmonic waveguide polarization controller for high density silicon photonics integration [12935-264]
12935 4U	Parameters extraction for the DFB laser spectrum based on adaptive differential evolution algorithm [12935-270]
12935 4V	Investigation of high-polarization-isolation optical parametric amplifier using a periodically poled lithium niobate waveguide $[12935-274]$
12935 4W	Data reduction adaptive digital back propagation algorithm [12935-275]
12935 4X	A sapphire fiber Bragg grating strain sensor operating in high temperature environment [12935-279]
12935 4Y	Chirped and tilted fiber Bragg gratings inscribed by femtosecond laser direct writing technology [12935-280]
12935 4Z	Highly localized fiber Bragg grating for directional vibration sensing at high temperature [12935-281]
12935 50	Improving the spatial resolution and signal-to-noise ratio of BOTDR using double-pulse coding $\left[12935\text{-}282\right]$
12935 51	Design of silicon couplers for efficient coupling of SOI silicon waveguides to single-mode fibers [12935-283]
12935 52	Research on optical interconnection system employing deep learning assisted LDPC coding [12935-284]

12935 53	Three-dimensional polarization ray-tracing Mueller algorithm for an optical system with arbitrary surface type [12935-286]
12935 54	Distributed optical fiber sensing system based on a semiconductor laser with optical injection [12935-287]
12935 55	Optical probabilistic shaping DMT system employing deep learning assisted forward error correction decoding [12935-288]
12935 56	Optical system design of 2D/3D continuous zoom objective lens [12935-289]
12935 57	Optimizing measurement configuration for x-ray critical dimension metrology based on condition number [12935-290]
12935 58	Performance of mode division multiplexing system based on generalized polarization transformation with channel estimation [12935-292]
12935 59	Simulation analysis of thermally induced deformation on reticle for deep ultraviolet lithography [12935-293]
12935 5A	Non-uniform sampling based frequency shifting fringe projection technique [12935-295]
12935 5B	Study on 760nm silicon nitride microring resonator filter [12935-296]
12935 5C	Improved photoelectric and thermal stability in all-inorganic metal halide perovskite by mixed-halogen [12935-297]
12935 5D	Design and simulation of vertical cavity surface emitting laser based on all-inorganic perovskite [12935-298]
12935 5E	Broadband optical frequency comb generation in lithium niobate microring resonator by dispersion engineering [12935-303]
12935 5F	A PMD-tolerant CD estimation algorithm for FTN coherent optical transmission systems [12935-304]
12935 5G	The energy limit for the molecular alignment by the femtosecond laser pulse [12935-306]