

PROCEEDINGS OF SPIE

AOPC 2023: AI in Optics and Photonics

**Juejun Hu
Jianji Dong**
Editors

**25–27 July 2023
Beijing, China**

Sponsored by
Chinese Society for Optical Engineering (CSOE) (China)

Technical Cosponsor
SPIE

Organized by
Laser Technology Committee, CSOE (China)
Infrared Technology Committee, CSOE (China)
THz Technology Committee, CSOE (China)
Imaging and Detection Technology Committee, CSOE (China)
Advanced Optical Manufacturing Youth Expert Committee, CSOE (China)

Published by
SPIE

Volume 12966

Proceedings of SPIE 0277-786X, V. 12966

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *AOPC 2023: AI in Optics and Photonics*, edited by Juejun Hu, Jianji Dong, Proc. of SPIE 12966, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510672383

ISBN: 9781510672390 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2023 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL
LIBRARY**

SPIDigitalLibrary.org

Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

ix *Conference Committee*

AI IN OPTICS AND PHOTONICS

- 12966 02 **Weakly supervised phase unwrapping for fringe projection profilometry** [12966-1]
- 12966 03 **Thermally tunable high-order microring filters with large free-spectral-range** [12966-3]
- 12966 04 **High extinction ratio of silicon photonics Mach-Zehnder IQ-modulators with wide optical bandwidth through power compensation** [12966-4]
- 12966 05 **Inverse design of a dual-band wavelength demultiplexing power splitter based on two-step hybrid binary-analog optimization** [12966-5]
- 12966 06 **Generation of frequency-degenerate photon pairs in a bidirectionally pumped silicon micro-ring resonator** [12966-7]
- 12966 07 **Experimental study on chemical mechanical polishing of LNOI surfaces** [12966-8]
- 12966 08 **Development of integrated photonic AI based on reservoir computing with wavelength nodes** [12966-10]
- 12966 09 **A non-volatile bipolar optical fiber memory based on phase change materials** [12966-11]
- 12966 0A **Challenges and application of artificial intelligence technology in the field of space optical telescopes** [12966-12]
- 12966 0B **Infrared image super-resolution enhancement technology based on improved real-ESRGAN** [12966-13]
- 12966 0C **High-frequency broadband radar signal generation based on optical frequency comb** [12966-15]
- 12966 0F **Multichannel simultaneous DFS and AOA estimation of microwave signals based on photonic approach** [12966-18]
- 12966 0G **Dispersion-assisted scheme with optical self-interference cancellation and image rejection mixing** [12966-19]
- 12966 0H **Silicon 8-bit high-resolution optical true-time delay line** [12966-20]
- 12966 0I **Influence of laser phase noise on photonics-aided terahertz wireless communication system** [12966-22]

- 12966 OJ **A grayscale mapping method for infrared images based on generative adversarial networks** [12966-24]
- 12966 OK **High-power traveling wave photodetector with monolithically integrated bias circuitry network on a silicon photonics platform** [12966-25]
- 12966 OL **Study on performance evaluation of intelligent photovoltaic defect detection by electroluminescence imaging** [12966-26]
- 12966 OM **Real-time digitized RoF transceiver technology based on FPGA** [12966-28]
- 12966 ON **Developing a polarization-insensitive conformal near-IR carpet cloak with broadband capability to suppress lateral shift** [12966-29]
- 12966 OO **Demonstration of 112Gb/s PAM4/6 signal transmission in IM/DD systems using MLSE** [12966-30]
- 12966 OP **Optical computing for neural ordinary differential equations** [12966-31]
- 12966 OQ **Efficient and tolerant chip-to-chip optical coupling via silicon nitride grating couplers** [12966-32]
- 12966 OR **Two-dimensional Si photonic crystal waveguide branch for 850 nm and 950 nm wavelengths** [12966-33]
- 12966 OS **Photonic multi-chip integration enabled by photonic wire bonds (PWB)** [12966-34]
- 12966 OT **Optoelectronic integrated circuits co-simulation in Verilog-A** [12966-35]
- 12966 OU **Hardware-in-the-loop simulation and precision evaluation of UAV swarm cooperative localization based on AOA measurement utilizing optical phase scanning** [12966-36]
- 12966 OV **Temperature-insensitive polarization mode converter based on thin-film periodically-poled lithium niobate** [12966-37]
- 12966 OW **Effect of trapped charges and ionic charges distribution on n⁺-on-p HgCdTe photodiode properties** [12966-38]
- 12966 OX **Degradation mechanism of 1310nm vertical cavity surface emission laser** [12966-39]
- 12966 OY **Precise linewidths measurement using short delay self-heterodyne interferometry and multiple peak-to-valley differences** [12966-40]
- 12966 OZ **Optical coupler of combining lens coupling and edge coupling for the coupling between the chip and the laser off the chip** [12966-41]
- 12966 IO **Dual wideband signal generation with different tuning mechanisms based on the same optoelectronic oscillator** [12966-42]
- 12966 II **Cross-domain parallel simulation technology for a massive array microwave photonics system** [12966-43]

- 12966 12 **Dynamic range enhancement of photonic sampling based on chirp management in cavity-less optical pulse source** [12966-44]
- 12966 13 **Fabrication of millimeter-scale crystal whispering gallery mode resonators** [12966-45]
- 12966 14 **Research on the performance improvement of microwave photonic frequency down-conversion link** [12966-47]
- 12966 15 **TE-pass polarizers based on mode rotation and coupling in SOI platform** [12966-48]
- 12966 16 **Multi-beam optical beamformer based on the integrated arrayed waveguide grating** [12966-49]
- 12966 17 **Analysis and measurement of optical polarization state modulation in thin-film lithium niobate waveguides** [12966-50]
- 12966 18 **Numerical simulation on free-carrier induced by two photon absorption in all optical silicon modulators** [12966-51]
- 12966 19 **InP-based uni-travelling-carrier photodiode array monolithically integrated circuit** [12966-52]
- 12966 1A **Focal plane array with small-scale grating antenna receiving array for LiDAR** [12966-53]
- 12966 1B **High-efficiency mode converters compatible with different mode fields for thin film lithium niobate** [12966-54]
- 12966 1C **Deep learning-assisted design for metasurfaces with purified single resonant peak** [12966-55]
- 12966 1D **The effect of amplitude and delay errors on the S21 of a multi-channel broadband microwave photonic link** [12966-57]
- 12966 1E **A frontside-illuminated single-photon avalanche diode with high photon detection probability** [12966-58]
- 12966 1F **Reconfigurable pulse-compression signal generation based on DP-QPSK modulator** [12966-59]
- 12966 1G **Frequency diverse array signal generation based on dual optical frequency combs** [12966-60]
- 12966 1H **Microwave photonic pulse radar system based on optical frequency operation modulation for high-resolution target detection** [12966-61]
- 12966 1I **Silicon-based multi-channel wavelength-division multiplexers for microring optical interconnects** [12966-62]
- 12966 1J **A simple microwave photonic phase shifter based on waveplate rotation** [12966-63]
- 12966 1K **A graph-based global routing method for single photonic integrated circuit waveguide connection** [12966-64]

- 12966 1L **Suppression of time-delayed signature in chaotic signals based on optoelectronic hybrid feedbacks** [12966-65]
- 12966 1M **Optical frequency comb generation by gain-switching a monolithic integrated injection-locked DFB laser based on REC technology** [12966-66]
- 12966 1N **Broadband microwave photonic mixer based on a single dual-drive Mach-Zehnder modulator with high image rejection ratio** [12966-67]
- 12966 1O **Ultra-low-phase-noise Ka band microwave optoelectronic oscillator and its application in frequency conversion** [12966-68]
- 12966 1P **Effects of carrier leakage problem on coherent communications** [12966-69]
- 12966 1Q **Optical true time delay technique with bidirectional consistency based on unidirectional optical amplifier** [12966-70]
- 12966 1R **High efficiency T-type matched resonant enhanced microwave photonics receiving chip** [12966-71]
- 12966 1S **Reduction of sampling rate in a time-interleaved photonic ADC for RF direct sampling** [12966-72]
- 12966 1T **Microwave pulse signal generation based on an active mode-locking optoelectronic oscillator by employing an electric mixer** [12966-74]
- 12966 1U **Design of MZI electro-optic modulator on lithium niobate heterogeneous integration platforms** [12966-75]
- 12966 1V **Design, fabrication, and characterization of high-Q SION waveguide ring resonators** [12966-76]
- 12966 1W **Two-dimensional beam steering based on hitless wavelength-selective switch array** [12966-77]
- 12966 1X **Demonstration of MWP radar by hardware-in-the-loop simulation based on tunable MWP generated signal and electric receiving link** [12966-79]
- 12966 1Y **Multi-wavelength laser array based on REC integrated with silicon-based devices by photonic wire bonding** [12966-82]
- 12966 1Z **Study of different methods in 800G integrated coherent receiver testing** [12966-83]
- 12966 20 **Microwave photonic approach to spatial distance measurement** [12966-84]
- 12966 21 **An implementation of complex-valued matrix-vector multiplication based on MZI array for photonic neural networks** [12966-85]
- 12966 22 **Ultra-low temperature-sensitivity optical cable and its application to large-scale microwave photonics signal distribution** [12966-86]
- 12966 23 **Non-volatile and ultra-fast photonic vector accelerator with optical phase change materials and integrated microcomb** [12966-87]

- 12966 24 **Busyness level-based deep reinforcement learning method for routing, modulation, and spectrum assignment of elastic optical networks** [12966-90]
- 12966 25 **An integrated photonics reservoir computing using chaotic semiconductor laser hybrid with Si₃N₄ micro-resonator** [12966-93]
- 12966 26 **Photonic differentiator employing self-induced optical modulation effect** [12966-94]
- 12966 27 **Photonic synthesis based ultra-wide band signal generation** [12966-95]
- 12966 28 **CMOS-compatible low-loss silicon nitride-assisted double-etching silicon O-band edge coupler with 180-nm minimum width** [12966-96]
- 12966 29 **Photonics-assisted microwave instantaneous frequency measurement based on frequency-power mapping** [12966-98]
- 12966 2A **Effect of metal/semiconductor contact size on the annealing parameters of ohmic contact** [12966-99]
- 12966 2B **Multi-functional microwave photonic circuit based on thin film lithium niobate platform** [12966-100]
- 12966 2C **Research on the application of optoelectronic oscillators in airborne radar operational environment** [12966-101]
- 12966 2D **Research progress of on-chip linearization methods for microwave photonic systems** [12966-102]
- 12966 2E **Inverse design of high extinction ration narrow-band filters based on silicon nitride multimode waveguide Bragg gratings** [12966-103]