

2023 IEEE International Conference on Plasma Science (ICOPS 2023)

**Santa Fe, New Mexico, USA
21-25 May 2023**



**IEEE Catalog Number: CFP23ICO-POD
ISBN: 979-8-3503-0267-7**

**Copyright © 2023 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***** *This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP23ICO-POD
ISBN (Print-On-Demand):	979-8-3503-0267-7
ISBN (Online):	979-8-3503-0266-0
ISSN:	0730-9244

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

2023 IEEE International Conference on Plasma Science (ICOPS)

Identifier:	Abstract Title:	Authors:	Page:
PL-2.1	High Power Terahertz Sources: New Applications and Challenges	E. Choi	1

BASIC PHENOMENA

O-1.1.1	An Exact Quantum Mechanical Model of Tunneling through a Time Dependent Barrier	<u>N. Riga</u> ¹ , D. Shiffler ¹ , K. Jensen ² , J. Petillo ³ , J. Lebowitz ⁴ , B. Seviour ⁵	N/A
O-1.1.2	Study of Ionization rate in microwave microplasmas by PIC/MCC Simulations	<u>H. Wang</u> ¹ , A. Venkatraman ² , A. Loveless ¹ , S. Mahajan ¹ , <u>A. Garner</u> ¹	3
O-1.1.3	Incorporating Collisions into the Limiting Current of a Crossed-Field Gap	<u>L. I. Breen</u> ¹ , A. M. Loveless ¹ , A. M. Komrska ¹ , K. L. Cartwright ² , A. L. Garner ¹	4
O-1.1.4	Nanosecond streamer discharge development in inhomogeneous magnetic field	<u>A. Starikovskiy</u> ¹ , N. Aleksandrov ² , M. Shneider ¹	5
O-1.1.5	Kinetic modeling of beam-neutralization in a background neutral gas	<u>N. Nuwal</u> ¹ , D. A. Levin ¹	6
O-1.1.6	The Plasma Processes of Porous Dielectric Discharge based on Percolation Structure	<u>H. Wang</u> ¹ , Y. Hu ¹ , L. Rao ¹ , K. Chen ¹ , C. Yao ¹ , F. Wu ¹ , Y. Chen ¹	7
O-3.1.1	Electron Cycloidal and Brillouin Flows in a Two-Dimensional Planar Crossed-Field Gap	<u>X. Zhu</u> ¹ , J. W. Luginsland ² , J. Browning ³ , A. L. Garner ¹	66
O-3.1.2	Simulations of an electron plasma frequency instability driven by a macroscopic electric field	<u>L. P. Beving</u> ¹ , S. Baalrud ^{2, 1} , M. Hopkins ³	67
O-3.1.3	Plasma Pattern Dynamics on a Liquid interface	<u>O. Dubrovski</u> ¹ , J. Yang ¹ , P. Rumbach ¹ , F. Veloso ³ , H.-C. Chang ² , D. B. Go ^{1, 2}	68
O-3.1.4	Theory of the Ion-Electron Temperature Relaxation Rate in Strongly Magnetized Plasmas	<u>L. Jose</u> ¹ , <u>S. Baalrud</u> ²	69
O-3.1.5	Relativistic Space-Charge-Limited Current in Nonplanar Diodes	<u>J. Halpern</u> ¹ , <u>N.R. Sree Harsha</u> ¹ , A. Darr ² , A. Garner ¹	70
O-3.1.6	Effects of Hole Depth on Radio-Frequency Discharge Characteristics with a Hollow Electrode	<u>L. He</u> ¹ , F. He ² , J. Ouyang ²	71
O-5.1.1	Towards understanding the role of plasma sheaths in bulk liquid chemistry: oxidization of ionic salts by a gas-liquid pulsed DC discharge	<u>F. J. Ganzallo</u> ¹ , S. Mededovic Thagard ¹	134
O-5.1.2	Investigation of Ion Emission from Metal Targets	<u>M. P. Polek</u> ^{1, 2} , E. Kautz ³ , T. Ahmed ² , B. Kowash ² , F. Beg ¹ , S. Harilal ²	135

O-5.1.3	Comparing Continuum and Particle-in-Cell Simulations at Microscale*	<u>A. Loveless</u> ¹ , V. Ayyaswamy ³ , H. Wang ¹ , A. Semnani ² , A. Garner ¹	136
O-5.1.4	Finite Ion Temperature Effects on Three-Dimensional Coupled Kinetic Instabilities in Partially Magnetized Plasmas	<u>A. C. Denig</u> ¹ , K. Hara ¹	137
O-5.1.5	Cylindrical Particle-in-Cell Simulation and Orbital Motion Limited Theory for Langmuir Probe	<u>Y. Yamashita</u> ¹ , S. Gimelshein ² , K. Hara ¹	138
O-5.1.6	Streamer discharge instabilities under repetitive nanosecond pulses	<u>Z. Zhao</u> ¹ , Q. Gao ¹ , A. Sun ¹ , J. Li ¹	139
P-1.2	Techniques for Determining Space-Charge Limited Current for Nonplanar Crossed-Field Diodes	<u>J. K. Wright</u> ¹ , N.R. S. Harsha ¹ , A. L. Garner ¹	235
P-1.6	Relaxation dynamics of magnetized plasma bubbles propagating into a background magnetized plasma and the emergence of Magneto-Rayleigh Taylor instability	<u>S. Hajisadeghi</u> ¹ , L. Webster ¹ , M. Gilmore ¹	236
P-1.7	Transmission Line Modeling and Statistic Analysis of Nanoscale Tunneling Electrical Contacts	<u>B. Wang</u> ¹ , S. Banerjee ² , P. Zhang ¹	237
P-1.8	Theoretical Analysis of Electron Trajectories in a Collisional Crossed-Field Gap	<u>A. M. Komrska</u> ¹ , L. I. Breen ¹ , A. M. Loveless ¹ , K. L. Cartwright ² , A. L. Garner ¹	238
P-1.9	Extended magnetohydrodynamic simulations of coaxial-gun-formed plasmas	<u>L. Webster</u> ¹ , S. Hajisadeghi ¹ , M. Gilmore ¹	239
P-1.10	Modeling Neutron Radiation Damage in Bipolar Junction Transistors Isolated from an Integrated Circuit	<u>S. Banerjee</u> ¹ , L.T.T. Ho ² , X. Gao ¹ , J. Young ¹ , L. C. Musson ¹ , H. Barnaby ² , T. Buchheit ¹	240
P-1.11	Ion Energy Measurements in a Capacitively Coupled Plasma with a Tailored Voltage Waveform Bias	<u>J. R. Prager</u> ¹ , T. M. Ziemba ¹ , J. Perry ¹ , K. Muggli ¹	241
P-1.12	Progress on characterisation of a large helicon device for non-linear microwave interactions	<u>K. Wilson</u> ¹ , <u>C. Whyte</u> ¹ , L. Selman ¹ , K. Ronald ¹ , M. Koepke ^{2, 1} , A. Phelps ¹ , B. Bingham ^{3, 1} , R. Bamford ³ , C. Robertson ¹ , P. MacInnes ¹ , A. Cross ¹ , A. Cairns ^{4, 1}	242
P-1.13	Temperature Separation under Compression of Moderately-Coupled Plasma from Thermodynamic Principles	<u>H. Fetsch</u> ¹ , T. E. Foster ¹ , N. Fisch ¹	243
P-1.14	Photoionization Calculation Rate in a Gaseous Medium	<u>A. Alibalazadeh</u> ¹ , A. Fierro ¹ , J. Lehr ¹ , J. Smith ² , M. Gilmore ¹	244
P-1.15	Spectroscopic Characterization of Uranium Laser Produced Plasma	<u>M. P. Polek</u> ^{1, 2} , M. Phillips ³ , F. Beg ¹ , S. Harila ²	245

P-1.17	Average trajectory method for computing magnetohydrodynamic transport coefficients	<u>S. D. Baalrud</u> ¹	246
P-1.18	Temperature Relaxation Rates for Strongly Magnetized Plasmas in Antimatter Traps	<u>J. C. Welch</u> ¹ , S. Baalrud ¹ , L. Jose ¹ , T. Tharp ²	247
P-1.19	Streamer discharge propagation in air gaps with density gradients	<u>A. Starikovskiy</u> ¹ , A. Dogariu ¹ , M. Schneider ¹	248
P-1.20	Field Direction Dependent Particle Heating and Plasma Production in a Helicon Source	<u>K. J. Stevenson</u> ¹ , T. Gilbert ¹ , P. Srivastava ¹ , M. Paul ¹ , P. Shi ¹ , S. Yadav ¹ , R.S. Nirwan ¹ , T. Steinberger ¹ , E. Scime ¹	249
FAST Z PINCHES			
O-1.2.2	CHARACTERIZING SOLID-TO-PLASMA EVOLUTION OF METALS DRIVEN BY MEGAAMPERE CURRENT PULSES USING COMPUTATIONAL MAGNETOHYDRODYNAMICS (MHD) SIMULATIONS	<u>S. E. Kreher</u> ^{1, 2} , C. Rousculp ¹ , B. Bauer ² , A. Klemmer ²	8
O-1.2.4	Kinetic models of gas-puff z-pinch implosions	<u>N. L. Bennett</u> ¹ , D. R. Welch ²	9
O-1.2.5	Measuring energy transport in gas-puff z-pinch implosions using Thomson Scattering	<u>E. S. Lavine</u> ¹ , A. Rososhek ¹ , W. Potter ¹ , J. Angel ¹ , E. Freeman ¹ , C. Chen ¹ , D. Hammer ¹ , B. Kusse ¹	10
O-3.2.1	Experimental study of the coupling of the magnetic field and Z-pinch plasma using laser diagnosis	<u>Z. Jiang</u> ¹ , J. Wu ¹ , W. Wang ¹ , Z. Chen ¹ , Z. Wang ¹ , Y. Lu ¹ , Y. Zhao ¹ , H. Shi ¹ , X. Li ¹ , A. Qiu ¹	72
O-3.2.2	Effect of the pulsed axial magnetic field on a preconditioned Z pinch implosion	<u>J. Wu</u> ¹ , <u>Z. Jiang</u> ¹ , W. Wang ¹ , Z. Chen ¹ , Z. Wang ¹ , Y. Lu ¹ , Y. Zhao ¹ , H. Shi ¹ , X. Li ¹ , A. Qiu ¹	73
O-3.2.3	Current Development of Ion Deflectometry in Z-pinch Plasmas	<u>V. Munzar</u> ¹ , D. Klir ¹ , J. Cikhardt ¹ , B. Cikhardtova ¹ , J. Kravarik ¹ , P. Kubes ¹ , J. Novotny ¹ , J. Malir ¹ , K. Rezac ¹	74
O-3.2.4	D-D fusion neutron emission and plasma dynamics in 3.1-kJ plasma focus operating with D ₂ and D ₂ +Ar gas mixtures	<u>L. Marciniak</u> ¹ , K. Rezac ¹ , J. Novotny ¹ , J. Kravarik ¹ , D. Klir ¹ , P. Kubes ¹ , J. Cikhardt ¹ , B. Cikhardtova ¹ , M. Akel ²	75
O-3.2.5	Development and Implementation of Laser Schlieren Imaging and Interferometry to Diagnose Structure and Electron Density in a Dense Plasma Focus*	<u>S. Rocco</u> ¹ , B. Shaw ¹ , C. Goyon ¹ , S. Jiang ¹ , C. Cooper ¹ , S. Chapman ¹ , A. Link ¹ , P. Campbell ¹ , A. Youmans ¹ , A. Schmidt ¹	76
O-3.2.6	Effect of an axial dynamic magnetic mirror on the precursor plasma of cylindrical wire-array Z-pinch	<u>C. Chen</u> ¹ , E. S. Lavine ¹ , W. M. Potter ¹ , B. R. Kusse ¹	77
O-5.2.1	2D and 3D initial condition surface perturbation effects on plasma formation on high-current-density conductors	<u>M. W. Hatch</u> ^{1, 2} , T. J. Awe ¹ , E. P. Yu ¹ , B. T. Hutsel ¹ , M. A. Gilmore ²	140

O-5.2.3	Hybrid X-pinch on a Small Dense Plasma Focus Device	<u>J. Novotny</u> ¹ , D. Klir ¹ , J. Cikhardt ¹ , K. Rezac ¹ , B. Cikhardtova ¹ , J. Kravarik ¹ , P. Kubes ¹ , J. Malir ¹ , V. Munzar ¹	141
O-5.2.4	The effect of time-dependent level kinetics in a 1-D MHD simulation of an argon gas z-pinch implosion*	<u>N. Ouart</u> ¹ , A. Dasgupta ¹ , A. Velikovich ¹ , J. Giuliani ² , M.-A. Schaeuble ³ , J. Schwarz ³ , D. Ampleford ³ , R. Vesey ³ , C. Jennings ³ , B. Jones ³	142
O-5.2.6	Full-Circuit Simulation of the China Z-Pinch Driver CZ15 and Potential for Producing the K-shell Yield Assessment	<u>Y. Zhao</u> ¹ , J. Wu ¹ , Z. Wang ¹ , Z. Jiang ¹ , Z. Chen ¹ , X. Li ¹	143
O-6.2.1	Simulations of Low and High Current Dense Plasma Focus	<u>A. Beresnyak</u> ¹ , S. L. Jackson ¹ , E. R. Kaiser ¹ , A. L. Velikovich ¹ , V. L. Kantsyrev ² , A. S. Safranova ² , R. J. Comisso ^{1, 3} , J. W. Schumer ¹ , A. Dasgupta ¹	N/A
O-6.2.2	Characterization of Plasma Properties and Turbulence in Ne and Ar Gas-Puff Z-Pinch Implosions	<u>A. Rososhek</u> ¹ , S. Lavine ¹ , B. Kusse ¹ , W. Potter ¹ , D. Hammer ¹	170
O-6.2.4	New Spectroscopic Features Radiated from Low-Atomic-Number Z-pinch Plasmas	<u>A. S. Safranova</u> ¹ , V. L. Kantsyrev ¹ , N. S. Prins ¹ , K. Panter ¹ , R. R. Childers ¹ , V. V. Shlyaptseva ¹	171
P-3.1	X-ray Energy Spectrum Measurement of Wire-Shorted Rod-Pinch Diode Using a Compact Absorption Spectrometer	<u>P. Zhang</u> ¹ , Y. Wang ¹ , H. Shi ¹ , C. Zhang ¹ , M. Xu ¹ , D. Wang ¹ , J. Wu ¹ , X. Li ¹ , A. Qiu ¹	365
P-3.2	Radiative instabilities in the stagnation layer of colliding, x-ray driven plasma flows	<u>K. Marrow</u> ¹ , T. Mundy ¹ , J. Halliday ¹ , A. Crilly ¹ , J. Chittenden ¹ , R. Mancini ² , S. Merlini ¹ , S. Rose ¹ , D. Russell ¹ , J. Strucka ¹ , L. Suttle ¹ , V. Valenzuela-Villaseca ¹ , S. Bland ¹ , S. Lebedev ¹	366
P-3.3	X-ray Observations of Radiatively Cooled Magnetic Reconnection Driven by Pulsed-Power on the Z Machine	<u>J. Hare</u> ¹ , R. Datta ¹ , K. Chandler ² , S. Hansen ² , Q. Looker ² , A. Edens ² , N. Chaturvedi ³ , J. Chittenden ³ , A. Crilly ³ , W. Fox ⁵ , C. Jennings ² , H. Ji ⁵ , C. Kuranz ⁶ , S. Lebedev ³ , C. Myers ⁷ , D. Uzdensky ⁴	367
P-3.4	A Magnetic Flux Compression Platform on MAIZE for Investigating Helical Instability Modes	<u>J. M.J. Chen</u> ¹ , G. Dowhan ¹ , A. Shah ¹ , B. Sporer ¹ , D. Yager-Elorriaga ² , N. Jordan ¹ , R. McBride ¹	368
P-3.5	X-Pinches and Faraday Rotation Imaging on the MAIZE Pulsed Power Facility	<u>G. V. Dowhan</u> ¹ , J. M.J. Chen ¹ , N. Jordan ¹ , S. Bland ² , S. Lebedev ² , R. Smith ² , L. Suttle ² , S. Pikuz ³ , R. D. McBride ¹	369

P-3.6	Estimating plasma sheath inductance in the MJOLNIR Dense Plasma Focus	P. C. Campbell¹ , C. M. Cooper ¹ , A. J. Link ¹ , A. Youmans ¹ , S. R. Rocco ¹ , S. F. Chapman ¹ , C. S. Goyon ¹ , L. Frausto ¹ , K. Walters ¹ , A. E. Schmidt ¹	370
P-3.7	Development and Investigation of an Active Plasma Lens to Focus a Proton Beam for LIGHT at FAIR	M. U. Dehmer¹ , M. Iberler ¹ , J. Jacoby ¹ , G. Loisch ² , G. Moortgat-Pick ³	371
P-3.8	Simulations of Radiatively Cooled Magnetic Reconnection Driven by Pulsed-Power on the Z Machine	R. Datta¹ , A. Crilly ³ , N. Chaturvedi ³ , K. Chandler ² , S. Chowdhry ¹ , W. Fox ⁴ , C. Jennings ² , H. Ji ⁴ , C. Kuranz ⁵ , S. Lebedev ³ , C. Myers ² , D. Uzdensky ⁶ , J. Chittenden ³ , J. Hare ¹	372
P-3.9	Development of a Multi-Axis B-dot Probe Array for COBRA Pulsed-Power Experiments	J. A. Kiviat¹ , E. S. Lavine ¹ , D. Hammer ¹	373
P-3.10	Pulsed Power and Diagnostic capabilities for High Energy Density Physics Studies in the UC San Diego Pulsed Power Plasmas Group	S. Bott-Suzuki¹ , P. Valdivia ¹ , J. Simpson ¹ , H. Hu ¹ , A. Truong ¹ , S. Bland ² , S. Parker ² , J. Yan ³ , D. Russell ²	374
P-3.11	Finding suprathermal tail of ion distribution in fusion Z-pinch plasma using several neutron time-of-flight detectors placed at different directions	K. Rezac¹ , D. Klir ¹ , J. Cikhhardt ¹ , J. Novotny ¹ , V. Munzar ¹ , B. Cikhardtova ¹ , J. Malir ¹ , P. Kubes ¹ , L. Marciniak ¹	375
P-3.12	Deuterium plasma implosion experiments on the PFZ-200 plasma focus with the help of novel schlieren diagnostics.	B. Cikhardtova¹ , P. Kubes ¹ , J. Cikhhardt ¹ , J. Novotny ¹ , D. Klir ¹ , V. Munzar ¹ , K. Rezac ¹ , J. Malir ¹ , J. Kravarik ¹	376
P-3.13	Advances in Imaging Refractometry Technique Development	A. Rososhek¹ , B. Kusse ¹ , W. Potter ¹ , S. Lavine ¹ , D. Hammer ¹	377

FUSION- INERTIAL, MAGNETIC, & ALTERNATE CONCEPTS

O-1.3.3	Analysis of Instability Development in Quasi-Isentropically Compressed Cylindrical Liner Implosion Simulations	G. Shipley¹ , A. Porwitzky ¹ , D. Ruiz ¹ , C. Jennings ¹ , D. Yager-Elorriaga ¹	11
O-1.3.5	Verification of macro-scale Kelvin-Helmholtz enabled material mixing during the preheat stage of Magnetic Liner Inertial Fusion	M. Adams¹ , K. Beckwith ¹	12
O-1.3.6	Effects of Charged-Particle Products of Advanced Fusion Fuels During Stabilized Liner Compression of FRC Targets	P. J. Turchi¹	13

O-3.3.2	Electrostatic Orbitron Fusion Reactor: First-Order Power Balance Estimates	<u>R. Langtry</u> ¹ , S. Hepner ¹ , M. Borghei ¹ , D. Velazquez ¹ , V. Podolsky ¹ , B. Riordan ¹	78
O-3.3.3	Investigating the formation and scaling of helical structures in axially magnetized magnetically driven implosions	<u>M. R. Gomez</u> ¹ , M. R. Weis ¹ , M. B. Adams ¹ , T. J. Awe ¹ , N. D. Hamlin ¹ , C. A. Jennings ¹ , M. R. Martin ¹ , G. A. Shipley ¹ , J. M. Woolstrum ¹ , D. A. Yager-Elorriaga ¹ , E. P. Yu ¹ , L. N. Shulenburger ¹ , D. J. Ampleford ¹	79
O-3.3.4	Electrostatic Orbitron Fusion Reactor: Particle-in-Cell Plasma Density and Power Balance Simulations	<u>R. Langtry</u> ¹	80
O-3.3.5	Elevated electron temperatures coincident with neutron generation in a sheared-flow stabilized Z pinch	<u>C. Liekhus-Schmaltz</u> ¹ , B. Levitt ¹ , C. Goyon ² , J.T. Banasek ³ , S. Bott-Suzuki ³ , E. Meier ¹ , L. Morton ¹ , A. Taylor ¹ , B. Nelson ¹ , U. Shumlak ^{1,4}	81
O-5.3.1	Fusion Gain and Triple Product for the Sheared-Flow-Stabilized Z Pinch	<u>U. Shumlak</u> ^{1,2} , E. Meier ¹ , B. Levitt ¹	144
O-5.3.3	Time-dependent evolution of Field-Reversed Configurations through quasi-equilibrium states	<u>T. E. Weber</u> ¹	145
O-5.3.4	Nuclear imaging capabilities at the National Ignition Facility	<u>M. Durocher</u> ¹	146
O-5.3.6	Research on Richtmyer-Meshkov Instability and Magnetic Field Control under Secondary Shock	<u>J. Song</u> ^{1,2} , L. Miao ¹ , A. Xu ^{2,3} , F. Chen ⁴	148
P-2.48	Modeling of the Zap Energy Fusion Concept	<u>P. H. Stoltz</u> ¹ , D. W. Crews ¹ , J. Dadras ¹ , I. A. Datta ¹ , E. T. Meier ¹ , N. Reddell ¹ , A. S. Richardson ¹ , C. Roark ¹ , A. Stepanov ¹ , D. A. Sutherland ¹ , W. Thomas ¹ , B. Levitt ¹ , U. Shumlak ^{1,2}	342
P-2.49	Further Considerations of a Flow-Stabilized Z-pinch for Megagauss Fusion	<u>P. J. Turchi</u> ¹ , U. Shumlak ²	343
P-2.50	Inertially Confined Fusion Experiments Using 3D-Printed Spherical Capsules	<u>T. A. Coffman</u> ¹ , Y. Kim ¹ , P. M. Kozlowski ¹ , J. M. Levesque ² , R. H. Dwyer ¹ , R. S. Lester ³ , C. E. Fry ¹ , L. M. Green ³ , R. W. VanDervort ¹ , B. M. Haines ³	344
P-2.51	Optimization of the Gamma Reaction History Diagnostic for Double-Shell Campaigns on the National Ignition Facility	<u>R. H. Dwyer</u> ¹ , K. D. Meaney ¹ , Y. Kim ¹	345
P-2.52	The Sheared-Flow-Stabilized Z-Pinch Approach to Fusion Energy	U. Shumlak ^{1,2} , B. Nelson ¹ , <u>B. Levitt</u> ¹	346
P-2.53	Theoretical investigation of Eddy Current flow in Spherical Tokamaks	<u>S.U.-D. Khan</u> ¹	347

P-2.54	Optically multiplexed neutron time-of-flight technique for ion temperature imaging in inertial confinement fusion	<u>L. Tafoya</u> ^{1, 2} , C. Danly ¹ , C. Wilde ¹ , V. Geppert-Kleinrath ¹ , R. McBride ²	348
P-2.55	Science Opportunities for University Fusion Research From State-of-the-Art Magnet, Control, and Data Systems	<u>M. Mauel</u> ¹	349
P-2.56	Measurements of Plasma Liner Characteristics at the Plasma Liner Experiment (PLX)	<u>A. LaJoie</u> ^{1, 2} , F. Chu ² , S. Langendorf ² , A. Case ³ , F. Witherspoon ³ , M. Gilmore ¹	350
P-2.57	Characterization of Standing Alfvén Waves Driven by Interaction between Magnetic Fields and Compact Toroids	<u>F. Chu</u> ¹ , A. LaJoie ^{2, 1} , S. Langendorf ¹ , T. Byvank ¹ , J. Olson ³ , D. Endrizzi ³ , K. McCollam ³	351
P-2.58	Target Formation Experiments and Modeling for Plasma Jet Driven Magneto-Inertial Fusion	<u>S. Langendorf</u> ¹ , A. LaJoie ¹ , F. Chu ¹ , A. Case ² , D. Michta ³ , F. D. Witherspoon ² , H. Wen ³ , E. Hansen ³ , P. Farmakis ³ , C. Ren ³ , P. Tzeferacos ³	352

EXTREME STATES- WARM DENSE MATTER AND HEDP

O-1.4.1	Model Independent Electron-Ion Equilibration Rate, Debye Temperature, and Bond Strength Measurements in Warm Dense Metals with Inelastic X-ray Scattering	<u>T. D. Griffin</u> ¹ , D. Haden ¹ , T. White ¹ , B. Nagler ² , H.-J. Lee ² , E. Galtier ² , D. Khaghani ² , S. Yunus ² , E. Cunningham ² , J. Hastings ² , J. Molina ¹ , S. Glenzer ² , E. McBride ² , L. Fletcher ² , G. Monaco ³ , U. Zastrau ⁴ , K. Appel ⁴ , S. Goede ⁴ , L. Wollenweber ⁴ , D. Gericke ⁵ , G. Gregori ⁶ , A. Descamps ² , B. Armentrout ² , M. Convery ² , S. Goede ⁴	14
O-1.4.2	Simulation of a strong steady-state plasma shock in a warm dense matter regime	<u>B. D. Keenan</u> ¹ , C. D. Smith ² , D. Livescu ¹ , J. R. Haack ¹ , R. S. Pavel ¹	15
O-1.4.3	Diagnosing non-thermal particles in magnetic reconnection experiments using Thomson scattering	<u>L. G. Suttle</u> ¹ , C. Bruulsema ^{2, 5} , J. W. Halliday ¹ , S. Totorica ³ , F. Fiuzta ⁴ , W. Rozmus ² , S. Lebedev ¹	16
O-1.4.4	Shock and Impulse of 2-D and 3-D Test Objects Using the LLNL NIF Direct Laser Impulse Facility*	<u>J. F. Davis III</u> ¹ , K. Carpenter ² , B. Blue ² , S. Ly ² , D. Hinshelwood ³ , A. Sibley ⁴	17
O-3.4.1	Creation and validation of electrical conductivity models	<u>K. Cochrane</u> ¹ , A. Porwitzky ¹ , B. Stoltzfus ¹ , R. Lemke ¹ , Z. Rifford ¹ , J. Carpenter ¹	82
O-3.4.2	Investigation of X-pinch plasma dynamics using a ps time-resolved X-ray streak camera	<u>A. T. Elshafiey</u> ^{2, 1} , N. Chalmers ¹ , D. Hammer ¹	83

O-3.4.4	Investigate Electron Density Perturbations in Supersonic Magnetised HED Plasmas using Imaging Refractometer and Thomson Scattering diagnostics	S. Merlini¹, J.D. Hare², G.C. Burdiak³, J.W.D. Halliday¹, K. Marrow¹, L.G. Suttle¹, D.R. Russell¹, A.J. Crilly¹, J. P. Chittenden¹, S.V. Lebedev¹	84
O-3.4.5	Accurate Temperature Diagnostics for Warm Dense Matter	T. Dornheim¹	85
O-3.4.6	Multi-scale modeling and simulations of underwater electrical wire explosion	Z. Liu¹, X. Zou¹, X. Wang¹	86
O-5.4.2	Multi-Mbar Z experiments and EOS modeling of the most useful titanium alloy.	P. Kalita¹, K. Cochrane¹, M. Knudson¹, T. Ao¹, H. Hanshaw¹, S. Crockett², D. Swift³	150
P-3.69	High speed convergent shockwaves driven in dielectrics driven by exploding wires on the 14MA M3 pulse-powered facility	K. Mughal¹, S. Bland¹, J. Strucka¹, Y. Yao¹, J. Chittenden¹, L.S. Caballero Bendixsen², F. Suzuki-Vidal², J. Skidmore², J. Read², C. Dobranszki², H. Doyle², Y. Krasik³, D. Maler³	423
P-3.70	Study on liquid-vapor two phase region of copper using underwater electrical wire explosion	S. Park¹, H. Lee¹, K.-J. Chung¹	424
P-3.71	Accessing the collisionless regime using a pulsed power driven, exploding wire array platform	L. G. Suttle¹, J. Chu¹, D. Duszynski¹, D. Russell¹, J. Halliday¹, S. Merlini¹, K. Marrow¹, T. Mundy^{1, 2}, S. Lebedev¹	425
P-3.72	Calculating Ion Transport Coefficients in Warm Dense Matter	L. J. Babati¹, S. Baalrud¹, N. Shaffer²	426
P-3.73	The Thermal Conductivity of Warm Dense Planetary Interiors	S. Shores¹, C. Allen¹, T. Doeppner², L. Morrison¹, M. O. Schoelmerich², M. Oliver³, D. Haden¹, Y. Ping², D. Gericke⁵, L. Divol², N. Schaffer⁴, T. White¹	427

NONEQUILIBRIUM PLASMA APPLICATIONS

O-1.5.1	Microplasmas Sustained in the sub-THz Band	J. Hopwood¹	18
O-1.5.2	Smart Photons from Microplasma-based UV Devices: New Opportunities in the Microelectronics, Health Care, and Micro/Nano Processing	S.-J. Park^{1, 2}, J.G. Eden^{1, 2}	19
O-1.5.3	A Plasma Matching Approach to Realize Wideband and Efficient Small Antennas	A. Semnani¹, K. Singhal¹, S. T. Moon¹	20
O-3.5.2	Investigation of Ge/Si Core/Shell Nanoparticle Growth in Nonthermal Plasmas	Y. Gui¹, J. Polito¹, M. J. Kushner¹	87
O-3.5.4	Nanosecond-pulsed plasma oxidation with electrocatalytic reduction for sustainable ammonia production	J. Sun^{1, 2}, R. Zhou², A. R. Jalili¹	88

O-3.5.5	Minature Microwave Inductive Coupled Plasma as a Source of Atomic Oxygen for Plasma Deposition of Thin Films	<u>I. Stefanovic</u> ¹ , H.-E. Porteanu ² , M. Klute ³ , R.-P. Brinkmann ³ , P. Awakowicz ¹	89
O-3.5.6	Modeling of a discharge-pumped XeCl excimer laser with a magnetic pulse compression circuit: effect of the peaking capacitor	<u>J. Chen</u> ¹ , Z. Zhao ¹ , Z. Wang ¹ , Y. Fu ¹	90
P-3.14	Controlled combustion by spatiotemporal control of plasma kinetics	<u>S. K. Dhali</u> ¹ , F. P. Mosley ¹	378
P-3.15	A dielectric sheet covering rough surface to enhance the uniformity of plasma treatment: a modelling study	<u>H. Shang</u> ¹ , W. Ning ¹ , X. Huang ¹ , J. Ren ¹ , Z. Wang ¹ , L. Zhao ¹ , S. Jia ¹	379
P-3.16	Ammonia Synthesis Using a Membrane Dielectric-Barrier Discharge Reactor: Design and Performance Assessment	<u>V. Veng</u> ¹ , B. Tabu ¹ , E. Simasiku ¹ , J. E. Landis ¹ , H. J. Mack ¹ , M. L. Carreon ¹ , J. P. Trelles ¹	380
P-3.17	Hydrogen Production from Cellulose via Spark Dielectric Barrier Discharge Plasma	<u>B. Tabu</u> ¹ , D. C. Maree ² , S.K. Das ¹ , E. Brack ³ , T. Alexander ³ , J.H. Mack ¹ , H.-W. Wong ² , J. P. Trelles ¹	381
P-3.19	Development of Microwave Plasma and Microwave Heater Combination Devices	<u>S.-H. Jung</u> ¹ , H.-J. Lee ¹	382
P-3.20	Plasma-Assisted Dry Reforming of Methane Over Heterogeneous Ni/Al ₂ O ₃ Catalyst.	<u>D. E. Guerrero</u> ^{1, 2} , T. Wong ¹ , J. L. Lopez ¹ , S. Tanielyan ³	383

DUSTY & STRONGLY COUPLED PLASMAS

O-1.6.1	Synchronization of Nonlinear Waves in Dusty Plasma	<u>A. Mir</u> ¹ , S. Tiwari ¹ , A. Sen ² , C. Crabtree ³ , G. Ganguli ³ , J. Goree ⁴	21
O-1.6.2	Strong Coulomb Coupling Influences Ion Diffusion in Atmospheric Pressure Plasmas	<u>M. D. Acciarri</u> ¹ , S. Baalrud ¹ , C. H. Moore ²	22
O-1.6.3	Dust in an afterglow plasma can undergo a double reversal in its charge polarity	<u>N. Chaubey</u> ¹ , J. Goree ¹	23
O-1.6.4	Measurements and modeling of dust grain transport in strongly magnetized plasmas	<u>E. Thomas</u> ¹ , S. Williams ¹ , E. Price ¹ , S. Chakraborty Thakur ¹ , U. Konopka ¹ , V. Dharodi ¹ , E. Kostadinova ¹	24
O-1.6.5	Signature of gyrophase drift: Analysis of charging dynamics relevant to magnetized-orbit dusty-plasma confinement and space-dust trajectories	<u>M. Koepke</u> ¹ , J. Walker ¹ , M. Zimmerman ¹ , W. Farrell ¹ , V. Demidov ¹	25
O-1.6.6	Growth and Analysis of Titanium Dioxide Dusty Microparticle In Capacitively Coupled Rf-Plasmas	<u>B. Ramkorun</u> ¹ , S. Jain ¹ , A. Taba ² , M. Mahjouri-Samani ² , S. C. Thakur ¹ , R. B. Comes ¹ , E. Thomas Jr. ¹	26
O-3.6.1	Simulation of Dust Removal from Surfaces in Plasmas and Comparisons with Experiments	<u>T. W. Lizotte</u> ¹ , N. A. Gatsonis ¹	91

O-3.6.2	Self-organized pattern formation and spatiotemporal dynamics of filaments in strongly magnetized plasmas	<u>S. Chakraborty Thakur</u> ¹ , S. Williams ¹ , E. Price ¹ , E. Thomas Jr. ¹	92
O-3.6.3	Residual microparticle charge measured in a spatio-temporal afterglow plasma	<u>J. C.A. van Huijstee</u> ¹ , P. Blom ² , J. Beckers ¹	93
O-3.6.4	Structure transitions in dusty plasmas confined by an annular potential well	<u>V. Dharodi</u> ¹ , E. Kostadinova ¹ , U. Konopka ¹ , E. Thomas ¹	94
O-3.6.5	Orbital Free Average Atom Models for Warm Dense Matter	<u>Z. Johnson</u> ¹ , M. Murillo ¹ , G. Petrov ²	95

COMPUTATIONAL PLASMA PHYSICS

O-2.1.1	Far field boundary conditions for two dimensional magnetohydrodynamic strip line modeling	<u>A. C. Robinson</u> ¹	27
O-2.1.2	Physics-Informed Data-Driven Machine Learning Cross-Scale Cold Atmospheric Plasma Chemistry	<u>L. Lin</u> ¹ , S. Gershman ² , Y. Raitses ² , M. Keidar ¹	28
O-2.1.3	Towards an implicit highly scalable stabilized FE formulation for compressible MHD with application to MCF in Tokamak geometries	<u>J. Bonilla</u> ¹ , J. N. Shadid ^{2, 3} , X.-Z. Tang ¹ , P. Ohm ⁴ , E. Phillips ² , M. Crockatt ² , R. Pawlowski ²	29
O-2.1.4	Evaluation of Plasma Characteristics by Using Particle Monte-Carlo (PMC) Simulation	<u>S. Han</u> ¹ , D. Oh ² , S.-T. Lim ² , S. Lee ² , I. Jang ² , J. Um ¹ , T. Kang ¹ , S.-I. Cho ¹	30
O-2.1.5	An Explicit, Energy Conserving, 2nd Order in Time Particle In Cell Algorithm	<u>T. M. Garrett</u> ¹	31
O-2.1.6	10-moment fluid simulation of cross-field plasmas	<u>D. Kuldinow</u> ¹ , K. Hara ¹	32
O-2.1.7	FLEXO: Next Generation Capabilities for Pulsed Power Experimental Design	<u>K. Beckwith</u> ¹ , T. Voth ¹ , S. Bond ¹ , A. Stagg ¹ , B. Granzow ¹ , N. Hamlin ¹ , M. Martin ¹ , T. Gardiner ¹ , M. Adams ¹ , M. Weis ¹ , J. Woolstrum ¹	33
O-2.1.8	Adjoint optimization of self-consistent particle trajectories due to external fields	<u>L. C. Adams</u> ¹ , G. R. Werner ¹ , J. R. Cary ^{1, 2}	34
O-4.1.1	Revealing non-equilibrium effects in laser-induced plasma plumes using combined direct simulation Monte-Carlo and collision-radiation model	<u>M. Stokes</u> ¹ , S. Khairallah ² , A. Rubenchik ² , A. Volkov ¹	96
O-4.1.2	Advanced Surface Physics Model for Power Flow simulations of the Z accelerator	<u>D. R. Welch</u> ¹ , T. C. Genoni ¹ , C. Thoma ¹ , C. Mostrom ¹ , D. V. Rose ¹ , N. L. Bennett ²	97
O-4.1.3	Effects of phase changes in multi-phase plasma plumes induced by irradiation of a metal target with short laser pulses: Simulations based on a hybrid computational model	<u>A. N. Volkov</u> ¹ , M. A. Stokes ¹ , K. Kayang ¹ , F. Biniyazan ¹	98

O-4.1.4	Estimating 1D Dynamical Plasma Parameters Using Data-driven Techniques	<u>M. J. Cerepi</u> ¹ , K. Hara ¹	99
O-4.1.5	Electron Scale Physics in Plasma Expansion: Grid-based Vlasov Simulations	<u>C. Cui</u> ¹ , J. Wang ¹	100
O-4.1.6	Numerical simulation of gas breakdown characteristics in porous dielectric	<u>K. Chen</u> ¹ , C. Yao ¹ , F. Wu ¹ , H. Wang ¹	101
O-6.1.1	Design and Simulation of Plasma Channels via Magnetohydrodynamic Modeling	<u>N. M. Cook</u> ¹ , A. Diaw ^{1, 2} , S. Coleman ¹ , E. Hansen ³ , P. Tzeferacos ³	163
O-6.1.2	Comparing Momentum-conserving and Energy-conserving Electrostatic Particle-In-Cell Schemes in VSim	<u>D. Main</u> ¹ , L. C. Adams ² , J. R. Cary ^{1, 2} , T. G. Jenkins ¹ , G. R. Werner ²	164
O-6.1.3	Eulerian Finite-Difference Vlasov Solver with a Non-Uniform Momentum Grid	<u>B. A. Shadwick</u> ¹ , R. Hesse ¹	165
O-6.1.4	1-D Electromagnetic Particle-In-Cell Simulations on Helium Capacitively Coupled Plasma Discharges	<u>G.-N. Wang</u> ¹ , K. Aranganadin ¹ , H.-Y. Hsu ² , J.P. Verboncoeur ³ , M.-C. Lin ¹	166
P-1.22	Two-dimensional simulation of a large-size magnetized inductively coupled plasma generator	<u>F. Lei</u> ¹ , Y. Xue ¹ , C. Zhang ¹ , H. Wu ¹	250
P-1.23	An implicit particle code with exact energy and charge conservation for electromagnetic studies of dense plasmas	<u>J. R. Angus</u> ¹ , W. Farmer ¹ , A. Friedman ¹ , D. Ghosh ¹ , D. Grote ¹ , D. Larson ¹ , A. Link ¹	251
P-1.24	Direct kinetic modeling of the plasma generated in a rarefied hypersonic shock layer.	<u>M. Petrusky</u> ¹ , I. D. Boyd ¹	252
P-1.25	Towards Dispersive Media in Particle-in-Cell Simulations	<u>G. K. Ngirmang</u> ¹ , L. Wu ¹	253
P-1.26	Computer implementation of small angle collisions in a toroidal magnetic field	<u>S. Robertson</u> ¹	254
P-1.27	COMPUTATIONAL ANALYSIS OF DIFFERENT NON-TRANSFERRED PLASMA TORCH GEOMETRIES	<u>S.L. Siddanathi</u> ¹	255
P-1.28	Influence of Initial Conditions on Data-Driven Model Identification for Ideal MHD Test Problems	<u>G. Vasey</u> ¹ , B. O'Shea ¹ , A. Christlieb ¹ , D. Messenger ² , D. Bortz ²	256
P-1.29	Physical Effects of Aleph's Semi-implicit Particle-in-cell Scheme	<u>R. M. Hedlof</u> ¹ , D. C. Barnes ² , T. M. Smith ³ , Z. Eckert ⁴ , R. Hooper ⁴	257
P-1.30	Particle-in-cell simulation of magnetized plasma sheath	<u>A. Castillo</u> ¹ , K. Hara ¹	258
P-1.31	Two-dimensional Axisymmetric Fluid Modeling for Low-Temperature Plasma Applications	<u>A. Mansour</u> ¹ , K. Hara ¹	259

P-1.33	Simulating Output Currents in Gas-Filled Cylindrical Photoemission Driven Cavities	<u>R. S. Shastri</u> ^{1, 2} , P. J. Christenson ¹ , K. Cartwright ¹ , T. Flanagan ¹ , A. Darr ¹	260
P-1.34	Quantifying the Sensitivity of Magnetohydrodynamics Simulations of Pulsed-Power Experiments Using Multi-Fidelity Electrical Conductivity Data	<u>L. J. Stanek</u> ¹ , C. A. Jennings ¹ , S. B. Hansen ¹	261
P-1.35	Data-Driven Reduced-Order Modeling of Plasma Charge Dynamics in Electromagnetic Particle-in-Cell Simulations	<u>I. Nayak</u> ^{1, 2} , F. L. Teixeira ^{1, 2}	262
P-1.36	Assessment of the Effects of Coulomb Collision Algorithms on High-Density Plasma Evolution in PIC Codes	<u>T. M. Smith</u> ¹ , D. C. Barnes ² , R. M. Hedlof ³	263
P-1.37	Influence of anisotropic scattering treatments in a multi-term Boltzmann equation solver	<u>M. Flynn</u> ¹ , A. Neuber ¹ , J. Stephens ¹	264
P-1.38	Three-dimensional modelling of an atmospheric pressure glow discharge with liquid anode	<u>E. M. Simasiku</u> ¹ , J. P. Trellies ¹	265
P-1.39	Current-Voltage Scaling in Particle-in-Cell Simulations of Magnetron Sputtering	<u>J. Theis</u> ¹ , G. Werner ¹ , T. Jenkins ² , D. Main ² , J. Cary ^{1, 2}	266
P-1.40	Analysis of focus ring effect on ion angle distribution in a pulsed RF capacitively coupled plasma using a two-dimensional particle-in-cell simulation	<u>S. J. Hwang</u> ¹ , H. H. Kim ¹ , J. H. Shin ¹ , H. J. Lee ¹	267
P-1.41	Benchmarking Relativistic Electron Beam Transport Through Gas	<u>C. H. Moore</u> ¹ , P. Grua ² , B. M. Medina ³ , E. L. Rhoades ¹ , N. Szalek ² , D. Hebert ² , J. Gardelle ² , K. L. Cartwright ¹	268
P-1.43	Characterizing plasma transport properties in pulsed power systems using quasilinear theory and continuum kinetic simulations	<u>G. V. Vogman</u> ¹ , J. H. Hammer ¹	269
P-1.44	Characterization of an over-driven commercial x-ray tube using coupled 3D electromagnetic particle-in-cell to monte-carlo radiation transport simulations	<u>P. Christenson</u> ¹ , B. Halls ¹ , E. Quintana ¹ , K. Cartwright ¹ , M. Savage ¹	270
P-1.46	Multi-Ion Hall-MHD Formulation and Highly-Coupled Numerical Implementation into Hybrid Particle-in-Cell Code	<u>C. Thoma</u> ¹ , R. E. Clark ¹ , D. R. Welch ¹	271
P-1.47	Deep Learning Moment Closures for the BGK Equation	<u>N. A. Krupansky</u> ¹ , J. Huang ² , M. Ding ³ , A. J. Christlieb ¹	272

P-1.48	Effect of Super-Particle Weight Factor on Particle-in-Cell Simulations in Low Pressure Capacitively Coupled Plasmas	<u>M. C. Stewart</u> ¹ , D.-Q. Wen ^{1, 2} , J. Verboncoeur ^{1, 2}	273
P-1.49	DEPENDENCE OF FILAMENTS FORMATIONS ON GAS TEMPERATURE IN ATMOSPHERIC PRESSURE OXYGEN DIELECTRIC BARRIER DISCHARGES	<u>H. Akashi</u> ¹ , T. Yoshinaga ¹	274
P-1.50	Towards self-consistent modeling of cathode plasma formation and expansion	<u>V. Sharma</u> ¹ , A. M. Castillo ¹ , Y. Yamashita ¹ , K. Hara ¹	275
P-1.51	Efficient Modeling of Strongly Coupled Plasmas using Tensor Trains	<u>Z. Johnson</u> ¹ , M. Murillo ¹ , L. Silvestri ¹ , P. Guthrey ²	276
P-1.52	Meshfree methods for plasma kinetic theory	<u>J. M. Finn</u> ¹ , B. Shadwick ¹	277
P-1.53	Simulations of Permittivity and Permeability of Nonlinear Materials	<u>A. Loveless</u> ¹ , A. K. Mannodi-Kanakkithodi ¹ , T. D. Crawford ¹ , S. Sengupta ² , A. L. Garner ¹	278

MICROWAVE PLASMA INTERACTION

O-2.2.1	Ionization-assisted self-compression of an ultra-intense, ultra-short microwave pulse in a gas-filled waveguide	<u>Y. Cao</u> ¹ , V. Maksimov ¹ , Y. Bliokh ¹ , J. Leopold ¹ , Y. Krasik ¹	35
O-2.2.2	Exhaust Gas Decomposition by Microwave Plasma	<u>L. Oksuz</u> ^{1, 2} , U. Tekir ³ , A. Turan ⁴ , E. Uresin ⁴ , A. Oz ⁵ , M.A. Titrek ¹ , S. Cetebazan ¹	36
O-2.2.3	HFSS Helps Early Prediction of Gaseous Discharges in RF and Microwave Devices	<u>S. Ahmed</u> ¹	37
O-2.2.4	The Nonlinear Behaviour of the Microwave Driven ICP Source	<u>H.-E. Porteanu</u> ¹ , I. Stefanović ² , M. Klute ² , P. Awakowicz ² , R.-P. Brinkmann ² , W. Heinrich ¹	38
O-2.2.5	Analytical Solution for Space-Charge Waves in a Two-Stream Cylindrical Electron Beam	<u>T. Mealy</u> ¹ , <u>R. Marosi</u> ¹ , K. Rouhi ¹ , F. Capolino ¹	39
O-2.2.6	An Absorptive Plasma Topology for Frequency Selective Microwave Protection	<u>S. N. Ramesh</u> ¹ , K. K. Varikuntla ¹ , <u>A. Semnani</u> ¹	40
O-4.2.1	Design and Simulation of a Microwave Plasma Enhanced Chemical Vapor Deposition System Using Multiphysics Fluid Modeling	<u>K. Aranganadin</u> ¹ , H.-Y. Hsu ² , M.-C. Lin ¹	102
P-2.24	SIMULATION ON POSSIBLE RF BLACKOUT SCENARIO DURING HYPERSONIC REENTRY	<u>S.S. M. Chung</u> ¹	321
P-2.25	Microwave Transmission Through A Hypersonic Plasma Layer	<u>N. A. Roberds</u> ¹ , C. Logemann ¹ , M. W. Young ¹ , N. E. Miller ¹ , T. K. Statom ¹ , K. L. Cartwright ¹ , R. M. Wagnild ¹	322
P-2.26	Theoretical Analysis of Microwave Breakdown for Microscale Gaps	<u>S. Mahajan</u> ¹ , A. M. Loveless ¹ , A. Semnani ³ , V. Ayyaswamy ² , A. L. Garner ¹	323

P-2.27	Electron emission yield of metals: in-situ cleaned and exposed to ambient atmosphere surfaces	<u>M. Belhaj</u> ¹ , S. Dadouch ¹	324
P-3.41	Measurement of Beam Velocities in a Dual-beam Travelling Wave Tube (TWT) Experiment	<u>T.A. Malik</u> ¹ , I. J.kern ¹ , K.N. Islam ¹ , M. Gilmore ¹ , E. Schamiloglu ¹	400
PLASMA THRUSTERS			
O-2.3.1	Characterization of background pressure facility effects on a gridded ion engine operation	<u>T. J. Topham</u> ¹ , E. M. Hanna ¹ , J. E. Foster ¹	41
O-2.3.2	Experiments and simulations of a magnetic arch plasma expansion for space propulsion	<u>M. Merino</u> ¹ , C. Boyé ¹ , D. García-Lahuerta ¹ , J. Navarro-Cavallé ¹ , E. Ahedo ¹	42
O-2.3.3	Energy exchange in multidimensional current-driven instabilities in hollow cathode plumes	<u>W.H.R. Chan</u> ^{1, 2} , K. Hara ³ , I. D. Boyd ¹	43
O-2.3.4	Fully Kinetic PIC Simulations of the Electrical Facility Effect on the Gridded Ion Thruster Testing	<u>K. Nishii</u> ¹ , <u>D. Levin</u> ¹	44
O-2.3.5	Three-Dimensional Hybrid Simulations of Hall Thruster Plumes in Vacuum Chambers	<u>C. Lipscomb</u> ¹ , I. Boyd ¹ , K. Hansson ¹ , M. Stasiukevicius ¹	45
O-2.3.6	Optimization of Dielectric Barrier Discharge Plasma Actuators with High-Voltage DC Augmentation	<u>A. Tang</u> ¹ , N. Kirschbaum ¹ , B. Price ¹ , I. Novoselov ¹ , A. Mamishev ²	46
O-2.3.7	Analysis of the Effect of Keeper working condition on Hollow Cathode Performance	<u>F. Tian</u> ¹ , L. Miao ¹ , M. Q. Xia ¹ , F. N. Wang ¹ , X. Hou ¹	47
O-4.3.1	Electromechanical Characteristics of Wall-Normal Momentum Injection with Axisymmetric Dielectric Barrier Discharge Plasma Actuators	<u>B. Price</u> ¹ , A. Tang ¹ , N. Kirschbaum ¹ , A. Mamishev ² , I. Novoselov ¹	107
O-4.3.2	State estimation of anomalous electron transport in a Hall-effect thruster discharge	<u>D. Troyetsky</u> ¹ , C. Greve ² , S. Tsikata ³ , K. Hara ¹	108
O-4.3.3	Numerical investigation of ion back flow of a microwave discharge ion thruster	<u>A. Nono</u> ¹ , Y. Yamashita ¹ , R. Tsukizaki ² , K. Nishiyama ²	109
O-4.3.4	Implicit Conservative Particle-In-Cell kinetic simulations of magnetic nozzles	<u>M. Merino</u> ¹ , P. Jiménez ¹ , L. Chacón ²	110
O-4.3.6	Self-neutralizing characteristics of ion optics using RF self-bias effect	<u>Y. Tongxun</u> ¹ , M. Long ¹ , Z. Zhengxi ¹ , H. Zihao ¹ , L. Xiangyang ¹ , W. NingFei ¹	112
O-4.3.7	One-dimensional fluid model of electronegative plasma thruster	<u>M. Nie</u> ¹ , L. Miao ¹ , N. Wang ¹	113
P-3.21	Beam characteristics and lifetime prediction of Carbon-Carbon ion optics system	<u>Z. Zhu</u> ¹ , L. Miao ¹ , T. Yang ¹ , Z. He ¹ , F. Liang ¹ , J. Song ¹ , X. Liu ¹ , N. Wang ¹	384
P-3.23	Evaluating the Performance of Water Vapor in an ECR Plasma Cathode	<u>A. Bansal</u> ¹ , S. Bergmann ¹ , J. Foster ¹	385

P-3.24	Dielectric Barrier Discharge: An empirical model for predicting thrust and wall jet properties.	<u>N. Kirschbaum</u> ¹ , A. Tang ¹ , B. Price ¹ , A. Mamishev ² , I. Novoselov ¹	386
P-3.25	To the Moon and Back: Vacuum Chamber Experiments of Beamed Microwave Energy Propulsion	<u>N. Nigay</u> ¹ , C.-H. Ho ¹ , S. G. Bilén ¹	387
LASER PRODUCED PLASMAS			
O-2.4.1	LANL Radflow Experiments Strongly Constrain Temperature and Density in HEDP	<u>H. M. Johns</u> ¹ , T. Byvank ¹ , P. M. Kozlowski ¹ , C. L. Fryer ¹ , D. D. Meyerhofer ¹ , C. J. Fontes ¹ , S. X. Coffing ¹ , E. Feinberg ^{3,1} , K. N. Love ¹ , D. W. Schmidt ¹ , C. E. Hamilton ¹ , J. S. Cowan ¹ , R. Heeter ² , L. Hobbs ⁴ , T. J. Urbatsch ¹ , S. M. Finnegan ¹	48
O-2.4.2	Investigation of Laser Produced Plasma Expansion in Ambient Gases for Aluminum and Silicon	<u>Y. Abouhussien</u> ^{1,3} , M. Polek ^{2,3} , G. Miloshevsky ¹ , F. Beg ² , S. Harila ³	49
O-2.4.3	Radiographic studies of a shockwave interacting with a counter-propagating radiation flow	<u>P. M. Kozlowski</u> ¹ , S. Coffing ¹ , T. Byvank ¹ , H. M. Johns ¹ , C. L. Fryer ¹ , H. F. Robey ¹ , S. R. Wood ¹ , A. Liao ¹ , D. D. Meyerhofer ¹ , C. J. Fontes ¹ , T. Urbatsch ¹	50
O-2.4.5	Domain adaptation in LIBS streaming using transfer learning and self-learning for soil classification	<u>Y. Huang</u> ¹ , S. Mohajan ² , N. Beier ² , A. Bais ¹ , A. Hussein ² , M. Dyck ³ , F. Hegmann ⁴	51
P-2.63	Characterizing the Growth of a Laser-Induced Air Plasma Using a High-Speed Camera	<u>M. Zhang</u> ¹ , L. VanHouten ² , H. Hasson ³ , P.-A. Gourdain ³	356
P-2.64	Insight into the multi-core structure in temperature spatial distribution of laser-sustained plasma.	<u>J. Liu</u> ¹ , D. Zhang ¹ , Y. Fu ¹	357
P-2.65	Self-Focusing and Terahertz Generation of Bessel-Gaussian Laser Beam in Plasma	<u>A. Bhatia</u> ¹ , A. Singh ¹	358
P-2.67	Feasibility study of a magnetic field generation system for the LMJ-PETAL facility.	<u>B. Etchessahar</u> ¹ , E. Mainguy ¹ , <u>L. Québert</u> ¹ , T. Bart ¹ , R. Ferbos ¹ , G. Balmigère ² , P.-A. Gomez ³ , B. Cassany ¹	359
P-2.68	Status of the ZEUS laser user facility	<u>L. Willingale</u> ¹ , A. Maksimchuk ¹ , J. Nees ¹ , F. Bayer ¹ , P.T. Campbell ¹ , B. Hou ¹ , M. Burger ¹ , I. Jovanovic ¹ , G. Kalinchenko ¹ , C. Kuranz ¹ , Y. Ma ¹ , A. McKelvey ¹ , A.G. Thomas ¹ , L. Weinberg ¹ , Q. Zhang ¹ , K. Krushelnick ¹	360
INTENSE BEAM MICROWAVES			
O-2.5.1	History and Future of High Power Microwaves	<u>J. N. Benford</u> ¹	52
O-2.5.3	MINIATURIZATION OF AN L-BAND RELATIVISTIC MITRON-LIKE CROSSED-FIELD DEVICE USING VOID RING METAMATERIAL	<u>M. Liu</u> ¹ , C. Liu ¹ , <u>E. Schamiloglu</u> ² , W. Jiang ³ , C. Wang ⁴ , Q. Wu ⁴	54

O-2.5.7	PIC SIMULATIONS OF A X-BAND TRAVELING-WAVE TUBE USING TWO SPIRAL METAMATERIALS	<u>M. Liu</u> ¹ , C. Liu ¹ , S.C. Yurt ² , E. Schamiloglu ² , W. Jiang ³ , C. Wang ⁴	58
O-4.5.1	Remembering Mikhail Fuks for Advancing Relativistic Magnetrons	<u>E. Schamiloglu</u> ¹	121
P-2.1	The Study of Permanent Magnet Structure for Compact A6 Relativistic Magnetron with Radial RF Extraction	<u>J.H. Chung</u> ¹ , J.S. Choi ¹ , W. Lee ¹ , D. Seo ¹	299
P-2.2	Parametric Analysis of Electron Beam-Cavity Interaction	<u>M.W. Rahman</u> ¹ , P. Zhang ¹	300

FAST-WAVE DEVICES

O-2.5.5	High-Power High-Order Orbital Angular Momentum (OAM) Millimeter-Wave Beams from Gyro-Devices	<u>M. K. Thumm</u> ¹	56
P-2.3	Design of a Quasi-Optical Mode Converter and Mirror System for a 142/208 GHz Dual Frequency Gyrotron	<u>W. Choi</u> ¹ , J. Lim ² , T. Han ¹ , <u>E. Choi</u> ²	301
P-2.4	Study on a higher order TE7,2 mode generation in a cylindrical cavity at 142GHz	<u>J. Lim</u> ¹ , W. Choi ² , T. Han ² , E. Choi ¹	302

SLOW-WAVE DEVICES

O-2.5.2	Ka-Band Low-Voltage Multiple-Beam TWT Experiment	<u>R. L. Jaynes</u> ¹ , <u>A. M. Cook</u> ¹ , C. D. Joye ¹ , F. N. Wood ¹ , J. A. Pasour ¹ , A. N. Vlasov ¹ , I. A. Chernyavskiy ¹ , B. Levush ¹ , K. T. Nguyen ² , J. Petillo ³ , V. Jabotinski ³ , B. S. Albright ¹	53
O-2.5.4	Millimeter-Wave Traveling-Wave Tube Development at the US Naval Research Laboratory	<u>A. M. Cook</u> ¹ , R. L. Jaynes ¹ , F. N. Wood ¹ , B. S. Albright, Jr. ¹ , A. N. Vlasov ¹ , I. A. Chernyavskiy ¹ , J. A. Pasour ¹ , E. L. Wright ² , K. T. Nguyen ² , T. Kimura ³	55
O-2.5.6	Preliminary Experimental Demonstration of a Novel Frequency Agile Magnetron	<u>A. Kuskov</u> ¹ , P. Wong ¹ , B. Martinez-Hernandez ² , J. Heinrich ¹ , B. Tobias ¹ , D. Szenasi ¹ , E. Schamiloglu ³	57
O-4.5.2	A 1.3 GHz 100 kW Ultra-high Efficiency Klystron	<u>M. Read</u> ¹ , T. Habermann ¹ , <u>R. L. Ives</u> ¹ , T. Bui ¹ , D. Marsden ¹ , G. Collins ¹ , A. Jenson ²	122
O-4.5.3	The Importance of Glide-Symmetry in Broadband Sheet-Beam Traveling-Wave Tubes	<u>R. Marosi</u> ¹ , M. Saavedra-Melo ¹ , F. Capolino ¹ , M. Zuboraj ²	123
P-2.5	From Single to Multiple Frequency Stability Analysis of VEDs Using TESLA-Z Based Framework	<u>I. A. Chernyavskiy</u> ¹ , A. N. Vlasov ² , T. M. Antonsen, Jr. ³	303

P-2.6	Developing a Crossed-Field Test Structure with Gate Field Emission Arrays	C. Segura Del Rio¹, C. Oberbeck¹, R. Briggs¹, R. Bhattacharjee¹, R. Bhattacharya¹, M. Pearlman¹, N. Karaulac², G. Rughoobur², W. Chern², A.I. Akinwande², J. Browning¹, B. Sainz¹, N. Manker¹	304
P-2.7	Modeling and Simulation of a Frequency-Tunable High-Power S-Band Magnetron	P. Wong¹, A. Kuskov¹, B. Martinez-Hernandez², B. Tobias¹, J. Heinrich¹, D. Szenasi¹	305
P-2.8	Design of an X-band Inverted Magnetron Oscillator	J. Watrous¹, K. J. Hendricks², R. Achenbach²	306
P-2.9	ANALYSIS OF A DUAL-BEAM-BASED E-BAND TRAVELING WAVE TUBE (TWT) DESIGN AND EXPERIMENT	H.E. Choi¹, W. Choi¹, E. Choi²	307
P-2.10	Cherenkov source based on oversized two-dimensional surface structure	A. MacLachlan¹, A. Phelps¹, <u>C. Whyte¹</u>, C. Robertson¹, K. Ronald¹, A. Cross¹	308
P-2.11	Progress on the uoS PL-BWO experiment	P. MacInnes¹, C. Donaldson¹, A. J. MacLachlan¹, <u>C. G. Whyte¹</u>, K. Ronald¹, A. D. Phelps¹, A. W. Cross¹	309
P-2.12	Adjoint Approach to Optimization of Linear Beam Vacuum Electronic Amplifiers	A. Vlasov¹, I. Chernyavskiy¹, T. Antonsen, Jr.², D. Chernin²	310
P-2.13	Simulations and Experiments on the Dual-Frequency, Harmonic Magnetically Insulated Line Oscillator	R. A. Revolinsky¹, E. Guerin¹, S. Langellotti¹, C. Swenson¹, L. Welch¹, D. Packard¹, N. Jordan¹, Y.Y. Lau¹, R. Gilgenbach¹	311
P-2.14	Locking Techniques For The Recirculating Planar Magnetron With Coaxial All Cavity Extraction	E. Guerin¹, R. Revolinsky¹, C. Swenson¹, L. Welch¹, Y. Y. Lau¹, N. Jordan¹, R. Gilgenbach¹	312
P-2.15	K-band Relativistic Backward Wave Oscillator	A. Elfrgani¹, E. Schamiloglu¹	313

Multipactor Effects, Test Beds, & Modeling

O-2.6.1	Density Functional Theory Based Monte Carlo Simulations for Prediction of Secondary Electron Yield from Metal Oxides	R. E. Gutierrez¹, I. Matanovic^{2,3}, M. Polak⁴, D. Morgan⁴, <u>J. Booske⁴</u>, E. Schamiloglu¹	59
O-2.6.2	Investigation of Multipactor in X-Band Waveguide Filters.	D. Wright¹, A. Gregory¹, H. Spencer¹, J. Mankowski¹, J. Stephens¹, J. Dickens¹, A. Neuber¹	60
O-2.6.3	Multipactor Suppression Schemes in X-Band Waveguide Via Surface Modifications	H. Spencer¹, D. Wright¹, A. Gregory¹, J. Stephens¹, J. Mankowski¹, J. Dickens¹, A. Neuber¹	61
O-2.6.4	Multipactor in 3D-Printed Coaxial Transmission Lines	S. V. Langellotti¹, A. Brusstar¹, L. Welch¹, N. Jordan¹, Y.Y. Lau¹, R. Gilgenbach¹	62

O-2.6.5	Secondary Electron Yield Reduction in High Porosity Surfaces and Its Application for Multipactor Suppression	<u>A. Iqbal</u> ¹ , M. Mirmozafari ² , P. Zhang ¹ , N. Behdad ² , J. H. Booske ² , J. Verboncoeur ^{1, 3}	63
O-2.6.6	Full Multipactor Suppression Using Angled Microstrip Line Structures	<u>L. Dyjach</u> ¹ , M. Mirmozafari ¹ , N. Behdad ¹ , J. H. Booske ¹	64
O-2.6.7	Investigating Secondary Electron Yield of Materials of Interest for High Power Vacuum Electron Devices	<u>B. A. Malik</u> ¹ , I. Kern ¹ , T. A. Malik ¹ , M. Gilmore ¹ , E. Schamiloglu ¹	65
O-4.3.5	HFSS Offers A User-Friendly Solver For The Prediction OF Electron Multipaction Breakdown	<u>S. Ahmed</u> ¹	111
P-3.39	Research on Multipactor effect in a double-sided Dielectric-loaded parallel-plate waveguide	<u>T. Wang</u> ¹ , <u>X. Zhang</u> ¹	398
P-3.40	Investigating Secondary Electron Yield of Conducting and Insulating Materials	<u>I. Kern</u> ¹ , <u>B. A. Malik</u> ¹ , T. A. Malik ¹ , M. Gilmore ¹ , J. Lehr ¹	399
P-3.77	Development of a low frequency multipactor testbed	<u>R. Beattie-Rossberg</u> ¹ , <u>R. Beattie-Rossberg</u> , S. Hamadamin ¹ , S. Hamadamin, T. Rocha ¹ , T. Rocha, T. Koepele ¹ , T. Koepele, S. Portillo, S. Portillo ¹ , E. Schamiloglu ¹ , E. Schamiloglu	429

ASTROPHYSICAL PLASMAS

P-2.70	Experimental and numerical study of self-organized shear flows in magnetically driven HED plasma jets.	<u>E. S. Lavine</u> ¹ , D. A. Lund ¹ , C. Seyler ¹ , B. Kusse ¹	361
--------	--	---	-----

PLASMA MATERIAL INTERACTIONS

O-4.2.2	Characteristics of electric breakdown in an argon bubble enveloped in conductive liquid	<u>N. L. Sponsel</u> ¹ , K. Stapelmann ¹	103
O-4.2.3	SELECTING INCIDENT ELECTRON PULSE PARAMETERS FOR SURFACE CLEANING TO REMOVE ADSORBATES*	<u>C. Dennis</u> ¹ , Y. Pokhrel ² , A. Karkash ¹ , M. Maille ¹ , S. Portillo ³ , M. Sanati ¹ , <u>R. Joshi</u> ²	104
O-4.2.4	Continuum-kinetic studies modelling the impact of secondary electron emission on sheath structure and dynamics	<u>K. Bradshaw</u> ¹ , B. Srinivasan ¹	105
O-4.2.5	Spatial distribution of sputtered atoms of molybdenum material measuring by the aluminum arch array	<u>Z. He</u> ¹ , L. Miao ¹ , Z. Zhu ¹ , T. Yang ¹ , N. Wang ¹ , X. Hou ¹	106
P-2.71	Fabrication of carbon-coated aluminum nanoparticles and carbon quantum dots by thermal plasma in liquid nitrogen environment	<u>R. Jia</u> ¹ , S. Jia ^{2, 1} , Y. Mo ¹ , Z. Shi ¹	362

P-2.73	Effect of ion and electron impact secondary electron emission on sheath formation in the presence of biased potential walls	<u>C. R. Skolar</u> ¹ , K. Bradshaw ¹ , B. Srinivasan ¹	363
P-2.74	Plasma-electrified Repair of Silicone Rubber Insulation for Cable Terminal	C. Gao ¹ , W. Zhang ² , H. Huang ^{3,4} , H. Wang ^{3,4} , C. Ren ^{3,5} , <u>C. Ren</u> ^{3,4} , T. Shao ^{3,4}	364

GENERATORS

O-4.4.1	Compact solid state switched spiral generators as triggers for pulsed power accelerators	<u>S. Bland</u> ¹ , S. Parker ¹ , J. Strucka ¹ , J. Yan ² , S. Bott-Suzuki ³ , J. Banasek ³ , S. Cordaro ³ , A. Gusev ⁴ , I. Lavrinovich ⁴	114
O-4.4.2	Pulsed streamer discharge generation in a wire-cylinder arrangement with 30-kV, nanosecond, arbitrary waveform pulses	<u>T. Huiskamp</u> ¹ , M. Azizi ¹ , C. Ton ¹ , J. van Oorschot ¹	115
O-4.4.3	Revisiting the MHD generator using HTS magnets – better late than never	<u>S. Frank</u> ¹ , J. Freidberg ¹ , M. Clingerman ¹ , D. Whyte ¹	116
O-4.4.4	Computer Simulations of Two Cylindrical Reflex Triodes in Parallel	<u>I. M. Rittersdorf</u> ¹ , B. V. Weber ¹ , S. B. Swanekamp ¹	117
O-4.4.6	MODELING THE LATEST LINER IMPLOSIONS ON THE PHELIX PULSED POWER SYSTEM	<u>C. L. Rousculp</u> ¹ , M. A. Zocher ¹ , J. D. Riglin ¹	118
P-1.72	Development of Machine 4, a Gain Demonstrator Facility at First Light Fusion	<u>L. S. Caballero Bendixsen</u> ¹	293

COMPACT PULSED POWER AND APPLICATIONS

O-4.4.7	Performance of a Four-Stage Induction Coilgun That Uses a Solenoid Projectile	<u>R. Ram</u> ¹ , J. T. Meledath ¹	119
O-4.4.8	Optimizing an in-situ plasma discharge process for improving multi-MA accelerator performance	<u>D. Lamppa</u> ¹ , D. Rose ² , B. Hutsel ¹ , J. Schwarz ¹ , M. Cuneo ¹ , M. Gilmore ³	120
O-6.4.1	Underwater electrical explosion of wire/wire arrays as a promising approach to high energy density physics research	<u>D. Maler</u> ¹ , N. Asmedianov ¹ , R. Grikshtas ¹ , O. Belozerov ¹ , S. Efimov ¹ , A. Rososhek ¹ , M. Kozlov ² , J. Strucka ³ , S. Theocarous ³ , Y. Yao ³ , K. Mughal ³ , M. Liverts ⁴ , A. Rack ⁵ , B. Lukic ⁵ , S. Bland ³ , Y. Krasik ¹	180
O-6.4.2	Simulation study of Borda and Rogowski profile electrodes to assess electric field uniformity	<u>A. Samimi Motlagh</u> ¹ , J. R. Cooper ¹ , J. Lehr ¹	181
O-6.4.6	Design and development of a uniform pressure universal tooling coil for dual mode pulse forming of metallic sheets	<u>D. Kaushik</u> ¹ , J. T. Meledath ¹	185
O-6.4.7	Tailing in High Voltage Solid-State Pulse Modulators: Analysing and Modelling	<u>F. Wu</u> ¹ , C. Yao ¹ , K. Chen ¹ , <u>H. Wang</u> ¹	186

P-1.73	Experimental study of microsecond plasma opening switch with plasma source as cable plasma guns	<u>S. Kanchi</u> ^{1, 2} , R. Shukla ^{1, 2} , A. Sharma ^{1, 2}	294
P-1.74	Study on near-field Shock Wave Distribution of 50 kJ energy storage wire electric explosion	<u>Y. Lu</u> ¹ , Y. Zhang ¹ , S. Zhang ¹ , C. Luo ¹ , A. Qiu ¹	295
P-1.75	Electrical properties of different materials at extreme conditions	<u>R. Grikhtas</u> ¹ , N. Asmedianov ¹ , <u>D. Maler</u> ¹ , S. Efimov ¹ , Y. E. Krasik ¹	296
P-1.76	High-Voltage and Current Characteristics of Pulsed System Based on Compact Marx Generator Connected to Relativistic Magnetron with Interfaced Coaxial Line	<u>C.H. Kim</u> ¹ , J.H. Kuk ¹ , K. Lee ¹ , J.S. Choi ¹	297
P-1.77	First Light Fusion Facilities for External Collaboration and Student Programme	<u>L. S. Caballero Bendixsen</u> ¹ , F. Suzuki Vidal ¹	298

VACUUM MICROELECTRONICS AND THz DEVICES

O-4.5.4	MINIMIZING STARTING CURRENT OF SMITH-PURCELL RADIATION BY GRATING OPTIMIZATION USING DISPERSION RELATION	<u>M.A. Faisal</u> ¹ , P. Zhang ¹	124
O-4.5.5	Field emission and optical tunneling from 2D materials	<u>Y. Luo</u> ¹ , Y.S. Ang ² , <u>L.K. Ang</u> ³	125
O-4.5.6	Demonstration of vacuum transistor based functioning circuits	<u>R. Bhattacharya</u> ¹ , R. Hay ¹ , G. Rughoobur ² , N. Karaulac ² , W. Chern ² , A. I. Akinwande ² , J. Browning ¹	126
O-4.5.7	Fabrication of W-band Traveling Wave Tube Amplifier Circuit using Elastic Averaging Precision Alignment Technique	<u>P. Borchard</u> ¹ , A. Parameswaran ¹ , J. Petillo ² , A. Jensen ² , T. Antonsen ³ , B. Beaudoin ³ , H. Shannon ³	127
O-4.5.8	Analysis of Vane Type Interaction Structures Suitable for THz Regime	<u>M. Sarkar</u> ^{1, 2} , K. Pathak ¹ , K. Kumar ¹ , N. Kumar ^{1, 2}	128
O-6.5.8	Study of electron beam profile in staggered double vane W-band interaction structure	<u>P. Unadkat</u> ^{1, 2} , N. Kumar ¹	194
P-2.16	Tunable terahertz bi-functional metasurfaces based on hybrid-patterned vanadium dioxide and conventional	<u>S. Yan</u> ¹ , J. Zeng ¹ , <u>X. Zhang</u> ¹	314
P-2.17	Studying Gated Field Emission Failures of Silicon Tips	<u>R. Bhattacharjee</u> ¹ , R. Bhattacharya ¹ , <u>J. Browning</u> ¹ , N. Karaulac ² , G. Rughoobur ² , A. Akinwande ²	315
P-2.18	A novel method for improving the transmission bandwidth of terahertz waves was developed through the utilization of surface plasmon resonance mode coupling	<u>J. Zeng</u> ¹ , <u>X. Zhang</u> ¹	316

P-2.19	Fabrication of enhanced diamond field emitter arrays for THz vacuum tubes	<u>D. Kim</u> ¹ , H. L. Andrews ¹ , C.-C. Chang ² , E. I. Simakov ¹ , M. Zuboraj ¹	317
PLASMA, ION, & ELECTRON SOURCES			
O-4.6.1	Effects of resonant tunneling in field emission	<u>Y. Zhou</u> ¹ , R. Ahsan ² , H. U. Chae ² , R. Kapadia ² , P. Zhang ¹	129
O-4.6.2	Density Modulated Electron Emission Using RF and Laser Fields	<u>L. Jin</u> ¹ , Y. Zhou ¹ , P. Zhang ¹	130
O-4.6.3	Development of Air Stable Silicon Photoemitter with Electronically Tunable Negative Electron Affinity	<u>H.U. Chae</u> ¹ , <u>R. Ahsan</u> ¹ , A. T. Priyoti ¹ , J. Sanchez Vazquez ¹ , R. Kapadia ¹	131
O-4.6.4	Characterization of Plasma Breakdown Induced by Pulsed Photoemission	<u>A. Iqbal</u> ¹ , B. Bentz ² , Y. Zhou ¹ , K. Youngman ² , P. Zhang ¹	132
O-4.6.5	Theoretical Modeling of a Plasma Source for Nanoparticle Synthesis	<u>S. R. Sarvajith</u> ¹ , P. G. Mikellides ¹ , M. George ²	133
P-2.32	Design and Development of Power Sources for Plasma Actuators	<u>A. Janawlekar</u> ¹ , H. Bahirat ² , K. Bod ¹	329
P-2.33	Formation of Sheet Beam by Coalsced Beamlets from Field Emitters	<u>M.Z. Zuboraj</u> ¹ , B. Carlsten ¹	330
P-2.34	Measuring the emission and decay time of a cathode plasma	<u>M. R. Howard</u> ^{1, 2} , J. E. Coleman ¹ , S. Lidia ²	331
P-2.35	Space charge effects on the short pulse beam profile	<u>Y. K. Heri</u> ¹ , P. Zhang ¹	332
P-2.36	Characterizing the Field Emission Properties of Vertically Aligned Carbon Nanotube Cathodes for RF Sources	<u>C. Gunter</u> ¹ , S. D. Kovaleski ¹ , E. Bellott ² , M. Maschmann ² , B. Weatherford ³	333
P-2.37	Space-charge effects on short-pulse photoemission.	H. O. Arnason ¹ , K. Torfason ¹ , A. Manolescu ¹ , <u>A. Valfells</u> ¹	334
P-2.39	Investigating Elevated Temperature Effects on Hot Electron Laser Assisted Cathode Electron Emission	<u>B. E.J. Corte</u> ¹ , R. Ahsan ² , A. Priyoti ² , M. Mirmozafari ¹ , J. H. Booske ¹ , N. Behdad ¹ , R. Kapadia ²	335
ENVIRONMENTAL & INDUSTRIAL APPLICATIONS			
O-5.3.5	Recent Achievements of Methane Conversion to Acetylene Using Plasma	<u>K. DinhDuy</u> ¹ , D.H. Lee ¹	147
O-6.3.1	Relating atmospheric pressure plasma production of reactive oxygen-nitrogen species to plasma events	<u>C. Robinson</u> ¹ , N. Sponsel ¹ , C. Smith ¹ , A. Whitley ¹ , S. Shannon ¹ , K. Stapelmann ¹	175
O-6.3.2	Identification of the Surface-Adsorbed and Plasma-Phase Species in Carbon-Nitrogen Coupling From Methane and Nitrogen	<u>G. Lee</u> ¹ , D. Go ^{1, 2} , C. O'Brien ¹	176

O-6.3.3	Fluid Dynamics Impacts on Plasma-Liquid Interactions in a Pulsed Corona Discharge	<u>R. Walker</u> ¹ , J. Foster ¹	177
O-6.3.4	Removal of organic pollutants in water by a nanosecond pulsed sliding discharge	<u>Z. Nisha</u> ¹ , C. Austin ³ , Z. Caudell ^{1, 2} , E. Pacheck ^{1, 2} , O. Pakhomova ² , I. Novoselov ³ , C. Jiang ^{1, 2}	178
O-6.3.5	Flow field effects in segmented dielectric window inductively coupled plasma	<u>S.W. Kim</u> ¹ , H.J. Lee ¹	179
P-3.27	Effect of Secondary Electron Emission Coefficient of Barrier Dielectric on CO ₂ Conversion in DBD	<u>Q. Fu</u> ¹ , Z. Ye ¹ , Y. Wang ¹ , Z. Chang ¹	388
P-3.28	Development of High Accuracy VI Sensor	<u>J. H. Oh</u> ¹ , J. S. Lee ² , H. H. Lee ² , H. J. Lee ¹	389
P-3.29	Spatially resolved optical emission of a 1 atm DC glow discharge with liquid anode	<u>Z. Yang</u> ¹ , M. C. Garcia ² , J. E. Foster ¹	390
P-3.30	Development and Validation of a Sustainable, Low-Cost Plasma Reactor for On-Demand, Point-of-Use Water Purification	<u>C. M. Tischler</u> ¹ , J. E. Foster ¹	391
P-3.32	The effect of laser wavelength on carbon measurement in soil using laser-induced breakdown spectroscopy	<u>S. Mohajan</u> ¹ , Y. Huang ² , N. F. Beier ¹ , M. Dyck ³ , F. Hegmann ⁴ , A. Bais ² , R. Fedosejevs ¹ , A. E Hussein ¹	392
P-3.33	Assessing the Efficacy of Plasma Water Treatment of Raw Landfill Leachate	<u>J. E. Foster</u> ¹ , R. Walker ¹ , J. Groele ¹	393
P-3.34	Plasma-based plastic depolymerization	<u>J. E. Foster</u> ¹ , R. Walker ¹	394

MATTER UNDER EXTREME CONDITIONS

O-5.4.1	Ab Initio Determination of Plasma Properties in the Warm Dense Matter Regime	<u>V. Sharma</u> ¹ , L. Collins ¹ , A. White ¹	149
O-5.4.3	Photonic Doppler velocimetry measurements of compression and of the duration of the solid-liquid phase transition on the surface of electrically thick aluminum rods driven by intense current	<u>B. S. Bauer</u> ¹ , A. W. Klemmer ¹ , S. E. Kreher ^{1, 4} , T. M. Hutchinson ² , D. H. Dolan ³ , A. J. Porwitzky ³ , T. J. Awe ³ , B. T. Hutsel ³ , C. L. Rousculp ⁴	151
O-5.4.5	Linear-response TDDFT of warm dense matter with static exchange-correlation kernel across Jacob's ladder and temperature regimes	<u>Z. Moldabekov</u> ¹	152
P-2.61	The Novel "Hairpin" Geometry for Power Flow Studies	<u>T. R. Mundy</u> ¹ , S. Bland ¹ , S. Lebedev ¹ , J. Chittenden ¹ , L. Suttle ¹ , J. Halliday ¹ , D. Russell ¹ , K. Marrow ¹	354
P-2.62	Cu Hybrid X-Pinch L-Shell Spectroscopy Prior to Micro-Pinch Formation	<u>N. G. Chalmers</u> ¹ , A. Elshafiey ¹ , S. Pikuz ² , T. Shelkovenko ² , D. Hammer ¹	355

PARTIALLY IONIZED PLASMAS

O-5.5.1	The Effect of Electron Emission and Reflection at Material Surface on Ar Capacitively Coupled Plasma Analyzed with a Two-Dimensional Particle-in-Cell Simulation	<u>J.H. Shin</u> ¹ , H. Kim ¹ , S.J. Hwang ¹ , H.J. Lee ¹	154
O-5.5.2	Current and voltage (I-V) characteristics of intermediate pressure plasma	<u>S. Hussain</u> ¹ , M. J. Goeckner ¹	155
O-5.5.3	Computational modeling of coherent Rayleigh-Brillouin scattering (CRBS) for partially ionized plasmas	<u>S. Suzuki</u> ¹ , A. Gerakis ³ , K. Hara ¹	156
O-5.5.4	Generation of Weibel instability with the help of Temperature Anisotropy	<u>A. Kumar</u> ¹ , T. Pahuja ¹ , J. Sharma ¹	157
O-5.5.5	Breakdown Characteristics in Capacitive radio-frequency Discharge with an External Magnetic Field	<u>D. Yang</u> ¹ , H. Wang ² , B. Zheng ³ , X. Zou ¹ , X. Wang ¹ , Y. Fu ¹	158
P-1.55	FULLY KINETIC MODELING OF EMISSIVE SHEATHS IN HYPERSONIC BOUNDARY LAYER PLASMAS	<u>D. Vatansever</u> ¹ , N. Nuwall ^{2,1} , D. Levin ¹	280
P-1.56	Effects of Gas Composition on Discharge Characteristics in XeCl Excimer lasers	<u>Z. Zhao</u> ¹ , J. Chen ¹ , Z. Wang ¹ , Y. Fu ¹	281
P-1.58	Relativistic Electron Beam Transport Through a Background Gas at SPHINX: Drift Cell Redesign and Initial EMPIRE Simulations	<u>E. L. Rhoades</u> ¹ , C. H. Moore ¹ , B. J. Elbrecht ¹ , N. Szalek ² , I. Owens ¹ , K. L. Cartwright ¹	282
P-1.59	Analysis of microscale high pressure argon discharges: a global model approach	<u>D.-Q. Wen</u> ^{1, 2} , P. Zhang ¹ , Y.-N. Wang ³ , J. Verboncoeur ^{1, 2}	283
P-1.60	Stability criteria for radiofrequency plasmas at low pressure	<u>O. Alsaeed</u> ¹ , A. M. Lietz ¹ , B. Yee ² , C. Qu ² , M. Mamunuru ² , B. Scheiner ²	284
P-1.62	Modeling 2D inductively coupled plasmas with particle-in-cell simulations using the VSim code	<u>E. Lanham</u> ¹ , J. Cary ^{1, 2} , D. Main ¹ , T. Jenkins ¹ , S. Veitzer ¹ , D. Smithe ¹ , J. Leddy ¹ , G. Werner ² , S. Kruger ¹	285

SWITCHING

O-5.6.1	Design and Fabrication of a Low Inductance Multigap Gas Switch for Linear Transformer Driver	<u>J. Ryu</u> ¹ , H. Lee ¹ , K.-J. Chung ¹	159
O-5.6.2	Investigating replacements for sulfur hexafluoride in high voltage gas switches	<u>A. M. Steiner</u> ¹ , M. L. Burnette ¹ , J. Felix ¹ , M. D. Mitchell ¹ , G. C. Frye-Mason ¹ , M. Flynn ^{1, 2} , J. C. Stephens ²	160
O-5.6.3	2D axisymmetric Particle-In-Cell study of the effect of hollow cathode geometry on its near plume plasma region	<u>S. Selezneva</u> ¹ , D. Smith ¹ , W. Villafana ² , A. Khrabrov ² , I. Kaganovich ² , D. Sydorenko ³	161
O-5.6.4	Low Global Warming Potential Gases and Insulation Coordination Strategies for High Voltage Applications	<u>J. Lehr</u> ¹ , M. Abdalla ² , M. Skipper ² , S. Romero ² , J. C. Pouncey ³ , A. Morinec ⁴ , D. Skrabacz ⁴	162

O-6.6.5	Cold Cathode Thyratrons for High-Current Discharge Experiment	<u>G.N. Appiah</u> ¹ , A. Alali ¹ , H. Deiban ¹ , F. Albarracin ¹ , C. Kasmi ¹	199
P-1.71	Experimental Studies on Switching Characteristics of a Field-Distortion Sparkgap Switch in Various SF ₆ Admixture	<u>V. K. Gandhi</u> ^{1, 2} , R. Verma ^{1, 2} , G. Singh ³ , M. K. Warrier ^{1, 3} , A. Sharma ^{1, 2}	292

PARTICLE DIAGNOSTICS

O-7.6.1	Laser-based, multi-species,radiography for small and medium scale dynamic experiments	<u>R. E. Reinovsky</u> ¹ , S. H. Batha ¹ , A. Favalli ¹ , C. Huang ¹ , C.-S. Wong ¹ , Z. Wang ¹ , D. P. Broughton ¹ , M. A. Alvarez ¹ , T. R. Schmidt ¹ , J. R. Strehlow ¹ , B. T. Wolfe ¹	230
P-3.66	Multi-Dimensional Incoherent Thomson Scattering System in PHASMA	<u>E. Scime</u> ¹ , <u>P. Shi</u> ¹	421
P-3.67	Neutron Diagnostics on MegaJoule Neutron Imager for Radiography	<u>A. E. Youmans</u> ¹ , C. S. Goyon ¹ , P. C. Campbell ¹ , S. R. Rocco ¹ , S. F. Chapman ¹ , C. M. Cooper ¹ , A. J. Link ¹ , A. E. Schmidt ¹	422

SPACE PLASMAS

O-6.1.6	Studied on the electrons collected by bare conductive tether applied to electrodynamic tether	<u>F. Liang</u> ¹ , L. Miao ¹ , F. Tian ¹ , J. Song ¹	167
O-6.1.7	Near Earth Radiation Detectors (NERD's) technology for measuring space weather parameters	<u>A. Hala</u> ¹	168
P-1.54	3D Multi-fluid MHD Simulation of the Early Time Behavior and Cross-field Propagation of an Artificial Plasma Cloud in the Bottom Side Ionosphere.	<u>C. T. Hooper</u> ^{1, 2} , D. M. Ober ³ , T. S. Crawford ⁴	279

OPTICAL & X-RAY DIAGNOSTICS

O-6.2.5	A diagnostic for extreme ultraviolet spectroscopy on a sheared-flow-stabilized Z pinch	<u>A. W. Klemmer</u> ¹ , S. Fuelling ¹ , B. Bauer ¹ , G. Wurden ² , A. Taylor ³ , D. Sutherland ³ , A. Shah ³ , A. Stepanov ³ , B. Levitt ³ , B. Nelson ³ , T. Weber ³ , U. Shumlak ^{3, 4}	172
O-6.2.6	Mitigating self-absorption/self-reversal effects in Li I transitions in laser-produced plasmas for isotopic analysis	<u>E. J. Kautz</u> ^{1, 2} , A. Xu ⁵ , A. V. Harilal ⁵ , M. P. Polek ³ , D. J. Senor ² , A. M. Casella ² , S. S. Harilal ^{2, 4}	173

O-6.2.7	Development and implementation of sonographic diagnostics to measure plasma energy deposition from a laser plasma generated in air	A. Janicek^{1, 2}, J. Upperman², E. Thornton², O. Sale³, C. Pieronek², L. Larson³, B. Howder³, E. Schamiloglu¹, J. Elle²	174
O-7.2.1	High-Resolution Dual-Comb Spectroscopy in the 9.5 μm Region to Study Ammonia Formation in N ₂ -H ₂ Plasmas	J. Hayden ³ , D. I. Herman ³ , I. Sadiek ¹ , A. J. Fleisher ² , A. Hug ³ , N. Lang ¹ , J.-P. H. van Helden ¹	207
O-7.2.2	Ultrafast X-ray Phase Contrast Imaging of Self-assembled Bismuth Microparticle Explosion Using Pulsed Plasmas	M. Akhter¹, C. Campbell^{3, 1}, S. Clark², K. Fezzaa², Z. Wang³, D. Staack¹	208
O-7.2.3	Spectrographic and Interferometric Techniques to Measure Power Flow Plasmas on Z	J. T. Banasek¹, M. D. Johnston¹, P. A. Reyes¹, J. Schwarz¹, N. R. Hines^{2, 1}, T. J. Smith^{3, 1}	209
O-7.2.4	Forward modelling to reveal characteristics in laser-driven flash x-ray shockwave radiography	D. P. Broughton¹, S. Palaniyappan¹, C. Huang⁴, C.-S. Wong⁴, N. R. Candeias Lemos², A. Junghans¹, A. Pak², P. Singh¹, S. Klein³, S. H. Batha¹, R. E. Reinovsky¹, A. Favalli¹	210
O-7.2.5	Tabletop XUV spectroscopy of uranium oxides from laser-produced plasmas using ultrafast laser-driven high harmonic generation	P. J. Skrodzki^{1, 2}, P. Padmanabhan², F. Elverson^{1, 2}, S. Greer¹, B. Stein¹, M. Livshits¹, P. Bowlan¹	211
P-3.42	Portable X-pinch Driver Development For Dense Plasma Measurements	J. Strucka ¹ , S. Bland ¹ , Y. Yao¹	401
P-3.44	Accumulation effect in repetitively pulsed discharges revealed by optical and laser diagnostics	B. Huang¹, C. Zhang^{1, 2}, T. Shao^{1, 2}	402
P-3.45	Novel x-ray sources based on nano-structured targets	K. Falk¹, N. Elkina¹, L. Huang¹, M. Santiago², D. C. Gautier², X. Pan¹, M. Šmid¹, D. Montgomery²	403
P-3.47	Tomographic Optical Imaging of a Pulsed Atmospheric Pressure Plasma Jet	B. Z. Bentz¹	404
P-3.48	Diagnostic methods for plasma and charged particle beams at Karsruhe Institute of Technology	W. An¹, L. Orellana¹, R. Fetzer¹, A. Heinzel¹, F. Lang¹, A. Weisenburger¹, Y. Krasik², G. Mueller¹	405
P-3.49	Three Photon Laser Induced Fluorescence in a Cold Krypton Gas	T. Steinberger¹, J. McLaughlin², R. Nirwan¹, E. Scime¹	406
P-3.50	Characterization of a Custom Fast Gas Valve Using Planar Laser Induced Fluorescence	D. A. Lund¹, E. S. Lavine¹	407
P-3.51	Unravelling visible and X-ray interferometry data: the TNT code	G. Pérez-Callejo¹, D. Zulevic², V. Bouffetier³, D. Stutman^{4, 5}, <u>M. P. Valdivia^{6, 5}</u>	408
P-3.53	Characterization of high energy density laboratory plasmas through X-ray interferometry	M.P. Valdivia^{1, 2}, V. Bouffetier³, G. Perez-Callejo⁴	409

P-3.54	Electrode Plasma Formation Measurements on Sandia's Mykonos Driver via a Dispersion Interferometer	<u>N. R. Hines</u> ¹ , P. Reyes ² , D. Lamppa ² , T. Awe ² , J. Schwarz ² , M. Gilmore ¹	410
P-3.55	New method for fs-TALIF calibration	<u>A. Starikovskiy</u> ¹ , A. Dogariu ¹	411
P-3.56	Exploring Two Photon Absorption Laser-induced Fluorescence Techniques for Diagnosing Chlorine Ion Velocity Distributions for Processing-relevant Plasmas	<u>R.S. Nirwan</u> ¹ , T. Steinberger ¹ , E. Scime ¹	412
P-3.58	Recent Results in Diagnosis of Magnetic Field Distribution in Gas-Puff Z-Pinches using a Faraday Rotation Diagnostic	<u>E. Freeman</u> ¹ , D. A. Hammer ¹ , W. M. Potter ¹ , E. S. Lavine ¹ , A. Rososhek ¹	413
P-3.59	Development of laser imaging diagnostics for the Mykonos and Z Pulsed Power Accelerators	<u>T. A. Sandbrook</u> ¹ , D. A. Yager-Elorriaga ¹ , D. Bliss ¹ , K. Chandler ¹ , M. Gomez ¹ , M. Montoya ¹ , P. A. Reyes ¹ , J. Schwarz ¹	414
P-3.60	Determination of wavelength pairs for electron temperature calculation using line intensity ratio method in a Helium atmospheric pressure plasma jet	<u>A. S. Dhamala</u> ¹ , J. Manzi ² , J. Browning ¹ , H. Subbaraman ² , N. Kandadai ²	415
P-3.61	Spectroscopic diagnostics of laser-induced air plasmas	<u>A. P. Rao</u> ¹ , C. J. Annesley ¹	416
P-3.62	Plasma-Density Imaging using a 2-Dimensional, Second-Harmonic, Dispersion Interferometer	<u>F. J. Wessel</u> ¹ , C. T. Chavez ¹ , A. Egly ¹	417
PARTICLE ACCELERATION WITH LASERS & BEAMS			
O-6.4.3	The influence of focusing geometry on the Direct Laser Acceleration of electrons	<u>L. Willingale</u> ¹ , H. Tang ¹ , A.V. Arefiev ² , F. Albert ⁴ , R. Babjak ⁵ , P.T. Campbell ¹ , H. Chen ⁴ , V. Contreras ¹ , D. Haberberger ³ , Y. He ² , Y. Ma ¹ , P.M. Nilson ³ , B.K. Russell ¹ , J. Shaw ³ , K. Tangtarharakul ² , M. Vranic ⁵ , I.-L. Yeh ²	182
O-6.4.4	Characterization and mitigation of crosstalk between laser-driven sources for multi-probe radiography	<u>C.-S. Wong</u> ¹ , S. H. Batha ¹ , H. J. Jorgenson ¹ , D. P. Broughton ¹ , C. Huang ¹ , A. S. Junghans ¹ , S. Klein ² , C. H. Wilde ¹ , T. R. Schmidt ¹ , M. Alvarado Alvarez ¹ , Z. Wang ¹ , B. T. Wolfe ¹ , R. E. Reinovsky ¹	183
O-6.4.5	Laser-driven ion beams from thin-film and foam targets for radiography applications	<u>C. Huang</u> ¹ , S. H. Batha ¹ , D. P. Broughton ¹ , A. Favalli ¹ , E. Grace ² , M. Iliev ¹ , A. S. Junghans ¹ , D. A. Mariscal ³ , S. Palaniyappan ¹ , R. E. Reinovsky ¹ , T. R. Schmidt ¹ , R. Simpson ⁴ , J. R. Strehlow ¹ , Z. Wang ¹ , C.-S. Wong ¹ , B. T. Wolfe ¹ , B. L. Wyatt ¹	184

P-2.60	MeV x-rays from Petawatt laser interaction with flat, foam, and nanostructured targets	<u>J. Strehlow</u> ¹ , A. Bogale ² , S. Palaniyappan ¹ , C. Gautier ¹ , J. Twardowski ⁴ , R. Fitzgarrald ³ , B. Jones ¹ , S. Luedtke ¹ , T. Mix ¹ , H. Quevedo ⁵ , S. Bruce ⁵ , A. Seaton ¹ , M. Spinks ⁵ , A. Van Pelt ¹ , L. Yin ¹ , B. Albright ¹	353
--------	--	--	-----

HPM CODES & MODELING

O-6.5.1	Beam Transport Parameter Sensitivities Using Adjoint Methods for 2D Axisymmetric Systems in Static Fields with MICHELLE	<u>J. Petillo</u> ¹ , S. Ovtchinnikov ¹ , A. Jensen ¹ , H. Shannon ² , B. Beaudoin ² , T. Antonsen ² , P. Borchard ³	187
O-6.5.2	IMPROVED THERMIONIC EMISSION MODELS IN THE MICHELLE GUN CODE	<u>E. M. Nelson</u> ¹ , A. J. Jensen ¹ , J. J. Petillo ¹ , S. G. Ovtchinnikov ¹ , D. P. Chernin ¹ , S. J. Cooke ²	188
O-6.5.3	Revisiting Ramo-Shockley Theorem	<u>D. Li</u> ¹ , D. Chernin ² , Y. Y. Lau ¹	189
O-6.5.4	Neptune capabilities for advanced geometry-based vacuum electronic design	<u>S. J. Cooke</u> ¹ , A. N. Vlasov ¹ , J. J. Petillo ² , S. G. Ovtchinnikov ² , V. J. Jabotinski ²	190
O-6.5.5	Design and Simulation of the Magnetic Circuits for Magnetrons and Magnetron Sputtering Using New Magnetostatic Solvers in VSim	K. Aranganadin ¹ , H.-Y. Hsu ² , <u>M.-C. Lin</u> ¹	191
P-2.20	Particle-in-cell Simulation on the Trade-off in Reflector Hole Diameter and Output Power in Vircator	<u>S.S. M. Chung</u> ¹	318
P-2.21	Improvements to Particle Merge Algorithms for Sandia National Laboratories Plasma Physics Modeling Code, EMPIRE	<u>J. Watrous</u> ¹ , D. B. Seidel ¹ , C. H. Moore ²	319
P-2.22	Miniature Electron Gun Design for a W-Band FWG Amplifier	<u>H. Shannon</u> ¹ , B. Beaudoin ¹ , T. Antonsen ¹ , J. Petillo ² , S. Ovtchinnikov ² , A. Jensen ² , P. Borchard ³	320

MICROWAVE AMPLIFIERS

O-6.5.6	Measurement of the Transition to Oscillation in the Recirculating Planar Crossed-Field Amplifier	<u>C. Swenson</u> ¹ , R. Revolinsky ¹ , E. Guerin ¹ , N. Jordan ¹ , Y. Lau ¹ , R. McBride ¹ , R. Gilgenbach ¹	192
O-6.5.7	Helical Waveguides: Microwave Amplifiers and Pulse Compressors	<u>A. Young</u> ¹ , <u>C. Whyte</u> ¹ , C. Robertson ¹ , P. MacInnes ¹ , A. Cross ¹ , K. Ronald ¹ , A. Phelps ¹	193
O-7.5.2	ULTRAWIDE BAND IMPULSE AMPLIFICATION IN A BROADBAND TRAVELING WAVE TUBE	<u>H. Topozlu</u> ¹ , M. Mirmozafari ¹ , N. Behdad ¹ , J. Booske ¹	225
P-2.28	Benchmark Calculations of a Well-Characterized Cross-Field Amplifier using ICEPIC	<u>J. Watrous</u> ¹ , M. Pearlman ² , J. Browning ² , A. Garner ³	325
P-2.29	A Simulation Study of the Gain Limits of a Crossed-Field Amplifier	<u>M. Pearlman</u> ¹ , J. Watrous ² , D. Smithe ³ , A. Yue ³ , A. L. Garner ⁴ , M. Worthington ⁵ , <u>J. Browning</u> ¹	326

P-2.30	Secondary Electron Emission Study In L-4953 Crossed-Field Amplifier	N. K. Manker ¹ , M. Pearlman ¹ , J. Watrous ² , C. Roark ³ , D. Smithe ³ , A. L. Garner ⁴ , M. Worthington ⁵ , J. Browning ¹	327
P-2.31	Design of an Input Coupler for an X-Band Traveling Wave Tube Amplifier	E. D. Wade ¹ , A. Elfregani ¹ , E. Schamiloglu ¹	328
INSULATION & DIELECTRIC BREAKDOWN			
O-6.6.1	Understanding electrode plasma formation on wires and thin foils via vacuum ultraviolet spectroscopy of desorbed surface contaminants	T. J. Smith ^{1, 2} , M. Johnston ² , N. Jordan ¹ , M. Cuneo ² , J. Schwarz ² , R. McBride ¹	195
O-6.6.2	Investigating anode-initiated high voltage vacuum surface flashover common to large-scale pulsed power systems	M. Mounho ¹ , R. Clark ¹ , W. Brooks ¹ , M. Hopkins ² , A. Neuber ¹ , J. Stephens ¹	196
O-6.6.3	INITIAL INVESTIGATION OF THE MODE TRANSITION OF A NANOSECOND GUIDED STREAMER TO SPARK	M.Z. Rahman ^{1, 2} , E. A. Oshin ^{1, 2} , C. Jiang ^{1, 2}	197
O-6.6.4	Composite insulator materials for impulse vacuum flashover holdoff	A. M. Steiner ¹ , M. L. Burnette ¹ , E. M. Redline ¹ , R. S. Goeke ¹ , A. S. Peretti ¹ , W. C. Brooks ¹ , G. C. Frye-Mason ¹ , K. M. Faris ² , T. M. Sammethyl ² , I. Kern ² , M. A. Gilmore ² , J. M. Lehr ² , S. Balogun ³ , M. D. Losego ³	198
O-6.6.6	Characteristics of nanosecond pulsed discharge in a water cavitation field	Q. Wu ¹ , H. Luo ¹ , Z. Liu ¹ , L. Zhang ¹ , Y. Li ¹ , X. Zou ¹ , X. Wang ¹	200
P-1.66	Dimensionless Model for Microgap Breakdown Incorporating Electric Field Nonuniformity and Space Charge Effects	C. Lin ¹ , Y. Fu ¹	287
P-1.67	Effect of Electric Field and Space Charge Density Due to the Impact of Conductor Bundling and Various Applied Voltage on Corona Discharge.	K. Hussain ¹ , L. Tiebing ¹	288
P-1.68	Trap Mechanism for Thickness Effect of Breakdown in BOPP Films for Capacitors	C. Zhang ^{1, 2} , Y. Feng ¹ , C. Zhang ^{1, 2} , T. Shao ^{1, 2}	289
P-1.69	Heat transfer simulations for MVDC power cable under low pressures	A. Samimi Motlagh ¹ , J. Lehr ¹ , M. Ghassemi ²	290
P-1.70	Progress Understanding Anode-Initiated Vacuum Insulator Flashover	M. Hopkins ¹ , W. Brooks ² , R. Clark ² , J. Dickens ² , Z. Echo ¹ , R. Goeke ¹ , J. Mankowski ² , C. Moore ¹ , A. Neuber ² , J. Stephens ²	291
ACCELERATORS			
O-7.1.2	Compact Electron Cyclotron Resonance Accelerator	Y. Jiang ^{1, 2} , X. Chang ^{1, 2} , J. L. Hirshfield ^{1, 2} , M. Fedurin ³ , M. Palmer ³ , W. Stern ³	201

O-7.1.3	Third harmonic generation for two-color ionization injection in laser-plasma accelerators	<u>L. Fan-Chiang</u> ^{1, 2} , A. Gonsalves ² , A. Picksley ² , D. Terzani ² , C. Benedetti ² , C. Schroeder ² , S. Barber ² , J. van Tilborg ² , C. Geddes ² , E. Esarey ²	202
O-7.1.4	On-Chip Waveguide Integrated GaAs Photocathodes	<u>H.U. Chae</u> ¹ , A. Kachwala ² , R. Ahsan ¹ , A. T. Priyoti ¹ , O. Chubenko ³ , S. Karkare ² , R. Kapadia ¹	203
O-7.1.5	Compact Horizontal Cryostat Demonstration of Superconducting Radio-Frequency Cavity with Conduction Cooling	<u>D. Packard</u> ¹ , L. Holland ¹ , J. Anderson ¹ , K. McLaughlin ¹ , D. Vollmer ¹ , B. Coriton ^{3, 1} , G. Ciovati ² , R. Rimmer ² , G. Cheng ² , K. Harding ² , J. Vennekate ² , E. Daly ² , U. Pudasaini ² , T. Schultheiss ⁵ , J. Rathke ⁴	204
P-2.43	A method to estimate the initial inductance of Stack-MITL-PHC system for a 15 MA pulsed-power driver	<u>Z. Gong</u> ¹ , H. Wei ¹ , S. Fan ¹ , Y. Hong ¹ , W. Shan ¹ , A. Qiu ¹	339

DIAGNOSTICS

O-7.1.6	Development and Commissioning of GALADRIEL, the General Atomics LABoratory for Developing Rep-rated Instrumentation and Experiments with Lasers	<u>G. W. Collins</u> ¹ , M. J.-E. Manuel ¹ , C. McGuffey ¹ , A. Dautt-Silva ¹ , M. Jaris ¹ , D. Vollmer ¹ , B. Sammuli ¹ , M. Margo ¹	205
O-7.1.7	Spectroscopic and Interferometric measurements on plasmas generated from high energy, high current cathode anode electrodes on UNM's twelve brick linear transformer driver	<u>R. Beattie-Rossberg</u> ¹ , T. Rocha ¹ , T. Koepele ¹ , S. Portillo ¹	206
P-2.45	Preliminary Design of Compact Neutron Source (CNS) and its Blanket Safety Analysis	<u>S.U.-D. Khan</u> ¹	340
P-2.47	Installation and Testing of a Diamagnetic-Loop-Based Beam Radius Monitor (BRM) on the DARHT-I Linear Induction Accelerator	<u>H. V. Smith</u> ¹ , W. Broste ¹ , H. A. Bender ¹ , N. D. Kallas ¹ , K. McCurdy ¹ , D. Moir ¹ , W. C. Ogg ¹ , G. Salazar ¹ , M. Sanchez ¹ , C. A. Ekdahl ¹	341

MEDICAL & BIOLOGICAL APPLICATIONS

O-5.4.6	Laser-Induced Breakdown Spectroscopy for the Identification of Pathogens in Blood and Urine	<u>S. J. Rehse</u> ¹ , E. J. Blanchette ¹	153
O-7.3.1	Plasma-based Surface Virus Inactivation Using Axisymmetric Dielectric Barrier Discharge	<u>A. Tang</u> ¹ , J.H. Tang ¹ , I. Novoselov ¹ , J.S. Meschke ² , N. Beck ²	212
O-7.3.2	Multiphysics analysis of electroporation and electrodeformation of plasma membrane of realistic 3D cervical cells under nanopulse using DSRD based generator	<u>M. Kumar</u> ¹ , A. Bhattacharjee ¹	213

O-7.3.3	Evaluating the Impact of Substrate Conductivity on Nanosecond Pulsed Plasma Formation and ROSProduction in Liquid	<u>E. A. Oshin</u> ^{1, 2} , K. Asadipour ^{1, 2} , C. Jiang ^{1, 2}	214
O-7.3.4	Bacterial biofilm inactivation using cold atmospheric pressure plasma	<u>K. McCleary</u> ¹ , D. Miller ² , <u>R. Bhattacharya</u> ¹ , M. Pearlman ¹ , K. Cornell ² , J. Browning ¹	215
O-7.3.5	Flexible Surface Dielectric Barrier Discharge Electrodes for Biomedical Applications – Effects of Electrode Geometry and Dielectric Material on Plasma Parameters	D. Trosan ¹ , P. Walther ¹ , S. McLaughlin ² , A. Mazzeo ² , <u>K. Stapelmann</u> ¹	216
O-7.3.6	An Efficient Microwave Microplasma Jet Realized with Printed Circuit Board Technology	<u>K. S. Kabir</u> ¹ , <u>A. Semnani</u> ¹	217
P-3.36	SINEW Mask: An Improved Design to Purify Air We Breathe	<u>C. Neff</u> ¹ , <u>K. Um</u> ¹ , C. Yu ¹ , S. Sateesh ¹ , I. Novoselov ¹ , A. Mamishev ¹	395
P-3.37	Investigation of molecular pathways and mechanisms underlying cold plasmas modulation of cell growth	<u>D. E. Guerrero</u> ¹ , J. L. Lopez ¹ , T. Rengifo ² , W. Huang ² , M. H. Chan ^{3, 2} , S. Chang ² , J. Zhang ²	396
P-3.38	Simulation study on Terahertz based cancer cell diagnostic system using COMSOL.	<u>A. Sinha</u> ^{1, 2} , A.M. Latha ³ , M. Sarkar ² , S. Jain ² , S. Shirodkar ¹ , N. Kumar ²	397

HIGH-PRESSURE & THERMAL PLASMA PROCESSING

O-7.4.1	Non-thermal Plasma Jet Sintering of Indium Tin Oxide Thin Films based on Bayesian Optimization	<u>Z. Cheng</u> ¹ , K. Wang ² , A. N.M. Tanvir ¹ , W. Shang ¹ , Y. Zhang ¹ , T. Luo ¹ , A. Dowling ² , D. B. Go ^{1, 2}	218
O-7.4.3	Atmospheric Pressure Plasma Jets Treating Dielectric Surfaces with Step Barriers	<u>K. Konina</u> ¹ , J. Morsell ² , S. C. Shannon ² , M. J. Kushner ¹	220
O-7.4.6	The influence of the afterglow effects on the average substrate current density growth in short and ultrashort high power impulse magnetron discharges	V. Igumnov ^{1, 2} , <u>V. Kozhevnikov</u> ¹ , A. Kozyrev ¹ , A. Solovyev ¹ , V. Oskirk ¹ , S. Rabotkin ¹ , V. Semenov ¹ , A. Pavlov ¹	223
O-7.4.7	Understanding anode erosion in a DC non-transferred arc air plasma torch through CFD simulation	<u>G. D. Dhamale</u> ^{1, 2} , S. Ghorui ¹	224
O-7.4.5	Flow Velocity Distribution of High-Temperature Gas With Various Currents in Sealed Arc Extinguishing Chamber	<u>A. Kono</u> ¹ , Z. Ren ¹ , H. Morishita ¹ , M. Takagi ¹ , Y. Suzuki ¹ , Y. Nemoto ¹ , T. Iwao ¹	222

ADVANCED HIGH PRESSURE DIAGNOSTICS

O-7.4.4	A statistical approach to Stark broadening for complex ions	<u>K. Adler</u> ¹ , T. Gomez ² , N. Shaffer ³ , C. Starrett ⁴ , S. Hansen ¹	221
---------	---	--	-----

NEW DRIVERS & TECHNIQUES FOR THE FIELD

O-7.4.2	Exploding wire arrays for single-shot hydrodynamic instability experiments	<u>J. Strucka</u> ¹ , B. Lukic ² , M. Koerner ¹ , J. Halliday ¹ , Y. Yao ¹ , K. Mughal ¹ , D. Maler ³ , S. Efimov ³ , J. Skidmore ⁴ , A. Rack ² , Y. Krasik ³ , J. Chittenden ¹ , S. Bland ¹	219
PLASMA CHEMISTRY			
O-7.5.3	Fast-modulated surface-confined plasma for catalytic nitrogen fixation and energy intensification	<u>P. Lamichhane</u> ¹	226
O-7.5.4	Nanosecond Pulse Transient Plasma-based Combustion of Ammonia and Hydrogen Fuels for Reduced CO ₂ Emissions	<u>B. Zhang</u> ¹ , M. Rubio ¹ , O. Hernandez ² , Y. Chen ² , F. Egolfopoulos ¹ , S. B. Cronin ¹	227
O-7.5.5	Tantalum oxide and nitride spectral features from a laser-produced plasma	<u>E. J. Kautz</u> ^{1, 2} , M. C. Phillips ³ , S. S. Harilal ^{1, 4}	228
O-7.5.6	An investigation of the influence of radical scavengers and promoters on the degradation of cefixime by an atmospheric continuous flow plasma reactor	<u>S. O. Babalola</u> ¹ , M. Daramola ¹ , S. A. Iwarere ¹	229
P-1.65	DEVELOPMENT OF HYBRID PLASMA SIMULATION OF PLASMA-ENHANCED CATALYTIC CONVERSION OF RENEWABLE NEUTRAL GAS TO VALUE-ADDED PETROCHEMICALS	<u>C.-H. Ho</u> ¹ , B. Ekinci ² , S. D. Knecht ^{3, 4} , X. Wang ³ , S. G. Bilén ^{1, 2}	286
INTENSE ELECTRON & ION BEAMS			
O-7.6.2	Investigations of Ion Beam Quality from a Planar Pulsed Power Pinched-Beam Diode	<u>J. C. Foster</u> ¹ , J. W. McClory ¹ , S. B. Swanekamp ² , P. F. Ottinger ³	231
O-7.6.3	Secondary Ion Generation in an 18MV, 650kA Bremsstrahlung Diode	<u>T. Powell</u> ¹ , K. Cartwright ¹ , A. Darr ¹	232
O-7.6.4	Magnetically Insulated Electron Flows with Arbitrary, Unipolar Ion Injection	K. Cartwright ¹ , <u>A. M. Darr</u> ¹	233
O-7.6.7	A multi-dimensional Child-Langmuir law with surface roughness	<u>N.R. Sree Harsha</u> ¹ , A. L. Garner ¹	234
P-2.40	Interaction of an intense relativistic electron beam in gas and preformed plasma in the context of flash radiography	<u>A. Dudes</u> ^{1, 2} , F. Dorchie ² , <u>C. Fourment</u> ¹	336
P-2.41	Modeling Electron Beam Generated Plasma Parameters using EMPIRE	<u>N. D. Isner</u> ¹ , E. R. Kaiser ² , S. B. Swanekamp ² , K. L. Cartwright ³	337
P-2.42	Space-charge-limited current in finite concentric cylindrical diodes	<u>N.R. Sree Harsha</u> ¹ , J. Watrous ² , A. L. Garner ¹	338

MICROWAVE & FIR DIAGNOSTICS

P-3.63	Detection of biofilm formation at dairy facilities using microwave	<u>R. Bhattacharya</u> ¹ , K. Cornell ² , J. Browning ¹	418
P-3.64	Development of a surface wave probe to examine intermediate pressure plasmas	<u>S. Hussain</u> ¹ , M. J. Goeckner ¹	419
P-3.65	Infrared and Millimeter Wave Radiometry & Phase Contrast on Gas Puff Z-Pinch Plasmas*	<u>S. Billingsley</u> ¹ , T. Schmidt ^{1, 2} , M. Gilmore ¹ , S. Portillo ¹	420

HIGH PRESSURE THEORY & SIMULATIONS

P-3.75	Liquid-Vapor Coexistence of Platinum From Ab Initio Simulation	<u>M. K. Lentz</u> ^{1, 2} , J. P. Townsend ¹ , K. R. Cochrane ¹	428
--------	--	--	-----