

PROGRESS IN BIOMEDICAL OPTICS AND IMAGING

Vol. 25 No. 25

# ***Optical Interactions with Tissue and Cells XXXV***

**Norbert Linz**  
**Joel N. Bixler**  
**Alex J. Walsh**  
*Editors*

**27–28 January 2024**  
**San Francisco, California, United States**

*Sponsored and Published by*  
SPIE

**Volume 12840**

Proceedings of SPIE, 1605-7422, V. 12840

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at [SPIDigitalLibrary.org](http://SPIDigitalLibrary.org).

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Optical Interactions with Tissue and Cells XXXV*, edited by Norbert Linz, Joel N. Bixler, Alex J. Walsh, Proc. of SPIE 12840, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 1605-7422

ISSN: 2410-9045 (electronic)

ISBN: 9781510669390

ISBN: 9781510669406 (electronic)

Published by

**SPIE**

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)

[SPIE.org](http://SPIE.org)

Copyright © 2024 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at [copyright.com](http://copyright.com). Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL  
LIBRARY**

[SPIDigitalLibrary.org](http://SPIDigitalLibrary.org)

---

**Paper Numbering:** A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

# Contents

v *Conference Committee*

---

## **SESSION 1 NOVEL IMAGING METHODS FOR VISUALIZING OPTICAL INTERACTIONS WITH TISSUES AND CELLS**

---

- 12840 02 **Fast scattering coefficient measurement of intralipid-infused tissue phantoms using imaging sensors** [12840-1]
- 12840 03 **Novel surface plasmon resonance (SPR)-based biosensor for pathogenic bacteria detection (PathoBactD)** [12840-3]
- 12840 04 **Differentiating tumor specimens by polarimetric speckle pattern analysis** [12840-5]
- 12840 05 **The use of gold nanoparticles as a signal enhancer in LSPR for the detection of SARS-CoV-2** [12840-2]

---

## **SESSION 2 MECHANISMS OF PULSED LASER ABLATION**

---

- 12840 06 **Laser ablation for precision 3D bone shaping: beyond channel cuts (Best Paper Award)** [12840-54]

---

## **SESSION 3 NOVEL APPLICATIONS OF LASERS AND LIGHT IN BIOMEDICINE I**

---

- 12840 07 **Transvascular delivery of cisplatin to subcutaneous tumors in mice by photomechanical waves** [12840-12]
- 12840 08 **Modeling wavelength dependence of laser tumor hyperthermic treatments** [12840-13]

---

## **SESSION 4 NOVEL APPLICATIONS OF LASERS AND LIGHT IN BIOMEDICINE II**

---

- 12840 09 **Development and evaluation of surface plasmon resonance phase difference for tuberculosis detection** [12840-15]
- 12840 0A **Detection of mutations using a localized surface plasmon resonance biosensor** [12840-16]
- 12840 0B **Optical biosensing of multidrug-resistant tuberculosis (TB) genes** [12840-18]

---

**SESSION 5      NUMERICAL APPROACHES SIMULATING LASER-TISSUE INTERACTIONS AND RESPONSE**

---

- 12840 0C      **Enhancing limit of detection in surface plasmon resonance biosensors: a sensitivity analysis for optimal performance** [12840-22]
- 12840 0D      **Monte Carlo-based realistic modeling of speckles in Fourier-domain optical coherence tomography (Best Paper Award)** [12840-23]

---

**SESSION 6      PHOTOTHERMAL, PHOTOCHEMICAL, PHOTO-OXIDATIVE, AND PHOTOMECHANICAL INTERACTIONS**

---

- 12840 0E      **Can photobiomodulation be studied in vitro? Investigation on the interaction between cell culture medium and short-wavelength blue LED light** [12840-46]

---

**POSTER SESSION**

---

- 12840 0F      **Laser energy transfer efficiency in laser lithotripsy** [12840-37]
- 12840 0G      **Evaluation of the limit of detection of the localized surface plasmon resonance label-free biosensor** [12840-38]
- 12840 0H      **Biosensing multidrug-resistant TB genes using SPR (Best Poster Award)** [12840-39]
- 12840 0I      **Real-time detection of HIV-1 using an absorbance-based biosensor: a comparative study of surface coatings and antibody functionalization** [12840-40]
- 12840 0J      **Improved sensitivity of tuberculosis antigen MPT64 detection using SPR phase difference** [12840-41]
- 12840 0K      **Investigation of skin damage by carbon dioxide laser and semi-automated evaluation of the degree of damage** [12840-47]
- 12840 0L      **Chitosan/Au nanocomposites-based LSPR sensor for SARS-CoV-2 detection** [12840-17]