Wind Propulsion Conference 2023

London, United Kingdom 16-17 February 2023

ISBN: 978-1-7138-9566-4

Printed from e-media with permission by:

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2023) by The Royal Institution of Naval Architects All rights reserved.

Printed with permission by Curran Associates, Inc. (2024)

For permission requests, please contact The Royal Institution of Naval Architects at the address below.

The Royal Institution of Naval Architects 8-9 Northumberland Street London, WC2N 5DA United Kingdom

Phone: 020 7235 4622 Fax: 020 7259 5912

publications@rina.org.uk

Additional copies of this publication are available from:

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571 USA Phone: 845-758-0400

Fax: 845-758-2633

Email: curran@proceedings.com Web: www.proceedings.com

CONTENTS

AERODYNAMIC OPTIMIZATION OF THE ESAIL, BOUND4BLUE'S SUCTION SAIL FOR WIND-ASSISTED VESSEL PROPULSION A Llopis Pascual, G Bailardi, B Charrier and D Ferrer Desclaux, Bound 4 Blue S.L., Spain	1
PERFO: METHODOLOGY BENCHMARK FOR WIND ASSISTED PROPULSION SHIP PERFORMANCE ESTIMATION J Bataille, C Blayo and P Sergent Bureau Veritas Solutions Marine & Offshore, France	13
BUILDING TRUST IN THRUST J. Kuuskoski and V. Paakkari, Norsepower Oy Ltd, Finland	25
VALIDATION OF PERFORMANCE PREDICTION PROGRAM AGAINST CYBER- PHYSICAL MODEL TESTS K Eide, A Östman and A Alterskjær, SINTEF Ocean, Norway	33
EMPIRICAL METHODS FOR DEVELOPING WASP PERFORMANCE INDICATORS AND HEURISTICS-BASED DECISION MAKING UNDER UNCERTAINTY K M Fakiolas, Naval Architect & Marine Engineer, CEO Finocean Ltd, Finland	45
NOVEL PLATFORMS FOR OPTIMISING RENEWABLE ENERGY POWERED SHIPS K Goh, Knud E. Hansen A/S, Australia	59
"WIND HUNTER"- THE ZERO EMISSION CARGO SHIP POWERED BY WIND AND HYDROGEN ENERGY K Ouchi, Ouchi Ocean Consultant Inc., Japan: ouchi@athena.ocn.ne.jp K Shima and K Kimura, Mitsui O.S.K. Lines Ltd, Japan	81
ABOUT THE BENEFIT OF OPTIMIZING BOTH SPEED AND ROUTE IN WIND-ASSISTED SHIPS MULTI-OBJECTIVE WEATHER ROUTING M Dupuy, LIX – Ecole Polytechnique, France, D-ICE Engineering France D Dudka and L Letournel and F Rongere and G Vincke, D-ICE Engineering, France	89
PRELIMINARY STUDY ON THE PROPELLER AND ENGINE PERFORMANCE VARIATION WITH WIND PROPULSION TECHNOLOGIES M Reche-Vilanova, H B Bingham, and H N Psaraftis, Technical University of Denmark, DK M Fluck, and D Morris, North Windship Technologies, UK	103
WIND PROPULSION TOWARDS ZERO-EMISSION CRUISE VESSELS N Abiven, V Vautier, F Cany, J B Fabre, and L Rouxel-Duval, Chantiers de l'Atlantique, France	115
SYNERGIES OF WIND-PROPULSION AND GATE-RUDDER TM TECHNOLOGY N Bulten, Wärtsilä, The Netherlands	125
KEY FEATURES OF 'WIND READY' RETROFIT OF A KAMSARMAX BULK CARRIER N Contopoulos, BEng, CEng, Anemoi Marine Technologies, UK, B Jiang, BEng, MSc, MRINA, CEng, Anemoi Marine Technologies, UK, H Jiang, MEng, Lloyd's Register Classification Society	137

(China) Co. Ltd, China, R Tustin, BSc, MRINA, CEng, Lloyd's Register Classification Society (China) Co. Ltd, China	
WIND PROPULSION AND UNDERWATER RADIATED NOISES MITIGATION P Cordier, XP SEA, France, C Noël, Semantic TS, France	155
PERFORMANCE PREDICTION OF WIND PROPULSION TECHNOLOGIES VIA CFD Dr R Azcueta and H Ward, Cape Horn Engineering, UK	171
WISP2 PROJECT ON WIND PROPULSION PERFORMANCE PREDICTION METHODS AND MANOEUVRING R Eggers and A S Kisjes, Maritime Research Institute Netherlands (MARIN), The Netherlands	185
WASP ASSESSMENT FROM A SHIP DESIGNER POINT OF VIEW R Prever, NAOS ship & Boat Design, Italy	201
MANOEUVRE SIMULATIONS IN DESIGN PROCESS OF WIND POWERED VESSEL S Kontos, O Lundbäck, M Kjellberg, E Wilske, S Werner, RISE Research Institutes of Sweden, Sweden	207
TECHNICAL KEY PERFORMANCE INDICATORS FOR WIND-POWERED SHIPS S Werner, RISE Maritime, Sweden, F Gerhardt, RISE Maritime, Sweden, S Kontos, RISE Maritime, Sweden	219
HIGH PERFORMANCE COMPOSITE MATERIALS FOR WIND PROPULSION TECHNOLOGIES: CHALLENGES & OPPORTUNITIES T James, Hexcel, United Kingdom	235