

2024 IEEE Wireless and Microwave Technology Conference (WAMICON 2024)

**Clearwater, Florida, USA
15 – 16 April 2024**



**IEEE Catalog Number: CFP24WMC-POD
ISBN: 979-8-3503-4495-0**

**Copyright © 2024 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

| | |
|-------------------------|-------------------|
| IEEE Catalog Number: | CFP24WMC-POD |
| ISBN (Print-On-Demand): | 979-8-3503-4495-0 |
| ISBN (Online): | 979-8-3503-4494-3 |

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

| | |
|---|----|
| A Brief Overview of Reconfigurable PA Technologies | 1 |
| <i>Dominic Mikrut, Patrick Roblin, Hsui-Chen Chang, Shane Smith, Josh Coffey, Ramy Tantawy, David Frey</i> | |
| Reconfigurable Power Amplifiers for Spectrum Sharing in Arrays | 5 |
| <i>Charles Baylis, Dimitrios Peroulis, Austin Egbert, Justin Roessler, Alden Fisher, Robert J. Marks</i> | |
| Zeroth-Order Optimization for Self-Interference Cancellation in STAR Front-End | 9 |
| <i>Michelle Pirrone, Grant Giesbrecht, Emiliano Dall'Anese, Taylor Barton</i> | |
| A Modern Framework to Incorporate Measured Load Pull Data in Power Amplifier Design | 13 |
| <i>Matthew Ozalas, Jason Boh</i> | |
| Hybrid Load-Modulated Double-Balanced Amplifier (H-LMDBA) with Four-Way Load Modulation and >15-dB Power Back-Off Range | 16 |
| <i>Shadman Fuad Bin Faruquee, Jiachen Guo, Pingzhu Gong, Kenle Chen</i> | |
| A 1.8 dB Noise Figure 5.3–7.4 GHz BW _{-3dB} CMOS LNA for 802.11ax Applications | 20 |
| <i>Xinyi Jiang, Chunqi Shi, Leilei Huang, Long Xu, Hao Deng, Jinghong Chen, Runxi Zhang</i> | |
| Efficiency Enhancement by Sizing Device Periphery for Supply-Modulated Power Amplifiers..... | 24 |
| <i>Reyes Lucero, Connor Nogales, Zoya Popovic</i> | |
| An 830-MHz CMOS Switch-Mode Power Amplifier Under Time-Multiplexing Outphasing Operation..... | 28 |
| <i>Toshifumi Nakatani, Travis Wambach, Edward N. Falcon, Aly E. Fathy</i> | |
| Digitally-Augmented Wideband Self-Interference Cancellation in Full-Duplex Transceiver..... | 32 |
| <i>Kefayet Ullah, Satheesh Bojja Venkatakrishnan, John L. Volakis</i> | |
| Physical Layer Security using Chaotic Antenna Arrays in Point-to-Point Wireless Communications..... | 36 |
| <i>Thomas Ranstrom, Huseyin Arslan, Gokhan Mumcu</i> | |
| An Ultra-Wideband Microstrip Gain Equalizer on Thin-Film Ceramic for Future Millimeter Wave Applications Up to and Beyond 120 GHz | 40 |
| <i>Andre Scheder, Tim Pfahler, Anna Bridier, Martin Vossiek</i> | |
| Compact 150 GHz and 300 GHz Dual-Band On-Chip Antenna for Future Communication and Sensing Applications | 44 |
| <i>Tim Pfahler, Jan Schür, Martin Vossiek</i> | |
| Dynamic Management of Digital Array Resources for Radar Target Tracking..... | 48 |
| <i>Nathan A. Goodman</i> | |
| Decentralized Localization of Distributed Phased Array Elements using High-Accuracy Ranging and Multidimensional Scaling | 52 |
| <i>Matthew J. Dula, Naim Shandi, Jeffrey A. Nanzer</i> | |
| Non-Cooperative High-Efficiency Multi-User Ranging using OFDM Signals..... | 56 |
| <i>Mehmet Yazgan, Hüseyin Arslan, Stavros Vakalis</i> | |

| | |
|---|-----|
| Impact of Multi-Path Wave Propagation on Specific Absorption Rate in Layered Dielectrics | 60 |
| <i>Rachel E. Jarvis, Jay W. McDaniel</i> | |
| Ferromagnetic Resonance Identification (FMR-ID) Under Low Magnetic Field for sub-mmWave RFID..... | 64 |
| <i>M. Toaha Anas, Alex Wege, Allison Harpel, Yicong Chen, Bethanie J. H. Stadler, Rhonda Franklin</i> | |
| Efficient Modelling of Millimeter-Wave Body Scan..... | 68 |
| <i>Wenyi Shao</i> | |
| Tissue Thickness Effects on Radiometric Internal Body Temperature Measurements..... | 72 |
| <i>Sofia Mvokany, Zoya Popovic</i> | |
| Advanced 3D Heterogenous Integration (3DHI) for High Frequency RF Applications..... | 76 |
| <i>Augusto Gutierrez-Aitken</i> | |
| Towards Dielectric Chip-to-Chip Interconnects for THz Applications | 80 |
| <i>Tobias Bader, Gerald Gold</i> | |
| Multi Glass-Wafer Stacked Technology for 3D Heterogeneously-Integrated Scalable 6G Arrays..... | 84 |
| <i>Shah Zaib Aslam, Oliver Boomhower, Jeremy Popp, Najme Ebrahimi</i> | |
| Tight Non-Radiating Bends of 3D-Printed Dielectric Image Lines Based on Electromagnetic Bandgap Mirrors..... | 88 |
| <i>Leonhard Hahn, Tobias Bader, Christian Carlowitz, Martin Vossiek, Gerald Gold</i> | |
| Inverse Design a 3D Printed Four-Port Power Splitter Leveraging Gradient Optimization and Adjoint Method | 92 |
| <i>Saeed Zolfaghary Pour, Hanxiang Zhang, Powei Liu, Hao Yan, Jonathan Casamayor, Mitch Plaisir, Bayaner Arigong</i> | |
| Towards Additive Manufacturing Based Packaging of Mm-Wave Antenna Arrays and Beamformer ICs | 96 |
| <i>Ruoke Liu, Gokhan Mumcu, Jing Wang</i> | |
| The Limit of Downsizing Dielectric-Filled Slotted Waveguide Antennas | 99 |
| <i>Felix Bachbauer, Konstantin Lomakin, Mark Sippel, Gerald Gold</i> | |
| Multichannel and Multifunction Interferometric Receiver Architectures for Multistandard Millimeter-Wave and Terahertz Applications | 103 |
| <i>Jie Deng, Pascal Burasa, Ke Wu</i> | |
| A 0.1 GHz to 1.1 THz Inverted Grounded-CPW mTRL Calibration Kit Characterization in an InP HBT Process..... | 107 |
| <i>Jerome Cheron, Rob D. Jones, Dylan F. Williams, Miguel E. Urteaga, Bryan T. Bosworth, Nicholas R. Jungwirth, Jeffrey A. Jargon, Benjamin F. Jamroz, Christian J. Long, Nathan D. Orloff, Ari D. Feldman, Peter H. Aaen</i> | |
| A 290–359 GHz Push-Push Signal Source with 1.7 dBm P_{max} using Variable Inductance in SiGe BiCMOS Technology | 111 |
| <i>Sascha Breun, Albert-Marcel Schrotz, Manuel Koch, Vadim Issakov, Robert Weigel</i> | |
| A Digitally Controlled D-Band Phase Shifter for FMCW Radar and RadCom in SiGe BiCMOS..... | 115 |
| <i>Albert-Marcel Schrotz, Sascha Breun, Stefan Schonharl, Robert Weigel</i> | |

| | |
|--|-----|
| Electromagnetic Design of Excitation Coils for an Inductively-Coupled Plasma Etching System..... | 119 |
| <i>Jack Molles, Zoya Popovic, Prasoon Shukla, Shen Peng</i> | |
| A High-Linear PLL-Based FMCW Frequency Synthesizer with 42-kHz rms FM Error and 1.2-GHz Chirp Bandwidth | 123 |
| <i>Zitong Zhang, Yuri Lu, Xiaoyuan Wu, Hao Deng, Chunqi Shi, Leilei Huang, Jinghong Chen, Runxi Zhang</i> | |
| High-Reliability Envelope-Based Automatic Modulation Classification using Deep Learning..... | 127 |
| <i>Mohammad Abu Khater, Dimitrios Peroulis</i> | |
| Boosting Estimation Accuracy of Low-Cost Monopulse Receiver via Deep Neural Network | 131 |
| <i>Hanxiang Zhang, Saeed Zolfaghary Pour, Powei Liu, Hao Yan, Jonathan Casamayor, Mitch Plaisir, Bayaner Arigong</i> | |
| Empirical Analysis of Polarized Coherent Signal Loss from a Free Space Optical Communication Experimental Setup | 135 |
| <i>Chengtao Xu, Lucien Hammond, Eduardo A. Rojas-Nastrucci</i> | |

Author Index