## PROCEEDINGS OF SPIE

# Semiconductor Lasers and Laser Dynamics XI

Marc Sciamanna Fan-Yi Lin Jesper Mørk Editors

9–11 April 2024 Strasbourg, France

Sponsored by SPIE

Cooperating Organisations Photonics 21 (Germany) EOS—European Optical Society

Published by SPIE

Volume 13002

Proceedings of SPIE 0277-786X, V. 13002

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in *Semiconductor Lasers and Laser Dynamics XI*, edited by Marc Sciamanna, Fan-Yi Lin, Jesper Mørk, Proc. of SPIE 13002, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510673229 ISBN: 9781510673236 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) SPIE.org Copyright © 2024 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

• The first five digits correspond to the SPIE volume number.

• The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

### Contents

#### vii Conference Committee

#### SEMICONDUCTOR LASER NONLINEAR DYNAMICS

- 13002 02 **Optimizing semiconductor laser chaos with precise control of double optical feedback** [13002-2]
- 13002 03 Unveiling the optical injection-induced nonlinear dynamics of VCSEL-based frequency combs [13002-35]
- 13002 04 Chaos injection and synchronization in cascade experiments [13002-5]

#### **OPTICAL FREQUENCY COMBS AND MODE LOCKING**

- 13002 05 Chaotic optical frequency combs via relaxation oscillation excitation in on-chip bidirectionally coupled lasers [13002-8]
- 13002 06 Cascaded injection of semiconductor lasers for optical frequency comb generation [13002-9]

#### NANOLASER AND SPIN LASER

- 13002 07 Statistics and dynamics in micro- and nanolasers (Invited Paper) [13002-11]
- 13002 08 Two-particle quantum correlations in nano- and macro-single-mode lasers [13002-14]

#### **NOVEL LASER STRUCTURES**

13002 09	Strain-engineered GeSn microlasers with lithographically adjustable emission wavelengths [13002-15]
13002 0A	Fano-structure as output coupling mirror of microchip laser doubles its brightness [13002-17]

#### **INTEGRATED PHOTONICS**

- 13002 0B Frequency response of an on-chip multi-wavelength laser subject to optical injection with single sideband modulation [13002-22]
- 13002 0C Heterogeneous III-V/silicon laser characterization for analog radio over fiber application [13002-21]
- 13002 0D Monolithically integrated optical computing component for photonic matrix multiplication based on electro-optically modulated vertical-cavity surface-emitting lasers [13002-23]

#### QUANTUM CASCADE LASERS

- 13002 OF Maxwell-Bloch-based dynamic modeling of quantum walk optical frequency combs [13002-27]
- 13002 0G The temperature dependence of build-up time in a QCL emitting in  $8_{\mu}$ m wavelength range [13002-28]

#### **HIGH-PERFORMANCE SEMICONDUCTOR LASERS**

- 13002 0H High resolution and metrologically traceable characterization of semiconductor lasers at SWIR wavelength with InGaAs sensors [13002-29]
- 13002 01 NIR photopolymerization self-writing process for fiber-to-fiber single mode coupling [13002-31]
- 13002 0J High coherence broadly tunable semiconductor laser: inhibited versus strong non-linear light matter interaction [13002-32]
- 13002 0K Study on laser spot size measurement by scanning-slit method based on back-injection interferometry [13002-45]

#### MULTIMODE LASER DYNAMICS

- 13002 OL Experimental study of strain-induced wavelength tuning in 1550nm VCSEL chips [13002-33]
- 13002 0M Requirements to achieve wavelength switching in optical feedback phase-controlled semiconductor multi-wavelength lasers [13002-34]
- 13002 0N Coherent approaches on chaotic semiconductor lasers for dimensional enhancement [13002-3]
- 13002 00 Spatio-temporally reconfigurable light in degenerate laser cavities [13002-46]

1300	2 OP Littro [130	w configuration tunable external cavity diode laser with narrowband emission at 448 nm 02-39]
1300	2 0Q DFB	laser injection-locked to PM fiber ring cavity with 75-Hz Lorentzian linewidth [13002-41]
13002	2 OR High	-precision chaos Lidar using broad bandwidth detector [13002-43]
1300	2 0S <b>Nan</b>	olaser potential in communications and data handling [13002-44]

POSTER SESSION