PROCEEDINGS OF SPIE

2024 International Conference on Optoelectronic Information and Optical Engineering (OIOE 2024)

Harith Ahmad Ming Jiang Editors

8–10 March 2024 Kunming, China

Organized by Shandong University (China)

Sponsored by AEIC—Academic Exchange Information Centre (China)

Published by SPIE

Volume 13182

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in 2024 International Conference on Optoelectronic Information and Optical Engineering (OIOE 2024), edited by Harith Ahmad, Ming Jiang, Proc. of SPIE 13182, Sevendigit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510680463

ISBN: 9781510680470 (electronic)

Published by

SPIF

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2024 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

ix Conference Committee

OPTICAL FIBER COMMUNICATION AND IMAGING DETECTION TECHNOLOGY

| 13182 02 | Transmission properties of autofocusing Airy beam carrying a new kind of power-exponent vortex phase in ocean turbulence [13182-46] |
|----------|---|
| 13182 03 | Signal matching with modified edit distance based on aperiodic coding [13182-83] |
| 13182 04 | Selectable output of solitons and self-accelerating pulses via spectral phase modulation and filtering of Airyprime pulses [13182-89] |
| 13182 05 | Analysis of analog correlated multiple sampling noise reduction in low noise CMOS image sensor [13182-90] |
| 13182 06 | All-fiber mobile Doppler wind lidar for combined measurement of the wind field and precise distance to hard targets [13182-21] |
| 13182 07 | Short-wave infrared and visible image fusion based on a dual-band polarization imaging sensor [13182-54] |
| 13182 08 | Super-resolution reconstruction of variable length infrared image sequences based on convolutional neural networks and pixel shuffling [13182-10] |
| 13182 09 | Application of implicit representation function to improve the detection accuracy of an infrared system [13182-73] |
| 13182 0A | Capture performance analysis of beacon-less laser communication use dual beam scanning [13182-104] |
| 13182 OB | Measurement of deep hole verticality by monocular vision [13182-3] |
| 13182 0C | Effect on spin-VCSEL dynamics and bandwidth under different external control conditions [13182-85] |
| 13182 0D | Phase synchronization algorithm for high-speed space optical communication modulation baseband signal based on FPGA [13182-6] |
| 13182 0E | Chirped Gaussian pulse propagation within the graded-index multimode fibers in the presence of third-order dispersion and Raman effect [13182-71] |
| 13182 OF | Three-dimensional reconstruction based on three-dimensional phase mapping using single-pixel imaging [13182-31] |

| 131820 | G Influence of average speckle size on measurement of in-plane displacement [13182-27] |
|----------|---|
| 131820 | A new star location method based on rectangular hole Fraunhofer diffraction [13182-105] |
| 131820 | Characterizing whispering gallery mode microcavity by OFDR [13182-55] |
| 131820 | Design and optimization of EAM for data center optical interconnects [13182-58] |
| 131820 | Modality-inter fusion and enhancement network for dual-spectral object detection [13182-34] |
| 131820 | High-speed color difference correction algorithm used for UAV panoramic video system [13182-2] |
| 131820 | Applications of two-photon fluorescence lifetime and second harmonic generation imaging technologies in pathological tissue sections [13182-56] |
| 131820 | Research on inspection accuracy and application strategy of infrared imaging technology in construction field [13182-4] |
| 131820 | O Research on fast modulation optical add-drop multiplexer in optical fiber communication [13182-20] |
| 131820 | Research on rapid detection method of tower bolt looseness based on vibration signal analysis at different measurement points [13182-76] |
| 131820 | Remote sensing image denoising algorithm based on improved Transformer network [13182-101] |
| 131820 | Research on the wavelength intersection union fusion selection method for near-infrared spectroscopy analysis of apple sugar degree [13182-106] |
| 131820 | Propagation characteristics of the singular Laguerre-Gaussian beams modulated by the Airy pulses in free space [13182-78] |
| 13182 01 | High-precision air gap thickness measurement based on spectral reflectometry [13182-103] |
| 13182 0 | Calibration of the reflectivity-related error of the indirect time-of-flight imaging systems [13182-86] |
| 131820 | V Parameter optimization of fiber broadband amplifier based on genetic algorithm [13182-61] |
| | |
| | OPTOELECTRONIC INSTRUMENTATION SIMULATION AND SENSING MEASUREMENT AND CONTROL |
| 131820 | W A modified metal polarimetric BRDF model for rendering [13182-24] |
| 131820 | X Simultaneous 3D small-angle laser measurement based on PZT feedback compensation [13182-70] |

| 13182 OY | Characterization of thin-film lithium niobate modulators at 298 K and 38.5 K [13182-74] |
|----------|---|
| 13182 OZ | Calibration of the water track laser Doppler velocimeter based on pitch-independent laser Doppler velocimeter [13182-17] |
| 13182 10 | Experimental study of CW CO ₂ lasers with wavelength tuning [13182-67] |
| 13182 11 | Low repetition frequency ytterbium-doped mode-locked fibre lasers [13182-13] |
| 13182 12 | Analysis of distributed strain of optical fiber winding structure using BOTDA [13182-57] |
| 13182 13 | Optimization of PbS colloidal quantum dots-based near-infrared photodetectors using pentacene [13182-79] |
| 13182 14 | Colorimetric characterization of digital camera for the ocean surface imaging using a two-step training method [13182-81] |
| 13182 15 | Interplay between transient interfacial photocurrent and surface nonlinear photocurrent in graphene/MoS ₂ heterostructure [13182-69] |
| 13182 16 | Vector magnetic field sensing characteristics of magnetic fluid coated side-polished eccentric-core fiber structure [13182-41] |
| 13182 17 | Quantitative measurement of interlaminar stress in CFRP laminates using fiber Bragg Gratings [13182-65] |
| 13182 18 | Development of fiber-optic triaxial force sensor for guidewire tip [13182-8] |
| 13182 19 | Spike-based all-optical fast XOR operation in a VCSEL under dual-polarization optical injections [13182-16] |
| 13182 1A | Application of group delay estimation for optical transmitter authentication using bispectrum algorithm [13182-77] |
| 13182 1B | SPR-based fiber optic biosensor for the detection of HER2 [13182-63] |
| 13182 1C | Research on large-bandwidth balanced homodyne detector for quantum detection [13182-82] |
| 13182 1D | A temperature adaptability improvement method of optoelectronic oscillator based on optical delay system [13182-87] |
| 13182 1E | Fiber-optical biosensor for antibiotic susceptibility testing [13182-48] |
| 13182 1F | Simulation and demodulation of an airway pressure sensor based on Fabry-Perot interference [13182-33] |
| 13182 1G | 2.1µm tunable multi-wavelength holmium fiber laser [13182-29] |

| 13182 1H | Calibration of non-amplified nucleic acid quantitative fluorometer [13182-60] |
|--|---|
| 13182 11 | Research on color temperature tunable white LED with high color rendering and full spectrum [13182-36] |
| 13182 1J | Research on temperature stability of multi-segmented Nd:YAG/Nd:GdVO4 crystals laser [13182-26] |
| 13182 1K | Simulation and design research on improving MPASS based on dual-wavelength detection technology [13182-95] |
| 13182 1L | Overview of laser semi-active guidance jamming technology [13182-93] |
| 13182 1M | Non-monotonic wavelength shift of mid-infrared quantum cascade lasers at different temperatures [13182-91] |
| 13182 1N | Analysis and swing control of optical path scanning model of double-moving mirror swing interferometer [13182-42] |
| 13182 10 | Research on laser vibration detection and intelligent identification of loose bolts of overhead transmission pole towers [13182-107] |
| | INTEGRATED OPTICAL SYSTEM AND OPTICAL MATERIAL RESEARCH |
| | |
| 13182 1P | Polymer additives for improving the selective electrophoretic deposition morphology of quantum dots [13182-5] |
| 13182 1P 13182 1Q | Polymer additives for improving the selective electrophoretic deposition morphology of |
| | Polymer additives for improving the selective electrophoretic deposition morphology of quantum dots [13182-5] |
| 13182 1Q | Polymer additives for improving the selective electrophoretic deposition morphology of quantum dots [13182-5] A DUIRE algorithm for dynamic range improvement of phase-OTDR systems [13182-18] Soliton-sinc pulse propagation in the presence of fourth-order dispersion and nonlinear effects |
| 13182 IQ 13182 IR | Polymer additives for improving the selective electrophoretic deposition morphology of quantum dots [13182-5] A DUIRE algorithm for dynamic range improvement of phase-OTDR systems [13182-18] Soliton-sinc pulse propagation in the presence of fourth-order dispersion and nonlinear effects [13182-88] High-performance non-contact radiative cooling enabled by solar reflectance and infrared |
| 13182 1Q 13182 1R 13182 1S | Polymer additives for improving the selective electrophoretic deposition morphology of quantum dots [13182-5] A DUIRE algorithm for dynamic range improvement of phase-OTDR systems [13182-18] Soliton-sinc pulse propagation in the presence of fourth-order dispersion and nonlinear effects [13182-88] High-performance non-contact radiative cooling enabled by solar reflectance and infrared transparent porous poly (4-methyl-pentene) film [13182-43] |
| 13182 1Q 13182 1R 13182 1S | Polymer additives for improving the selective electrophoretic deposition morphology of quantum dots [13182-5] A DUIRE algorithm for dynamic range improvement of phase-OTDR systems [13182-18] Soliton-sinc pulse propagation in the presence of fourth-order dispersion and nonlinear effects [13182-88] High-performance non-contact radiative cooling enabled by solar reflectance and infrared transparent porous poly (4-methyl-pentene) film [13182-43] Design of an intelligent embedded optical power meter system [13182-66] |
| 13182 1Q 13182 1R 13182 1S 13182 1T 13182 1U | Polymer additives for improving the selective electrophoretic deposition morphology of quantum dots [13182-5] A DUIRE algorithm for dynamic range improvement of phase-OTDR systems [13182-18] Soliton-sinc pulse propagation in the presence of fourth-order dispersion and nonlinear effects [13182-88] High-performance non-contact radiative cooling enabled by solar reflectance and infrared transparent porous poly (4-methyl-pentene) film [13182-43] Design of an intelligent embedded optical power meter system [13182-66] Theory analysis for interference fringes of the dual beam laser Doppler velocimeter [13182-19] Rhombus phase unwrapping algorithm under temporal multiplexing mechanism of phase- |

| 13182 1Y | Laser-induced fluorescence detection of oil film thickness in water based on convolutional neural network algorithm [13182-100] |
|----------|---|
| 13182 1Z | Application progress of optical system used for soft x-ray detector [13182-109] |
| 13182 20 | PAM4-based SFP56 64G SR optical module design [13182-51] |
| 13182 21 | Design of a miniaturized optical system for machine vision angular displacement sensors [13182-30] |
| 13182 22 | Remote multicolour excitation laser-induced fluorescence imaging studies [13182-68] |
| 13182 23 | Design and alignment of off-axis primary and secondary mirrors system in gravitational wave telescopes [13182-98] |
| 13182 24 | Nonlinear error compensation for 2D PSD based on SSA-BP neural network [13182-92] |
| 13182 25 | Investigation of optoelectronic characteristics of intrinsic point defects on InAs nanowires [13182-47] |
| 13182 26 | Fractional-order elliptic perfect optical vortex multiplexed holography [13182-75] |
| 13182 27 | An undersampling phase unwrapping algorithm based on Kalman motion estimation for heterodyne interferometer [13182-32] |
| 13182 28 | Young's formula for Gaussian beams: theoretical derivation and experimental verification [13182-23] |
| 13182 29 | Reflections on the application of bionic compound eyes triggered by dragonfly compound eyes [13182-45] |
| 13182 2A | High precision uwCFBG wavelength calculation method based on correlation coefficient [13182-25] |
| 13182 2B | Research progress and clinical application of laser Doppler blood flow measurement technology [13182-12] |
| 13182 2C | Performance comparison of various deconvolution algorithms realizing high spatial resolution Brillouin optical time domain reflectometer [13182-97] |
| 13182 2D | Singular Laguerre-Gaussian beams modulated by the Airy pulses in free space [13182-80] |
| 13182 2E | A continuous broad-spectrum correlated photon source based on angle tuning of a BBO crystal [13182-94] |
| 13182 2F | Structural non-reciprocity study of optical systems for RFOGs driven by broad-spectrum light sources [13182-50] |
| 13182 2G | Non-collinear phase-matching method for stimulated polariton scattering based on cross-pumping [13182-99] |

| 13182 2H | Improvement of micro-LED top emission through surface nanostructures and chip design [13182-14] |
|----------|--|
| 13182 21 | The spatiotemporal distribution characteristics of gas molecules emitted from nanopores studied with direct simulation Monte Carlo method [13182-44] |
| 13182 2J | Point cloud denoising by reduction of ranging error in laser incidence direction [13182-108] |