PROCEEDINGS OF SPIE

First Aerospace Frontiers Conference (AFC 2024)

Han Zhang

Editor

12–15 April 2024 Xi'an, China

Organized by Press of Acta Aeronautica et Astronautica Sinica (China) Northwestern Polytechnical University (China)

Published by SPIE

Volume 13218

Part One of Two Parts

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in *First Aerospace Frontiers Conference (AFC 2024)*, edited by Sabrina Wu, Proc. of SPIE 13218, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510681613

ISBN: 9781510681620 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)

SPIE.orc

Copyright © 2024 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

ix Conference Committee

Part One

13218 OF

FIRST AEROSPACE FRONTIERS CONFERENCE (AFC 2024) 13218 02 Configuration optimization and multidisciplinary design analysis of aero-assisted orbital transfer **vehicle** [13218-1] 13218 03 Study on the influence of downstream wave systems on shock-wave/boundary layer interference [13218-2] 13218 04 Architecture design of four redundant flight control system [13218-4] 13218 05 Multisatellite cooperative task planning method based on tabu-genetic feedback optimization [13218-5] 13218 06 Rapid generation and implementation of Dubins paths for fixed-wing UAVs [13218-6] 13218 07 An efficient model updating method for multilayer thermal insulation structures based on surrogate model [13218-7] 13218 08 Launch trajectory simulation and flight experiment of small air-launched UAV [13218-8] 13218 09 Three-dimensional blind-cone-avoidance optimal guidance: a robust event-triggered **approach** [13218-9] A double-layer optimization method for quantity configuration and grouping of heterogeneous 13218 0A **aircraft** [13218-10] 13218 OB Improved buffering performance of negative Poisson's ratio metamaterial based on bamboo bionic design [13218-11] 13218 0C Optimal design of supersonic inlet considering uncertainty [13218-12] 13218 0D Simulation on heat transfer characteristics of engineering fuel under supercritical pressure [13218-14] 13218 0E Trajectory prediction for an incoming missile via intent recognition and guidance parameter identification [13218-15]

Kalman-based continuous pose estimation network for spacecraft [13218-16]

| 13218 0G | Learning-based optimization method for attitude control of jet-driven spacecraft [13218-18] |
|----------|--|
| 13218 OH | Analysis of detailed errors affecting the calibration of space station common-view geometric distance [13218-19] |
| 13218 01 | Path planning for cluster unmanned aerial vehicles based on airborne launch [13218-20] |
| 13218 OJ | High-order simulation of NASA juncture flow with Reynolds-stress model [13218-22] |
| 13218 OK | Analysis of the impact of disruptions on the multiple airport regions [13218-23] |
| 13218 OL | Parameter dependent modeling and flight dynamic analysis of a morphing wing UAV [13218-24] |
| 13218 OM | Improved JPS algorithm based on greedy strategy [13218-25] |
| 13218 ON | Three-dimensional cooperative guidance law with terminal angle constraints for maneuvering targets [13218-26] |
| 13218 00 | An enhanced nighttime attitude determination method for polarization/inertial/celestial integrated navigation system [13218-29] |
| 13218 OP | Enhanced cooling of advanced electrical machines [13218-30] |
| 13218 0Q | Reinforcement learning-based fission-fusion for heterogeneous UAV swarm under dynamic interference environments [13218-31] |
| 13218 OR | New development and application on microwave-absorbing sandwich structure based on high-temperature resistant composite materials [13218-33] |
| 13218 OS | Effects of turbulence on secondary flow in compressor cascades at different Reynolds numbers [13218-35] |
| 13218 OT | A novel sliding mode guidance law with finite-time convergent theory against maneuvering targets [13218-37] |
| 13218 OU | An adaptive fusion factor-based polarization sensor/sun sensor/IMU integrated navigation method for BAHRS [13218-38] |
| 13218 0V | Numerical study of the influence of rain ingestion on the flow field of transonic compressor [13218-39] |
| 13218 OW | Investigation on the combustion characteristics of scramjet engine with steady air throttling [13218-41] |
| 13218 OX | UAV swarm confrontation intelligent decision-making technology review [13218-43] |
| 13218 0Y | Overview of star catalog detection robots [13218-45] |

| 13218 OZ | Numerical simulations of flow field and film cooling characteristics in hypersonic vehicles [13218-47] |
|----------|---|
| 13218 10 | Three-dimensional optimal path-point following guidance for unmanned aerial vehicles [13218-48] |
| 13218 11 | Research on the structure design of self-tightening pipe seal joint for aerospace engines [13218-49] |
| 13218 12 | Feedback mechanism and controller design for longitudinal control of propulsion-controlled aircraft [13218-51] |
| 13218 13 | Numerical simulation of the droplet field inside a engine nacelle [13218-52] |
| 13218 14 | Numerical investigation of a plume particle of underwater solid rocket motor penetration into water [13218-55] |
| 13218 15 | Multi-UAV cooperative search path planning method under target directional avoidance maneuvering conditions [13218-56] |
| 13218 16 | Real-time unpowered aircraft trajectory convex optimization for spatiotemporal aggregation of evader cluster and pursuer cluster [13218-57] |
| 13218 17 | Influence of nozzle arrangement on the combustion performance of particle-laden fuel-rich jet [13218-60] |
| 13218 18 | Interference unmanned aerial vehicle deployment algorithm based on improved grey wolf algorithm [13218-64] |
| Part Two | |
| 13218 19 | Research on INS/CNS integrated navigation error model [13218-65] |
| 13218 1A | Research on key technologies for high-precision prediction of aircraft dynamic characteristics $\left[13218\text{-}69\right]$ |
| 13218 1B | Assessment of multibaseline collaborative ionospheric gradient monitor based on BDS [13218-71] |
| 13218 1C | Time-constrained guidance law for a ground-attack missile with time-vary speed [13218-72] |
| 13218 1D | Investigation of shockwave-turbulent boundary layer interaction in transonic compressor Rotor37 [13218-74] |
| 13218 1E | Investigation of propeller aerodynamic loads under oblique inflow conditions with varying blade numbers $[13218\hbox{-}75]$ |
| 13218 1F | Cooperative routing for parallel data transmissions in Internet of UAVs: a deep reinforcement learning approach [13218-76] |

| 13218 1G | Fitting methods in the application of nonlinear hyperbolic equations [13218-77] |
|----------|--|
| 13218 1H | Research on wing shapes optimization for gliding distance [13218-79] |
| 13218 11 | A global optimal trajectory optimization method with multiple NFZ constraints [13218-80] |
| 13218 1J | Coverage-based cooperative searching method for UAV swarm under multisensor errors [13218-81] |
| 13218 1K | Derivation and preliminary analysis of fluctuation velocity equation based on turbulent kinetic energy spectrum $[13218\text{-}82]$ |
| 13218 1L | Study on low energy impact resistance of two kinds of star-shaped honeycomb sandwich panels [13218-83] |
| 13218 1M | Three-dimensional spatiotemporal cooperative pursuit guidance law based on leader-follower strategy $[13218-84]$ |
| 13218 1N | Aerodynamic performance and interaction effects of swirl recovery vanes for ducted propeller [13218-85] |
| 13218 10 | Experimental study on the operational characteristics of sliding bearings with SiC particles [13218-86] |
| 13218 1P | Optimizing dimensionless input-output flow sensing system for embedded platform [13218-87] |
| 13218 1Q | Guidance laws design for trajectory tracking of UAVs carried by tanks [13218-91] |
| 13218 1R | The effect of uniaxial prestress on impact resistance of composite [13218-92] |
| 13218 1S | Research on high precision relative positioning method based on constrained baseline length of Beidou satellite navigation system [13218-93] |
| 13218 1T | Impact angle constraint guidance law with field-of-view limitation [13218-96] |
| 13218 1U | Splitting detectors: semisupervised remote sensing object detection [13218-98] |
| 13218 1V | Multi-UAV cooperative task allocation based on IDACLD [13218-99] |
| 13218 1W | Design of array POS for aerial remote sensing and experimental research on flexible baseline measurement [13218-100] |
| 13218 1X | Optimal impact time and angle control guidance with limited speed [13218-101] |
| 13218 1Y | An accurate-evaluator-based multipursuer multitarget assignment by maximizing interception probability [13218-102] |
| 13218 1Z | Stratospheric airship altitude control based on thermal coupling effects and deep reinforcement learning [13218-103] |

| 13218 20 | Study on numerical simulation of ditching of civil aircraft fuselage based on SPH method [13218-106] |
|----------|---|
| 13218 21 | A literature review of high-reliability motors for aeronautical applications [13218-107] |
| 13218 22 | Comparison of two AC current de-tumbling methods for uncooperative space target through electromagnetic characteristic analysis [13218-108] |
| 13218 23 | Optimization of task allocation for multi-UAV community logistics distribution [13218-110] |
| 13218 24 | A super resolution flow field reconstruction method using PINN [13218-114] |
| 13218 25 | UAV-to-ground path loss prediction based on synesthesia of machines [13218-115] |
| 13218 26 | Multi-UAV cooperative channel characterization of emergency communications [13218-116] |
| 13218 27 | Propagation characterization of multifrequency multiscenario UAV communications [13218-117] |
| 13218 28 | Influence of wall characteristics on intake performance for intake device of atmosphere-breathing electric propulsion system [13218-118] |
| 13218 29 | Accurate tracking of multirotor UAVs based on acceleration feedback control and smooth anti-disturbance [13218-119] |
| 13218 2A | Formation navigation with relative distance maintenance in obstacle environments [13218-120] |
| 13218 2B | ShipCamou: adversarial camouflage against optical remote sensing image ship detector [13218-121] |
| 13218 2C | Research on the characteristics of particles motion of turbo-jet engine gas-path in complex gas-solid two-phase flow [13218-122] |
| 13218 2D | LDV measurements and analysis of pulsating velocity characteristics in a flat plate turbulent boundary layer $[13218\text{-}123]$ |
| 13218 2E | Research on airworthiness compliance verification method for damage to civil aircraft tail wings caused by ice shedding [13218-124] |
| 13218 2F | Numerical and experimental study on combustion characteristics of boron-containing solid rocket scramjet [13218-125] |
| 13218 2G | A digital twin system for low-altitude logistics [13218-127] |
| 13218 2H | Dynamic characterization of rotating composite laminated beam with cracks coupled with swinging pendulum oscillations [13218-128] |

- 13218 21 In-flight alignment of roll angle and gyroscope calibration method for guided projectile based on adaptive Adam algorithm [13218-133]
- 13218 2J Influence of the combustor length on the combustion characteristics of the gas-particle two-phase gas [13218-134]