

2024 IEEE Nuclear Science Symposium (NSS 2024), Medical Imaging Conference (MIC 2024) and Room Temperature Semiconductor Detector Conference (RTSD 2024)

**Tampa, Florida, USA
26 October - 2 November 2024**

Pages 1-468



**IEEE Catalog Number: CFP24NSS-POD
ISBN: 979-8-3503-8816-9**

**Copyright © 2024 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP24NSS-POD
ISBN (Print-On-Demand):	979-8-3503-8816-9
ISBN (Online):	979-8-3503-8815-2
ISSN:	1082-3654

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

Ion Migration: An Approach to Enhance the Performance of Perovskite CsPbBr ₃ γ -Ray Detectors.....	1
<i>K. S. Bayikadi, L. Pan, I. R. Pandey, S. Karki, Z. Liu, J. A. Peters, M. D. Siena, D. Y. Chung, B. W. Wessels, M. G. Kanatzidis</i>	
Photoresponse, X-Ray Response and Electric Fields in Silicon Carbide with Graphene.....	2
<i>V. Dedic, B. Morzhuk, T. Fridrišek, J. Sanitrák, M. Rejhon, M. Shestopalov, A. Cola, J. Kunc</i>	
Spectroscopic and Imaging Performance of the H3DD_UM Array DAQ System Using the H3DD_UM ASIC	3
<i>Y. Zhu, G. D. Geronimo, Z. He</i>	
Pixelized Thallium-Bromide Radiation Detector for Nuclear Medical Applications	4
<i>Y. Kawai, K. Suzuki, M. Iizuka, O. Nakane, Y. Minami, H. Osawa, K. Matsushita, H. Sugiyama, H. Ikeda, T. Onodera, K. Hitomi</i>	
Results from Testing an Ultrathick Array Module of 8×8×32 Mm ³ Position-Sensitive Virtual Frisch-Grid CdZnTe Detectors	5
<i>A. Bolotnikov, G. Carini, A. Dellapenna, G. Deptuch, J. Fried, S. Herrmann, P. Maj, G. Pinaroli, M. Sasaki, L. Smith, E. Tamura, E. Yates</i>	
Real-Time Radiation Beam Monitoring by Flexible Perovskite Thin Film Arrays	6
<i>I. Fratelli, L. Basiricò, A. Ciavatti, L. Margotti, S. Cepic, M. Chiari, B. Fraboni</i>	
Multi-Energy Mapping of CZT Gamma-Ray Imagers	8
<i>K. - P. Ziock, J. Daughetee, F. Gonzalez, D. Goodman, W. Kaye, A. Laminack, K. Schmitt</i>	
Novel Embedded Wire Electrode Approach for High Spatial Resolution X-Ray and Gamma-Ray Imaging Detectors Using Methylammonium Lead Tribromide (MAPbBr ₃) Perovskite Single Crystals.....	9
<i>I. Kuvvetli, M. Niraula, K. S. Pedersen, C. E. Andersen, R. Kondo, S. H. Owe</i>	
Evaluation of Chromium Compensated Gallium Arsenide Sensors Using Photon Counting Readout Electronics	10
<i>J. Kalliopuska, D. Nalyvaiko, V. Gnatyuk, S. Vähänen, J. Jakubek, S. Polansky, E. Maddox, E. Hogenbirk, J. Lange, Y. Tsujita, M. Kuribayashi, S. Mikusu, K. Matsushita, O. Baussens, P. Smolyanskiy</i>	
Energy Resolution and Charge Sharing Improvements in High-Flux CdZnTe Detectors	11
<i>L. Abbene, A. Buttacavoli, F. Principato, G. Gerardi, M. Bettelli, A. Zappettini, F. Mele, J. Quercia, G. Bertuccio</i>	
Synchronous Readout of Single-Pixel Mode and Charge-Summing Mode for Photon-Counting Detector Readout ASIC	12
<i>G. Yu, J. Bai, T. Zhong, H. Ren, X. Lai</i>	
Adaptive Readout Technique for Spectroscopic CT with 1mm CdTe Timepix3 Detector	13
<i>M. K. Schütz, G. A. Roque, J. S. Useche, S. Procz, M. Fiederle</i>	

Precise Charged Particle Timing with Robust PICOSEC Micromegas Detectors	14
<i>F. M. Brunbauer, Y. Angelis, S. Aune, J. Bortfeldt, E. Chatzianagnostou, J. Datta, K. Dehmelt, D. Desforge, G. Fanourakis, K. J. Flöthner, M. Gallinaro, F. Garcia, I. Giomataris, K. Gnanvo, T. Gustavsson, F. J. Iguaz, D. Janssens, A. Kallitsopoulou, M. Kovacic, B. Kross, P. Legou, M. Lisowska, J. Liu, M. Lupberger, S. Malace, I. Maniatis, J. McKisson, Y. Meng, H. Muller, E. Oliveri, G. Orlandini, A. Pandey, T. Papaevangelou, M. Pomorski, L. Ropelewski, D. Sampsonidis, L. Scharenberg, T. Schneider, E. Scorsone, L. Sohl, M. Van Stenis, Y. Tsipolitis, S. E. Tzamarias, A. Utrobicic, R. Veenhof, X. Wang, S. White, W. Xi, Z. Zhang, Y. Zhou</i>	
Study of Environment-Friendly Gas Mixtures for Resistive Plate Chambers	16
<i>G. Proto, O. Kortner, H. Kroha, D. Soyk</i>	
Development of Resistive Plate Chambers with Optical Readout.....	17
<i>B. Bilki</i>	
Design and Construction of Thin-Gap GEM-URWELL Hybrid and Cylindrical μ RWELL MPGD Prototypes for Tracking at the EIC	18
<i>P. Iapozzuto, M. Hohlmann, K. Gnanvo, A. Kiselev, H. Nguyen</i>	
Results from a Beam Test Analysis of a Large-Area GEM Detector with Low Mass and Zigzag-Strip Readout.....	20
<i>M. S. Lavinsky, M. Hohlmann, J. Hadley</i>	
An Overview on the micro-RWELL Technology	21
<i>G. Morello</i>	
Accelerating 3D Source Reconstruction with Gamma-Ray Imagers Using 2D Projections	22
<i>R. Sobota, S. Brown, D. Goodman, B. Kitchen</i>	
Practical Gamma-Ray Imager Performance Characterization.....	23
<i>C. G. Wahl, D. Goodman</i>	
Weight-Adjusted SBP-Based LM-MLEM Algorithm for a High-Resolution Prototype Compton Camera	24
<i>H. Li, S. Yang, P. Gan, S. Mungai, N. Ren, Z. Kuang, Y. Yang, Z. Liu</i>	
Novel Collimator Compton Camera for High Contrast and Wide-Band Imaging.....	25
<i>N. Koshikawa, Y. Kikuchi, S. Uno, K. S. Tanaka, J. Kataoka, Y. Wakabayashi, T. Kobayashi</i>	
Quantitative Imaging with Multiple Compton Imagers.....	26
<i>F. M. Gonzalez, J. Daughetee, A. Laminack, J. Mitchell, V. Nwadeyi, K. Schmitt, K. P. Ziock</i>	
Development of a Super High Resolution Self-Collimating Industrial Gamma Camera	27
<i>L. Lei, X. Zheng, Z. Lv, T. Ma</i>	
ADA5Dv0, an Analog Front-End Prototype for the Readout of LGAD Detectors	28
<i>S. Giroletti, P. Brogi, G. Collazuol, G.-F. Dalla Betta, M. Manghisoni, P. S. Marrocchesi, F. Morsani, L. Pancheri, L. Ratti, C. Vacchi</i>	
Design and Performance of the FBCM23 ASIC for the CMS Luminosity Measurement.....	29
<i>J. Kaplon, G. J. Wegrzyn</i>	

The Testing and Performance of the ETROC2 for CMS MTD Endcap Timing Layer (ETL) Upgrade	30
<i>X. Huang, I. V. Alvarez, R. Arcidiacono, F. Chlebana, J. Duarte, O. Evdokimov, Z. B. Flowers, T. Fu, M. Gallinaro, M. Garcia, D. Gnani, D. Gong, C. Grace, P. Gui, J. Hollar, L. Lanteri, J. Lee, C. Liu, T. Liu, T. Liu, S. Los, L. Marien, A. Molina, E. Navarrete, G. Nigmatkulov, J. Olsen, J. Prinzie, C. Rogan, M. Safdari, C. Silva, Q. Sun, E. Tackx, Y. Wang, X. Wen, J. Wu, Z. Xue, J. Ye, Z. Ye</i>	
Performance of a Second Generation of the Fermilab Constant Fraction Discriminator ASIC for Time-Stamping Long-Strip AC-LGAD Sensors.....	32
<i>A. Apresyan, S. Xie, M. Chris, I. Dutta, A. Hayrapetyan, S. Los, C. Pena, T. Zimmerman</i>	
Half-Volt Power Supply Charge-Sensitive Amplifier - Discriminator Chain for Binary Readout in Small-Footprint Pixel Detectors	33
<i>G. W. Deptuch</i>	
Optimizing Event Graphs in Particle Discrimination for Neutron Detectors	34
<i>C. L. Wang</i>	
High Energy Resolution, Large FOV, Cylindrical Time-Encoded Imaging	35
<i>J. R. Kuchta, P. A. Marleau, D. K. Wehe</i>	
Simultaneous Imaging of Plutonium and Thorium with Organic Glass System	36
<i>R. Lopez, V. Mozin, P. Kerr, S. Clarke, S. Pozzi</i>	
A Neutron-Sensitive Detector Based on a 3D Printed Plastic Scintillator.....	37
<i>A. J. Barr, C. Da Vià, M. T. Binte Shawkat, M. Taylor, S. Watts, J. Allison</i>	
A Neutron-Induced Gamma Ray Imager with 3D Resolution for In-Situ Planetary Science Applications.....	38
<i>M. Ayllon Unzueta, P. N. Peplowski, A. Persaud, J. T. Wilson, A. M. Parsons</i>	
Solution-Processable Perovskite-Based Flat Panel Imagers (PEROXITM) for Direct X-Ray Imaging.....	40
<i>B. Dunham, S. Motakef, A. Datta</i>	
Perovskite CsPbBr ₃ Room Temperature Radiation Detectors in Electron Collection Mode	41
<i>M. Ünal, I. R. Pandey, S. Karki, P. Q. Vuong, D. Y. Chung, M. G. Kanatzidis</i>	
PIN Photodiodes Made of Cascade Perovskite Single Crystals for Gamma-Ray Detection	43
<i>X. Wang, Y. Xu, W. Lei</i>	
Long-Term Stability Study of CsPbBr ₃ for Room Temperature Semiconductor Detector.....	44
<i>Q. V. Phan, M. Unal, D. Y. Chung, S. Karki, I. Pandey, K. S. Bayikadi, M. Kanatzidis</i>	
Crosstalk Between SiPMs in Dual-Ended Readout.....	45
<i>N. Kratochwil, E. Roncali, J. W. Cates, G. Arino-Estrada</i>	
Development of Next Generation MPPC for 150ps TOF Applications.....	46
<i>S. Kamakura, N. Kishimoto, H. Sonobe, T. Yamanaka</i>	
NUV-Sensitive Deep-Junction (NUV-DJ) SiPMs, a New Technology Optimized for Fast Timing Applications.....	47
<i>A. Gola, O. A. Marti Villareal, F. Acerbi, G. Paternoster, M. Penna, N. Zorzi</i>	

Limits of the Time Resolution and Avalanche Build-Up Analysis of FBK NUV-HD-MT SiPMs	48
<i>M. Penna, F. Acerbi, J. Dalmasson, A. Ficorella, S. Merzi, E. Moretti, L. Parellada-Monreal, G. Paternoster, M. Ruzzarin, O. A. Villarreal, N. Zorzi, A. Gola</i>	
Development of Photon-To-Digital Converters -- A 3D Integrated Digital Single- Photon Detector	49
<i>K. Deslandes, F. Vachon, T. Rossignol, S. Parent, N. Roy, C. Pepin, O. Lepage, L. Fabris, P. A. Hausladen, F. Retiere, J.-F. Pratte, S. A. Charlebois</i>	
ASAP110LF, a Test Platform for SPADs and dSiPMs in a 110 nm CMOS Image Sensor Process	51
<i>L. Ratti, P. Brogi, G.-F. Dalla Betta, S. Giroletti, P. S. Marrocchesi, L. Pancheri, F. Shojaei, G. Torilla, C. Vacchi</i>	
High Multiplicity Trigger for Long-Lived Particles in the CMS Muon Detectors	52
<i>P. J. Fernández Manteca</i>	
A Novel Standalone Muon Drift-Tube Trigger for the ATLAS HL-LHC Upgrade.....	53
<i>T. Saito</i>	
The sPHENIX Data Acquisition System	54
<i>M. L. Purschke</i>	
Beam Test Results for the Endcap Timing ReadOut Chip (ETROC2) for CMS ETL Upgrade	55
<i>M. Safdari, I. V. Alvarez, R. Arcidiacono, J. Duarte, Z. B. Flowers, T. Fu, M. Gallinaro, M. Garcia, D. Gong, P. Gui, J. Hollar, X. Huang, L. Lanteri, J. Lee, C. Liu, T. Liu, S. Los, A. Molina, E. Navarrete, G. Nigmatkulov, J. Olsen, C. Silva, Q. Sun, Y. Wang, X. Wen, J. Wu, Z. Xue, Z. Ye</i>	
Neural Network Based Event Selection on FPGA for COMET Phase-I	56
<i>M. Miyataki, Y. Fujii, Y. Nakazawa, K. Ueno, M. Lee, C. Yamada, C. Wu, S. Sun</i>	
Performance of Small-Diameter Muon Drift Tube Chambers with New Fast Readout ASIC at High Background Rates.....	57
<i>S. Abovyan, N. Bangaru, F. Fallavollita, O. Kortner, H. Kroha, R. Richter, E. Voevodina, Y. Zhao</i>	
Ultrafast High Light Yield Spectroscopic Scintillators Based on a Rugged Semiconductor.....	58
<i>A. Datta, H. Mei, A. Lebedinsky, S. Halasyamani, S. Motakef</i>	
Investigating Nuclear Photovoltaic Batteries for Beyond μ W Power Generation.....	59
<i>I. Oksuz, L. Shoen, S. Neupane, Y. Yan, L. R. Cao</i>	
Dry Processing of Perovskite Films and Composites for Ionizing Radiation Detectors	60
<i>L. Martínez-Goyeneche, C. Bordoni, S. Derenko, D. Tordera, A. Ciavatti, B. Fraboni, M. Sessolo</i>	
High Responsivity (p+)diamond/(n)4H-SiC Schottky Barrier Radiation Detectors.....	61
<i>K. C. Mandal, S. K. Chaudhuri, R. Nag, M. C. Valdebran</i>	
Effect of Trace-Element of TlBr Semiconductors and Charge Transport Properties of TlBr Detectors.....	63
<i>M. Nogami, K. Hitomi, K. Watanabe, K. Kurihara, T. Hirata</i>	
Graphene-Silicon Charge Amplifier for Nuclear Science Applications	64
<i>M. Turqueti, A. Poon</i>	
In-Vivo Detector Arrays for Time-Dependent Inhalation Radiation Contamination Assessment	65
<i>Y. Wei, S. A. Dewji</i>	

FastIC+: An Analog Front-End Including On-Chip TDCs for Fast Timing Detectors	67
<i>J. Mauricio, F. Bandi, A. Paterno, S. Gómez, J. M. Fernández-Tenllado, J. Alozy, R. Manera, A. Mariscal, M. Piller, S. Portero, A. Pulli, A. Sanuy, J. J. Silva, R. Ballabriga, M. Campbell, D. Gascón</i>	
Temporoc: A 64-Channel SiPM Read-Out Chip for Time-Of-Flight Measurement on Monolithic Crystal	68
<i>S. Ahmad, J.-B. Cizel, C. Derrien, J. Fleury, M. Morenas, F. Perez, T. Saleem</i>	
Amorphous Silicon Microchannel Plates: A New Photon Detector with 10 Ps Timing and 15 μ m Spatial Resolution.....	69
<i>G. Konstantinou, S. Frey, L. Antognini, C. Baillif, N. Wyrsh</i>	
Pushing the Performances of DOI-Capable TOF-PET Modules Using Low-Noise HighFrequency Electronics.....	70
<i>G. Terragni, E. Tribbia, C. Lowis, F. Pagano, J. W. Cates, M. Pizzichemi, J. Marton, E. Auffray</i>	
Investigating μ SiPMs to Overcome the Limits of BGO in ToF-PET	71
<i>K. Herweg, V. Nadig, S. Bisi, C. Bruschini, E. Charbon, V. Schulz, S. Gundacker</i>	
Towards Artificial Data Generation for Accelerated PET Detector ML-Based Timing Calibration Using GANs	73
<i>K. Lavronenko, L. Lopes De Paiva, F. Mueller, V. Schulz, S. Naunheim</i>	
First Steps Towards a Foundation Model for Positioning in Positron Emission Tomography Detectors.....	75
<i>T. Masbaum, L. Lopes De Paiva, F. Mueller, V. Schulz, S. Naunheim</i>	
Feasibility Study of a Collimator-Less 4π FOV Imaging System Using Pixelated GAGG(Ce) Scintillator and Deep Learning Method	76
<i>S. Han, D. Hong, A. Jo, W. Lee</i>	
Self-Organised Polylinear Regression Maps as a Method of Resolving HPGe Detector Responses	77
<i>F. T. Holloway, E. Rintoul, L. Harkness-Brennan, C. Everett, A. Boston, D. Judson</i>	
Design and Optimization of Integrated Analog Neural Network for In-Sensor Processing	78
<i>M. Amadori, S. Di Giacomo, M. Ronchi, M. Carminati, G. Borghi, C. Fiorini</i>	
Self-Aware, Communicating and Cognitive Digital Twins for Cybernetic Detector Technology	79
<i>M. J. Neuer, E. Jacobs, F. Diel, M. Breidenbach, C. Henke, N. Teofilov</i>	
Whole-Scene Backscatter X-Ray Imaging with Coded Apertures	80
<i>K.-P. Ziock, P. Rose, K. Schmitt</i>	
Evaluation of Prompt Gamma Activation Analysis for Nuclear Forensic Characterization.....	81
<i>B. Nethercutt, D. Holcomb, M. Flaska</i>	
X-Ray Photon Counting by Perovskite CsPbBr ₃ Detectors with Resolved K-Edge and Improved Count Rate.....	82
<i>L. Pan, K. S. Bayikadi, S. Karki, D. Y. Chung, M. G. Kanatzidis</i>	
High-Resolution X-Ray Imaging with Hybrid and Inorganic Perovskite Flat Panel Imagers	84
<i>B. Dunham, S. Motakef, A. Datta</i>	

Current Status and Recent Scientific Results of GRID: A Student-Driven NanoSat Constellation for GRB Observation	85
<i>Z. Yang, L. Li, X. Zheng, X. Pan, M. Zeng</i>	
The CSES-Limadou Mission and the HEPD-02 Detector	86
<i>M. Mese</i>	
Integration and Testing of the Background-Subtracting Gamma-Ray Spectrometer for the MAMBO CubeSat Mission.....	88
<i>P. F. Bloser, W. T. Vestrand, M. Hehlen, K. Katko, D. Poulson, L. Parker, D. Beckman, J. Sedillo, J. McGlown, J. Michel, R. Scobie, T. Nelson, P. Levens</i>	
Three-Dimensional Response Evaluation System for Detectors Using a Wavelength Tunable Laser	89
<i>T. Ikemoto, D. Kaneko, A. Kato, M. Hazumi</i>	
Progress on Development of the Electron Spectrometer Telescope	90
<i>B. Dyer, X. Cheng, A. Hanu, S. H. Byun</i>	
Next Generation SOLar Neutron TRACking(SONTRAC) Instrument Encoded Readout Concept.....	91
<i>G. Suarez, G. A. De Nolfo, K. Devgun, J. G. Mitchell, W. J. Thomes, J. M. Ryan, J. J. Du Monthier, A. Bruno, T. Tatoli, L. P. Williams, R. Messner, J. Legere</i>	
Development of a Configurable Photon-To-Digital Converter in 65 nm	92
<i>R. A. Giampaolo, G. Théberge-Dupuis, R. Scarpellini, S. Carrier, G. Giroux, S. Prentice, J. Chenard, T. Rossignol, F. Vachon, S. Charlebois, N. Roy, J.-F. Pratte</i>	
PSIROC: A 64-Channel Fully Configurable Read-Out Chip for Low-Gain Detectors	93
<i>J.-B. Cizel, J. Fleury, A. Perdon, F. Perez, T. Saleem, C. De La Taille</i>	
A Smart Readout ASIC with Real-Time Digital Waveform Processing and Machine Learning	94
<i>S. Mandal, G. W. Deptuch, D. Gorni, P. Maj, P. Mukim</i>	
BETA, a Low-Power, High-Dynamic Range, Radiation-Tolerant 64-Channel ASIC for Space Applications and Beyond	95
<i>D. Gascon, R. Catala, A. Comerma, A. Espinya, D. Guberman, S. Gomez, J. Mauricio, R. Manera, M. Orta, A. Sanuy, O. De La Torre</i>	
SparkPix-RT2: The Design of a 192×168 Pixel Detector ASIC with On-Chip Data Processing for Ultra-Fast Photon Science	97
<i>A. Gupta, D. Doering, M. P. Hammer, H. Shi, J. Weizeorick, S. Stremper, S. M. Gnanasekaran, P. King, A. P. Perez, H. Kim, L. Rota, L. Ruckman, K. Yoshii, B. Reese, B. Markovic, T. Zhou, A. Dragone, A. Miceli</i>	
Smart Pixels: In-Pixel AI for On-Sensor Data Filtering.....	98
<i>B. Parpillon, C. Syal, J. Yoo, M. Swartz, G. Di Guglielmo, A. Bean, D. Berry, M. Blanco Valentin, K. Dipetrillo, A. Badea, L. Gray, P. Maksimovic, C. Mills, M. Neubauer, G. Pradhan, N. Tran, D. Wen, F. Fahim</i>	
Image Reconstruction Algorithms on an FPGA	100
<i>J. Leland, R. Chappidi, M. Fang, A. Di Fulvio</i>	
RadSim: A Modular Open-Source Gamma-Ray Detector Simulator	101
<i>D. Hangal, K. Nelson, B. Lahmann, V. Cheung, S. Labov, B. Canion, C. Mattoon</i>	
Monte Carlo Simulation Model of the Dingo Thermal Neutron Imaging Beamline at ANSTO	102
<i>K. Jakubowski, J. Vohradsky, I. Filipev, L. Tran, U. Garbe, S. Olsen, D. Franklin, A. Stopic, J. Bevirt, A. Rosenfeld, S. Guatelli, M. Safavi-Naeini</i>	

Comparative Analysis of Novel Time-Walk Correction Methods for Metascintillators.....	104
<i>R. Latella, A. J. Gonzalez, P. Lecoq, G. Konstantinou</i>	
Leveraging Afterglow in Scintillation Detectors for Multi-Frame High-Speed Radiography.....	105
<i>E. S. Jimenez, N. Y. Le</i>	
Calculation of Response Matrices for GRID CubeSat Gamma-Ray Detectors.....	106
<i>X. Pan, Q. Liu, H. Gao, H. Li, M. Zeng, H. Feng, Q. Wang, L. Li, Z. Yang</i>	
Characterization of Stilbene Scintillator for Neutron Metrology and Spectrometry from 100 keV to 22 MeV.....	107
<i>D. Quevauvillers, M. Petit, L. Ottaviani, C. Reynard-Carette</i>	
Light Output-Dependent Integration Gating for Optimized Pulse-Shape Discrimination.....	108
<i>C. Graham, I. Jovanovic</i>	
Scintillating Glass for Future HEP Calorimetry.....	109
<i>L. Zhang, R.-Y. Zhu</i>	
Enhancing Timing of Ce-Doped Garnet Scintillators by Complex Codoping.....	110
<i>O. Sidletskiy, I. Gerasymov, D. Kurtsev, O. Viahin, S. Tkachenko, D. Kofanov, R. Cala, L. Martinazzoli, L. Roux, E. Auffray</i>	
Large Volume Lu ₂ O ₃ Ceramic Scintillators for HEP.....	111
<i>L. Soundara Pandian, M. Muller, J. Schott, S. Kim, Y. Wang, C. Hu, L. Zhang, R.-Y. Zhu, J. Glodo</i>	
Exploring High-Entropy Design in Rare-Earth Aluminum Garnet Scintillators	112
<i>K. Anderson, N. Gillespie, M. Muller, J. Glodo, Y. Wang, L. Stand, C. Melcher, M. Zhuravleva</i>	
Development of Pn Junction CdTe Detector by Electron Beam for X-Ray Photon Counting Imaging Devices.....	113
<i>J. Nishizawa, Y. Shinmura, I. Kagemitsu, K. Takagi, H. Kase, K. Nakamura, T. Aoki</i>	
The Mobility-Lifetime Product of Hole in CdZnTeSe Depending on Se Contents.....	114
<i>K. Kim, S. Kang, A. Bolotnikov, R. James</i>	
Advances on Compton Camera Technology with a 5mm Thick CdTe Photon-Counting Detector.....	115
<i>J. S. Useche, G. A. Roque, M. K. Schütz, M. Fiederle, S. Procz</i>	
Investigation of Charge Transport in CdTe Detectors Using Edge-Transit Current Technique.....	116
<i>M. Bezak, M. Kallikowski, P. Luukka</i>	
Performance Characterization of CdTe Detectors	117
<i>S. Motakef, J.-O. Ndap, P. Becla, A. Datta, K. Brady</i>	
Radiography Image Quality and Stability with Timepix-Family Detectors	118
<i>K. Sykorova, J. Jakubek, D. Doubravova, D. Hladik, J. Ingerle, J. Kallipuska, J. Pivec</i>	
Development of a HEXITEC-Based Compton Camera for Spatially Resolved Dose Deposition Studies in Boron Neutron Capture Therapy	119
<i>M. L. Perez Lara, M. Wilson, A. Nisbet, R. M. Moss</i>	
Performance of the Prototype of an Ultra-Low-Dose Stationary Tomographic Molecular Breast Imaging (ULDMBI) Camera.....	120
<i>A. Cherlin, N. Atkins, K. Erlansson, I. Baistow, K. Thielemans, B. F. Hutton</i>	

Progress on a Simultaneous Photon Counting and Energy Integrating Detector for X-Ray Imaging Applications.....	121
<i>X. Ran, Z. Deng, H. Gao, X. Wang, Y. Song</i>	
Large-Area Ultrahigh Resolution CZT Imaging Spectrometer with FPGA-Implemented Machine-Learning-Based Spectral Enhancement for Clinical Spectral-SPECT Imaging Applications	122
<i>S. Mandot, C. Yang, M. Wilson, L.-J. Meng</i>	
THOR-SR: TGF and High-Energy Astrophysics Observatory for gamma-Rays on Board the Space Rider.....	123
<i>R. M. Curado Da Silva, J. M. Maia, J. R. Campos, G. Falcão, F. Pinheiro, M. Abreu, M. Caine, P. Carmo, M. Ferreira, C. Francisco, J. Gonçalves, M. Letra, M. Moita, R. Moura, A. Neves, P. Póvoa, J. Sousa, A. Trindade, C. Granja, J. Jakubek, F. Castanheira</i>	
In-Vivo Imaging of Therapeutic Radiopharmaceuticals with a Developmental CZT-Based SPECT.....	125
<i>P. M. C. C. Encarnação, P. M. M. Correia, J. Caravaca, J. F. C. A. Veloso, Y. Seo</i>	
Experimental Evaluation of the Alpha-SPECT-Mini System with Machine-Learning-Based Energy Reconstruction and Dynamic Windowing for in Vivo Imaging of Ac-225-Labeled Radiopharmaceuticals.....	127
<i>C. Yang, E. M. Zannoni, L. Cai, M. D. Wilson, R. Bastiaannet, Y. Du, G. Sgouros, E. Frey, L.-J. Meng</i>	
First Validation of a Trimodal Imaging and Therapy System: PET-FUS-MR	128
<i>F. Lopez-Berenguer, A. Gonzalez Montoro, M. Freire, A. Gonzalez-Tamarit, S. Jiménez-Serrano, C. De Alfonso, L. F. Vidal, M. Gil, F. Loignon-Houle, I. Torres, S. S. Berr, M. B. Williams, D. Andrés, J. J. García, J. L. Alonso-Ramos, A. Carrion, T. Guallart-Naval, J. M. Algarín, R. Bosch, E. Pallás, M. J. Rodríguez-álvarez, J. M. Benlloch, A. J. Gonzalez</i>	
Characterization of the SIRMIO Spherical Small Animal PET Toward Simultaneous Beam and Tracer Imaging	130
<i>M. Nitta, G. Lovatti, F. Evangelista, J. Bortfeldt, M. Pinto, Z. Huang, N. Bassler, P. R. Poulsen, H. G. Kang, A. Zoglauer, C. Gianoli, G. Dedes, T. Yamaya, P. G. Thirolf, K. Parodi</i>	
Mirai-PET: High-Resolution, Portable, Axially Long Small Animal PET with TOF-DOI Detection.....	131
<i>T. Ishikawa, G. Akamatsu, S. Ito, H. Mizuma, C. Seki, Y. Nagai, T. Okauchi, H. Wakizaka, Y. Iwao, H. Tashima, E. Yoshida, T. Minamimoto, T. Yamaya</i>	
Prism-PET II: Second Prototype of the TOF-DOI Prism-PET Brain Scanner with Tapered Crystals and Inverse Rendering Reconstruction.....	132
<i>Z. Wang, X. Zeng, W. Jakob, Y. Li, W. Tan, B. Nicolet, E. Petersen, A. Labella, J. Qi, A. Goldan</i>	
High-Stopping Power Ceramic Scintillator Lu ₂ O ₃ : La for High-Resolution Brain PET Applications.....	133
<i>J. Xie, H. Wang, M. Muller, J. Glodo, S. R. Cherry, J. Du</i>	
Reducing Trade-Off Between TOF Capability and Sensitivity Using Scalable DOI Detectors	134
<i>R. Ota</i>	
Characterization of a Semi-Monolithic BGO Photon Counting Detector with Cherenkov Identification Capability	135
<i>S. Lee, R. Heller, W.-S. Choong, J. W. Cates</i>	
Enhancing Cherenkov Photons Fraction in BGO and TlCl Detectors Using Dichroic Filters	136
<i>B. Mehrdel, N. Kratochwil, Y. Seo, J. Glodo, P. Bhattacharya, G. Arino-Estrada, J. Caravaca</i>	

Performance of Custom Fine-Pitch Indirect X-Ray Photon Counting Imager	137
<i>K. Shimazoe, Y. Kobayashi, D. Kim, M. Hamdan, K. Kamada, M. Yoshino, Y. Shoji, K. Sakamoto, F. Acerbi, A. Gola</i>	
Performance of Scintillator-Based Detectors for Photon Counting X-Ray Computed Tomography.....	138
<i>K. Taguchi, D. R. Schaart, M. C. Goorden, S. Hsieh</i>	
The Development of the SBND LArTPC Cryogenic Readout Electronics System	139
<i>S. Gao</i>	
The Triggerless DAQ System for the Neutron Veto of the XENONnT Dark Matter Experiment.....	140
<i>S. Mastroianni</i>	
A Real-Time Embedded Digital Processing Architecture for a Modular Time-Of-Flight Computed Tomography Readout Using PETsys TOFPET 2C ASIC	141
<i>F. Gagnon, J. Rossignol, L.-D. Gaulin, R. Fontaine</i>	
Design and Testing of a 48 Channel Waveform Digitizer Card for the ALERT TOF Detector	142
<i>L. Macchiarulo, I. Mostafanezhad, R. Pang, B. Rotter, K. Hoe, W. Armstrong, B. Raydo</i>	
FPGA-Based Single-Input Time-To-Digital Converter with Rise Time Correction and Sub-2 Ps Resolution for Precision Timing Applications.....	143
<i>D. Lee, M. Yi, S. I. Kwon</i>	
Advancements in Deep Cryogenic Electronics Utilizing Field-Programmable Gate Arrays	144
<i>M. Turqueti, M. Marchevsky, A. Marchenkov, R. Maydra, A. Tselikov</i>	
Evaluation of High-Z Sensors for Synchrotron Sources and FELs	145
<i>D. Greiffenberg, R. Barten, F. Baruffaldi, A. Bergamaschi, B. Braham, M. Brückner, M. Carulla, R. Dinapoli, S. Ebner, K. D. Ferjaoui, E. Fröjd, S. Hasanaj, J. Heymes, V. Hinger, C. Lopez Cuenca, T. King, P. Kozłowski, D. Mezza, K. Moustakas, A. Mozzanica, K. A. Paton, C. Ruder, B. Schmitt, P. Sieberer, D. Thattil, X. Xie, J. Zhang</i>	
Synchrotron-Based Characterization Techniques for Radiation Detection Materials and Devices: An Overview	146
<i>G. S. Camarda, A. E. Bolotnikov, U. N. Roy, Y. Cui, R. B. James</i>	
Imaging at Extremes: How Do High-Z Sensors Perform at Modern Light Sources?.....	147
<i>M. C. Veale</i>	
Commissioning of the CGEM Inner Tracker.....	149
<i>G. Cibinetto, M. Greco</i>	
The micro-GPD, a Gas Pixel Detector with a New Electron Multiplier Structure Monolithically Integrated on Top of a Finely Pixelated Readout ASIC.....	150
<i>L. Baldini, R. Bellazzini, A. Brez, M. Ceccanti, L. Latronico, L. Lucchesi, A. Manfreda, M. Minuti, L. Orsini, M. Pesce-Rollins, M. Pinchera, A. Profeti, C. Sgrò, G. Spandre</i>	
Dead-Layer-Free Semiconductor Detectors Via Highly Charged Dielectrics	151
<i>O. Setälä, T. Pasanen, J. Ott, J. Heinonen, V. Vähänissi, H. Savin</i>	
Super-Gq DePFET Put to the Test.....	152
<i>S. M. Stadler, A. Bähr, J. Ninkovic, J. Treis, R. Richter</i>	
ARDESIA-64: A Novel High-Throughput SDD-Based X-Ray Spectroscopy Detector.....	154
<i>B. Pedretti, C. Poletti, G. Ticchi, G. Borghi, M. Carminati, M. Centis Vignali, A. Samusenko, C. Fiorini</i>	

Experimental Qualification of a Germanium Drift Detector Built in Planar Technology	155
<i>A. Castoldi, M. Ghisetti, C. Guazzoni, T. Krings</i>	
Advancements in Active Photon Interrogation Through Photo-Neutron Spectrometry: Unveiling Nitrogen Signatures for Illicit Materials Detection	156
<i>C. Besnard-Vauterin, B. Rapp, V. Blideanu</i>	
Application of the Cohn-■ Method to Supercritical Assemblies of Bare Highly Enriched Uranium Metal.....	157
<i>S. Tyler, F. Darby, M. Hua, A. McSpaden, J. Hutchinson, G. McKenzie, S. Clarke, S. Pozzi</i>	
Deployment of a 7 MeV Mobile Photofission Inspection System at the Rijeka Seaport for the Detection of SNM in Cargo Containers.....	159
<i>A. Sari, A. Elayeb, J. Piekar, R. De Stefano, G. Corre, Y. Moline, W. Husson, J.-P. Poli, H. Makil, C. Mer, G. Sannié, S. Maitrejean, S. Rogerat, T. Berthelie, E. Gasser, D. Sudac, V. Valkovic, J. Obhodas</i>	
Mobile Far-Field Gamma-Ray Imaging and Radiological Mapping Using CAMIS.....	161
<i>C. Lamb, J. A. Hanks, B. Huang, A. Esparza, B. J. Quiter, K. Vetter</i>	
Development of a Nuclear Material Weighing System Based on Fast Neutron Multiplicity Counter	163
<i>C. Ko, J. Lee, D. Kim, M. Jeong</i>	
Plutonium Characterization Using Neutron-Scatter Spectroscopy	164
<i>S. D. Clarke, R. Lopez, V. Mozin, P. Kerr, J. Hutchinson, S. Pozzi</i>	
Performance of the Inner Tracking System of the ALICE Experiment	165
<i>F. Krizek</i>	
Performance of Full System Tests for the ATLAS Inner Tracker Strip Detector.....	166
<i>J.-H. Arling, D. Trischuk</i>	
Construction and Performance of the Small-Diameter Muon Drift Tube Detectors for the Upgrade of the ATLAS Muon Spectrometer at the High-Luminosity LHC.....	167
<i>D. Buchin, F. Fallavollita, H. Kroha, O. Kortner, G. Proto, A. Reed, E. Voevodina</i>	
Towards the LHCb PicoCal: R&D on Radiation-Tolerant SpaCal Technology with Picosecond Time Resolution	168
<i>M. Salomoni</i>	
Recent Progress of Inorganic Scintillators for Future HEP Calorimetry	169
<i>L. Zhang, R.-Y. Zhu</i>	
Enhancing Particle Identification and Energy Resolution Through Chromatic Calorimetry: A Proof-Of-Concept Study.....	170
<i>M. Salomoni, D. Arora, Y. Haddad, I. Frank, M. Doser, M. Owari, E. Auffray</i>	
Fabrication and Characterization of Heteroepitaxial Diamond Radiation Detector with Ti/Pt/Au Electrodes	171
<i>K. Koyama, S. Kim, O. Maida, K. Hitomi, T. Onodera, M. Nogami, K. Shinsho</i>	
CZT Detector Calibration for Neural Network Based Subpixel Positioning.....	172
<i>G. Montémont, A. Delcourt</i>	
CZT Characterization Using a Novel Contactless Time of Flight Technique.....	173
<i>I. Blevis</i>	

Proton Irradiation on Hydrogenated Amorphous Silicon Flexible Devices.....	174
<i>M. Menichelli, L. Antognini, S. Aziz, A. Bashiri, M. Bizzarri, L. Calcagnile, D. Calvo, M. Caprai, D. Caputo, A. P. Caricato, R. Catalano, R. Cirio, G. A. P. Cirrone, T. Croci, G. Cuttone, G. De Cesare, P. De Remigis, S. Dunand, M. Fabi, L. Frontini, C. Grimani, M. Ionica, K. Kanxheri, M. Large, F. Lenta, V. Liberali, N. Lovecchio, M. Martino, G. Maruccio, L. Maruccio, G. Mazza, A. G. Monteduro, A. Morozzi, F. Moscatelli, A. Nascetti, S. Pallotta, A. Papi, D. Passeri, M. Pedio, M. Petasecca, G. Petringa, F. Peverini, P. Placidi, G. Quarta, S. Rizzato, F. Sabbatini, L. Servoli, A. Stabile, C. Talamonti, J. E. Thomet, L. Tosti, M. Villani, R. J. Wheadon, N. Wyrsh, N. Zema</i>	
Long-Term Polarization of Depleted CdZnTe	175
<i>R. Grill, M. Betušiak, P. Praus, E. Belas</i>	
Recent Advances in Cesium Lead Bromide Crystal Growth and Detectors.....	176
<i>S. Motakef, G. Ciampi, P. Becla, A. Datta, Q. Xu</i>	
Combining the Basis-Region Data Mode with the Volume Conservation Constraint for Reconstructing Multiple Basis Materials from DECT Data	177
<i>B. Chen, Z. Zhang, D. Xia, E. Y. Sidky, X. Pan</i>	
Maximum-Likelihood Structural-Regularization Model and Fixed-Point Proximity Algorithm for SPECT	178
<i>J. Ren, Y. Lv</i>	
Post-Neutron-Tomography SPECT for 3D Isotopic Reconstruction in Bulk Samples.....	179
<i>S. Macleod, J. Bevitt, D. Zahra, A. Chacon, D. Franklin, M. Safavi-Naeini</i>	
FastPET: Histo-Projections Approach	180
<i>V. Panin, M. Millardet, D. Bharkhada, M. Conti</i>	
Kernel SIMPLE: Positron Lifetime Image Reconstruction Using Kernel Method	181
<i>B. Huang, J. Qi</i>	
Dose-Aware Diffusion Model for 3D Low-Count Cardiac SPECT Image Denoising with Projection-Domain Consistency	182
<i>H. Xie, W. Gan, X. Chen, B. Zhou, Q. Liu, M. Xia, X. Guo, Y.-H. Liu, H. An, U. S. Kamilov, G. Wang, A. J. Sinusas, C. Liu</i>	
Enhancing Analysis Sensitivity of Low-Level Tritium Through Channel Region Optimization in Liquid Scintillation Counters	183
<i>J.-G. Kang, J. Kim, D. Kim</i>	
A New Modular Device for Automatic Radiological Mapping Using Visual-Based Reconstruction Algorithms.....	184
<i>A. Macario Barros, M. Michel, Y. Moline, G. Corre, F. Carrel</i>	
Development of a Multi-Layer Silicon Betaray Spectrometer for CANDU Environment and Preliminary Characterization	185
<i>X. Cheng, B. Dyer, A. Hanu, S. H. Byun</i>	
High Temperature Detector for Material Accounting in Advanced Reactors	186
<i>J. R. Schott, K. Werra, E. Weststrate, I. Garishvili, M. P. Dion, J. Glodo, L. Soundara Pandian</i>	
Experimental Characterization of ESTHER: Expanded Source-Based THERmal Neutron Field.....	187
<i>L. Grisoni, F. Casamichiela, A. M. Fontanilla, D. Bortot, D. Mazzucconi, S. Agosteo, A. Pola</i>	

Development of an Isotropic-Response Wide Energy Range Neutron Spectrometer.....	188
<i>B. Zhu, Z. Wang, Z. Shen, R. Zhou, C. Yang</i>	
Data-Driven Non-Rigid Motion Detection and Correction for NeuroEXPLORER	189
<i>J. Zhang, C. Sun, T. Volpi, T. Zeng, K. Fontaine, Y. Du, T. Toyonaga, J. A. Onofrey, Y. Lu, R. E. Carson</i>	
Data-Driven Gating for PET Using a Population-Based Encoder	191
<i>W. Qi, J. Qi, L. Yang, Y.-J. Tsai, J. Kolthammer</i>	
A Universal Activity Painting Phantom for Positron Emission Tomography	192
<i>E. Shanina, B. A. Spencer, T. Li, J. Qi, S. R. Cherry</i>	
3D In-System Calibration of Advanced PET Detector Topologies.....	193
<i>Y. Kuhl, F. Mueller, J. Thull, S. Naunheim, D. Schug, V. Schulz</i>	
Tumour Margin Thickness Inference for 99mTc Radioguided Surgery Using Internal Conversion Electrons.....	194
<i>J. Moo, A. Reader, P. Marsden, K. Vyas</i>	
Progress Report on PETSIRD: A Standard for PET Raw Data	195
<i>K. Thielemans, N. A. Karakatsanis, A. L. Kesner, M. Hansen, R. G. Wells</i>	
A Cryogenic Readout Integrated Circuit with Analog Pile-Up and in-Pixel ADC for High Frame Rate Skipper CCD-In-CMOS Sensors.....	196
<i>A. Quinn, F. Fahim, D. Braga</i>	
Modelling and Performance Assessment of a CMOS Switched Capacitor Analog Neuron	198
<i>M. Ronchi, S. Di Giacomo, M. Amadori, G. Borghi, M. Carminati, C. Fiorini</i>	
Front-End Study for Future European XFEL Detectors	199
<i>A. Ciavarella-Ciavarella, G. Borghi, M. Carminati, L. Nassi, M. Porro, C. Fiorini</i>	
Development of Measurement Electronics Circuit Utilizing Radiation Hardened H-Diamond MOSFET(RADDFET)	200
<i>Y. Ito, H. Kawashima, T. Maekawa, J. H. Kaneko, H. Umezawa</i>	
Compact Lidar Digitizing Receiver (CoLiDR) Benchtop Measurements with the HDSocv2 Waveform Digitizing ASIC	201
<i>B. Rotter, I. Mostafanezhad, L. Macchiarulo, C. Chock, M. Luck, M. Matsumori-Kelly, R. Pang</i>	
The Fractal ASIC Series of the IGNITE Project: CMOS 28-Nm Technology for High-Precision 4D- Tracking.....	202
<i>A. Lai</i>	
Impact of Film Thickness on High-Temperature Tolerance for BGeN Neutron Detectors	203
<i>R. Kudo, T. Sakurai, E. Kokubo, S. Kawasaki, K. Takagi, J. Nishizawa, T. Kishishita, Y. Sakurai, H. Yashima, T. Makino, T. Ohshima, G. Wakabayashi, Y. Honda, H. Amano, Y. Inoue, T. Aoki, T. Nakano</i>	
High Resolution Cr/4H-SiC Radiation Detector for Harsh Environment Applications.....	204
<i>R. Nag, S. K. Chaudhuri, K. C. Mandal, F. H. Ruddy</i>	
Chalcohalide Tl ₆ SeI ₄ Crystal for Application in Radiation Detection.....	206
<i>P. Bhattacharya, A. Kargar, L. S. Pandian, S. Imam, M. Kalaitzidis</i>	

6LiInP2Se6 Semiconductor: Advancements in Crystal Growth for Thermal Neutron Detection	207
<i>S. Imam, K. S. Bayikadi, E. K. Qian, M. G. Kanatzidis</i>	
Neutron Detection Characterization of Thick Film BGaN Detector for Neutron Imaging.....	208
<i>T. Sakurai, K. Ando, R. Kudo, E. Kokubo, S. Kawasaki, K. Takagi, J. Nishizawa, G. Wakabayashi, M. Hino, Y. Honda, H. Amano, Y. Inoue, T. Aoki, T. Nakano</i>	
Results from the First Neutron Reflectometry Application of a Fast Photon-Counting Camera.....	209
<i>A. Khaplanov, J. Ankner, T. Hirsh, A. Losko, A. M. Long, M. Loyd, J. Sykora, E. Watkins, A. Wolfertz</i>	
Image Reconstruction Via Linear Regression Fit of Coded-Aperture Gamma-Ray Imager Data	210
<i>J. Daughetee, F. Gonzalez, A. Laminack, K. Schmitt, K.-P. Zioc</i>	
Free-Moving Gamma-Ray Imaging with a Rotating Coded-Aperture Mask	211
<i>S. Brown, R. Sobota, J. Mason, B. Kitchen, I. Bhatt, F. Zhang, R. Parsons, A. Thomason, D. Tefft, W. Kaye</i>	
Development of a Fast Detector for Associated Particle Imaging	212
<i>G. Giacomini, G. Carini, W. Chen, A. Dellapenna, G. Deptuch, S. Durando, L. Fabris, J. Fried, J. Kierstead, I. Kotov, D. Gorni, R. Guidolini-Cecato, S. McConchie, S. Mandal, E. Muller</i>	
FlexiBlock: A High-Resolution Self-Collimation Gamma Camera with an Adaptable Modular Design.....	213
<i>L. Liu, X. Zheng, Y. Liu, T. Ma</i>	
A Prototype Multi-Instrument Quality Assurance System for Responsive Nuclear Fuel Manufacturing	214
<i>A. Parker, M. Bandala, P. Chard, N. Cockbain, D. Dunphy, D. Eaves, D. Hutchinson, X. Ma, S. Marshall, P. Murray, P. Stirzaker, J. Taylor, J. Zabalza, M. Joyce</i>	
Novel FPGA-Embedded SEU Monitors for the Belle II Experiment.....	216
<i>R. Giordano, G. Tortone, D. Vincenzi, F. Loffredo, M. Quarto, R. Pestonik, A. Lozar, A. Seljak, E. Verroi</i>	
Evaluation of the TID Effects on a 28 nm CMOS Technology for High-Density Front-End Electronics.....	217
<i>G. Traversi, L. Gaioni, M. Manghisoni, E. Riceputi, L. Ratti, V. Re</i>	
TID Analysis of LVDS Receivers with Impedance Spectroscopy for the ATLAS Muon Trigger	218
<i>P. Casolaro, V. Izzo, R. Vari, M. D'Angelantonio, A. Vanzanella, C. Principe, A. Aloisio</i>	
The Single Event Error (SEE) Test and Analysis of the CMS Endcap Timing Layer Readout Chip	219
<i>D. Gong, C. Silva, Z. B. Flowers, X. Huang, J. Lee, C. Liu, T. Liu, S. Los, L. Marien, G. Nigmatkulov, J. Prinzie, M. Safdari, Q. Sun, E. Tackx, Y. Wang, J. Wu, Z. Xue</i>	
Radiation Damage and Charge Trapping in Germanium Cross-Strip Detectors	220
<i>S. Pike, S. Boggs, J. Roberts, S. Haight, A. Valluvan, G. Brewster, J. Tomsick, A. Zoglauer, A. Shih</i>	
Performance of SiC Based Neutron Detector in High-Dose Gamma-Ray Field	221
<i>K. Nagai, K. Shimazoe, K. Aoyama, T. Suzuki, T. Nakamura, H. Tanaka, T. Matsumoto, S. Manabe, J. Ishii</i>	

Study for the Upgrade of the Front-End DAQ of the DSSC Megapixel Camera for a Potential New Generation of Detectors at the European XFEL.....	222
<i>A. Costa, G. Bonanno, C. Danilevski, F. Garzetti, A. Geraci, K. Hansen, D. Lomidze, N. Lusardi, S. Maffessanti, E. Ronconi, K. Sukharnikov, M. Turcato, M. Porro</i>	
Radioroc-PicoTDC System: Improved Time Resolution for Medical and Scientific Applications.....	224
<i>T. Saleem, S. Ahmad, J.-B. Cizel, A. Hadar, F. Perez, J. Fleury</i>	
An Area- And Power-Efficient 32-Channel Multi-Energy Photon Counting Readout ASIC Using Successive Approximation Register Logic	225
<i>T. Lu, L. Sun, J. Zhang, T. Gao, Y. Dou, Y. Zhang, X. Gao, W. Gao</i>	
Use of the CERN picoTDC for Timing Application in Particle Therapy	226
<i>F. M. Milian, E. M. Data, D. Bersani, R. Cirio, M. Donetti, M. F. Mazinani, V. Ferrero, E. Fiorina, M. A. Hosseini, D. M. Olivares, F. Pennazio, D. Porret, M. Pullia, S. Ranjbar, A. Vignati, R. Sacchi, S. Giordanengo</i>	
A 32-Channel Cryo-CMOS ASIC for SNSPD Biasing and Readout with Picosecond Timing.....	227
<i>J. A. Fredenburg, D. Braga, T. England, F. Fahim, A. Quinn, H. Sun</i>	
In-Vivo Demonstration of Activation Imaging of Gold Nanoparticles.....	229
<i>N. Koshikawa, Y. Kikuchi, K. S. Tanaka, J. Kataoka, K. Matsunaga, H. Kato, K. Tokoi, A. Mitsukai, Y. Kadonaga, A. Toyoshima, K. Ooe, K. Takamiya</i>	
High-Resolution Positronium Lifetime Imaging on the PennPET Explorer.....	231
<i>B. Huang, B. Dai, E. J. Li, J. S. Karp, J. Qi</i>	
Maximum-Likelihood Expectation Maximization for Dual-Tracer PET Imaging	232
<i>E. Pfaehler, D. Niekämper, J. J. Scheins, J. N. Shah, C. W. Lerche</i>	
Compton Imaging of Therapeutic Radionuclides with a CZT Camera	233
<i>B. Das, B. Mehrdel, Y. Seo, D. Goodman, M. Streicher, J. Caravaca</i>	
Anisotropy Coefficient Image Reconstruction in Double Photon Emission pH Imaging	234
<i>D. Kim, K. Shimazoe, H. Takahashi</i>	
Gamma-Ray Probe Endoscope Using Phoswich Structure & Pulse Shape Discrimination System.....	235
<i>M. Park, H. Lee, S. Song, J. Hwang, C. Park, K. Lee, J.-Y. Yeom</i>	
X-Ray Response of (BA)2PbI4 Polycrystalline Perovskite X-Ray Detectors.....	236
<i>S. G. Alanazi, P. Sellin, S. Alghamdi, C. Crean, J. Ghosh</i>	
Perovskite Advancements Using Depth Correction and Trapezoidal Shaping Parameters	237
<i>M. A. Robbins, P. V. Quoc, K. S. Bayikadi, D. Young, Z. He, K. Mercouri</i>	
Novel Polycrystalline Perovskite Materials for Radiation Detection	238
<i>A. Saha, J. Reiss, C. Campbell, P. Brown, D. Wolfe, J. Li, M. Hammig</i>	
2D Hybrid Perovskites for Alpha Particle Spectroscopy: From Single Crystals to Thin Films.....	239
<i>L. Margotti, A. Ciavatti, J. Ghosh, P. Sellin, B. Fraboni</i>	
High Quality X-Ray and Gamma Ray CsPbBr3 Sensors	240
<i>E. Belas, M. Betušiak, M. Karuppaiya, R. Grill, P. Praus</i>	
Optimising Charge Transport Properties in FAPbBr3 Single Crystals for Direct Radiation Detection.....	241
<i>J. Jayarathne, J. Ghosh, S. Perera, J. Reiss, D. Wolfe, C. Crean, P. Sellin</i>	

Thin, Radiation Tolerant AlGaAs Solid-State Photomultiplier Prototype Development.....	242
<i>E. B. Johnson, R. Blakeley, A. Melo, J. Campbell, A. Dadey</i>	
Optimization of an Indirect Conversion X-Ray Photon Counting Module for Irradiation of X-Ray Photon Flux Over 100 Mcps/mm ²	243
<i>T. Yoshida, K. Hayashi, S. Kamakura, K. Kobayashi, T. Matsumoto, M. Hirayanagi, T. Ota</i>	
Characterization of SparkPix-RT1: A 48x48 Charge-Integrating X-Ray Pixel Detector with On- Chip Compression	244
<i>S. Stremper, D. Doering, M. Hammer, H. Shi, J. Weizeorick, S. M. Gnanasekaran, A. Gupta, P. King, H. Kim, A. Pena-Perez, L. Rota, L. Ruckman, B. Reese, B. Markovic, A. Dragone, A. Miceli</i>	
Multi-PMT Modules for the WCTE, IWCD and Hyper-Kamiokande Experiments.	245
<i>A. Rychter</i>	
Fast and Precise Timing with Resistive μ RWELL-PICOSEC Detector Technology.....	246
<i>K. Gnanvo, A. Pandey, J. McKisson, W. Xi, B. Kross, A. Weisenberger</i>	
Improved Reconstruction Quality of PGET Using a Linear-Inverse Approach	247
<i>M. Fang, P. Dendooven, R. Virta, Y. Altmann, A. Di Fulvio</i>	
Measurement of Fast to Thermal Neutron Flux Ratio Under D-T Neutron Irradiation Using a LaBr ₃ Detector	248
<i>V. Fondement, C. Wilson, I. Jovanovic</i>	
Measurement of D-T Neutron Source Flux by Self-Neutron Activation Analysis with a LaBr ₃ Detector	249
<i>C. R. Wilson, O. Searfus, C. Graham, V. Fondement, S. Clarke, S. Pozzi, I. Jovanovic</i>	
Measurement of Neutron Active Interrogation Contraband Signatures Using Organic Scintillators	251
<i>C. Graham, J. Bae, S. Clarke, S. Pozzi, I. Jovanovic</i>	
Anatomically and Metabolically Informed Deep Learning Low-Count PET Image Denoising.....	252
<i>M. Xia, H. Xie, Q. Liu, L. Guo, J. Ouyang, R. Bayerlein, B. A. Spencer, R. D. Badawi, Q. Li, G. El Fakhri, C. Liu</i>	
PET Image Denoising Based on 3D Diffusion Models: Evaluations on 18F-FDG and 68Ga-PSMA- 11 Datasets.....	254
<i>B. Yu, W. Qi, J. Kolthammer, K. Gong</i>	
Unsupervised Tau PET Image Super-Resolution Using Cross-Domain Diffusion Posterior Sampling	255
<i>Z. Zhou, T.-A. Song, B. Lei, F. Yang, C. Lois Gomez, K. Johnson, J. Dutta</i>	
PET Image Denoising Based on Diffusion Schrodinger Bridge Model	256
<i>S. Yoon, Y. Wang, Y.-D. Son, Q. Li, K. Kim</i>	
Subject-Aware PET Denoising with Contrastive Adversarial Domain Generalization	257
<i>X. Liu, T. Marin, S. Vafay Eslahi, A. Tiss, Y. Chemli, K. A. Johnson, G. El Fakhri, J. Ouyang</i>	
CT-Free Attenuation Correction of Whole-Body PET Images Via Direct Diffusion Bridge.....	258
<i>M. J. Cho, J. S. Lee</i>	
Deep-Learning Based Real-Time KSTAR Fusion Neutron Energy Spectrum Unfolding with TRIASSIC and MCNP Simulation.....	259
<i>B. Kwon, S. Lim, J. Hwang, G. Jo, R. Choi, G. Kim, K. Chung, J. Park, Y. Na, Y. Hwang</i>	

Deep Learning for Proportion Estimation of Target Radionuclides in Extreme Environment	261
<i>M. Park, J. Hwang, J.-Y. Yeom, C. Kim</i>	
Utilizing Deep Learning for Enhanced Tritium Monitoring.....	262
<i>E. Rofors, R. J. Cooper, R. Heller, B. Nachman, G. Fernandez Moroni, J. Estrada</i>	
Acceleration of Radiological Mapping by Image Super Resolution	263
<i>L. Pan, J. R. Vavrek</i>	
Transitioning Neural Network Isotope Identifiers to Real-World Deployment Scenarios	265
<i>L. J. Lee-Brewin, C. Shenton-Taylor</i>	
Neuromorphic Computing for Nuclear Safeguards.....	266
<i>A. D. Nicholson, J. Ghawaly, C. Schuman, B. Witherspoon, A. Young, M. Swinney, K. Patel, L. Crawford, E. Brown</i>	
A CdTe Timepix3-Based Sub-Micron XCT System for Non-Destructive Testing	267
<i>G. Roque, M. K. Schütz, J. S. Useche, M. Fiederle, S. Procz</i>	
Al Alloy Phase Recognition Through Neural Networks Using X-Ray Transmission	269
<i>V. Vicini, M. Bettelli, A. Zappettini, N. Sarzi Amadè, N. Zambelli, S. Feng, E. Liotti, M. D. Wilson</i>	
Sub-Mm Four-Side Butt-Able Plug-In Multi-Energy Photon-Counting Semiconductor X-Ray Detectors for Security Screening.....	270
<i>W. Barber, E. Kuksin, J. C. Wessel, N. Hartsough</i>	
Direct Conversion Flat Panel Detector Utilizing TlBr Film for X-Ray Imaging.....	271
<i>M. Hamdan, K. Shimazoe, H. Takahashi, M. Nogami, K. Hitomi, S. Asakura, T. Tsunashima, T. Nakamura</i>	
The Exotic Adventure of CdZnTe Detectors at the DAΦNE Collider: Measurement of Kaonic Aluminium Transitions.....	272
<i>L. Abbene, A. Buttacavoli, F. Principato, G. Gerardi, M. Bettelli, A. Zappettini, J. Zmeskal, F. Artibani, A. Clozza, F. Sgaramella, F. Sirghi, A. Scordo, C. Curceanu</i>	
Development of a Highly Sub-Pixelised CZT Gamma Detector Array.....	273
<i>A. Cherlin, N. Atkins, I. Baistow</i>	
Identification of γ -Ray Nuclide in an Intense γ -Ray Field for Nuclear Decommissioning	274
<i>M. Kaburagi, J. Ishii, M. Kato</i>	
Size Effects in the Luminescence of CeF ₃ Nanoparticles	276
<i>A. Gektin, Y. Chornodolsky, T. Demkiv, A. Kotlov, A. Hloskovsky, A. Voloshinovskii</i>	
The ScIDEP Muon Radiography Project at the Egyptian Pyramid of Khafre	277
<i>S. Aly, Y. Assran, B. Elmahdy, M. Gamal, A. Hecht, R. T. Kouzes, A. Mahrous, E. Siciliano, M. Tytgat, J. Valencia, Z. Wang, M. N. Yaseen</i>	
Improving Performance of Inorganic Scintillators with Optimized Photonic-Crystal Nanostructures	278
<i>S. Surani, P. Albert, D. Wolfe, M. Flaska</i>	
Scintillation Properties of Single Crystals of Cerium-Doped Gadolinium Pyrosilicate at Temperature.....	280
<i>M. Berheide, S. Beekman, F. Haranger, H. Ishibashi, M. Hirai, K. Nagao</i>	

ALICE ITS3 Upgrade and First Experiences with the Large Scale Stitched Sensors	281
<i>N. Tiltmann</i>	
New Frontiers of High-Efficiency 4D Particle Tracking with Monolithic AC-LGADs	282
<i>M. Mandurrino, M. Da Rocha Rolo, A. Rivetti, L. Pancheri</i>	
DC-Coupled Resistive Read-Out Silicon Sensors for Future 4D Tracking: Recent Advancements and First Laboratory Characterization	283
<i>R. Arcidiacono, L. Menzio, N. Cartiglia, F. Siviero, M. Ferrero, V. Sola, M. Boscardin, M. Centis Vignali, T. Croci, V. Monaco, A. Morozzi, F. Moscatelli, A. Fondacci, G. Paternoster, D. Passeri, O. Hammad Ali, L. Lanteri</i>	
Detector Performance Results on Prototypes of 65nm CMOS Stitched Sensor Structures for ALICE ITS3	285
<i>H. Hillemanns</i>	
The ATLAS ITk Pixel Detector. a Great Adventure from Design to Construction.....	286
<i>M. Mikestikova</i>	
The ATLAS ITk Strip Detector System for the Phase-II LHC Upgrade	287
<i>M. Mikestikova</i>	
A Modular TOF-DOI Detector for OrganDedicated and Large Axial Field of View PET	288
<i>V. Nadig, G. Terragni, E. Toumparidou, M. Hornisch, A. Selenski, K. Herweg, E. Tribbia, E. Auffray, V. Schulz, S. Gundacker</i>	
Prism-PET Super Module with Tapered Crystals for High-Resolution TOF-DOI Brain PET	289
<i>X. Zeng, Y. Li, Z. Wang, W. Tan, A. Labella, F. Zhang, A. Goldan</i>	
Performance Evaluation of the Modular J-PET Detector in Conventional PET Imaging	290
<i>M. Das, R. Bayerlein, S. Parzych, S. Sharma, R. D. Badawi, E. Y. Beyene, E. Czerwinski, A. Hubalewska-Dydejczyk, T. Kaplanoglu, G. Korcyl, W. Krzemien, W. Mryka, S. Niedzwiecki, M. Opalinska, M. Rädler, M. Skurzok, B. A. Spencer, P. Tanty, K. Tayefi Ardebili, P. Moskal, E. L. Stepien</i>	
Towards a Scalable Readout Solution for Large Coverage BGO-PET Scanners	292
<i>A. Gonzalez-Montoro, F. Loignon-Houle, R. Lattella, D. Sanchez, A. J. Gonzalez</i>	
Prototyping an Si-GAGG Detector Unit for Whole Gamma Imaging.....	293
<i>F. Nishikido, S. Takeda, T. Arai, H. Tashima, T. Takahashi, T. Yamaya</i>	
MACACO III Compton Camera for Imaging of Targeted Alpha Therapy Using ^{225}Ac	294
<i>K. Brzezinski, L. Barrientos, M. Borja-Lloret, J. V. Casaña, F. Hueso-González, J. Pérez- Curbelo, A. Ros, J. Roser, C. Serna, R. Viegas, J.-N. Badel, A. Etxebeste, D. Sarrut, G. Llosá</i>	
Development of Thallium Bromide Detectors for Boron Neutron Capture Therapy	296
<i>K. Hitomi, M. Nogami, K. Watanabe, T. Onodera, H. Tanaka, N. Matsubayashi, K. Ishii</i>	
TlBr Spectral Detectors for SPRD Applications.....	297
<i>S. Motakef, G. Ciampi, A. Datta, P. Becla, J. Fiala, Q. Xu</i>	
The Synthesis and Electronic Properties of $\text{Cs}_2\text{AgBiBr}_6$ Double Perovskite Single Crystals for Radiation Detector Applications.....	298
<i>N. S. Sahsuvar, M. Fiederle, C. Schweinle, M. Daub, H. Hillebrecht</i>	
Coupled Gel/Seeded Growth of $\text{Cs}_2\text{AgBiBr}_6$ Single Crystals for Radiation Detection.....	299
<i>S. Alshogheathri, D. Cao, S. Noor, B. Bagci, G. Yang, R. James</i>	

Simultaneous Scintillation and Charge Induction Readouts for Gamma-Ray Detection in CsPbBr ₃	301
<i>J. Ellin, J. Christian, H. Kim, G. Ariño-Estrada</i>	
A Proximity Focused RICH Detector for the ePIC Experiment at EIC.....	302
<i>C. Woody</i>	
A Novel Diffuse Laser System for Calibrating the sPHENIX TPC.....	303
<i>B. Azmoun, D. Cacace, R. Corliss, T. Hemmick, J. Huang, C. Hughes, J. Kuczewski, T. Sakaguchi, E. Shulga, C. Woody</i>	
High Granularity Readout Time Projection Chamber Technology Development for the Future Lepton Collider.....	304
<i>X. She, H. Qi, Y. Chang, M. Titov</i>	
A High-Brightness Low Energy Positive Muon Beam for Future Precision Muon-Based Experiments.....	305
<i>A. Papa</i>	
Muon Detection with an Opaque Scintillator Detector Prototype	306
<i>T. J. C. Bezerra, B. J. Cattermole, A. Earle, A. Gibson-Foster, C. W. Griffith, J. Hartnell, J. A. Lock, J. C. C. Porter, S. Schoppmann, W. Shorrock, N. Tuccori</i>	
Timing Response of a Novel Rad-Hard Fast Detection System for Radioactive Ion Beam Tagging and Diagnostics	307
<i>L. Acosta, C. Altana, A. Barbon, G. Cardella, A. Castoldi, G. D'Agata, E. De Filippo, S. De Luca, E. Geraci, C. Guazzoni, B. Gnoffo, C. Maiolino, N. S. Martoranana, E. V. Pagano, S. Pirrone, G. Politi, F. Risitano, F. Rizzo, P. Russotto, M. Trimarchi, S. Tudisco, C. Zagami</i>	
Deep Learning-Based Scatter Estimation for Time-Of-Flight PET.....	308
<i>J. Maier, Y. Berker, A. Schulte, M. Conti, J. Cabello, D. Bharkhada, A. Kalemis, L. Pan, A. Dimitrakopoulou-Strauss, M. Kachelrieß</i>	
Scatter Compensation for Dynamic Brain PET Using Very Fast Monte Carlo Simulation.....	309
<i>S. Noë, A. Rezaei, G. Schramm, J. Nuyts</i>	
Energy-Based Scatter Correction in PET, Accounting for the Position Dependent Energy Spectrum of the True Coincidences	310
<i>S. A. Zaman Pour, A. Rezaei, G. Schramm, F. Jansen, T. Deller, J. Nuyts</i>	
A Comparative Study of Various Scatter Estimation Methods in PET	311
<i>M. Teimoorisichani, J. Cabello, J. Hamill, I. Hong, V. Panin</i>	
High-Resolution Brain Phantom Data, with Flexible Contrast: Validation on the NeuroExplorer (NX)	312
<i>P. Gravel, T. Toyonaga, J.-D. Gallezot, K. Fontaine, S. Martins, T. Mulnix, R. E. Carson</i>	
Modeling Intra-Regional Heterogeneity During Projection-Domain Quantification for Alpha-Particle SPECT.....	313
<i>Z. Li, F. Ahmed, N. Benabdallah, D. Thorek, A. Jha</i>	
< 2mm Continuous DOI Positioning in Arrays of Side-Coupled Crystals for a Highly Compact 100 Ps FWHM CTR TOF-PET Detector Design	315
<i>S. Pourashraf, J. W. Cates, D. Innes, M. N. Ullah, C. S. Levin</i>	
Timing Perspective with Dual-Ended High-Frequency SiPM Readout for TOF-PET	316
<i>N. Kratochwil, E. Roncali, J. W. Cates, G. Arino-Estrada</i>	

Segmented OctaSiPM for Dual-Ended Readout of BGO to Improve Timing Resolution in Time-Of-Flight PET	317
<i>M. Yi, D. Lee, A. Gola, S. Merzi, M. Penna, J. S. Lee, S. R. Cherry, S. I. Kwon</i>	
Investigation of BGO Coincidence Time Resolution with Deep Learning.....	318
<i>F. Loignon-Houle, N. Kratochwil, M. Toussaint, C. Lowis, G. Ariño-Estrada, A. J. Gonzalez, E. Auffray, R. Lecomte</i>	
Using Residual Physics to Reach Near-200 Ps CTR with TOFPET2 ASIC Readout and Clinical Detector Blocks	319
<i>S. Naunheim, F. Mueller, V. Nadig, Y. Kuhl, J. Breuer, N. Zhang, S. Cho, M. Kapusta, R. Mintzer, S. Gundacker, D. Schug, B. Weissler, M. Judenhofer, V. Schulz</i>	
A CNN-Based Demultiplexing Method for an Interleaved Signal Multiplexing Readout with a TOF-DOI Brain PET Detector.....	321
<i>M. Niu, X. Jiang, S. Huang, Z. Chen, Y. Zhao, Y. Yang, W. Huang, H. Yang, X. Zhang, Z. Deng, Z. Gu</i>	
Understanding of Reconstruction-Free Anatomical Imaging Based on Compton Scattering.....	322
<i>Y. Onishi, R. Ota</i>	
Addition of Detailed Structures to the XCAT Brain Phantom for In-Silico High-Resolution Multi-Modal Imaging System Usage.....	323
<i>K. S. Kalluri, P. W. Segars, M. Saranathan, S. Pells, L. R. Furenlid, M. A. Kupinski, P. H. Kuo, S. Abbaszadeh, M. A. King</i>	
Design of a Sub-0.5 mm Resolution Mouse Brain PET - GATE Simulation Study	325
<i>H. G. Kang, H. Tashima, T. Yamaya</i>	
Comparison of Silicon and Scintillator Radiopharmaceutical Trackers by Monte Carlo Simulation.....	326
<i>H. Chu, R. Heller, J. Cates, S. Lee, J. S. Lee</i>	
Sinogram-Based Alignment Estimation of PET Detector Blocks	327
<i>J. Thull, F. Mueller, V. Schulz</i>	
Walk Through PET: A High-Resolution and Affordable Total-Body Scanner for Early Cancer Diagnosis.....	328
<i>M. Dadgar, J. Maebe, B. Vervenne, S. Vandenberghe</i>	
Demonstration of Muon Tomography at an Archaeological Site in Ancient Jerusalem	329
<i>Y. Benhammou, E. Etzion, Y. Gadot, O. Lipschits, G. Mizrachi, Y. Shalev, Y. Silver, A. Weissbein, I. Zolkin</i>	
A Cosmic Muons Test Bench for the Characterisation of GRAiNITA	330
<i>H. Chanal, O. Bezshyyko, A. Boyarintsev, S. Barsuk, D. Breton, I. Boyarintseva, A. M. Dubovik, Y. Hou, G. Hull, D. Klekots, J. Lefrançois, J. Maalmi, M. Magne, S. Monteil, D. Picard, M.-H. Schune, I. Tupitsyna, M. Yeresko</i>	
A Porous Metal Foam Collimator for Robotic Tasks.....	331
<i>O. Randall, I. Tsitsimpelis, D. Folley, A. Kennedy, M. J. Joyce</i>	
Time-Resolved 3D Imaging with Capacitively Coupled GaAs SAM-APD and Cross-Delay Lines for Hard X-Ray Photon Detection.....	332
<i>N. Lusardi, M. Antonelli, F. Arfelli, G. Biasiol, G. Bonanno, G. Brajnik, S. Carrato, M. Cautero, G. Cautero, A. Costa, D. Curcio, S. Dal Zilio, F. Driussi, F. Garzetti, A. Geraci, V. Harutyunyan, R. Menk, P. Palestri, A. Pilotto, E. Ronconi, L. Sbuelz, R. Sergo, L. Stebel</i>	

Characterization of Superconducting Nanowire Single Photon Detectors to Search for Axions	334
<i>V. Vega, C. Wang, C. Pena, S. Xie, J. Luskin, B. Korzh, M. Shaw</i>	
Enhancing Scintillation Efficiency of Scintillator Nanocomposites.....	335
<i>V. Zabloudil, M. Salomoni, E. Mazzola, L. Gironi, S. Brovelli, S. Rojas, E. Auffray</i>	
Detector-Pixel Interactions Via Transformer Encoders: A Direct Approach for PET Image Reconstruction.....	336
<i>Y. Mellak, A. Bousse, T. Merlin, B. Laurent, D. Visvikis</i>	
Synthesised PET Image Reconstruction with Kernel Methods and the Deep Image Prior for Post-Reconstruction Image Enhancement	337
<i>L. Vass, A. J. Reader</i>	
Dynamic PET Image Reconstruction Using Deep Kernel Pretraining from a Total-Body PET Dataset.....	338
<i>S. Li, B. A. Spencer, L. Nardo, J. Qi, S. R. Cherry, R. D. Badawi, G. Wang</i>	
Deep Equilibrium for Hyperparameter Estimation in Dynamic PET Reconstruction	339
<i>A. Chazottes, É. Chouzenoux, J.-C. Pesquet, F. Sureau</i>	
Generative-Model-Based Fully 3D PET Image Reconstruction by Conditional Diffusion Sampling.....	340
<i>G. Webber, Y. Mizuno, O. D. Howes, A. Hammers, A. P. King, A. J. Reader</i>	
Inverse Rendering for PET Image Reconstruction	342
<i>W. Jakob, Y. Li, Z. Wang, B. Nicolet, W. Tan, A. Goldan</i>	
CT-Less Attenuation Correction for PET Using Backward Inter-Crystal Scattered Events	343
<i>T. Li, L. He, Z. Liu, S. Tang, H. Xu, Y. Liu, X. Sun, Y. Lu, Y. Dong, H. Li</i>	
POUR-Net: A Population-Prior-Aided Over-Under-Representation Network for Low-Count PET Attenuation Map Generation	344
<i>B. Zhou, J. Hou, T. Chen, Y. Zhou, X. Chen, H. Xie, Q. Liu, X. Guo, M. Xia, Y.-J. Tsai, V. Panin, T. Toyonaga, J. Duncan, C. Liu</i>	
CT Scout Scans with Deep Learning for Ultra-Low Dose Attenuation Correction in PET.....	345
<i>F. M. Muller, M. E. Daube-Witherspoon, L. P. Liu, M. J. Parma, A. E. Perkins, E. J. Li, A. R. Pantel, P. B. Noël, C. Vanhove, S. Vandenberghe, J. S. Karp</i>	
A Multi-Reader Multi-Case Human Observer Study to Evaluate CTLESS for Cardiac SPECT	347
<i>Z. Yu, N. R. Choi, Z. Yang, M. A. Rahman, B. A. Siegel, A. K. Jha</i>	
Total-Body PET/CT Images Used for Generating Digital Phantoms as Training Data for Deep Learning Based Data Corrections.....	349
<i>N. Omidvari, T. Li, B. A. Spencer, E. K. Leung, X. Sun, R. D. Badawi, H. Li, J. Qi, S. R. Cherry</i>	
Total Lesion Glycolysis-Weighted Non-Rigid Registration for Respiratory Motion Correction in PET.....	351
<i>C. Sun, M. Xue, D. Zhang, Y. Zhang, H. Zeng, Y. Lu</i>	
High Resolution Particle Tracker for In-Vivo Carbon-Ion Radiotherapy Monitoring.....	352
<i>J. Jakubek, M. Curda, C. Granja, J. Ingerle, L. Kelleter, L. Marek, M. Martisikova, K. Sykorova</i>	

A Detector Prototype for Prompt Gamma Imaging with Gamma Neutron Discrimination Capability	353
<i>O. Halfon, C. Riboldi, A. Bourkadi Idrissi, G. Borghi, M. Carminati, F. Camera, A. Giaz, C. Fiorini</i>	
First Prompt Gamma Timing Measurements with Carbon Ions	354
<i>S. Ranjbar, E. M. Data, F. Mas Milian, D. Bersani, P. Cerello, R. Cirio, V. Ferrero, M. Fadavi Mazinani, S. Giordanengo, M. A. Hosseini, E. Lombardo, D. M. Montalvan Olivares, M. Pullia, S. Savazzi, R. Sacchi, A. Vignati, J. F. Werner, F. Pennazio, E. Fiorina</i>	
In-Vivo Carbon-Ion Radiotherapy Monitoring by Tracking of Charged Nuclear Fragments: Latest Patient Results	355
<i>L. Kelleter, R. Kirchgässner, P. Ochoa-Parra, S. Harrabi, P. Schlegel, G. Echner, L. Marek, M. Winter, J. Jakubek, O. Jäkel, J. Debus, M. Martišíková</i>	
First Patient Study of In-Beam OpenPET for Range Verification in Carbon-Ion Therapy.....	357
<i>H. Tashima, C. Toramatsu, A. Hamato, Y. Iwao, G. Akamatsu, H. G. Kang, F. Nishikido, M. Tajiri, H. Mizuno, M. Koto, T. Yamaya</i>	
Helium-Beam Radiography for Precise Cancer Irradiation: Impact of Scatter Rejection on Image Quality	358
<i>M. Metzner, A. Schlechter, C. Amato, O. Jäkel, M. Martišíková, T. Gehrke</i>	
Dental Imaging with a Quantum-Dot-Based Direct Conversion X-Ray Image Sensor.....	360
<i>C.-M. Zhang, R. Quaglia, A. Shulga, V. Goossens, A. A.-H. Husain, B. Stadlinger, P.-F. Ruëdi</i>	
Multiple Material Decomposition with a Combined X-Ray Spectral and Phase Imaging System.....	361
<i>F. Arfelli, L. Brombal, P. Perion, F. Brun, S. Donato, L. Sbuelz, P. Delogu, P. Oliva, R. H. Menk</i>	
X-Ray Dark-Field Imaging of Anisotropic Rod-Shaped Magnetic Iron Oxide Particles	363
<i>X. Tang, Y. Yang, H. Mao</i>	
Development of Multi-Channel DXA Detector for Cone Beam Data Acquisition.....	364
<i>S. Lee, J. Jung, Y. Choi, J. H. Jung, S. Lee, S. Jang</i>	
Extracting High Accuracy of Energy Information in Photon-Counting Computed Tomography.....	365
<i>R. Minagawa, J. Kataoka, M. Arimoto, H. Kawashima, S. Kobayashi, K. Okumura, D. Sato, T. Tomoda, F. Lucyana, Y. Ito, S. Taniguchi, S. Terazawa, S. Shiota</i>	
Enhancing the Time Resolution for Discriminating Between Multiple Contrast Agents Using 2-Dimensional SiPM-Based Photon Counting CT	367
<i>F. Lucyana, M. Arimoto, T. Tomoda, H. Kawashima, S. Kobayashi, K. Murakami, K. Okumura, D. Sato, J. Kataoka, R. Minagawa, S. Terazawa, S. Shiota</i>	
Initial Human Study of an AWSM-PET Device for Augmented Whole-Body PET Imaging.....	369
<i>Y. Chen, M. Hamdi, S. Komarov, A. Thomas, R. A. Mintzer, S. Cho, D. Poggi, J. Corbeil, J. Breuer, M. S. Judenhofer, N. Wu, L. Cai, J. Frye, F. Dehdashti, J. A. O'Sullivan, R. Laforest, S. B. Siegel, Y.-C. Tai</i>	
Organs and Systems Glucose Metabolism Analysis in Different Smoking Groups for Lung Cancer Patients Using Total-Body PET/CT.....	370
<i>H. Wang, Z. Huang, Y. Wu, Z. Liu, W. Li, M. Wang, G. S. P. Mok, Z. Hu</i>	
Data Correction and Imaging Studies for PETCoil: A Second-Generation RF-Penetrable Brain TOF-PET Insert for Simultaneous PET/MRI	371
<i>M. N. Ullah, Q. Dong, J. Fisher, D. Innes, S. J. Zou, G. Chinn, C. S. Levin</i>	

Respiratory Motion Correction Using FastPET.....	373
<i>Y. Zheng, M. Millardet, H. Xie, D. Bharkhada, V. Panin, J. Cabello, N. Birge, P. Schleyer, M. Conti</i>	
IMAS: A Full-Body PET System with Enhanced TOF and DOI Capabilities.....	374
<i>D. Sanchez, S. Jimenez-Serrano, A. Laing, A. Anreus, J. Alamo, G. Cañizares, J. Barbera, N. Cucarella, M. Freire, A. Lucero, A. Gonzalez-Montoro, C. Morera, A. Rios, I. Torres, L. F. Vidal, J. M. Benlloch, A. J. Gonzalez</i>	
Preliminary Results of the Performance Characteristics for the New Digital uMI Panvivo PET/CT System	376
<i>N. Li, Y. Sun, Y. Huan, Y. Liu, L. He, Y. Wu, X. Wang, S. Chu, C. Wang, Y. Dong</i>	
Quantification and Identifiability of Molecular Blood-Brain Barrier Permeability-Surface Area Product with Total-Body Dynamic PET	377
<i>K. J. Chung, Y. G. Abdelhafez, B. A. Spencer, T. Jones, R. D. Badawi, S. R. Cherry, G. Wang</i>	
Short Acquisition Optimisation for Deep Learned Dual-Tracer PET Image Separation	379
<i>B. Pan, P. K. Marsden, A. J. Reader</i>	
Quantification of 18F-FDG Delivery Rate for Liver Inflammation Using Shortened Dynamic PET Imaging Protocols.....	380
<i>X. Duan, S. Sarkar, V. Lyo, S. Romeo, K. Matsukuma, V. Medici, M. Corwin, R. D. Badawi, G. Wang</i>	
Patlak-Guided Self-Supervised Learning for Dynamic PET Denoising.....	382
<i>Q. Liu, X. Guo, Y.-J. Tsai, J.-D. Gallezot, M.-K. Chen, L. Guo, H. Xie, D. Pucar, C. Young, V. Panin, R. E. Carson, C. Liu</i>	
Posterior Parameter Estimation in Compartmental Models from Dynamic PET: A Simulation Study of Feedback-Enhanced CVAE	384
<i>Y. Zhao, Q. Gu, A. Reader, Y. Fan, S. Meikle</i>	
Diffusion-Based Bayesian Posterior Distribution Prediction of Kinetic Parameters in Dynamic PET	385
<i>Y. Djebra, X. Liu, T. Marin, A. Tiss, M. Dhaynaut, N. Guehl, K. Johnson, G. El Fakhri, C. Ma, J. Ouyang</i>	
Plastic Scintillator Imaging of Low-Energy Electron Flash- And Mini-Beams	386
<i>E. Ciarrocchi, R. Anzalone, A. Cavalieri, D. Del Sarto, F. Di Martino, M. Morrocchi, E. Ravera, M. G. Bisogni</i>	
System Design and Validation for Treatment Monitoring for BNCT by Using Tomographic Reconstruction.....	387
<i>T. Ferri, A. Caracciolo, G. Borghi, S. Altieri, N. Protti, K. Thielemans, M. Carminati, C. Fiorini</i>	
Optimizing Proton Range Verification on Compton Camera Experimental Data with Neural Network Algorithms	389
<i>J. Pérez-Curbelo, J. Roser, R. Viegas, L. Barrientos, J. V. Casañas, F. Hueso, A. Ros, K. Brzezinski, E. Muñoz, J. Bernabéu, G. Llosá</i>	
PROTOTWIN-PET: Patient-Specific Deep Learning Models for 3D Dose Verification in Proton Therapy with PET	390
<i>P. Cabrales, V. V. Onecha, J. M. Udías, D. Izquierdo-García, J. L. Herraiz</i>	
Diffusion Model-Based Lu-177 Dose Rate Mapping from Single-Time-Point SPECT/CT Images	392
<i>B. Lei, T.-A. Song, Z. Zhou, V. Balaji, F. Yang, Q. Li, A. Bertolet, J. Dutta</i>	

Pre-Therapy Dose Prediction in Targeted Radionuclide Therapy Using Semi-Supervised Learning: An In-Silico Preliminary Study	393
<i>J. Zhang, A. Bousse, Y. Li, S. Xue, K. Shi, D. Visvikis, J. Bert</i>	
Progress of High Precision TPC Detection Technology for the Future Circular e ⁺ e ⁻ -Collider	394
<i>Y. Chang, H. Qi, G. Zhao, L. Wu, X. She, J. Wang, C. Yu, J. Zhang, Z. Deng, H. Dai, G. Li, M. Ruan, Y. Chen</i>	
Implementing a Simple Sigma-Delta ADC in Low-Cost FPGA for SiPM-Based Nuclear Imaging Systems.....	395
<i>A. T. Farsoni</i>	
Nondestructive Measurement Method for Fuel Debris Sorting.....	396
<i>Y. Toh, M. Maeda, M. Komeda</i>	
Theoretical Calculation of Optimal Thickness for Boron-Containing Neutron Converter Layer Under Various Low-Level Discrimination Conditions.....	397
<i>Z. Zhang, Z. Zhu, M. D. Aspinall</i>	
Design of a Highly Flexible TOF-PET Detector Module with FESA Readout ASICs.....	398
<i>X. Zhang, Y. Wang, M. Wang, H. Huang</i>	
Ultra-Low Power, Low-Noise ASIC with 7-Bit ADC and 24-Bit Histogram Memory for Radiation Modules.....	399
<i>K. Kawai, A. Suda, F. Naito, T. Inoue, S. Adachi, R. Fujita, T. Furuki, S. Adachi, D. Kusakari, R. Fukui, H. Yamamoto, S. Nakmaura</i>	
In-Situ Estimation of Gamma-Ray Sources Depths Using Coded-Aperture Imager.....	400
<i>D. Kim, J. Lee, C. Ko, M. Jeong</i>	
Intrinsic Fast Neutron Efficiency Measurements of CLYC Scintillators of Various Sizes	401
<i>A. Giaz, S. Brambilla, C. Boiano, F. Camera, B. Million, S. Riboldi, G. Spina, O. Wieland</i>	
A New Method for Thoron Radon Individual Detection from Same Air	402
<i>S. Das, J. Kim, J. Park, G. Cho</i>	
Preliminary Investigation into Geometry Optimization for Omnidirectional Gamma-Ray Imager Using Detector Response Patterns.....	403
<i>Y. Kitayama, M. Nogami, K. Hitomi</i>	
Improving Image Performance of Coded-Aperture Gamma-Ray Imager Under Relative High Dose Environment.....	404
<i>J. Lee, D. Kim, C. Ko, M. Jeong</i>	
Thermal Tests of a Mock-Up Detector-Module for an HPGe Planar Detector Operated with a LN2 Cryostat	405
<i>M. Borri, J. Groves, W. Helsby, A. Hill, K. Sutowski, O. Unwin</i>	
Energy Characteristics for High-Sensitivity Fiber Optic Radiation Monitor	406
<i>S. Hatakeyama, Y. Ueno, Y. Koizumi, J. Yamashita, K. Sasaki, T. Shibutani</i>	
Non-Destructive Characterization of Pure Beta Emitters Using a PIPS Detector and a MLEM Deconvolution Algorithm.....	407
<i>L. Fleres, J. Venara, F. Carrel</i>	

Development of a Charge Sensitive Preamplifier Using Silicon-Germanium Heterojunction-Bipolar-Transistors for Fast and Low-Noise Applications	408
<i>S. Chang, Y. Mitsuya, H. Takahashi</i>	
Future LASE Plans to Characterize WbLS for BUTTON Detector	409
<i>E. Gunger, A. Engvist, S. Dazeley, A. Bernstein, J. Hecla</i>	
KETEK's Next Generation Analytical X-Ray Acquisition System AXAS 3.0	410
<i>T. Ganka, C. Langer, C. Berger, C. Luckey, M. Fraczek, A. Pahlke, N. Willems, C. Zacher</i>	
Commissioning of an X-Ray Irradiation Facility to Test HPGe Sensors and to Irradiate CMOS Electronics.....	411
<i>M. Borri, M. Buckland, L. Godfrey, W. Helsby, A. Hill, K. Sutowski</i>	
The Hardware Implementation and Testing of the Full-Function Global Common Module Prototype for ATLAS Phase-II Upgrade	412
<i>T. Saito</i>	
Exploring the Afterglow of GAGG:Ce Scintillators for Applications in Space	413
<i>F. Liang, C. Delzer</i>	
Skew Error Mitigation Technique for Pulse-Train Time Amplifier Used in Radiation Applications	414
<i>M. Seung, C. Kim, J.-G. Choi, W.-Y. Choi, I. Kwon</i>	
Performance Evaluation of a Monolithic Crystal PET Detector with Six-Sided Readout Scheme	415
<i>X. Zhang, Y. Wang, M. Wang</i>	
Proof of Concept of the Prediction of Neutron Spectra Using Solid Detectors Via Machine Learning Approach	416
<i>E. Belfiore, M. Ben Mosbah, R. Antoni, O. Llido, P.-G. Allinei</i>	
Design and Characterization of a 12-Bit SAR-ADC for Charge Integrating Pixel Detectors	418
<i>P. Sieberer, F. Baruffaldi, A. Bergamaschi, M. Carulla, R. Dinapoli, K. D. Ferjaoui, E. Fröjd, D. Greiffenberg, J. Heymes, V. Hinger, D. Mezza, K. Moustakas, A. Mozzanica, K. A. Paton, B. Schmitt, X. Xie, J. Zhang</i>	
HEXID: A Finely Pixelated Readout ASIC for Future Hard X-Ray Space Missions.....	419
<i>G. Pinaroli, G. A. Carini, G. W. Deptuch, D. S. Gorni, P. Maj, H. Krawczynski</i>	
A Detection Technique for Low-Energy Gamma Rays from Alpha Emitters in Background Radiation Environment.....	421
<i>Y. Morishita, T. Yamada, T. Nakasone, M. Kanno, M. Sasaki, Y. Sanada, T. Torii</i>	
Development of a Double Scatter Time-Of-Flight Technique for Fast Neutron Spectroscopy	422
<i>T.-H. Lin, H.-Y. Tsai, M.-W. Lin</i>	
Fabrication and Characteristics of Low Gain Avalanche Detector for X Ray Detection.....	423
<i>S. Lee, S. Hwang, H. Hyun, S. Kim, Y. Lee, H. Park</i>	
Small Field Measurement Using a Commercial Amorphous Silicon Flat Panel Detector.....	424
<i>R. Liang, F. Chen, R. Zhao, J. Zhang, R. Linghu, Z. Liu, X. Liu, Z. Shi</i>	
DESY's Monolithic dSiPM: Design and Characteristics.....	425
<i>I. Diehl, K. Hansen, T. Vanat, G. Vignola, F. Feindt, S. Lachnit, S. Spannagel, D. Rastorguev</i>	

A Phoswich Detector for Direct Measurement of Alpha and Beta Contamination in the Fukushima Daiichi Nuclear Power Station	426
<i>Y. Morishita, Y. Sato, Y. Terasaka, Y. Ichiba</i>	
Development of a Spectral Unmixing Method for Gamma-Ray Spectra Analysis: Application to Airborne Measurements.	427
<i>C.-P. Mano, L. Patryl, F. Carrel, H. Paradis</i>	
Experimental Validation of the Directional Radiation Monitoring System	428
<i>Y. S. Chung, H. K. Baek, S. Y. Kim, Y. H. Chung</i>	
4pi-Directional Radiation Monitoring System Using Single Crystal Detector and Depth-Of-Interaction Method	430
<i>Y. S. Chung, J. Kang, I. S. Kang, M. K. Baek, S. Lee, Y. H. Chung</i>	
Quantum C100: Wafer Scale CMOS Sensor for Direct Detection of 100keV Electrons for CryoEM	431
<i>B. Marsh, N. Guerrini, I. Sedgwick, H. Larsen, S. W. Hutchings, M. Hart, C. Macwaters, M. El Sharkawy, M. Callahan, R. Goldsbrough, L. O’Ryan, J. Barnard, T. Starborg, A. Kirkland</i>	
Efficient and Cost Effective “sum of Rows and Columns” Readout for Large Numbers of SiPM Arrays	432
<i>S. P. Tavernier, E. Albuquerque, R. Bugalho, T. Coutinho, L. Ferramacho, R. Francisco, C. Leong, N. Oliveira, M. Silveira, R. Silva, J. Varela</i>	
Performance Effects of Organic Scintillator Bonding with Optical Cement	433
<i>J. Stanton, C. Allwork, C. Thompson, D. Lee</i>	
Quality Control for DUNE Cryogenic FEMB Production	434
<i>L. Ke</i>	
Optical Re-Excitation of Scintillator Detectors	435
<i>C. Campbell, J. Glodo, I. Hubble, M. Muller, S. Rand, D. Wehe</i>	
The New PETsys TOFPET3 ASIC	436
<i>J. Varela, E. Albuquerque, R. Bugalho, T. Coutinho, L. Ferramacho, R. Francisco, L. Oliveira, R. Silva, S. Tavernier</i>	
Bayesian Calibration of Feynman-Y Distributions.....	437
<i>G. Chartier, D. Denis-Petit, D. Aubert, G. Lelaizant, F. Lavallou, N. Dufour, B. Laurent, J. Dumazert</i>	
The End-Of-Substructure Card for the ATLAS ITk Strip Upgrade: Lessons Learned from the Full Production	438
<i>M. Stanitzki, L. Bauckhage, A. L. Boebel, H. Ceslik, M. Dam, A. F. Arranca Menezes Trigueiros Da Silva, S. Diez Cornell, C. M. Garvey, P. Goettlicher, R. S. Godfredsen, I.-M. Gregor, J. M. Keaveney, A. Palmelund, S. Ruiz Daza, S. Schmitt, L. R. Strom</i>	
FAIR R3B-TRT: A MAPS-Based Si-Tracker	439
<i>M. Borri, P. Booker, M. Buckland, L. Godfrey, A. Hill, M. Labiche, J. Lipp, P. Morrall, S. Paschalis, M. Petri, L. Rose, D. Seddon, K. Sutowski</i>	
16-Channel High-Precision FPGA-Based Detection Setup for High-Speed Time-Resolved Applications.....	440
<i>F. Garzetti, G. Bonanno, G. Brajnik, S. Carrato, M. Cautero, G. Cautero, A. Costa, G. Fiumicelli, A. Geraci, N. Lusardi, M. Morabito, E. Ronconi, R. Sergo, L. Stebel</i>	

Measurements of Angular Energy and Flux Distribution of Neutrons Produced by DT Neutron Generator Using Diamond Detector	442
<i>I.-H. Han, J. Kim, B. Kwon, J.-J. Dang, G. Kim</i>	
Energy Resolution of the GRAiNITA Prototype Detector.....	443
<i>D. Klekots, S. Barsuk, O. Bezshyyko, A. Boyarintsev, I. Boyarintseva, D. Breton, H. Chanal, A. M. Dubovik, L. Golinka-Bezshyyko, Y. Hou, G. Hull, J. Lefrançois, J. Maalmi, M. Magne, S. Monteil, D. Picard, M.-H. Schune, I. Tupitsyna, M. Yeresko</i>	
Source Identification Using Non-Negative Matrix Factorisation on Gamma-Ray Spectra.....	444
<i>S. Fearn, P. Martin</i>	
Modeling the Efficiency of a Compact ZnS:6LiF Neutron Detector.....	445
<i>M. D. Jones, H. Brands, R. Wilson</i>	
Measurement of Mixed Samples of Alpha and Beta (gamma) Nuclides Using a High Spatial Resolution Alpha-Particle Imager with Quantitative CMOS Camera	446
<i>M. Fujisawa, Y. Morishita, N. Sagawa, S. Kurosawa, M. Sasano, H. Masateru</i>	
Using Principle Component Analysis to Identify Isotopes in Gamma Spectra Collected in Urban Environments.....	447
<i>J. Trevallion, L. J. Lee-Brewin, C. Shenton-Taylor</i>	
Noise Analysis of the CMOS-DEPFET Front-End of the DSSC Imager	448
<i>S. Maffessanti, K. Hansen, P. Kalavakuru, C. Reckleben, S. Aschauer, A. Castoldi, C. Fiorini, P. Fischer, M. Porro</i>	
Characterizing Scintillation Properties of CdSe/CdZnS Core-Shell Nanocrystal	449
<i>J. Boo, G. Kim</i>	
Investigating Detector Response and Temperature Dependence in the U.K. SIGMA Dataset.....	450
<i>R. Holden, J. Biggs, L. J. Lee-Brewin, C. Shenton-Taylor</i>	
Performance Evaluation of Automatic Classification Algorithm for Acquisition Fast Neutron Radiography with Multi-Channel Pulse Shape Discrimination Results	451
<i>G. Song, J. Park, S. Lee, W. Kim, H. Yun, D. Kim, S. Jang, K. Lee, G. Cho</i>	
A Front-End Circuit for a Monolithic Active Pixel Sensor in 65-Nm CMOS Technology	452
<i>C. Reckleben, K. Hansen, B. Mulyanto, A. Chauhan</i>	
An Experimental Validation of a SiPM SPICE Model for Neutron-Gamma Discrimination.....	453
<i>J. Portanguen, G. Corre, Y. Moline, G. H. Bertrand, V. Buridon, V. Métivier</i>	
Advancing Space Telescope Capabilities: SiPM-Based UV-Light Detection for Cosmic Ray Studies.....	454
<i>V. Scotti, M. Mese, R. Munini, G. Osteria</i>	
An FPGA-Controlled Analog Switching-Based Single-Readout Multiplexing Method for Pulse Mode Radiation Detectors.....	455
<i>M. F. Rahman, J. Mattingly</i>	
Lessons Learned from Bump Bonding During the ETL Upgrade for the CMS Experiment.....	456
<i>Z. B. Flowers</i>	
Source Finding Strategy of a Spatial Directional Detector Working with a Quadruped Robot.....	457
<i>Q. Zhao, Q. Wu, Y. Huang, Z. Wang</i>	

Cyber-Nuclear-Security: Anomaly Detection of Latent Cyber Attacks on Spectroscopic Systems Using Unsupervised Autoregressive Algorithms	458
<i>M. J. Neuer, C. Henke</i>	
Monte-Carlo-Informed Shape Learning for Gain Shift Correction Based on LaBr3:Ce,Sr Intrinsic Activity	459
<i>F. Diel, P. Eulgem, M. J. Neuer</i>	
Investigation of the Time Resolution of an Ultra-Compact Sampling Calorimeter (RADiCAL) Module at EM Shower Maximum Over the Energy Range $25 \text{ GeV} \leq E \leq 150 \text{ GeV}$	460
<i>C. Perez Lara, J. Wetzel, A. Ledovskoy, U. Akgun, T. Anderson, T. Barbera, D. Blend, S. Cerci, N. Chigurupati, B. Cox, P. Debbins, M. Dubnowski, K. Cankocak, B. Duran, G. Gul Dincer, S. Hatipoglu, I. Hos, B. Isildak, C. Jessop, O. Kamer Koseyan, A. Karasu Uysal, R. Kurt, B. Kaynak, A. Mestvirishvili, Y. Onel, S. Ozkorucuklu, A. Penzo, O. Potok, R. Ruchti, D. Ruggiero, D. Sunar Cerci, A. Tosun, M. Vigneault, Y. Wan, M. Wayne, T. Yetkin, L. Zhang, R. Zhu, C. Zorbilmez</i>	
Experiment on Estimating the Depth of a Gamma-Ray Source Using Stereo Gamma Imager	462
<i>S. Lee, M. Song, C. Ko, D. Kim, J. Lee, M. Jeong</i>	
Radiation Profile Analysis of Spent Fuel Bundles in Wet Storage Using the Optical Fiber Probe System (OFPS): Monte Carlo Study	463
<i>M. K. Baek, I. S. Kang, S. Lee, Y. S. Chung, J. Kang, Y. H. Chung</i>	
A 50-Gbps 4-Channel DWDM Transceiver in Monolithic 45-Nm CMOS Si-Photonics SOI Technology - Concept and Design.....	464
<i>P. Kalavakuru, K. Hansen, I. Diehl</i>	
The Study of Prototype Frontend Readout ASIC for the Muon Detector of STCF	465
<i>C. Wang, Y. Sun, G. Fu, F. Li, G. Jin</i>	
Calibration of the ALICE Inner Tracking System for the LHC Run 3	466
<i>I. Ravasenga</i>	
FASTIME: A Multi-Channel 130 nm CMOS ASIC for a Complete Fast and High-Resolution Time Measurement Chain.....	467
<i>M. Dahoumane, L. Alvado, N. Arveuf, R. Bonnefoy, L. Caponetto, T. Chaventré, X. Chen, S. Drouet, F. Druillole, F. Jouve, I. Laktineh, L. Leterrier, S. Manen, H. Mathez, M.-L. Mercier, A. Mhoudini, M. Morenas, G. Noel, L. Raux, P. Russo, C. Sylvia, P. Vallerand, R. Vandaele</i>	
Quantification of Radioactivity from Coincidence Measurements: A Hybrid Method Using Simulation	468
<i>H.-D. Lenouvel, P. Gross, A. Der Mesrobian, M. Morin, S. Topin, J. Aupiais, H. Paradis</i>	
Dual-Energy Backscatter X-Ray Imaging for Material Discrimination	469
<i>G. An, J. Park, H. Seo</i>	
High Loading Nanocomposites of Cesium Lead Halide Nanocrystals for Fast Timing	470
<i>J. Král, V. Zabloudil, P. Liška, F. Pagano, V. Cuba, K. Decká, E. Mihóková, E. Auffray</i>	
Ultra Low-Mass Pixel Tracker for the Mu3e Experiment	471
<i>A. McDougall</i>	
Development Status of Combination X-Ray Luggage Scanner with Automatic AI Detection for National Security Facilities	472
<i>B. Lee, S. Cho, H. Woo, G. An</i>	

Design and Characterisation of a Compton-Polarimeter in Telescope Configuration for X-Ray Energies Up to 1 MeV	473
<i>A. Kononov, U. Spillmann, T. Stöhlker, T. Krings</i>	
A New Scheme for the Injection Veto System of the Belle II Experiment	474
<i>H. Bae, T. Koga, A. Kusudo</i>	
Liroc and Poproc: 64-Channel Fast Photon-Counting Read-Out Chips	475
<i>S. Ahmad, J.-B. Cizel, A. Haddar, M. Morenas, A. Perdon, F. Perez, T. Saleem, C. De La Taille, J. Fleury</i>	
CASPER-AI: A Machine Learning Method for Enhanced Active Collimation in Multichannel SDDs	476
<i>B. Pedretti, G. Borghi, G. Ticchi, M. Carminati, C. Fiorini</i>	
Characterization of High-Temperature SiPM Noise	477
<i>J. W. Fritchie, T. Weber, J. Balajthy, M. Sweany, A. Di Fulvio</i>	
Timing Characterization of 1 cm ² LGAD Pad Sensors for Space Experiments.....	478
<i>A. Bisht, M. Boscardin, L. Cavazzini, M. Centis Vignali, F. Ficorella, O. Hammad Ali, G. Paternoster</i>	
A Real-Time Multiplicity-Based Event Validator for Detector Arrays.....	479
<i>S. Brambilla, C. Boiano, A. Giaz, S. Riboldi, L. Sbrogiò</i>	
Development of an 18-Picosecond Resolution, 64-Channel TDC, Embedded in a Xilinx Field- Programmable Gate Array	480
<i>K. Witek, M. Caccia, W. Kucewicz, L. Mik</i>	
Q-Wall, a Novel Quartz-Cherenkov Calorimeter Concept	481
<i>B. Bilki, Y. Onel, J. Wetzel</i>	
Direct Pre-Amplifier Sampling ADC for High-Count Rate and High-Resolution X-Ray Spectroscopy	482
<i>A. Abba, E. Carlotti, B. Pedretti, F. Caponio, M. Carminati, C. Fiorini</i>	
A Low-Power Analog Readout Circuit Assisted by the Pseudo Thyristor.....	483
<i>T. Fu, X. Wen, D. Gong, X. Huang, T. Liu, P. Gui, J. Wu</i>	
Toward the Detection of Prompt Neutrons from Photofission: New Developments in Threshold Activation Scintillation.....	484
<i>L. Sobczak, A. Sari, F. Carrel</i>	
Position and Anomaly Sensitivity for Multi-Variant Signature Analysis Utilizing a Natural Uranium Fresh Fuel Mock-Up.....	485
<i>C. Barker, E. Gunger, J. Johnson, B. Turner, A. Enqvist</i>	
Development of Monolithic Germanium Drift Detector	486
<i>A. K. Rumaiz, A. Kuczewski, F. Capocasa, G. Giacomini, W. Chen, T. Krings, G. Carini, D. P. Siddons</i>	
A SiPM Array Readout with High PDE and Fast Signal for Compact High-Performance Scintillation Detection	487
<i>O. Philip, I. Shestakova, S. Šýkorová, J. Šubcik</i>	
Probabilistic Sequencing for Compton Imaging Using the General Klein-Nishina Cross-Section	488
<i>P. Kaur, Z. He</i>	

Energy-Dependent Spatial Resolution and Uniformity Measurements on Large-Volume Pixelated CdZnTe Using Modified Subpixel Corrections	489
<i>D. Goodman, F. Zhang</i>	
TRISTAN Phase-1: An Array of Nine 166-Pixel SDD Detectors for Sterile Neutrino Search.....	490
<i>M. Carminati</i>	
A Forward Model for Minimum Detectable Activity	492
<i>T. Doughney, J. Gillam, A. Roufos, M. Giddings, A. M. Hooker, D. Marinaro, D. De Oliveira Damas, M. Roberts, N. A. Spooner</i>	
Characterisation of the Effects of Radiation Damage on Low Gain Avalanche Diodes for Low-LET Microdosimetry	493
<i>J. W. Archer, E. G. Villani, M. Gazi, Z. Pastuovic, S. Peracchi, J. Vohradsky, V. A. Pan, M. Roberts, D. Hynds, S. Guatelli, M. Petasecca, M. L. F. Lerch, D. Bortoletto, L. T. Tran, A. B. Rosenfeld</i>	
Visualization of Alpha Rays Using a qCMOS Camera and Evaluation of the Effects of Beta Rays, Gamma Rays, and Neutrons on Its Camera.....	494
<i>N. Sagawa, Y. Morishita, M. Fujisawa, S. Kurosawa, M. Sasano, M. Hayashi</i>	
New Polycrystalline Based Semiconductors for Radiation Detecting Devices	495
<i>C. Fritz, L. Nguyen, L. Stand, M. Zhuravleva, J. Glodo, A. Kargar, C. L. Melcher</i>	
Development of a Two-Layer GAGG Compton Camera for High-Accuracy Positioning of Gamma Sources	497
<i>M. Dong, Z. Yao, J. Li, Y. Xiao</i>	
A New Integrated Image Reconstruction Method for Muon Tomography to Improve Material Identification and Image Quality	498
<i>S. Lee, I. S. Kang, M. K. Baek, Y. S. Chung, J. Kang, Y. H. Chung</i>	
Evaluation of Radiation Tolerance of Neutron-Sensitive Semiconductor Lithium Indium Phosphor Selenide	500
<i>E. K. Hoegberg, E. Qian, A. Benkechkache, E. D. Lukosi, M. Kanatzidis, L. Stand Stracuzzi</i>	
Neutron Detector System with Diamond Sensor for Decommissioning of Fukushima Daiichi Nuclear Power Plant.....	502
<i>H. Uchinoyae, T. Kishishita, M. Miyahara, Y. Fujita, M. Shoji, E. Hamada</i>	
Measurement of Pulsed Neutrons Using Real-Time Data Display and Storage Module in Neutron Reflectometer at J-PARC MLF	503
<i>K. Toh, T. Nakamura, K. Sakasai, H. Yamagishi</i>	
Development of Pixelated TlBr Detectors with Self-Trigger Pixel ASICs for Compton-PET Hybrid Camera	504
<i>M. Uenomachi, M. Hamdan, B. Feng, K. Shimazoe, M. Nogami, K. Hitomi, A. Takeda, H. Toyokawa</i>	
Development of Benchmark Experimental Method of Large Angle Scattering Reaction Cross Section at 14 MeV for Compound Targets	505
<i>Y. Fujii, R. Miyazawa, S. Araki, I. R. Maemunah, S. Tamaki, S. Kusaka, I. Murata</i>	
Detection Efficiency and Imaging Performance of a 25.4×25.4×24 Mm ³ Compton Cameras Based on a Single Voxelized Scintillator.....	506
<i>S. Chol, H. Lee, W. Lee</i>	

A New Monolithic Pixel Sensor in a 65 nm CMOS Imaging Process.....	507
<i>L. Huth</i>	
Development of Radiation Monitor for Space Weather Measuring Electrons (RMS-E) for Himawari-10.....	508
<i>T. Namekawa, K. Sakaguchi, K. Otsuji, I. Park, T. Mitani</i>	
Introduction of High-Performance Gamma-Ray Measurement Probes for Nuclear Inspection.....	509
<i>M. Kim, Y. Kim, H. Chung, G. Kim</i>	
MOSkin Dosimetry for Very High-Energy Electron FLASH at Australian Synchrotron PEER.	510
<i>J. Cayley, M. Lerch, A. Rosenfeld, Y. E. Tan</i>	
HPSoCv2 - Design and Testing of an Improved Prototype for High Density Sensor Array 10GSa/s Waveform Digitizer	511
<i>L. Macchiarulo, I. Mostafanezhad, D. Uehara, R. Perron, C. Chock</i>	
Energy Spectrum and Counting Test of Secondary Particles in Heavy Ion Therapy Based on Orthogonal Strip CZT Detector	512
<i>D. Guo, P. Wang, Q. Li, C. Shan, Q. Zhang, C. Huang, Y. Yin, J. Shao</i>	
Measurements of the High Density Digitizer System on Chip (HDSOcv2): A 64 Channel 1 GSa/s Waveform Digitizer for High Density Detectors	513
<i>L. Macchiarulo, I. Mostafanezhad, K. Hoe, B. Rotter, D. Uehara, C. Chock</i>	
The DESY II Test Beam Facility - Current Status and Future Plans	514
<i>M. Stanitzki, S. Ackermann, R. Diener, N. Meyners</i>	
A Performance Upgrade for the EUDET-Type Test Beam Telescopes.....	515
<i>A. Herkert, I.-M. Gregor, L. Huth, M. Stanitzki, T. Vanat</i>	
Baseline Filtering to Advance the Timing Limits with the FastIC ASIC for TOF-PET	516
<i>A. S. X. D. M. Pinto, N. Kratochwil, S. Gomez, D. Gáscon, P. Correia, J. Veloso, E. Roncali, A. L. Silva, G. Ariño-Estrada</i>	
Detector Performances of Large Area Scintillator / Wavelength Shifting Fiber Neutron Detectors for SENJU Upgrade at J-PARC MLF.....	517
<i>T. Nakamura, K. Toh, R. Kiyanagi, T. Ohhara, T. Hosoya, K. Sakasai</i>	
Establishment of an Irradiation Field with a Wide Range of Dose Rates for the Development of Gamma-Ray Detectors	518
<i>H. Tanaka, S. Kurosawa, N. Matsubayashi, T. Takata, Y. Morishita</i>	
Influence of Self-Absorption on Pulse Shape Discrimination in Organic Glass Scintillators	519
<i>L. Adamowski, M. Grodzicka-Kobylka, T. Szczesniak, L. Swiderski, A. Syntfeld-Kazuch</i>	
FPGA-Based Single Board Computer for Data Acquisition and Trigger of the Muon G-2 Laser Calibration System	520
<i>S. Mastroianni, A. Anastasio, A. Boiano, P. Di Meo, M. Iacovacci, F. Marignetti, G. Tortone</i>	
A Dual-Channel Spectrometer Based on 1mm-Thick SDDs for the Study of Nuclear Beta Decays	521
<i>L. Bernardini, A. Nava, M. Biassoni, T. Bradanini, G. A. Gagliardi, G. Borghi, O. Hammad Ali, N. Zorzi, C. Brofferio, C. Fiorini, M. Carminati</i>	
Discharge Studies in a CMS ME0 GEM Detector.....	522
<i>E. T. Yanes, M. Hohlmann</i>	

Tests and Implementation of the Voltage Measurement Using Noise Distribution Algorithm	523
<i>G. J. Wegrzyn, R. Szczygiel</i>	
High-Z Sensor Developments for High Energy Synchrotron Application	524
<i>F. Capocasa, L. A. Franklin, E. Meta Hoxha, A. Rumaiz, D. P. Siddons, M. Tate, J. Thon-Levy, S. Gruner, G. Carini, T. Krings</i>	
Neutronic Analogues for Water Detection Studies in Spent Nuclear Fuel	525
<i>B. J. Green, D. Folley, A. Parker, A. Kennedy, S. Croft, R. Mills, M. Joyce</i>	
Characterization of a Compact TDC Unit with Picosecond Timing Capabilities.....	526
<i>Y. Venturini, C. Maggio, C. Tintori, D. Ninci, A. Mati, A. Picchi, A. Abba, M. Locatelli, C. Williams, T. Williams, K. Doroud</i>	
A Large-Area 2X4 Monolithic SDD Array Detector for Lab-Based XAS Instrument	527
<i>L. G. Toscano, R. Sant, G. Ghiringhelli, M. Moretti Sala, G. Peponi, F. Ficorella, G. Borghi, M. Carminati, C. Fiorini</i>	
Signal Range Comparisons for a Trans-Stilbene Detector Measuring Cf-252	528
<i>F. B. Darby, C. M. Staine, S. D. Clarke, S. A. Pozzi</i>	
Rapid Shielding Prototyping for Portable X-Ray Generators.....	530
<i>D. Poulson, J. Distel, F. Liang</i>	
Neutron Spectrum Unfolding of Activation Foils Irradiated in JET's Deuterium-Tritium Fusion Environment	531
<i>C. L. Grove, N. Fonnesu, Z. Ghani, E. Laszyska, L. W. Packer, C. R. Shand, R. Villari, R. Worrall</i>	
Development of a GEANT4 Model for a 6LiInP2Se6 Semiconductor Neutron Imager	532
<i>C. Sosa, A. Kargar, J. F. Christian, M. R. Squillante, M. Manatzidis, E. D. Lukosi</i>	
Characterization of Monolithic CMOS Sensors with Internal Gain in a 110 nm Technology Node	533
<i>U. Follo, S. Bufalino, T. Corradino, M. D. Da Rocha Rolo, S. Durando, C. Ferrero, G. Gioachin, M. Mandurrino, M. Mignone, L. Pancheri, A. Rivetti, R. Wheadon</i>	
Advances in 3D Source Reconstruction Using Coded-Aperture Imaging.....	534
<i>A. Laminack, K. Schmitt, J. Daughetee, K. Ziock, F. Gonzalez</i>	
A Novel Computed Tomography-Based Automated Computational Framework for Individualized Radioactive Particle Deposition Modeling in the Human Respiratory Tract.....	535
<i>I. R. Bartol, M. Graffigna, M. Tano, S. A. Dewji</i>	
A Custom 2x2 Inch SiPM Array with Temperature Sensor and Readout Electronics for Thermal Compensation.....	537
<i>C. Boiano, S. Riboldi, S. Brambilla, A. Giaz</i>	
Handheld Backscatter Imaging for Security Forces Detector Characterization	538
<i>T. R. Barker, B. Ren, J. Wisienski, J. E. Baciak</i>	
Large Diameter Fast and Bright Thallium-Based Ternary Halide Scintillators for High Energy Physics and Medical Imaging Detectors.....	539
<i>R. Hawrami, H. Sabet</i>	
Quality Control for DUNE Cryogenic FEMB Production	540
<i>L. Ke</i>	

Progress on the Development of Spectroscopic Polymer Organic Glass Scintillators for Radiation Portal Monitors.....	541
<i>U. Shirwadkar, E. Van Loef, C. Sosa, L. S Pandian, J. Glodo, T. Jamdee, C. Ji, J. Schott, P. Feng, A. Benin, R. Witzke</i>	
MCNP Modeling of Gratings-Based Phase Contrast X-Ray Imaging for Nuclear Security	542
<i>A. N. Sarceno, J. Baciak</i>	
Properties of TlCl Scintillator with Various Dopants	543
<i>J. Glodo, P. Bhattacharya, J. Schott, E. Van Loef, G. Ariño-Estrada</i>	
Instrument Performance of the Lunar-VISE Gamma Ray Neutron Spectrometer.....	544
<i>E. B. Johnson, E. Weststrate, A. Frost, M. Kaffine, A. Melo, C. Hardgrove, G. Mehall, Z. Farkas, C. Ortiz, T. Prettyman, A. Vera, E. Fredrickson, A. Dove, K. D. Hanna</i>	
Comparison of an OGS/Polystyrene Scintillator (BSO-406) with Pure OGS (BSO-100), EJ-276, EJ-309, and M600 Scintillators	545
<i>M. Grodzicka-Kobylka, T. Szczesniak, L. Adamowski, K. Brylew, A. Syntfeld-Kazuch, W. K. Warburton, J. Carlson, J. J. Valiente-Dobón</i>	
Development of the Optimized Solar Neutron Tracking (SONTRAC) Instrument.....	546
<i>J. G. Mitchell, G. A. De Nolfo, G. Suarez, J. M. Ryan, A. Bruno, K. Devgun, J. Dumonthier, J. Legere, R. Messner, J. Thomes, T. Tatoli, L. Williams</i>	
A Versatile Data-Acquisition Platform for the Characterization of Low-Noise Analog Front-End ASICs	547
<i>D. Matakias, E. Buschmann, G. Carini, G. Chatzianastasiou, H. Chen, G. Deptuch, L. Dufлот, J. Kierstead, T. Liu, H. Ma, N. Morange, M. Oliveira, S. Rescia, S. Tang, H. Xu</i>	
Simulation of CMOS-Based Amorphous Silicon Microchannel Plate Detectors for Metascintillators.....	548
<i>G. Konstantinou, L. Zhang, S. Frey, L. Antognini, R. Latella, C. Ballif, P. Lecoq, N. Wýrsch</i>	
Radiation-Induced Leakage Current Measurement of CMOS MOSFET for Dynamic Modeling	549
<i>O. Jinseok, S. Minuk, K. Chanho, L. Min Sun, K. Inyong</i>	
A Novel Method to Remove the Stem Effect in a Fibre Based Dosimeter.....	550
<i>R. Santoro, M. Caccia, G. Tomaciello, D. Latorre, L. Daci, I. Iglesias</i>	
Real Time Pulse Shape Discrimination in Nanoparticle ZnS:Ag/6LiF Neutron Detectors	551
<i>S. Mann, A. Abba, F. Caponio, G. Mauri, N. Rhodes, E. Schooneveld, G. J. Sykora</i>	
Determination of Active Gamma Background in a Neutron Interrogation System for Cargo Inspection	552
<i>K. Joshi, X. Wen, J. Hayward</i>	
Evaluation of an MR-Compatible Power Supplying Solution for a Second-Generation RF-Penetrable Brain TOF-PET Insert for Simultaneous PET/MRI.....	553
<i>M. N. Ullah, Q. Dong, J. Fisher, D. Innes, R. D. Watkins, C. S. Levin</i>	
The Performance of the Compact Model of the Position Sensitive Tissue Equivalent Proportional Chamber(PS-TEPC) Using an ASIC	554
<i>M. Kubota, Y. Kishimoto, K. Saito, K. Takahashi, S.-I. Sasaki, K. Terasawa, K. Miuchi, A. Nagamatsu</i>	
The Beam Test of Lead Tungstate Calorimeter Prototype with Novel SiPM Matrix Readout at Jefferson Lab	555
<i>F. Barbosa, V. V. Berdnikov, A. Somov</i>	

A New Active Base of Photomultiplier R4125 Designed for the Lead Tungstate Calorimeter	556
<i>A. Somov, F. Barbosa, V. Berdnikov, V. Popov</i>	
Gain Characterization of LGADs by Means of Transient Current Technique	557
<i>G. Giacomini, W. Chen, E. Rossi, G. D'Amen, A. Tricoli</i>	
Development of Hybrid Gaseous Detectors	558
<i>B. Bilki</i>	
The ADRIANO3 Triple-Readout Calorimetric Technique	559
<i>B. Bilki, C. Gatto</i>	
Accurate Replication of a Gamma Decay Cascade Using Mechanical Adjustable Arm	560
<i>S. Cheng, B. Pierson, M. Flaska</i>	
MexSIC-TDC, a Mixed-Mode Readout ASIC for SiPM TDC Measurements with a 48.82 Ps Resolution.....	561
<i>G. Zamora-Mejia, J. M. Rocha-Perez, V. H. Carbajal-Gomez, A. I. Bautista-Castillo, S. A. Rosales-Nunez, A. Silva-Juarez, L. C. Alvarez-Simon, D. Durini</i>	
Comparative Analysis of Scintillators for Detecting Hydrogen Capture γ Rays	563
<i>D. E. Folley, B. Green, K. Mathur, S. Croft, A. Kennedy, R. Mills, D. Hambley, M. Joyce</i>	
Application of Digital Pulse Processing Code to Organic Scintillator Outputs for Pulse Shape Discrimination	564
<i>M. E. Montague, S. D. Clarke, S. A. Pozzi</i>	
Implementation of a Digital Gaussian Filter to Restore Resolution of the PLATYPUS Reflectometer	565
<i>J. L. Spedding, N. Hauser, P. Van Esch</i>	
A Python-Based Open Source Toolkit for Gamma Ray Spectroscopy	566
<i>M. Ayllon Unzueta, A. Persaud, A. M. Parsons</i>	
A 3D-Printed Thick-GEM as Sole Gain Element	567
<i>M. Hohlmann, J. L. Collins II</i>	
Python-Based Software Tools for MCNP	568
<i>A. Persaud, M. Ayllon Unzueta, E. K. Surry, A. M. Parsons</i>	
Performance Evaluation of Cs ₃ Cu ₂ I ₅ Perovskite Scintillator Grown by Seedless SEST Method	569
<i>S. Song, J. Seo, M. Park, J.-Y. Yeom</i>	
Designing a Compact API System for 3D Compositional Object Imaging and Mapping	570
<i>R. Pavlovsky, A. Haefner</i>	
Characterizing the Effectiveness of High Temperature Annealing for Correcting Radiation Damage in Cross-Strip Germanium Detectors.....	571
<i>S. E. Haight, S. Boggs, S. Pike, J. Roberts, A. Valluvan, G. Brewster, J. Tomsick, A. Zoglauer, A. Shih</i>	
Comprehensive Study on Dose-Rate Realtime Monitoring System with an Optical Fiber for the Decommissioning	572
<i>S. Kurosawa, D. Matsukura, C. Fujiwara, J. Ishii, M. Kato, H. Tanaka, T. Takata, A. Yamaji</i>	

Feasibility Study on the Discrimination of the Gamma Rays and Other Particles from the Thunderclouds and Lightnings with NaI:Tl Scintillator.....	573
<i>S. Kurosawa, Q. Verdeyen, M. Smuda, A. Yamaji, T. Torii, K. Watanabe</i>	
Thermal-Neutron Photon Spectroscopy for Passive Confirmation of High Explosives.....	574
<i>P. Marleau, K. Polack, K. Weinfurth</i>	
A Study on Performance Evaluation of Prototype X-Ray Backscatter Imaging Device for Discrimination of Low-Density Materials.....	575
<i>J. Lee, J. Park, C. Lim, Y. Choi</i>	
Detector Mechanisms for a Portable Nuclear Resonance Transmission Analysis Device.....	576
<i>S. Subzwari, A. Danagoulain, J. Rahon, B. McDonald</i>	
Experimental Survey of AC-LGAD Sensor Design Parameters Towards Optimal 4D Tracking in Collider Experiments.....	577
<i>A. Apresyan, I. Dutta, C. Madrid, R. Heller, S. Nanda, D. Shekar, K. Nakamura, C. Pena, W. Brooks, C. Wei, G. D'Amen, G. Giacomini, S. Xie, Z. Ye, A. Tricoli</i>	
Analysis of Characteristic Gamma Spectra Originating from Neutron Activation of Steel Scrap Materials.....	578
<i>T. Szczesniak, M. Grodzicka-Kobylka, L. Janiak, L. Adamowski, K. Brylew, L. Swiderski, A. Syntfeld-Kazuch, M. Neuer, B. Kleimt</i>	
Prototyping and Evaluation of Electronic Components with Radiation Resistance and High Temperature Operation for Severe Accidents.....	579
<i>H. Fukushima, J. H. Kaneko, Y. Matsubayashi, M. Souma, J. Aketo, M. Higuchi, N. Hoshikawa, H. Umezawa</i>	
Programmable Readout Electronics for Light Scintillation Detection in Liquid Xenon.	580
<i>E. M. Rtimi, M.-A. Tétrault, D. Thers</i>	
A Reliable Setup for Measuring Light Yield Across a Large Range in Scintillators	582
<i>G. Ma, Y. Zhang, Z. Yuan, M. Zeng</i>	
Rad-Hard FPGAs in Digital Instrumentation & Control Infrastructure Modernization	583
<i>P. Kandlakunta, L. Shoen, L. R. Cao</i>	
Aerial Radiation Monitoring Using Quadcopter	584
<i>Y. Elangovan</i>	
Development of the Front-End Electronics of a Diamond-Based Microfluidic Alpha Spectrometer in Molten Salt Reactors	585
<i>M. E. A. Benkechache, A. Sado, W.-T. Hsu, O. A. Johnson, M. A. Maben, P. Parshi, C. Patricelli, C. R. Webb, A. Masiunas, S. Hess, K. Ryan, B. Shumaker, D. Carleton, E. D. Lukosi</i>	
Front-End Electronics of a LiInP ₂ Se ₆ Neutron Detector for Single Crystal Diffractometer	586
<i>M. E. A. Benkechache, E. K. Hoegberg, A. Kargar, J. Christian, C. Sosa, H. Hong, M. Kanatzidis, E. K. Qian, E. D. Lukosi</i>	
Benchmarking Monte Carlo Codes for the Modelling of Low-Energy Neutron Production Target Reactions	587
<i>S. Macleod, K. Jakubowski, J. Vohradsky, A. Hamato, A. Rosenfeld, S. Guatelli, M. Safavi-Naeini</i>	
Development of a Digital Miniature Cathode Ray Magnetometer	588
<i>M. Turqueti, G. Wagner, A. Goldschmidt, R. Carney</i>	

Development of Multi-Chain Tapped-Delay Line Based TDC Using Down Sampling Method for Minimizing FPGA Resources.....	589
<i>S. Jang, J. Jung, J. H. Jung, Y. Choi, I. Lee, Y. Choi</i>	
28 nm MOS Transistor SPICE BSIM Model Based on Equivalent Gate Oxide Capacitance Supporting Electrical Effects of 1-Grad Total Ionizing Dose.....	590
<i>L. Gelmi, A. Baschiroto, E. A. Vallicelli, M. Barbaro, M. De Matteis</i>	
Design Benchmarks of the New NM-2023 Ground Level Cosmic Ray Neutron Monitor.....	591
<i>M. Aspinall, T. Alton, C. Binnersley, S. Bradnam, M. Joyce, D. Mashao, L. Packer, T. Turner, J. Wild, S. Croft</i>	
FPGA Based Time-To-Digital Converter for Time of Flight Computed Tomography	593
<i>Q. Wingerling, R. Fontaine, M.-A. Tétrault, A. C. Therrien</i>	
Validated Synthetic Datasets for Treaty Verification	595
<i>K. C. Goetz, A. D. Nicholson, K. C. Bledsoe, D. E. Peplow, K. E. Pena, T. L. Fry, M. J. Willis, A. J. Rowe, B. R. Longmire, D. E. Archer</i>	
Radiological Characterization of Decommissioned Nuclear Power Plants: A Case Study Utilizing a CeBr3 Compton Camera	596
<i>L. Gräfe, S. Petrak, M. Selle, K. Hölzer</i>	
Characterization of MIRA ASIC with a MCP and New Version Towards Upscaling of UV Sensor Readout Formats.....	597
<i>L. Nassi, A. Ciavarella-Ciavarella, G. Borghi, M. Carminati, M. Uslenghi, M. Fiorini, C. Fiorini</i>	
Deep Learning-Based Filtered Back Projection Reconstruction of Attenuation and Scatter Corrected PET Images Using Multiple-Energy-Window Data.....	598
<i>Y. Hu, G. Chinn, M. Chin, C. S. Levin</i>	
Dual-Ended Readout PET Detectors Based on 0.5 mm Pitch LYSO Arrays with Different Reflectors	599
<i>J. Xie, H. Wang, S. Merzi, G. Paternoster, A. Gola, J. Qi, S. R. Cherry, J. Du</i>	
Effect of Inter-Crystal Scattering Events on the Spatial Resolution of SIAT aPET	600
<i>Z. Kuang, N. Ren, L. Zhang, M. Niu, S. M. Kinyanjui, Y. Li, Z. Liu, T. Sun, Z. Hu, Y. Yang</i>	
Overlaying Feature Lines on Volume Rendering for Improving Structure Perception.....	602
<i>Y. Nagai, K. Kusuhara</i>	
Better than the Total Variation Regularization.....	603
<i>G. L. Zeng, Y. Li</i>	
Positron Emission Tomography Kinetic Modeling Using a Cascaded Neural Network with Long Short-Term Memory (KM-LSTM).....	604
<i>C. Tang, M. Koole</i>	
System Design to Realize Functional and Conventional Images During Single X-Ray Irradiation Using a Photon Counting Detector	605
<i>R. Nishigami, H. Hayashi, D. Kobayashi, T. Maeda, T. Asahara, Y. Kanazawa, N. Kimoto, S. Yamamoto</i>	
Design of a Dual-End Depth-Of-Interaction PET Detector Using Segmented GAGG:Ce Crystals with Multiple Decay Constants	607
<i>Z. Yu, Y. Zhu, Y. Liu, T. Ma</i>	

Cell Flow PET Simulations for Validation of Cell Tracking Algorithms	608
<i>N. Marquardt, T. Hengsbach, M. Mauritz, B. Wirth, K. P. Schäfers</i>	
List-Mode PET Image Reconstruction Using Dykstra-Like Splitting.....	610
<i>K. Ote, F. Hashimoto, Y. Onishi, Y. Ouchi</i>	
A Radiomic Cox Proportional Hazards Deep Neural Network Model to Predict Survival in Patients with Brain Metastases.....	612
<i>S. Panchawagh</i>	
Generation of Synthetic Brain PET Images of Synaptic Density from MRI and FDG-PET Using a Multi-Stage U-Net.....	613
<i>X. Zheng, P. Worhunsky, Q. Liu, B. Zhou, X. Chen, X. Guo, H. Xie, H. Sun, J. Zhang, T. Toyonaga, A. P. Mecca, R. S. O'Dell, C. H. Van Dyck, R. E. Carson, R. Radhakrishnan, C. Liu</i>	
Frequency Selective Flux Focusing Passive Lenz Resonators for Substantial MRI Signal-To-Noise Ratio Amplification	615
<i>A. Hodgson, Y. Shepelytskyi, V. Batarchuk, N. Al Taradeh, V. Grynko, M. Albert</i>	
Performance of High-Resolution PET Detectors Based on Long Semi-Monolithic Scintillator Slabs	616
<i>S. M. Kinyanjui, Z. Kuang, Z. Liu, N. Ren, Y. Yang</i>	
On the Benefits of Quantum Entanglement Information for Semiconductor PET Imaging	617
<i>M. Moulin, G. Montémont, S. Stanchina, J. M. Létang</i>	
Pulse Pile-Up Correction of Objects with Various Atomic Numbers for Clinical Applications Using a Photon Counting Detector	618
<i>N. Kimoto, H. Hayashi, R. Nishigami, D. Kobayashi, T. Asahara, T. Maeda, A. Katsumata, S. Yamamoto</i>	
Compton Camera Image Reconstruction with Sparse Data Via U-Net and SwinIR for Prompt Gamma Imaging During Proton Therapy	620
<i>C. Shi, Z. Yao, Y. Xiao</i>	
Quantum Entangled PET - Recent Progress and New Insights	621
<i>D. P. Watts</i>	
Multi-Subject Image Synthesis as a Generative Prior for Single-Subject PET Image Reconstruction	622
<i>G. Webber, Y. Mizuno, O. D. Howes, A. Hammers, A. P. King, A. J. Reader</i>	
Comparative Experimental and Simulation DOI Analysis on Semi-Monolithic Metascintillators	624
<i>R. Latella, L. Zhang, A. J. Gonzalez, P. Lecoq, A. Gonzalez-Montoro, M. Freire, G. Konstantinou</i>	
A Feasibility Study of Increasing Temporal Resolution in Cardiac-Gated SPECT Acquisitions	625
<i>X. Zhang, Y. Yang, J. G. Brankov, M. N. Wernick, P. H. Pretorius, M. A. King</i>	
PET Attenuation Map Generation from Virtual Monochromatic Images Obtained with Photon Counting CT Scanners.....	627
<i>H. Alrakh, L. Tellmann, O. Nikoubashman, M. Zimmermann, S. Faby, A. Abu Arra, M. Wiesmann, N. J. Shah, C. Lerche</i>	
Super-Converged Iterative Reconstruction Via CNN-Aided Leap-Frogging	629
<i>M. Zhang, D. Bharkhada, V. Panin, M. Conti</i>	
Motion-Corrected Brain PET on a PET/MR Scanner Using MR Volume Navigators	630
<i>M. Smith, P. Su, D. Faul, L. Pan, B. Li, A. Van Der Kouwe, J. Zhuo, T. Ernst</i>	

Deep Learning Model for Tumor Segmentation in micro-PET/CT Images of Breast Cancer Specimens.....	631
<i>L. Maris, M. Göker, K. De Man, B. Van Den Broeck, J. Van Dorpe, K. Van De Vijver, V. Keereman, C. Vanhove</i>	
Discovery of Biomarkers and Tumor Subtypes of Prostate Cancer on PSMA PET/CT.....	632
<i>K. H. Leung, E. Mena, M. S. Sadaghiani, P. L. Choyke, Y. Du</i>	
Theoretically and Experimentally Driven Noise Model for X-Ray Fluoroscopic Image Synthesis.....	633
<i>J. F. Whitehead, Y. Hu, J. W. Kim, Y.-B. Chang, J. Manak</i>	
A CUDA Accelerated Time Alignment for uMI Panorama GS	634
<i>X. Lyu</i>	
Partial Volume Correction on ¹⁷⁷ Lu-SPECT Sinogram with Deep Learning Trained on Synthetic Data	635
<i>T. Kaprélian, A. Etxebeeste, D. Sarrut</i>	
Multi-Stage Diffusion Model for Fast PET Imaging	637
<i>Y. Gao, Z. Huang, W. Li, W. Zhao, Q. Yang, X. Yang, Y. Yang, H. Zheng, D. Liang, J. Liu, R. Chen, Z. Hu</i>	
3D Segmentation Guided PET to MR Synthesis Via Deep Learning	638
<i>H. Y. Tang, Z. X. Huang, W. B. Li, Y. P. Wu, J. M. Yuan, Y. Yang, Y. Zhang, H. R. Zheng, D. Liang, M. Y. Wang, Z. L. Hu</i>	
An Analytical System Response Model for Spatiotemporal Emission Reconstruction from Multi-Detector Prompt Gamma Timing	640
<i>J. Werner, M. Schmidt, F. Pennazio, J. Roser, J. Kasprzak, V. Ferrero, M. Rafecas</i>	
A Fast Detection System for Prompt Gamma Time Imaging	641
<i>A. André, M. Pinson, C. Hoarau, Y. Boursier, A. Cherni, M. Dupont, M.-L. Gallin Martel, A. Garnier, J. Herault, J.-P. Hofverber, P. Kavargin, D. Maneval, C. Morel, J.-F. Muraz, S. Marcatili</i>	
Triple Coincidence Processing for the BrainPET-7T.....	642
<i>D. Niekämper, J. Scheins, E. Pfahler, N. J. Shah, J. L. Herraiz, C. Lerche</i>	
Shorten Scan Duration for Multi-Parametric Imaging	643
<i>W. Zhao, Z. Huang, W. Li, Y. Gao, Z. Chen, Y. Yang, H. Zheng, D. Liang, R. Chen, Z. Hu</i>	
A Next Generation Preclinical PET/EPRI: Performance Evaluation of the Complete PET Subsystem.....	644
<i>H. Kim, Y. Hua, B. Epel, S. Sundramoorthy, G.-B. Ko, J.-S. Lee, C.-T. Chen, H. Halpern, C.-M. Kao</i>	
Investigation of the Resolution Requirement for Propagation-Based Phase Contrast Imaging Using Inverse Compton Scattering Sources.....	645
<i>J. Sun, H. Ding, Z. Chi, C. Tang</i>	
Interoperability of Deep Learning Denoising for Cross-Domain Emission Tomographic Images.....	646
<i>W. Fu, Y. Yang, J. Liu, P. H. Pretorius, F. Fahey, M. A. King</i>	
Tumor Segmentation for Noisy PET Images.....	647
<i>D. Varnyú, L. Szirmay-Kalos</i>	

Single-View SPECT with a High-Performance Self-Collimating Gamma Camera	648
<i>X. Zheng, T. Xu, Z. Lyu, Y. Zhang, D. Zhang, L. Lei, Y. Hu, R. Yao, Z. He, Y. Liu, T. Ma</i>	
A Frame Prediction Network for Total-Body Dynamic PET Imaging.....	649
<i>Q. Yang, W. Li, Z. Huang, Z. Chen, W. Zhao, Y. Gao, X. Yang, Y. Yang, H. Zheng, D. Liang, J. Liu, R. Chen, Z. Hu</i>	
Deep Texture Analysis for Automated TNM Staging.....	650
<i>R. R. John, I. Ackerley, R. Smith, A. Robinson, V. Prakash, M. Shastry, P. Strouhal, K. Wells</i>	
Feasibility Study of a LYSO-SiPM Based Prototype for Hybrid Compton and PET Imaging.....	651
<i>H. Wang, Y. Hou, J. Hua, Z. Yuan, C. Li, R. Liao, J. Jiang</i>	
Quantifying Uncertainty in SPECT Imaging Using a Gamma Statistical Model with Spatial Covariance.....	652
<i>C. Li, L. Polson, C. Uribe, A. Rahmim</i>	
Geant4 Simulation of Cherenkov Photons in Perovskite CsPbBr ₃ Gamma-Ray Detectors.....	653
<i>L. Pan, S. Lee, D. Y. Chung, M. G. Kanatzidis, B. J. Quiter</i>	
Automatic Bed Removal from Small Animal CT Images Using Deep Learning Based Segmentation.....	655
<i>J. Fisher, M. Asher, J. F. Oliver, C. S. Levin</i>	
Enhancing Overall Survival Prediction in Head and Neck Cancer with CT Peritumoral Radiomics and Machine Learning.....	657
<i>Y. Salimi, G. Hajianfar, Z. Mansouri, M. Amini, A. Sanaat, H. Zaidi</i>	
Gaussian Splatting-Based Registration for PET Image Correction: A Proof-Of-Concept Study	659
<i>S. Makkar, M. Béguin, R. Veres, J. Buhmann, G. Dissertori, J. Flock, C. Fuentes, X. Li, A. Lomax, K. McNamara, J. Prior, C. Ritzer, C. Winterhalter</i>	
Background Reduction of Compton-Camera Based 3D Imaging for Range Verification in Proton Therapy.....	660
<i>J. Roser, J. Kasprzak, G. Llosá, J. Werner, M. Rafecas</i>	
Development Progress of N-PET, a High-Sensitivity and High-Resolution TOF-DOI PET Prototype Dedicated for Human Brain Imaging	661
<i>Z. Chen, S. Huang, X. Zhao, X. Jiang, Y. Liu, Y. Zhao, W. Huang, W. He, H. Yang, M. Niu, Y. Liang, J. Wu, Q. Wei, Z. Gu</i>	
Inter-Crystal Optical Crosstalk in a Crystal Array.....	663
<i>C. Trigila, B. Mehadji, E. Roncali</i>	
Correction of Attenuation and Scattered Photons in a Three-Detector Multi-Pinhole SPECT System Using Deep Learning.....	664
<i>R. Okachi, K. Ogawa</i>	
Subtraction of Single-Photon Emission Computed Tomography (SPECT) in Radioembolization: A Comparison of Four Methods.....	665
<i>C. E. Kerckhaert, H. W. De Jong, M. B. Meddens, R. Van Rooij, M. L. Smits, Y. Rakvongthai, M. M. Dietze</i>	
Towards Enhancing Auxiliary Lymph Node Detection Using a Breast Insert with a Whole-Body PET/MRI Scanner	666
<i>H. P. Vo, C. Pommranz, F. P. Schmidt, M. Rafecas</i>	

Feasibility of Zirconium-89 Imaging with MERMAID, a Small-Fish PET Scanner Prototype.....	668
<i>S. Seeger, E. Elmoujarkach, H. P. Vo, C. Schmidt, M. Rafecas</i>	
A Low-Count Quantitative SPECT Method for Actinium-225-Based Alpha-Particle Therapies.....	670
<i>K. S. Enninfu, Z. Li, N. Benabdallah, R. Wahl, D. Thorek, A. K. Jha</i>	
Image-Based Resolution Modeling for Spatially-Variant PSF Deformation in a Dedicated Breast-PET Scanner.....	672
<i>M. Gao, S. Krishnamoorthy, J. Raj, S. Matej, S. Surti</i>	
Application of an Electromagnetic Motion Tracking System in [18F]-MK6240 PET Imaging.....	673
<i>W. Tan, Z. Wang, X. Wang, A. Labella, X. Zeng, Y. Li, Y. Li, A. Goldan</i>	
Exploring Several Novel Strategies to Enhance Prediction of Lung Cancer Survival Time.....	674
<i>M. R. Salmanpour, A. Gorji, A. Fathi Jouzdani, N. Sanati, R. Yuan, A. Rahmim</i>	
An Approach to Reliable PET Image Denoising Using Deep Image Prior.....	676
<i>F. Hashimoto, K. Ote, H. Tashima, G. Akamatsu, Y. Iwao, M. Takahashi, T. Yamaya</i>	
Assessing the Performance of CT Image Denoisers Using Laguerre-Gauss Channelized Hotelling Observer for Lesion Detection.....	677
<i>P. Kc, R. Zeng</i>	
Large Human Cohort Study of Markerless Head Motion Tracking for Brain PET.....	679
<i>T. Zeng, J. Zhang, J.-D. Gallezot, K. Fontaine, P. Gravel, W. Jiang, T. Mulnix, Z. Yang, X. Zhang, L. Hu, R. E. Carson</i>	
Motion Correction for Cardiac PET Via Parametric Image Optical Flow.....	681
<i>S. J. Zou, G. Chinn, C. S. Levin</i>	
Correction of Attenuation and Scattered Photons in a Myocardial SPECT Using Deep Learning.....	682
<i>S. Inaba, K. Ogawa</i>	
Brain MRI Synthesis from Amyloid PET/CT Via Enhanced Denoising Diffusion Probabilistic Model.....	683
<i>Y. J. Seol, H. B. Yoo, E. J. Yoon, Y. K. Kim, J. S. Lee</i>	
An Investigation on Cross-Tracer Generalizability of Deep Learning-Based PET Attenuation Correction.....	684
<i>J. Hou, T. Chen, Y. Zhou, X. Chen, H. Xie, Q. Liu, M. Xia, V. Y. Panin, C. Liu, B. Zhou, T. Toyonaga</i>	
MRI-Guided PET Reconstruction Using a Convergent Plug-And-Play Approach.....	685
<i>M. Savanier, V. Gautier, N. J. Pinton, C. Comtat, F. Sureau</i>	
Performance Evaluation of S-PET, a Compact, High Sensitivity and High Resolution Small Animal PET Prototype.....	686
<i>H. Yang, W. He, X. Zhao, G. Li, Y. Zhao, W. Huang, Y. Huang, M. Niu, Y. Liang, Z. Gu</i>	
Positronium Lifetime Measurement Using a Clinical PET for Quantification of Radicals in Vivo.....	688
<i>S. Takyu, K. Matsumoto, F. Nishikido, G. Akamatsu, H. Tashima, M. Takahashi, T. Yamaya</i>	
Direct Generation of Attenuation and Scatter Correction of Brain PET Data Using a Conditional Latent Diffusion Model.....	689
<i>A. Kouhana, M. Jafaritadi, G. Chinn, C. S. Levin</i>	

Updates on the Gantry Design and Manufacturing for the Human Dynamic NeuroChemical Connectome.....	690
<i>M. Scipioni, J. Corbeil, M. S. Allen, A. C. Moos, A. Mareyam, J. Kirsch, L. Byars, L. L. Wald, M. Judenhofer, C. Catana</i>	
Range Verification in Carbon Ion Therapy: Compton Imaging of 718 keV Gamma-Rays	692
<i>A. Hamato Mohammadi, H. Tashima, Y. Iwao, C. Toramatsu, K. Parodi, T. Yamaya</i>	
Optimization of a Row-Column Multiplexing Circuit Dedicated to the TOFPET2 ASIC Module	693
<i>H. G. Kang, E. Yoshida, G. Akamatsu, T. Yamaya</i>	
Single Photon Response Deconvolution for Boosting an Understanding of BGO Emission	694
<i>Y. Onishi, K. Ote, F. Hashimoto, R. Ota</i>	
Performance Evaluation of a High-Sensitivity Small-Animal PET/CT System.....	695
<i>W. Yan, Q. Liu, H. Mu, S. Xie, W. Yu, L. Miao</i>	
Proposal of Performance Evaluation Methods for Compton Cameras	696
<i>G. Akamatsu, H. Tashima, S. Takyu, M. Yamaguchi, N. Kawachi, M. Sakai, J. Furukawa, S. Motomura, D. Kim, K. Shimazoe, S. Kurosawa, F. Nishikido, E. Yoshida, M. Takahashi, T. Yamaya</i>	
Comparative Study of Convolutional Neural Network and Particle Smoother-Based Expectation Maximization for Estimation of ^{82}Rb Myocardial Perfusion PET Kinetic Parameters	697
<i>M. Chin, S. J. Zou, G. Chinn, C. S. Levin</i>	
Utility of Total-Body PET for Range Verification and Tumor Diagnosis in Carbon Ion Therapy: A Rat Study	698
<i>C. Toramatsu, H. Wakizaka, H. Tashima, G. Akamatsu, C. Seki, T. Yamaya</i>	
The Whole-Body Activity Monitor (WhAM) for Personalization of Radiopharmaceutical Therapies (RPT).....	699
<i>R. S. Miyaoka, W. C. Hunter</i>	
Synergistic PET-Compton Reconstruction for Whole Gamma Imaging of Positron Emitters	700
<i>F. Hashimoto, H. Tashima, K. Ote, T. Yamaya</i>	
A Study on Novel Scintillators for Interventional Multimodal X-Ray and Scintigraphy Imaging.....	701
<i>M. Snoeyink, J. J. Van Blaaderen, M. M. A. Dietze, H. W. A. M. De Jong, D. R. Schaart</i>	
SAM+nnUNet: Deep-Learning-Based Head and Neck Tumor Segmentation on FDG PET	703
<i>Z. Fang, Z. Lu, H. Liu, Y. Liu, G. S. P. Mok</i>	
Exploring Various Neural Networks for Interaction Localization in Semi-Monolithic Scintillators.....	705
<i>F. Loignon-Houle, F. Pagano, M. Freire, A. J. Gonzalez</i>	
Correction of Heel Effect on Imaging System for X-Ray Irradiator: Simulation Study.....	706
<i>T. D. Tran, S. Park</i>	
Design Optimisation of a Dual-Headed Molecular Breast Imaging System at Different Photon Energies	707
<i>K. Erlandsson, A. Cherlin, N. Atkins, I. Baistow, B. F. Hutton, K. Thielemans</i>	
Upgrade for the Hyperion Detector Platform: Calibration Methods for the TOFPET ASIC.....	708
<i>D. Schug, V. Nadig, B. Weissler, Y. Kuhl, H. Radermacher, S. Naunheim, F. Mueller, S. Gundacker, O. Muelhens, E. Gegenmantel, V. Schulz</i>	

Semi-Monolithic Detectors for Ultra-High Performance Brain PET (UHB-PET) Scanner	709
<i>F. Pagano, F. Loignon-Houle, D. Sanchez, N. Karakatsanis, J. Alamo, S. Nehmeh, A. Gonzalez</i>	
Dynamic Whole-Body PET with Reduced Scanning-Time Using Dual-Injection in Combination with an IDIF Library	710
<i>K. Erlandsson, F. Kotasidis, M. Hofbauer, M. Hüllner, F. Jansen, B. F. Hutton, K. Thielemans</i>	
From Radiomics to Deep Learning: Leveraging Gramian Matrix Features in CNNs for NSCLC Survival Analysis.....	711
<i>R. L. Smith, K. Al-Battat, R. John, M. Li, I. Ackerley, E. Spezi, K. Wells, N. Morley, C. Marshall</i>	
Preliminary CT Results Using a Simultaneous Photon-Counting and Energy-Integrating Prototype Detector	713
<i>Y. Song, Z. Deng, Y. Chen, X. Ran, H. Gao</i>	
Exploring the Light Transport and Timing Characteristics of Layered Scintillators for TOF-PET	714
<i>C. Lowis, F. Pagano, M. Pizzichemi, G. Terragni, J. W. Cates, K.-J. Langen, K. Ziemons, E. Auffray</i>	
Dose Verification After Proton Therapy Treatment Using Positron Emission Tomography	716
<i>M. Balcerzyk, M. Freire, R. Fernandez De La Rosa, M. A. Pozo, A. Gonzalez-Montoro, S. Jimenez-Serrano, A. J. Gonzalez</i>	
A Monte Carlo Simulation for Prompt Gamma Time Imaging	717
<i>A. Garnier, A. André, A. Cherni, M. Dupont, C. Hoarau, M.-L. Gallin Martel, M. Pinson, J. Hérault, D. Maneval, J.-P. Hofverberg, J.-F. Muraz, S. Marcatili, C. Morel, Y. Boursier</i>	
PET-MOTUS: 500 Ms Non-Rigid Motion Estimation and Correction for PET Imaging	718
<i>R. José Santo, E. Waterink, C. A. T. Van Den Berg, H. W. A. M. De Jong, A. Sbrizzi, C. Beijst</i>	
Image-Derived Input Functions on an Ultra-High Performance Brain PET Scanner: Minimizing the Carotid Partial Volume Effect.....	719
<i>T. Volpi, T. Zeng, N. Khattar, T. Toyonaga, S. Martins, T. Mulnix, K. Fontaine, J.-D. Gallezot, R. E. Carson</i>	
Impact of Re-Framing High-Dose Scans for the Training of Neural Networks for Denoising Low-Dose PET.....	720
<i>E. A. Elmoujarkach, C. Pommranz, J. Cabello, F. P. Schmidt, M. Rafecas</i>	
Direct Reconstruction of Multiplexed PET Acquisitions	722
<i>N. Taheri, T. Carlier, S. Stute</i>	
Optimized Monte-Carlo Scatter and Prompt Gamma Correction for WholeBody and Cardiac PET Imaging.....	723
<i>X. Zhang, K.-H. Su, F. Jansen</i>	
Artificial Neural Network for 3D Event Positioning in a Monolithic PET Detector with Integrated Corner Reflectors	724
<i>L. Saleh, T. Cotroneo, P. Vaska</i>	
A Dual-Domain Spectral Projection Completion Scheme for Fast kV-Switching Cone-Beam CT	725
<i>H. Zhou, Z. Wang, H. Gao</i>	

3D Reconstruction of Cerebral Aneurysm Geometry from 2D Angiographic Imaging Using Deep Learning	726
<i>R. E. White, M. Mattei Di Eugenio, R. White, V. K. Chivukula</i>	
A New Tool for Evaluating the Spatial Resolvability in Hot Spot Phantoms.....	728
<i>M. Toussaint, F. Loignon-Houle, R. Lecomte</i>	
Deep-PRC: A Positron Range Correction Tool for Preclinical and Clinical PET/CT Images	729
<i>N. Encina-Baranda, J. Lopez-Rodriguez, A. Lopez-Montes, P. Ibañez, Y. Zheng, J. Cabello, J. M. Udias, M. Conti, J. L. Herraiz</i>	
Assessing the Use of Transfer Learning in Neural Networks Used to Assist in the Diagnosis of Alzheimer's Disease.....	731
<i>D. Muñoz-Sánchez, J. M. Górriz, J. Ramírez, F. J. Martinez-Murcia, F. Segovia</i>	
Multimodality Molecular Imaging of Brain Tumor Using Simultaneous [18F]FET-PET/MRSI.....	733
<i>C. Ma, P. K. Han, T. Marin, Y. Zhuo, H. A. Shih, G. El Fakhri</i>	
An Autoencoder for Non-Invasive Arterial Input Function Estimation in Pre-Clinical Dynamic PET Imaging.....	735
<i>A. Von Kietzel, P. S. Clegg, C. Wimberley</i>	
Time-Of-Flight Requirements to Reduce the Effect of Acollinearity on PET Spatial Resolution.....	736
<i>M. Toussaint, F. Loignon-Houle, J.-P. Dussault, R. Lecomte</i>	
New Kinetic Model for Coronary Artery Disease for Positron Emission Tomography Using 82Rb	737
<i>J. Laval, P. S. Clegg, C. Wimberley, A. Tavares</i>	
Updates on SiPMSiM, a Standalone Monte Carlo Simulation Toolkit at the Micro-Cell Level to Mimic SiPMs Signals.....	738
<i>B. Mehadji, C. Trigila, N. Kratochwil, G. Arino Estrada, E. Roncali</i>	
Emulating Scanning Process for Stochastic Bone Scan Denoising.....	739
<i>S. Bae, J. S. Lee</i>	
Ablation Study of Diffusion Model with Transformer Backbone for Low-Count PET Denoising	740
<i>Y. Huang, X. Liu, T. Miyazaki, S. Omachi, G. El Fakhri, J. Ouyang</i>	
Maximum Likelihood Estimation for LOR Identification of Positron + Prompt Gamma Ray Emitters in Multiplexed PET (mPET)	742
<i>S. J. Zou, G. Chinn, C. S. Levin</i>	
Direct Image Reconstruction Using Deep Image Prior in Limited-Angle SPECT.....	743
<i>K. Hori, T. Hashimoto</i>	
Deep Learning-Based PET Image Correction and Optimization from CT-Less PET Data	744
<i>H. Qiao, F. Zhan, J. Hua, Z. Yuan, C. Li, Y. Hou, H. Wang, J. Jiang</i>	
Advanced Positronium Lifetime Imaging Reconstruction Using Two-Component Modeling in Time-Of-Flight Positron Emission Tomography	745
<i>H.-H. B. Huang, C.-M. Kao, L. An, Z. Chen, S. Booppasiri</i>	
Simultaneous High-Resolution and High-Sensitivity Brain Dedicated PET System: Design Optimization and Performance Evaluation.....	746
<i>Y. Feng, H. Sabet</i>	

Hybrid Motion Correction in Brain PET Combination of External Device and Data-Driven Methods.....	747
<i>Y. Zhao, C. Sun, J. Zhang, H. Li, R. E. Carson, Y. Lu</i>	
Few-Shot Classification and Anatomical Localization of Tissues in SPECT Imaging.....	748
<i>M. A. H. Khan, S. M. Boddepalli, S. Bhattacharyya, D. Mitra</i>	
Sino2Sino: Deep Learning-Based Direct Sparse-View CT Reconstruction with Only Sinogram Data Training	749
<i>T. Okamoto, F. Hashimoto, H. Haneishi</i>	
QUANTOF: multi-GPU-Based List-Mode Fully Quantitative TOF PET Image Reconstruction	751
<i>Z. Yuan, F. Zhan, H. Lu, C. Li, Y. Hou, H. Wang, J. Hua, R. Liao, J. Jiang</i>	
GATE Simulation of an Ultra-Sensitive Total-Body Small-Animal PET Scanner	752
<i>N. Hosotani, H. G. Kang, C. Toramatsu, H. Tashima, T. Yamaya</i>	
Ex Vivo Imaging of Fatty Liver Using MPPC-Based Photon Counting CT for Evaluation of Liver Diseases	753
<i>T. Tomoda, M. Arimoto, F. Lucyana, Y. Ito, H. Kawashima, S. Kobayashi, K. Okumura, K. Murakami, D. Sato, J. Kataoka, R. Minagawa, S. Terazawa, S. Shiota</i>	
Cascaded Neural Networks for Image Registration, Synthesis and Segmentation in PET/CT	754
<i>C. Sun, E. M. Revilla, H. Zeng, Y. Lu</i>	
Semi-Monolithic Crystals in Preclinical PET: A Leap Forward in TOF and DOI Technologies.....	755
<i>N. Cucarella, M. Freire, D. Sánchez, S. Jiménez-Serrano, C. Valladares, A. González-Montoro, L. F. Vidal, C. Correcher, L. Moliner, A. J. González, J. M. Benlloch</i>	
Design and Simulations of a Collimator for SPECT Measurements in a BNCT Facility.....	756
<i>T. Ferri, A. Caracciolo, L. Grisoni, D. Mazzucconi, G. Borghi, M. Carminati, C. Fiorini</i>	
Polarization Correction Using Physics-Guided Foundation Model for Photon-Counting CT.....	757
<i>X. Yu, W. Qin, T. Zhong, Q. Wu, M. Su, W. Wang, X. Ji, G. Quan, Y. Chen, X. Lai</i>	
GOSS: GPU-Based Optical Simulator of Scintillator Crystals	758
<i>P. Galve, C. Soneira-Landin, F. Arias-Valcayo, C. N. Golhen-Mateo, S. Gaitan-Dominguez, V. M. Nouvilas, V. Sanchez-Tembleque, J. L. Herraiz, J. M. Udias</i>	
Event Coincidences in 3D Gamma Ray Semiconductor Detector.....	760
<i>L. Terenzi, E. Rieger, M. Danielsson</i>	
Study of a SPECT Detector for BNCT Applications Through Monte Carlo Simulation.....	761
<i>L. Grisoni, F. Casamichiela, S. Agosteo, D. Bortot, A. Pola, A. Caracciolo, G. Borghi, D. Mazzucconi</i>	
A High Performance Small Animal PET/CT/MRI Scanner	762
<i>X. Yu, Z. Zhao, W. Zhu, J. Zeng, J. Xie, H. Zhao, J. Tao, H. Liu, J. Xu, S. Xie, W. Wang, Q. Peng</i>	
Evaluation of a Depth Encoding Hybrid Semi-Monolithic Detector Using Optical Coupling.....	763
<i>Y. Zhao, N. Tan, H. Yang, M. Niu, X. Zhao, W. Huang, X. Zhang, Z. Chen, Q. Wei, W. He, Z. Gu</i>	

Update on the Energy Resolution and DOI Performance of the Detector for the Human Dynamic Neurochemical Connectome Scanner.....	764
<i>L. U. Rauscher, F. P. Schmidt, M. S. Allen, L. Byars, M. Scipioni, F. Arias Valcayo, P. Galve, J. Lopez Herraiz, J. M. Udias, M. Judenhofer, B. Pichler, C. Catana</i>	
Can PET FDG Deep Texture Representations Be Made Robust?	766
<i>R. R. John, I. Ackerey, R. Smith, A. Robinson, V. Prakash, M. Shastry, P. Strouhal, K. Wells</i>	
A Study in Generalization of Deep Learning-Based Image Denoising Methods for non-FDG PET Tracers	768
<i>C. Xi, Y. Lv</i>	
New GATE Digitizer Unit for Versions Post V9.3	769
<i>O. Kochebina, D. Bonifacio, G. Konstantinou, A. Paillet, C. Pommranz, G. Razdevsek, V. Sharyy, D. Yvon, S. Jan</i>	
CBCT-MOTUS: Model-Based Non-Rigid Motion Estimation and Correction for CBCT Imaging	770
<i>E. Waterink, R. José Santo, C. A. T. Van Den Berg, H. W. A. M. De Jong, A. Sbrizzi, C. Beijst</i>	
Data-Driven Detection and Correction of Cardiac and Respiratory Motion in PET	771
<i>A. Serieyssol, M. Spangler-Bickell, F. Jansen, K.-H. Su, H. Souchay, D. Litwiller, E. Hindie, F. Lamare</i>	
Improve DOI Resolution for a Human Brain PET Detector Using Convolutional Neural Networks	772
<i>Y. Liu, S. Huang, X. Jiang, W. Huang, Y. Zhao, Y. Yang, H. Yang, X. Zhang, Z. Deng, M. Niu, Q. Wei, Z. Gu</i>	
A Simulation Framework to Establish Ground Truth for Motion Correction in Total-Body PET: Initial Evaluation for Complex Respiratory Motion.....	774
<i>W. Lan, H. P. Vo, C. Pommranz, E. Elmoujarkach, J. Cabello, N. Birge, P. Schleyer, M. Rafecas, C. Lafougère, F. Schmidt</i>	
Collimator-Less Imaging Method for Anterior View of Thyroid Scintigraphy Using U-Net Model: Monte-Carlo Simulation	776
<i>A. Jo, J. Lee, W. Lee</i>	
Phantom Design to Enable Harmonisation of Quantitative PET Imaging for Lung Disease	777
<i>F. Leek, C. Anderson, A. P. Robinson, R. M. Moss, B. F. Hutton, K. Thielemans</i>	
Impact of the Block-PairWise Dead Time Correction on the Quantitative Accuracy of BrainPET Imaging.....	778
<i>A. S. M. Issa, J. Scheins, L. Tellmann, J. Mauler, C. R. Brambilla, P. Lohmann, N. J. Shah, H. Herzog, C. Lerche</i>	
PET Reconstruction Using a Generative Model Based on Physical Simulation	780
<i>B. Bergere, T. Dautremer, C. Comtat</i>	
Modeling Prompt Gamma-Ray Timing Spectra for Treatment Verification in Proton Therapy	781
<i>T. J. Kögler, A. Kieslich, K. Makarevich, K. E. Roemer, J. A. B. Turko, K. Urban, T. Z. Jagt</i>	
Fabricated Heterogeneous Head Radiotherapy Phantoms for Synchrotron and Linac X-Ray Radiotherapy: Characterization and Dosimetry.....	782
<i>J. P. O. Bustillo, J. R. Posadas, E. Inocencio, V. De Rover, M. Cameron, E. Engels, A. Rosenfeld, M. Lerch</i>	
Optimising Subset Selection in Synergistic Emission Tomography Reconstruction.....	784
<i>S. D. Porter, D. Deidda, S. Arridge, K. Thielemans</i>	

A Parallel Cross-Domain Reconstruction for PET	786
<i>H. Rashidy Kanan, A. Adelöw, M. Colarieti-Tosti</i>	
Simulation Study of a Panel-Type PET Geometry: Effect of TOF and Sensitivity on Image Quality	787
<i>T. Ishikawa, G. Akamatsu, H. Tashima, F. Nishikido, F. Hashimoto, R. Ota, H. Haneishi, S. I. Kwon, S. R. Cherry, T. Yamaya</i>	
Flat Panel TOF-PET Detectors: A Simulation Study	789
<i>M. Orehar, R. Dolenec, G. El Fakhri, D. Gascón, A. Gola, S. Korpar, P. Križan, G. Razdevšek, T. Marin, Y. Chemli, D. Žontar, R. Pestotnik</i>	
PR-PET: Design and Performance Evaluation of Partial Ring PET Based on GATE Simulation.....	791
<i>B. Chen, H. Liu, Z. Zhao, S. Xie, Q. Peng</i>	
Design and Performance Optimization of SiPM Array Multiplexing Readout Circuit	792
<i>R. Song, D. Xi, M. Sun, Q. Xie, P. Xiao</i>	
Purcell Enhanced “super-Scintillator” Using Surface Plasmonic Nanoparticles Coupled to a Scintillator Slab	793
<i>M. S. Lee, G. Chinn, D. Jeong, C. S. Levin</i>	
OrdinalNet: A Deep Learning-Based Relative Image Quality Metric for Motion Compensation in CBCT	794
<i>M. Meier, M. Manhart, A. Preuhs, F. Goldmann, M. Kowarschik, A. Maier</i>	
Development of a Dynamic Mouse Heart Phantom for Multimodal Imaging.....	795
<i>B. Gerke, J. Schäfers, K. Bolwin, K. P. Schäfers</i>	
Experimental Evaluation of Nano-Pattern Coating on Scintillation Crystals for Enhanced Light Extraction	796
<i>S. Hyeon, S. Ra, S. K. Park, M. S. Lee</i>	
Ultra-High-Resolution Material Decomposition for Photon-Counting CT Using Physic-Guided Foundation Model	797
<i>W. Qin, X. Yu, M. Su, Q. Wu, T. Zhong, W. Wang, X. Ji, G. Quan, Y. Chen, X. Lai</i>	
A Mathematical Model for the Investigation of Combined Treatment of Radiopharmaceutical Therapy and PARPi	798
<i>M. Ryhiner, Y. Song, C. V. Gomes Ferreira, J. Hong, A. Rominger, S. Kossatz, W. Weber, K. Shi</i>	
Towards 3D Proton Range Verification with a Compact and High-Resolution PET Scanner	799
<i>A. C. M. Magalhães, P. M. M. Correia, M. Grossmann, P. M. C. C. M. Encarnação, J. F. C. D. A. Veloso, A. L. M. Silva</i>	
Transformer-Based Sinusoidal Curve Learning for Sinogram Denoising	801
<i>A. Adelöw, H. Rashidy Kanan, M. Colarieti-Tosti</i>	
Deep Learning Denoising with Edge-Preserving for Reduced-Dose Cardiac SPECT Images.....	802
<i>M. Toumi, J. Brankov, Y. Yang, M. King, H. Pretorius</i>	
Simulation of Noise Signals in Silicon Photomultiplier (SiPM) Front-End Amplifier Circuit.....	803
<i>C. Hua, K. Ziemons</i>	
MOLAR-NX: Building a PET Reconstruction Framework for Exploring the Novel Features Provided by the NeuroEXPLORER	804
<i>K. Fontaine, J.-D. Gallezot, J. Zhang, L. He, P. Gravel, T. Zeng, T. Li, Y. Li, E. Leung, X. Sun, L. Guo, T. Mulnix, T. Toyonaga, Y. Lu, H. Li, R. Badawi, J. Qi, R. Carson</i>	

The OxyFLASH Project: Overview and First Measurements	805
<i>E. Ciarrocchi, A. Cavalieri, F. Di Martino, B. D'Orsi, F. Marà, L. Masturzo, M. Morrocchi, L. Pesce</i>	
Self-Supervised Photon-Counting CT Denoising with Comprehensive Noise Propagation Model	806
<i>Q. Wu, X. Lei, M. Su, W. Qin, X. Yu, G. Quan, W. Cao, W. Wang, X. Ji, X. Lai, Y. Chen</i>	
Upgrade for the Hyperion Detector Platform: Analog SiPM and TOFPET ASIC Integration	807
<i>B. Weissler, D. Schug, Y. Kuhl, H. Radermacher, O. Muelhens, F. Mueller, T. Solf, E. Gegenmantel, V. Nadig, S. Naunheim, V. Schulz</i>	
A One-Ring Prototype of the Next Generation Hemispherical PET with TOF and DOI Measurement	808
<i>K. Narita, G. Akamatsu, E. Yoshida, H. Tashima, Y. Iwao, M. Takahashi, T. Yamaya</i>	
An Expert-Driven Machine Learning for Medical Imaging-Based Diagnosis of Lesions.....	809
<i>Z. J. Liang, L. R. Kuo, M. J. Pomeroy, S. Chang, L. C. Li</i>	
The Impact of MRI-Based Attenuation Correction on Lung Fibrosis Quantification in 68Ga-CPB8 PET	810
<i>N. Efthimiou, S. Montesi, P. Caravan, I. Zhou, C. Catana</i>	
Long-Axial Field-Of-View Limited-Angle PET System with Ultra-High Time-Of-Flight and Depth-Of-Interaction	812
<i>T. Marin, Y. Chemli, G. Razdevšek, Y. Zhuo, M. Orehar, Y. Najmaoui, R. Dolenec, D. Gascon, A. Gola, J. M. Benlloch, J. Alamo, J. Barbera, J. M. Fernandez-Tenllado, S. Gomez, S. Korpar, P. Krizan, S. Majewski, R. Manera, A. Mariscal-Castilla, J. Mauricio, S. Merzi, C. Morera, G. Pavon, N. Pavon, M. Penna, A. Seljak, A. Studen, D. Zontar, R. Pestotnik, G. El Fakhri</i>	
Design of a DAQ for a Modular Detector for Dose Monitoring in Hadrontherapy.....	814
<i>C. Riboldi, I. D'Adda, A. Forgiione, M. Piroddi, G. Borghi, A. Saporito, M. Carminati, F. Garzetti, N. Lusardi, A. Geraci, C. Fiorini</i>	
MR Compatibility Evaluation of a BrainPET Insert for UHF-MR Systems and Neuroscientific Applications.....	815
<i>C. W. Lerche, D. Niekämper, J. J. Scheins, L. Tellmann, C.-H. Choi, J. Felder, D. Arutinov, R. Heil, W. Silex, S. Van Waasen, D. Grunwald, M. Lennartz, T. Meurere, G. Natour, B. Weißler, F. Müller, D. Schug, E. Gegenmantel, H. Radermacher, P. Gebhardt, J. L. Lefaucheur, Z. Chen, G. Egan, V. Schulz, J. Shah</i>	
Assessing the Performance of the TOFPET2c ASIC at X-Ray Energies for Time-Of-Flight Scatter Rejection Applications.....	816
<i>L.-D. Gaulin, V. Nadig, J. Rossignol, F. Gagnon, K. Herweg, V. Schulz, S. Gundacker, R. Fontaine</i>	
Evaluation of Deep Learning-Based Partial Volume Correction on Clinical 99mTc-TRODAT-1 SPECT Using a No-Gold Standard Technique	817
<i>B. Wang, H. Wang, W. Huang, G.-U. Hung, Z. Hu, G. Mok</i>	
Analytical Calculation of the System Matrix for a DC-SPECT System with Square-Hole Collimators	819
<i>Y. Feng, M. Kupinski, M. Ottensmeyer, X. Zhang, W. Worstell, L. Furenlid, H. Sabet</i>	
A New Method to Solve the Inter-Crystal Scattering Kinematics in DOI-Capable PET Modules Based on Light Sharing	820
<i>G. Terragni, A. Polesel, E. Tribbia, J. Marton, E. Auffray, M. Pizzichemi</i>	

Self-Supervised Deep Learned 3D Filtered Backprojection for Image Reconstruction Objectives with a Poisson Likelihood	821
<i>M. Dassanayake, J. A. Schnabel, A. J. Reader</i>	
A Deep Reconstruction Method for Limited-Angle and Low-Dose PET Imaging in Biology-Guided Radiotherapy	822
<i>L. Lv, F. Weng, G. Chen, Q. Huang</i>	
Automatic Segmentation of Gray and White Matter Lesions in Multiple Sclerosis Patients Using Isolines	823
<i>F. Segovia, D. Castillo-Barnes, J. M. Barrios-López, A. Piñero-Donis, M. C. Pérez-García, D. Salas-Gonzalez, J. Ramírez, J. M. Górriz, J. P. Martínez-Barbero, P. M. Casa-Nova, M. Gómez-Río, E. Triviño-Ibáñez</i>	
Generation of Synthetic CT (sCT) from MR Using Cycle-Consistent Adversarial Networks and Image Registration.....	825
<i>Y. Park, H. Lee, I. Lee, D. Seo, K. Jeon, J. Jeong, J. S. Kim, K. Lee</i>	
Deep Learning-Based Scatter Correction for Self-Collimating SPECT.....	826
<i>Y. Zhao, H. Liu, L. Guo, W. Jiang, Z. Lyu, D. Zhang, T. Ma, J. Wu</i>	
Performance Evaluation of Gamma-Ray Detector Comprising Monolithic NaI (Tl) Scintillator and SiPM Array.....	827
<i>W. Duan, J. Yan, D. Zhang, H. Liu, Y. Liu</i>	
Learned Primal Dual Reconstruction with Dual-Domain Transformers for PET.....	828
<i>A. Adelöw, H. Rashidy Kanan, A. Guazzo, M. Colarieti-Tosti</i>	
Advancement of Anthropomorphic Thorax Phantom for Multimodal Imaging: Integration of Organs Synchronized with Respiratory Motion	829
<i>K. Bolwin, N. Marquardt, B. Gerke, J. Schäfers, K. P. Schäfers</i>	
Constraints on Kinetic-Model Fitting that Yield Unique Solutions for ^{99m}Tc -Teboroxime.....	830
<i>D. J. Stentz, M. Kumar, M. A. Guerraty, S. D. Metzler</i>	
Evaluation of a PET Detector Module Composed of a BGO Monolithic Scintillator with SiPM Readout.....	832
<i>M. Morrocchi, M. G. Bisogni, P. Carra, E. Ciarrocchi, S. De Astis, V. Rosso, G. Sportelli, N. Belcari</i>	
A Novel Reconstruction Method for Snapshot XRD System Based on Basis Function Representation.....	833
<i>S. Zhao, Y. Xing</i>	
Analog Neural Network ASIC (ANNA) for Position Reconstruction in Anger Cameras	834
<i>S. Di Giacomo, M. Ronchi, M. Amadori, N. Belcari, P. Carra, G. Sportelli, G. Borghi, M. Carminati, C. Fiorini</i>	
Super-Resolution Tomographic Image Reconstruction Using Latent Diffusion Models.....	835
<i>A. Kouhana, M. Jafaritadi, G. Chinn, C. S. Levin</i>	
Distribution of ^{99m}Tc -Tetrofosmin in Real SPECT Image Reconstructions	836
<i>C. T. Collins, C. Hinton, T. Galletta, P. Segars, D. Mitra</i>	
PET Motion Correction Using Subspace-Based Real-Time MR Imaging in Simultaneous PET/MR.....	837
<i>I. B. G. Mounime, T. Marin, P. K. Han, J. Ouyang, P. Gori, E. Angelini, G. El Fakhri, C. Ma</i>	

Design and Evaluation of a Partly Segmented Light Guide for High Resolution Solid-State Positron Emission Tomography (PET) Detectors	838
<i>H. Maa-Hacquoil, H. Poladyan, B. Baldassi, O. Bubon, A. Reznik</i>	
Spline-Initialized Factor Analysis in Dynamic Structures on Cardiac SPECT Sinogram	840
<i>A. Dhanawade, C. Hinton, S. M. Boddepalli, R. Boutchko, U. Shrestha, G. Gullberg, Y. Seo, D. Mitra</i>	
Experimental Evaluation of Rigid Patient Motion Detection and Correction in SPECT with Exponential Data Consistency Conditions	841
<i>M. H. H. Bui, A. Robert, S. Rit, A. Etxebeste</i>	
Dynamic Micro RI Imaging System Using Eutectic Scintillation Crystal with Micro Fiber Structure	842
<i>F. Nishikido, K. Kamada, H. Wakizaka, A. Yoshikawa, Y. Usuki, S. Ito, T. Yamaya</i>	
A Shielding Free PET Insert for High Sensitivity PET/MRI of the Brain	843
<i>M. Rapley, V. Batarchuk, Y. Shepelytskyi, A. Babich, H. Poladyan, O. Bubon, M. Albert, A. Reznik</i>	
Integration of a Continuously Varying Image-Space PSF for a Dual-Panel Ultra-High TOF-PET Scanner	845
<i>Y. Chemli, T. Marin, M. Orehar, R. Dolenec, M. D. Normandin, D. Gascón, A. Gola, K. Grogg, G. G. Pavón, G. Razdevsek, R. Pestotnik, G. El Fakhri</i>	
Effect of Inter-Crystal Events Inclusion on High Resolution Small-Animal PET Scanner Performance	846
<i>F. Evangelista, G. Lovatti, J. Bortfeldt, Z. Huang, M. Pinto, C. Gianoli, G. Dedes, H. G. Kang, T. Yamaya, P. Thirolf, K. Parodi, M. Nitta</i>	
A Dual-Modality PET and CT Image Generation Pipeline for Virtual Clinical Trials	847
<i>D. Byrd, K. Olivas, P. Segars, E. Abadi, E. Samei, P. Dasari, P. Kinahan</i>	
Data-Driven Respiratory Motion Correction of Dual-Gated Cardiac PET/CT for Coronary Plaque Imaging	848
<i>H. Wei, A. Broersen, K. Erlandsson, C. Anderson, J. Dijkstra, R. Endozo, R. Bajaj, R. Shortman, S. Wan, A. Groves, C. Bourantas, K. Thielemans</i>	
Using MLAA and Registration to Estimate Attenuation of a Flexible Body Matrix Coil in nonTOF PET/MRI	849
<i>N. Jurjew, P. Schleyer, M. Teimoorisichani, C. Anderson, M. Rega, A. Mackenzie, D. Atkinson, K. Thielemans</i>	
Comparative Analysis of Two Parametric Imaging Programs for NeuroEXPLORER Studies	851
<i>J. Zhang, J.-D. Gallezot, Q. Ye, Y. Lu, R. E. Carson</i>	
Effects of Angular Sampling in Deep-Learning Based PET Reconstruction for Total-Body PET	852
<i>J. Raj, M. Millardet, M. Gao, J. S. Karp, M. D. Witherspoon, S. Matej</i>	
Imaging of a 14.8 MeV Neutron Source Via a Hybrid Neutron/Gamma Ray Camera for Applications in Particle Therapy Range Verification	853
<i>J. Turko, H. N. Ratliff, B. Lutz, I. Meric, O. Maiatska, G. Pausch, K. Roemer, K. Urban, A. Wolf, A. Wagner, T. Kögler</i>	
DIANA - Detectability Investigations Using Artificial Nodal Additions	855
<i>R. Bayerlein, M. Xia, H. Xie, B. A. Spencer, J. Ouyang, G. El Fakhri, L. Nardo, C. Liu, R. D. Badawi</i>	

Development and Comparison of DOI Capable Detectors for a Dedicated Breast PET/MRI Insert.....	856
<i>L. U. Rauscher, M. S. Allen, C. Frank, L. Byars, M. Judenhofer, C. Catana, B. Pichler, F. P. Schmidt</i>	
PET Tracers Surgical Radio-Guidance with Using a Small Compton-Angles Collimation Probe	858
<i>B. Mehadji, M. Dupont, A. Montrot, E. Roncali, C. Morel, B. Farman</i>	
DNA Strands Break by Low Energy Electrons Assessed with Monte Carlo GEANT4 at the Atomic Level.....	859
<i>J. Farhan, Y. Lamghari, M. Bentourkia</i>	
Monte Carlo Evaluation of the Ultra-High Physical Performance Brain PET (UHB-PET) Scanner with Semi-Monolithic Detectors	860
<i>N. A. Karakatsanis, F. Pagano, J. Alamo, A. Gonzalez, S. A. Nehmeh</i>	
Coincidence Timing Performance Optimization of the Detector for the Human Dynamic NeuroChemical Connectome Scanner.....	862
<i>M. S. Allen, L. Byars, L. Rauscher, F. P. Schmidt, M. Scipioni, M. Puryear, J. M. Udias, M. Judenhofer, C. Catana</i>	
Impact of DL HYPR4D Kernel Method on Detection of Task-Induced Neurotransmitter Release	863
<i>J.-C. K. Cheng, J. Hanania, E. Reimers, V. Sossi</i>	
Optimising Subset Selection in Synergistic Emission Tomography Reconstruction.....	864
<i>S. D. Porter, D. Deidda, S. Arridge, K. Thielemans</i>	
Development of a Portable and Versatile PET System for Interactive Point-Of-Care Imaging.....	866
<i>S. Aggarwal, L. Cai, Y. Chen, S. Samanta, A. Qi, K. Qi, S. Komarov, Y. Hao, T. Zhao, R. Laforest, J. O'Sullivan, Y.-C. Tai</i>	
A Prototype Coded Sensing SPECT Designed for Ultra-High Sensitivity Imaging.....	867
<i>L. Cai, S. Aggarwal, K. Enniful, Y. Chen, S. Komarov, D. Thorek, A. K. Jha, Y.-C. Tai</i>	
Characterization of an AI Tool for Identification of High-Respiratory Motion Patients in Cardiac SPECT	869
<i>D. J. Malenfant, A. Macintyre, G. Wells</i>	
Optimizing the Multi-Angle Imaging Method for Planar Organ-Targeted PET Detectors.....	870
<i>A. Shahi, H. Poladyan, E. Anashkin, B. Komarov, H. Maa-Hacquoil, A. Babich, O. Bubon, A. Reznik</i>	
Imaging Studies Using PhytoPET, a Positron Emission Tomography (PET) Scanner Developed for Plant Imaging	872
<i>M. N. Ullah, S. J. Lee, D. Innes, A. Weisenberger, S. Abbaszadeh, C. Levin</i>	
Experimental Evaluation of DE-SPECT: A Hyperspectral SPECT System for Region-Selective 3-D Gamma-Ray Spectroscopy of Molecular Theragnostics	874
<i>Y. Jin, E. M. Zannoni, P. Sankar, D. Gura, R. Wu, S. Zhu, F. Zhang, M. Streicher, H. Yang, Z. He, S. D. Metzler, C. Liu, A. Sinusas, L. Meng</i>	
A Comparison of Various Attenuation Map Generation Methods for MR Coils in PET/MR.....	876
<i>M. Teimoorisichani, J. Hamill, N. Birge, P. Wohlfahrt, P. Schleyer</i>	
A Deep Learning Approach for Robust Segmentation of Left Ventricular Wall in Cardiac SPECT Images	877
<i>E. Arin, S. I. Yetik, J. G. Brankov, Y. Yang, M. A. King</i>	

Statistically-Based Inter-Crystal Scatter Event Positioning Method for a 3D Position Sensitive TOF Detector Based on Side Readout	879
<i>H. S. Shim, Z. Zhao, J. S. Lee, C. Levin</i>	
Model-Based Delays Estimation for Long-Axial Field-Of-View (LAFOV) PET/CT Scanners	880
<i>M. Aykac, V. Y. Panin</i>	
MLTiming: A Machine Learning Framework for Gamma-Ray Pulse Time Pick-Up	881
<i>J. A. Avellaneda, V. Sánchez-Tembleque, L. M. Fraile, J. M. Udias, J. L. Herraiz</i>	
131I Imaging with MACACO Compton Camera	883
<i>L. Barrientos, P. Bello, M. Borja-Lloret, K. Brzezinski, J. V. Casaña, F. Hueso-González, J. Pérez-Curbelo, S. Prado, A. Ros, J. Roser, C. Senra, I. Torres-Espallardo, R. Viegas, G. Llosá</i>	
Benefit of Improved Scanner Performance on Monitoring Therapy Response in Oncology	884
<i>M. Kazemi Kozani, M. Gao, J. S. Karp, S. Surti</i>	
An Accurate Attenuation and Scatter Correction Method for PET/MR Scanners with Lutetium-Based Scintillators	885
<i>M. Teimoorisichani, H. Sari, J. Hamill, V. Panin, P. Schleyer, A. Rominger, M. Conti</i>	
Evaluation of a 3D Position Sensitive Time-Of-Flight PET Detector Unit with CPLD-Based Frontend Electronics	886
<i>Z. Zhao, H. S. Shim, C. Levin</i>	
Dual-Ended Readout TOF-DOI PET Detectors	888
<i>H. Wang, J. Xie, J. Qi, S. R. Cherry, J. Du</i>	
Photon Counting-Based Metrics for Soft Tissue Differentiation in Coronary Plaque Analysis	889
<i>F. Denzinger, F. Goldmann, M. Wels, M. Schöbinger, J. Neumann, T. Allmendinger, M. Jürgens, M. Meier, M. Sühling, A. Maier</i>	
Feasibility of a $\alpha/\beta/\gamma$ Camera for the Detection of Activity from Different Radioisotopes in Microdroplets	890
<i>D. L. Prout, W. Deng, J. Jones, M. Van Dam, A. Chatzioannou</i>	
Efficient Implementation of a Data-Based Loss Function in End-To-End Deep Learning PET Reconstruction Using the DIRECT Framework	891
<i>M. B. Millardet, D. Bharkhada, V. Panin, J. Raj, Y. Zheng, M. Conti, S. Matej</i>	
Quantum-Inspired Denoising Via Adaptive Planck Constant and Image Patching	892
<i>A. Hashemi, S. Dutta, B. Georgeot, D. Kouamé, H. Sabet</i>	
Dual-Mode Range Verification for Ion Therapy	893
<i>J. Zhou, A. Di Fulvio</i>	
Quantifying Scattering Rate Based on the Similarity Measurements of the Quantum States of the Two Coincidence Detectors	894
<i>A. Hashemi, H. Sabet</i>	
Multi-MeV Gamma Interaction Position Estimation in Large Pure Cherenkov Emitter Crystals	895
<i>L. Rebolo, M. Backfish, E. Prebys, S. St. James, P. M. Mendes Correia, A. L. Silva, J. Veloso, G. Ariño-Estrada</i>	
3D List-Mode surrogate-MLEM for Dual-Scanner PET Image Reconstruction	896
<i>G. R. Romancheek, L. Caucci, G. Wang, S. Abbaszadeh</i>	

Prediction of Mediastinal Lymph Node Metastasis in Non-Small Cell Lung Cancer Based on 18F-FDG PET Radiomics	898
<i>K. M. Al-Battat</i>	
PET Simulation Study of Quantum Entangled Annihilation Photons for Application in Gamma-Positron Imaging	899
<i>G. Shoop, G. Romanchek, K. Gholami, P. H. Kuo, M. Kupinski, M. A. King, L. R. Furenlid, S. Abbaszadeh</i>	
Automated In-Silico Phantoms for Atherosclerotic Plaque Classification Models from Spectral CT.....	901
<i>F. Goldmann, M. Meier, M. Wels, T. Allmendinger, M. Sühling, A. Maier</i>	
Achievable Resolution for Scalable Waveform Digitizing PET Readout and Comparison with Ideal TDC-Based Readout with an Application of DNN to Optimal Estimation Including DOI.	902
<i>L. Macchiarulo, C. Chock, I. Mostafanezhad, H. Sabet</i>	
Scatter Correction Based on Time-Of-Flight Measurements for Radiography and Photon Counting CT.....	903
<i>G. Belanger, J. Rossignol, Y. Bérubé-Lauzière, R. Fontaine</i>	
One Linear Layer is All You Need for Positron Range Estimation and Correction.....	904
<i>Y. Mellak, A. Bousse, T. Merlin, E. Emond, D. Visvikis</i>	
Investigation of Microchannel Plate PMT Integrated with Barium Fluoride	905
<i>R. Ota, Y. Onishi, Y. Ichikawa, K. Kuramoto, K. Shimano</i>	
Effect of Partial Volume Correction on Kernel-Based Dosimetry for Lu-177-PSMA Therapy with SPECT/CT Imagin.....	906
<i>M.-S. Azimi, S. Maroufpour, M.-S. Hosseini, A. Zahed, M. Alhashim, H. Dadgar, H. Arabi, H. Zaidi</i>	
Comparison of Two New Methods to Measure the Sensitivity of Total-Body and Long-Axial Field-Of-View PET Scanners.....	908
<i>B. A. Spencer, R. Bayerlein, E. Shanina, K. J. Chung, B. Mehadji, E. K. Leung, N. Omidvari, C. Mingels, L. Mercolli, C. Pettinato, B. Dai, E. Berg, T. Jones, L. Nardo, J. S. Karp, S. R. Cherry, R. D. Badawi</i>	
Absolute Scatter Scaling for Transmission Source Enhanced Attenuation Correction.....	909
<i>S. Lotfimarangloo, R. D. Badawi, S. L. Bowen</i>	
Simulation and Detector Measurements of a Small Animal PET System for Simultaneous Multi-Tracer Imaging	910
<i>J. W. Foster, W. He, G. Chinn, C. Levin</i>	
Deep Learning Approach for Positron Range Correction in PET Image Reconstruction.....	911
<i>T. Merlin, D. Visvikis</i>	
A Cost-Effective Dual-Ended DOI PET Detector Based on BGO Crystal Array and 45-Degree Tilted SiPMs	912
<i>M. Seo, G. B. Ko, J. S. Lee</i>	
Precision Renal Tumor Segmentation: Harnessing Prior Attention for Optimal Efficiency.....	913
<i>M.-S. Azimi, V. Felfelian, Z. Jafari, A. Zahed, A. Karimian, H. Arabi, H. Zaidi</i>	
Attention-Guided CNN Approach for Accurate Pulmonary Embolism Segmentation from Contrast-Enhanced CT Images.....	915
<i>H. Arabian, A. Karimian, M. Mansourian, H. Arabi, H. Zaidi</i>	

Performance Evaluation of SmartBrain for Real-Time Imaging in Free Movement.....	916
<i>H. Liu, W. Zhu, J. Tao, D. Liang, Z. Zhao, J. Zeng, Y. Zhang, S. Xie, Q. Peng</i>	
Calibration for TDC Offset Delay in Fully Wearable Brain PET System	917
<i>D. Liang, J. Tao, W. Zhu, Y. Lin, H. Liu, Z. Zhao, H. Zou, H. Zhao, S. Xie, Q. Peng</i>	
MLEM Method for Estimating Spatial Sensitivity Coefficients for Simultaneous Multi-Tracer Positron Emission Tomography (mPET) Reconstruction	918
<i>J. W. Foster, G. Chinn, C. Levin</i>	
Camera-Based Motion Correction for Positron Emission Tomography Brain Imaging	919
<i>J. Fisher, C. C. Kim, M. N. Ullah, D. Innes, C. S. Levin</i>	
Enhancing Precision in Proton Therapy: Monte Carlo Simulation Modeling and Validation of FLASH Proton Therapy for Accelerated Treatment Delivery	921
<i>F. Kazem Tabrizi, A. Asadi, S. A. Hosseini, H. Arabi, H. Zaidi</i>	
First Imaging Study for a Brain PET Scanner with a Ring of Detectors Using a Semi-Monolithic Design.....	922
<i>P. Peng, S. K. Subedi, Y. Qiang, H. Hemmati, S. R. Cherry</i>	
Geometric Optimization of High-Resolution Small-Animal PET Scanner Utilizing a Sparse Detector Arrangement	924
<i>H. Hemmati, J. Qi, S. R. Cherry, J. Du</i>	
Comparison of Network Structures for Deep Learning-Based Cardiac PET Scatter Correction.....	925
<i>Q. Liu, Y.-J. Tsai, L. Yang, W. Qi, J. Kolthammer</i>	
PCCT Detector-Domain Material Decomposition Using FPGA-Based Edge Computing	926
<i>M. Su, X. Yu, Q. Wu, W. Qin, X. Lei, G. Quan, W. Cao, W. Wang, X. Ji, X. Lai, Y. Chen</i>	
A Deep Learning-Based Technique to for Crystal Identification of PET Detector Utilizing LYSO Background: A Monte Carlo Study	927
<i>S. Xin, Z. Li, X. Lyu, Z. Song, M. Xue, S. An</i>	
Multi-Modality Based Low Dose PET Image Enhancement for Detecting Myocardial Fibrosis	928
<i>X. Qiao, H. Wang, W. Ding, B. Li, Q. Huang</i>	
A Comparative Study of in Vivo Dosimetry Approaches for Mid-Plane EPID Dose Calculation: MCNP Simulation Vs. Practical Measurements	929
<i>S. Davoodi, S. Habibian Naqibi, H. Nasrollahi, A. Shakeri, H. Tashakori, E. Saeedzede, H. Arabi, H. Zaidi</i>	
A PET Daily Quality Control Method Using Background Radiation of LYSO Crystal	931
<i>M. Xue, X. Lyu, Z. Song, Z. Li, S. Xin, S. Shaohui An</i>	
Photonic Crystals' Effect on Scintillation and Cherenkov Photons in Scintillator Detector	932
<i>X. He, C. Trigila, E. Roncali</i>	
NeuroScope: An Ultrahigh Resolution Clinical Brain Scanner with hardwareImplemented Super Resolution Sampling Strategies.....	933
<i>S. Mandot, E. M. Zannoni, C. Yang, S. Zhu, L.-J. Meng</i>	
Slit-Wall Differentiation Method for Depth-Of-Interaction Measurement for PET	934
<i>D. Lee, H. Hemmati, M. Yi, S. I. Kwon</i>	

Evaluation of Spatial Resolution Enhanced by the NeuroEXPLORER PET Insert Through Simulation	935
<i>Q. Wang, Z. Xie, J. Du, S. Majewski, S. R. Cherry, R. D. Badawi, H. Li, R. E. Carson, J. Qi</i>	
Ensemble Learning Framework for Cardiac Systolic Abnormality Segmentation in Catheterization X-Ray Images.....	936
<i>M. Noroozi, H. Arabi, H. Zaidi</i>	
Improving Brain SPECT Image Quality Using Noise2Void	938
<i>S. Kusakari, K. Narita, M. Matsuoka, Y. Aita, K. Sato, K. Matsubara, K. Koshino, H. Watabe, T. Yuasa, T. Zeniya</i>	
Performance Evaluation of Cross-Tracer Neural Network Training Methods for PET Image Enhancement	940
<i>H. Xie, Y. Lv</i>	
A 0.38 mm LYSO and GAGG Checkerboard Pattern Detector with Inter-Crystal Scatter Identification Capability for High-Resolution Mouse Brain PET Imaging	941
<i>H. Yang, Y. Zhao, W. Huang, X. Zhao, X. Zhang, G. Li, Z. Chen, M. Niu, Y. Liang, Z. Gu</i>	
Whole-Body PET Tumor Lesion Segmentation Using a Transformer-Based Model	943
<i>N. Khajvand, Y. Ahmadyar, R. Samimi, Q. Mehrban, A. Kamali-Asl, H. Arabi, H. Zaidi</i>	
A Study on Time Resolution Performance of TOF-PET Detector Based on Simulation and Analytical Modeling	944
<i>Z. Hao, Y. Zhao, P. Xie, S. Chu, X. Lai</i>	
Attention-Based Network for Cardiac Systolic Abnormality Segmentation in Catheterization X-Ray Images	945
<i>M. Noroozi, H. Arabi, H. Zaidi</i>	
Effect of Fractional Glandular Breast Composition on Synchrotron Breast CT Dose	947
<i>T. K. Matharu, E. Engels, M. Lerch, J. Cayley</i>	
Concept of a Di-Modal Metabolic Imaging System Combining PET and Sodium (^{23}Na) MRI	948
<i>M. S. H. Akram, F. Nishikido, S. Takyu, H. Kuribayashi, T. Obata, T. Yamaya</i>	
SiPM Saturation, Depth Estimation, and Inter-Crystal Scatter Recovery: A Simulation Study in Light-Sharing PET Detector Modules	949
<i>E. W. Petersen, A. Labella, X. Zeng, A. Goldan</i>	
Component-Based Normalization for a Multi-Resolution DOI PET System	950
<i>X. Zhao, G. Li, H. Yang, Y. Zhao, W. Huang, Y. Huang, Z. Wang, M. Niu, Z. Xie, Y. Liang, J. Wu, Z. Gu</i>	
Performance of a Small Animal PET Detector Based on Dual-Ended Readout and Multicycle-Encoding FPGA ADC.....	951
<i>S. Wang, K. Chen, J. Liu, L. Zhao, J. Qin, J. Du, Y. Zuo, Y. Yang</i>	
Deep Learning-Based Scatter Correction Acceleration Using View-Grouped Histo-Images in Long Axial Field-Of-View PET System.....	952
<i>X. Zhang, L. He, H. Xu, X. Zhou</i>	
Autonomous Determination of Crystal Efficiencies Using Data Consistency for 3D PET Normalization.....	953
<i>Y. Li</i>	

Impact of Respiratory Motion-Matched Attenuation Correction for Different Lesion Locations in Dual-Gated SPECT	954
<i>C. Xing, S. Zhou, H. Pretorius, Y. Yang, M. King, M. Jin</i>	
Pediatric Neuroblastoma: Estimating Radiation Dosimetry of [124I]-Metaiodobenzylguanidine (mIBG) Dynamic PET/CT Using Animal-To-Human Extrapolation and MCNPX Code with OLINDA/EXM Software	956
<i>S. Izadi Yazdi, E. Yazdani, M. Sadeghi, H. Arabi, H. Zaidi</i>	
A Novel Gamma Camera Based on Joint-Self-Collimating-Compton Imaging	958
<i>P. Li, Y. Hu, L. Liu, Z. Yu, Y. Zhu, R. Yao, T. Ma</i>	
Simulation of SPECT Imaging for Targeted Alpha-Therapy with Surrogate	959
<i>C. Huang, B. W. Miller, L. R. Furenlid, M. A. Kupinski</i>	
Investigation of Fast DOI TOF Image Reconstruction Using DOI Rebinning and TOF Axial Fourier Rebinning	960
<i>Y. Li, L. He, H. Li</i>	
A 4-Channel Microstrip RF Coil for a 7T Whole-Body MRI to Shield PET-Insert Detectors	961
<i>M. S. H. Akram, M. Fukunaga, F. Nishikido, S. Takyu, T. Obata, T. Yamaya</i>	
CT-Based Deep Learning Framework for Analyzing Brain PET/CT	962
<i>D. Kim, S. Lee, K. Choo, H. Lim, H. Han, J. Lee, S. Seo, S. Baek, C. Yu, M. Yun, J. Yang</i>	
Deep Learning-Based Dynamic PET Intra-Frame Motion Correction and Integration with Inter-Frame Motion Estimation	963
<i>X. Guo, Y.-J. Tsai, Q. Liu, L. Guo, G. H. Valadez, N. C. Dvornek, C. Liu</i>	
Parametric Maps of Kinetic Heterogeneity and Ki in Dynamic Total Body PET Using Approximate Bayesian Computation.....	964
<i>Q. Gu, G. Angelis, D. Bailey, P. Roach, C. Grazian, G. Emvalomenos, S. R. Meikle</i>	
Predicting Neoadjuvant Therapy Response in Breast Cancer Patients Via Radiomics Analysis of Dynamic Contrast-Enhanced MRI Imaging Features.....	966
<i>Y. Ahmadyar, R. Samimi, A. Kamali-Asl, J. Majidpour, H. Arabi, H. Zaidi</i>	
Mif-PET: A Multimodal Approach to Functional Neuroimaging, Integrating Eye-Tracking and Heart Rate Monitoring with Upright Prism-PET Brain Scanner	968
<i>Z. Wang, A. Labella, W. Tan, M. De Leon, A. Goldan</i>	
Dynamic PET Image Reconstruction Using Spatiotemporal Kernel Method with Deep Image Prior	969
<i>Z. Zhao, H. Zou, H. Liu, D. Liang, S. Xie, Q. Peng</i>	
Low Noise High Frequency Electronic Readout for Large Area TOF-PET Detector Modules.....	970
<i>J. W. Cates, S. Lee, W.-S. Choong</i>	
Anatomical Brain Segmentation from CT Images in Brain PET/CT Imaging for the Purpose of Partial Volume Correction in PET Imaging.....	971
<i>K. Danesh, M. S. Azimi, P. Sharifian, A. Karimian, H. Arabi, H. Zaidi</i>	
Inverse Rendering for PET Scanner Calibration	973
<i>Y. Li, W. Tan, Z. Wang, W. Jakob, X. Zeng, A. Labella, A. Goldan</i>	
Adaptive Deep Image Prior Enhances Ultra-Low Dose PET Imaging with NeuroEXPLORER	974
<i>A. Li, P. Gravel, J.-D. Gallezot, T. Toyonaga, K. Fontaine, R. E. Carson, J. Tang</i>	

Improvement of Coincidence Timing Resolution of PET Detectors Using Transformer-Based Deep Learning	975
<i>I. Lee, S. Lee, J. Jung, J. H. Jung, S. Lee, S. Jang, Y. Choi</i>	
Resolution Model with Asymmetric and Spatially-Variant PSFs for the S-PET System	976
<i>G. Li, X. Zhao, H. Yang, Y. Zhao, W. Huang, Y. Huang, M. Niu, Y. Liang, J. Wu, Z. Gu</i>	
Evaluation of Depth-Of-Interaction Calibration for NeuroEXPLORER.....	978
<i>L. He, Z. Lu, P. Liu, Y. Dong, H. Li</i>	
Investigating the Effect of Time Window on Cross-Strip CZT PET System.....	979
<i>K. Gholami, G. Shoop, G. Romancheck, S. Abbaszadeh</i>	
Motion Correction for PET Brain Studies Using a Marker-Less Structured-Light Infrared Optical System	980
<i>J. R. Brunner, T. Wang, J. Wiley, P. Vaska</i>	
A Novel Concept for Prostate Dedicated PET Scanner: A 4-Layered Detector with Depth of Interaction and Time of Flight Capabilities	981
<i>M. Amini, A. Saberi Manesh, T. Williams, K. Doroud, C. Williams, H. Arabi, H. Zaidi</i>	
Quantifying the Impact of Lead and Neodymium Concentration Variations on V2O5 – Pb3O4 – TeO2 – Nd2O3 Glass Through Monte Carlo Simulation	982
<i>K. Bahmani, A. Asadi, S. A. Hosseini, H. Arabi, H. Zaidi</i>	
Performance of a Multiplexed DoI-Encoding PET Detector Using the TOFPET2 ASIC	983
<i>F. E. Enriquez-Mier-Y-Terán, W. Pineda-Valencia, S. I. Kwon, S. Meikle, A. Kyme</i>	
Development of a High-Resolution (< 1.5 Mm) Brain PET with Diode-Based Multiplexing Readout.....	984
<i>S. Lee, J. H. Jung, S. Lee, S. Kim, J. Jung, S. Lee, S. Kim, Y. Choi</i>	
Improved Event Classification of Metascintillators: An Approach Using Time-Over-Threshold Analysis.....	986
<i>Y. Choi, J. Jung, Y. Choi, J. H. Jung, S. Lee, S. Jang</i>	
Deep Learning-Powered CT-Less Organ Segmentation from 68Ga-PSMA/Dotatate PET Images.....	987
<i>Y. Salimi, Z. Mansouri, I. Shiri, H. Zaidi</i>	
Preliminary Study of Image Reconstruction from Truncated CT Data Using Hybrid Image Constraints.....	989
<i>Z. Zhang, B. Chen, D. Xia, E. Y. Sidky, X. Pan</i>	
CT-Free PET for Pediatric Patients with Metal Implants	990
<i>C. Han, A. T. Trout, K.-H. Su, J. Maclean, M. Syed, S. Ahn, J. Tang</i>	
Towards Standardised and Unified Image Reconstruction in Preclinical PET	991
<i>P. J. Markiewicz, F. Schweser, A. McFarland, M. E. K. Jensen, A. H. Clemmensen</i>	
Attenuation Correction for Phantom Images Acquired in the Second Generation PETcoil Insert for PET/MR Brain Imaging	992
<i>Y. Pan, J. Fisher, C. Wang, C. Levin</i>	
Use of CZT Detectors for Non-Destructive Testing Based on Backscattered Radiation.....	994
<i>M. Bettelli, A. Zappettini, V. Vicini, N. Zambelli, N. Sarzi Amadè, D. Calestani</i>	

A New Combined Hardware and Software Tools for X-Ray In-Depth and Non-Destructive Analysis of Metal Deformation Processing.....	995
<i>M. Bettelli, D. Calestani, G. Peponi, E. Lovato, C. Zanella, M. Bortolotti, S. Gialanella, E. Demenev, A. Zappettini, L. Lutterotti</i>	
A New Generation of HPGe Hybrid Pixel Detectors: The Concept of Micro Thermal-Divider	996
<i>M. Borri, M. Buckland, W. Helsby, A. Hill, J. Lipp, M. Wilson, A. Schneider, K. Sutowski</i>	
Optical and Photoelectric Properties of Surface Barrier Diodes Based on n-Hg ₃ In ₂ Te ₆	997
<i>V. Sklyarchuk, P. Fochuk, A. Bolotnikov, R. B. James</i>	
Comparison of Crystal Quality and Two-Dimensional Carrier Transport Properties in TlBr Crystals.....	998
<i>Y. Sugai, K. Watanabe, S. Hasegawa, K. Hitomi, M. Nogami</i>	
A High-Energy Transmission Imaging Measurement of a Varian M9 Linear Accelerator Using a 3D-CdZnTe Detector	999
<i>P. G. Hotvedt, Y. Zhu, S. A. Pozzi, Z. He</i>	
Study of Electro-Physical Properties of CsPbBr ₃ Perovskite Single Crystals	1000
<i>V. Skliarchuk, P. Fochuk, A. Bolotnikov, R. James</i>	
CdZnTe Surface Conditioning Using Ar Plasma	1001
<i>L. Montpetit, S. Singh, M. R. Atalla, C. Lemieux-Leduc, G. Nadal, O. Moutanabbir</i>	
Development of a Neutron Diamond Detector Using Printed Wire Bonding Techniques.....	1002
<i>M. Shoji, T. Kishishita, T. Koshi, Y. Horii, K. Nomura</i>	
Characterization of Diamond Pixel Detector.....	1003
<i>T. Kishishita, H. Umezawa, H. Kawashima, K. Tauchi, H. Nishiguchi, X. Xu, M. Tanaka</i>	
Surface Flattening of TlBr Crystal by Hot Pressing to Form Small Pixel Electrodes	1004
<i>K. Takagi, K. Toyoda, H. Morii, A. Koike, J. Nishizawa, T. Aoki, T. Onodera, M. Nogami, K. Hitomi</i>	
Surface Passivated Perovskite Single Crystals for X-Ray Detectors with High Sensitivity.....	1005
<i>G. Tumen-Ulzii, H. Salway, Y. Lu, M. Dubajic, T. Doherty, S. Bugby, F. Dejene, J. Lees, I. Braddock, M. C. Veale, M. D. Wilson, M. Anaya, S. D. Stranks</i>	
Correlative Analysis of CsPbBr ₂ Hal (Hal = Cl, Br, I) Melt-Crystallization Parameters.....	1006
<i>O. Kopach, V. Kopach, P. Fochuk, A. Bolotnikov, R. B. James</i>	
Unlocking Diamond's Potential Beyond Charge Collection	1007
<i>E. M. Muller, A. E. Bolotnikov, G. Carini, L. Cultrera, N. Gallice, P. Maj, A. K. Rumaiz</i>	
Radiation Detection with Vertical Gradient Freeze Grown CdZnTeSe Crystals	1008
<i>R. Nag, S. K. Chaudhuri, K. C. Mandal</i>	
Understanding Precondition in Metal Halide Perovskites for Improved Gamma Ray Spectrum Detection	1010
<i>M. Li, J. Huang</i>	
Effects of Neighboring Modules in Compact 3D CdZnTe Detector Arrays	1011
<i>S. A. Abraham, D. Goodman, Y. Zhu</i>	
3D Compton Imaging System Using Inertial Measurement Units	1012
<i>P. Kaur, Z. He</i>	

Multivariate Analysis for Signal Pulse Shape of TlBr Semiconductor Detectors.....	1013
<i>K. Watanabe, Y. Sugai, S. Tanaka, S. Hasegawa, K. Hitomi, M. Nogami</i>	
Pin-Diode Type GaN X-Ray Imager	1014
<i>T. Aoki, H. Kase, K. Inaba, J. Nishizawa, K. Toyoda, H. J. Lee, Y. H. Shin, K. Takagi, J. H. Shin</i>	
3-D Position Reconstruction in CZT Drift Strip Detectors.....	1015
<i>A. Buttacavoli, F. Principato, G. Gerardi, M. Bettelli, A. Zappettini, N. Auricchio, S. Del Sordo, E. Caroli, L. Abbene</i>	
The Origins of Unstable Properties in X-Ray Imaging Sensors and Their Compensation	1016
<i>P. Praus, E. Belas, R. Grill, M. Betusiak, J. Jakubek, K. Sykorova</i>	
Study of CsPbBr ₃ Perovskite Crystals for X-Ray Detectors.....	1017
<i>N. Grundmanis, A. Sarakovskis, V. Gostilo, A. Owens</i>	
Sub-Pixel Position Sensing and Readout Electronics for Perovskite Low Energy (140 keV) Gamma-Ray Detectors	1018
<i>Y. Yang, T. Zhong, X. Lai</i>	
Low Power, Dual Mode Detectors for Nuclear Security Applications.....	1019
<i>D. Bennett, F. Thomson, B. Seitz, M. Whitehead, C. Allwork</i>	
TlBr Film Growth and Morphology	1020
<i>M. S. Squillante, M. J. Breen, J. Christian, A. Kargar, F. Robertson, V. Nagarkar, M. R. Squillante</i>	
Simulation Study of Photon-Counting Detector ASIC with Peak-Finding Counters	1021
<i>J. Bai, G. Yu, T. Zhong, H. Ren, X. Lai</i>	
Long-Term Stability of NaOCl Passivation on CZTS Crystals Investigated Via SEM-EDS	1022
<i>J. Seo, J. Byun, K. Kim, Y. Kim, Y. Kim, B. Park</i>	
CZT Strip Detector Exposed to Outer Space from the ISS-Alpha.....	1023
<i>M. Bettelli, N. Auricchio, E. Caroli, R. C. Silva, C. Ferrari, E. Ferrari, J. M. Maia, A. Roque, M. Vadrucchi, E. Virgili, A. Zappettini</i>	
Waveform Digitizing ASIC-Based Radioisotope Identification Device.....	1024
<i>M. Petryk, K. Hinbern, W. Kaye, F. Zhang, M. Streicher, A. Boucher, Z. He</i>	
Temporal Response of GaAs:Cr X-Ray Detector Under Intense Irradiation.....	1025
<i>B. Wang, H. Li, T. Zhong, X. Lai</i>	
Reactor-Neutron Irradiation Effectson Gallium Oxide Based Rectifiers.....	1026
<i>A. Ferguson, J. McClory, J.-S. Li, F. Ren, S. Pearton</i>	
Characterization of TlBr Films for X-Ray Imaging	1027
<i>M. S. Squillante, M. J. Breen, A. Kargar, J. F. Christian, M. R. Squillante, O. Maksimov, P. Bhattacharya, L. Cirignano, Y. Ogorodnik, G. Pinaroli, M. Fuchs, A. Tremsin, K. Karim, C. Scott, V. Nagarkar</i>	
Accurate Resistivity Measurement in Low-Mobility Semiconductors.....	1028
<i>M. Betusiak, R. Grill, E. Belas, P. Praus, M. Brynza</i>	

Photoresponse and Deep Levels in Semi-Insulating SiC Studied by Fourier Transform Photocurrent Spectroscopy	1029
<i>B. Morzhuk, M. Shestopalov, J. Kunc, T. Fridrišek, V. Dedic, E. Belas</i>	
The History and Prospects of Lithium-Containing Semiconductors in Neutron Scattering Facilities.....	1030
<i>E. Lukosi, A. Benkechkache, J. Gallagher, R. Golduber, E. Hoegberg, E. Qian, A. Kargar, J. Christian, C. Sosa, H. Hong, K. S. Bayikadi, S. Imam, M. Kanatzidis</i>	
Growth and Characterization of CsPbX ₃ Perovskite Semiconductor Crystals for Room Temperature Gamma-Ray Detectors	1031
<i>E. Ariesanti, L. Matei, J. Stewart, A. Piro, V. Buliga, H. Parkhe, A. Burger, R. Hawrami</i>	
Spatial Representation of Die-Cast Defects by Industrial 3D X-Ray CT	1032
<i>H. Kase, J. Nishizawa, K. Takagi, A. Bandarad, Y. Katanaga, N. Soga, K. Nakamura, T. Aoki</i>	
Development of Hybrid Pixel Detectors for MeV UED and UEM Applications	1033
<i>T. Wei, J. Liu, H. Yang, Z. Deng, T. Xue, Y. Du, R. Li</i>	
Impact of Br-Etching on Surface and Current-Voltage Characteristics of CZT Detector.....	1034
<i>S. Singh, L. Montpetit, G. Nadal, M. R. Atalla, E. Rahier, S. Koelling, O. Moutanabbir</i>	
Polarization Modeling and Experimental Studies in GaAs:Cr Detectors Under High X-Ray Flux	1035
<i>T. Zhong, H. Li, B. Wang, X. Lai</i>	
Ground Calibration and In-Orbit Operations of the MASS-Cube Gamma Ray Detector	1036
<i>H. Chang, X. Zheng, Y. Li, M. Zeng</i>	
Simultaneous Multi-Waveform Clustering Analysis for Improving the Spectral Performance of CsPbBr ₃ Detectors	1037
<i>M. Khorsandi, C. Yang, L. J. Meng, J. Palmer</i>	
Atomic-Level Mapping of Cd _{0.9} Zn _{0.1} Te Crystals	1038
<i>G. Nadal, O. Moutanabbir, S. Koelling, E. Rahier, L. Montpetit, S. Singh</i>	
Spectral Response of an Edge-On GaAsCr Detector for Clinical Photon Counting CT	1039
<i>Y. Yang, T. Zhong, H. Li, X. Lai</i>	
Development of 3D Diamond Detectors for Application in Future Particle Physics Experiments	1040
<i>H. Li, A. Oh, M. Gersabeck, O. Allegre, P. Parkinson, O. A. De Aguiar Francisco, P. Salter, C. Smith, N. Al-Amairi</i>	

Author Index