Semiconductor Lasers and Applications XIV

Wei Li Sha Zhu Werner H. Hofmann Ting Wang Editors

12–14 October 2024 Nantong, China

Sponsored by SPIE COS—Chinese Optical Society

Cooperating Organizations

Tsinghua University (China) • Peking University (China) • University of Science and Technology of China (China) • Zhejiang University (China) • Tianjin University (China) • Beijing Institute of Technology (China) • Beijing University of Posts and Telecommunications (China) • Nankai University (China) • Changchun University of Science and Technology (China) • University of Shanghai for Science and Technology (China) • Capital Normal University (China) • Huazhong University of Science and Technology (China) • Beijing Jiaotong University (China) • China Jiliang University (China) • Shanghai Institute of Optics and Fine Mechanics, CAS (China) • Changchun Institute of Optics, Fine Mechanics and Physics, CAS (China) • Institute of Semiconductors, CAS (China) • Institute of Optics and Electronics, CAS (China) • Institute of Physics, CAS (China) • Shanghai Institute of Technical Physics, CAS (China) • China Instrument and Control Society (China) • Optical Society of Japan (Japan) • Optical Society of Korea (Republic of Korea) • Australian and New Zealand Optical Society • Optics and Photonics Society of Singapore (Singapore) • European Optical Society

Supporting Organizations China Association for Science and Technology (CAST) (China) Department of Information of National Nature Science Foundation, China (NSFC) (China)

Published by SPIE

Volume 13233

Proceedings of SPIE 0277-786X, V. 13233

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in Semiconductor Lasers and Applications XIV, edited by Wei Li, Sha Zhu, Werner H. Hofmann, Ting Wang, Proc. of SPIE 13233, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510681941 ISBN: 9781510681958 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) SPIE.org Copyright © 2024 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

• The first five digits correspond to the SPIE volume number.

• The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

- vii Symposium Committees
- xi Conference Committee

APPLICATIONS OF LASER DIODES

- 13233 02 Nonlinear semiconductor laser dynamics for wideband microwave time-frequency analysis (Invited Paper) [13233-1]
- 13233 03 Tunable multi-frequency microwave signal generation in optoelectronic oscillator based on directly modulated laser (Invited Paper) [13233-2]
- 13233 04 **FPGA-based fringe projection with double light intensity via bidirectional scanning** [13233-3]

MICROWAVE PHOTONICS LINK

- 13233 08 Microwave photonic signal processing based on parameter-to-time mapping (Invited Paper) [13233-7]
- 13233 09 High-resolution polarization-dependent loss measurement using microwave photonics [13233-8]
- 13233 0A Frequency-modulated continuous-wave laser source based on four-wave mixing process in a silicon integrated waveguide doped with reverse-biased P-i-N junction [13233-9]

MODELING AND DESIGN

- 13233 OB Reduced CSPR requirement of the single-photodiode receiver for the free-space optical transmission (Invited Paper) [13233-10]
- 13233 OC Photonics-assisted microwave signal generation and measurement of multiple parameters (Invited Paper) [13233-11]
- 13233 0D Application-based optimization of oxide-confined VCSEL [13233-12]
- 13233 OE A calibration method based on outlier-removal for high-accuracy uniaxial MEMS-based reconstruction [13233-13]
- 13233 OF Enhancing the security of minimum phase signal optical transmission system through a phase ambiguity chaotic encryption [13233-14]

PHOTONIC INTEGRATED CIRCUITS

13233 0J SFDR analysis and performance optimization in microcomb-based microwave photonic system [13233-18]

SEMICONDUCTOR LASERS II

- 13233 0N Optical noise characteristics of quantum dot lasers through external carrier noise reduction [13233-22]
- 13233 OP High-power 808nm VCSEL arrays for Nd:YAG pumping [13233-51]
- 13233 OR Optical chaos prediction based on adaptive extreme learning machine [13233-26]

POSTER SESSION

- 13233 0S Single-mode surface grating semiconductor laser fabricated by i-line projection photolithography [13233-24]
- 13233 0T Spontaneous chaotic generation of deformed square-FP coupled cavity laser [13233-25]
- 13233 0X Transmission line with flip-chip structure for high-frequency connection in optoelectronic chips [13233-33]
- 13233 OY Alleviating the incompatibility between the PCPE algorithm and odd-bit QAM signals through an element-wise addition pre-processing method [13233-34]
- 13233 07 Interplay of frequency domain chromatic dispersion estimation algorithm and probabilistic shaping [13233-35]
- 13233 11 Influences of current modulation on nonlinear dynamics of an optical feedback interband cascade laser operating at period-one oscillation [13233-37]
- 13233 12 A technique for achieving stable preparation of anisotropic oxide aperture VCSELs [13233-38]
- 13233 13 Research of low-resistance low-self-heating vertical-cavity surface-emitting laser array with graphene electrode [13233-39]
- 13233 14 Chaotic time-series predicting using optoelectronic reservoir computing [13233-40]
- 13233 15 Spoken digit recognition using optoelectronic reservoir computing based on semiconductor laser with optical feedback [13233-41]
- 13233 18 Optical transmitter with hybrid integration of III-V semiconductor laser diode and LNOI modulator chip [13233-44]

- 13233 19 Design of zoom homogenization heating system based on fiber-coupled laser [13233-45]
- 13233 1A 60 Gbps bidirectional dual-channel chaotic secure communication based on two 1550 nm synchronized response VCSELs [13233-46]
- 13233 1B Optimization of phase noise testing algorithm for extremely narrow linewidth [13233-47]
- 13233 1C Synthesis fraction method for multiwavelength interference absolute distance measurement [13233-48]