

2024 IEEE International Symposium on Radio-Frequency Integration Technology (RFIT 2024)

**Chengdu, China
28-30 August 2024**



**IEEE Catalog Number: CFP24852-POD
ISBN: 979-8-3315-4110-1**

**Copyright © 2024 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***** *This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

| | |
|-------------------------|-------------------|
| IEEE Catalog Number: | CFP24852-POD |
| ISBN (Print-On-Demand): | 979-8-3315-4110-1 |
| ISBN (Online): | 979-8-3315-4109-5 |
| ISSN: | 2378-3893 |

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

| | |
|--|----|
| A Low Phase Noise Switch-Less Dual Band VCO with Common Mode Resonance Expansion | 1 |
| <i>Dong-Xin Ni, Zhe Zhao, Liang Zhou, Jian Pang</i> | |
| A W-Band High-Gain Differential LNA Using Cross-Coupled Neutralization Capacitors in 65-Nm CMOS..... | 4 |
| <i>Ji-Xuan Wang, Dong-Xin Ni, Zhao-Xiang Ren, Liang Zhou</i> | |
| Enhanced Breakdown Voltage of p-GaN HEMT with a Lateral Gradient in Barrier Layer Component | 7 |
| <i>Wei Zhi, Xingang Ren, Hui Wang, Shubin Zhao, Gang Wang, Shuping He, Zhixiang Huang, Xianliang Wu</i> | |
| A SHA-Less 14-Bit 500-MS/s Pipeline ADC in 28-Nm CMOS Technology..... | 10 |
| <i>Bai Chunfeng, Xu Xiaolei</i> | |
| Study on Primary Standard Calibration Type-N Thermistor Mount at 1 0 MHz..... | 14 |
| <i>Lu Nie, Xiaohai Cui, Xiangjun Li, Zihao Wang</i> | |
| A Broadband 19.4-34.8GHz LNA MMIC Using RLC-Feedback in a 0.15 μ m GaAs pHEMT Technology | 17 |
| <i>Zhicong Ye, Zihao Zhang, Zhengxin Yang, Jinfeng Chen, Gary Zhang</i> | |
| Metamaterial-Loaded Substrate-Integrated Wave-Guides in Sub-Terahertz | 20 |
| <i>Chongxin Wu, Feng Lan, Tianyang Song, Luyang Wang, Mulan Yang, Ziqiang Yang, Yixin Zhang</i> | |
| A Sub-Terahertz Balanced Antipodal Vivaldi Antenna Fed by an SRR-Loaded SIW Ridge Waveguide | 23 |
| <i>Guopeng Chen, Feng Lan, Tianyang Song, Luyang Wang, Mulan Yang, Ziqiang Yang, Yixin Zhang</i> | |
| D-Band Beam Steering on Reconfigurable PB-Phase Metasurfaces..... | 26 |
| <i>Hui Yuan, Zexin Yang, Feng Lan, Luyang Wang, Tianyang Song, Mulan Yang, Ziqiang Yang, Yixin Zhang</i> | |
| 90 GHz Analog Kramers-Kronig Direct Detection Receiver in 65nm CMOS | 29 |
| <i>Shiyuan Yu, Xuyang Lu</i> | |
| Simulation on Stacked Si Nanosheet nFETs with Dual-K Spacers for Sub-2 nm-Node RF Applications (Invited)..... | 32 |
| <i>Shuo Zhang, Zhicheng Guo, Wencho Chen</i> | |
| A Convolutional Neural Network Model for Accelerating Quantum Transport Simulation of FinFET by Non-Equilibrium Green's Function | 35 |
| <i>Yuxuan Chen, Erping Li, Jinpeng Fang, Wencho Chen</i> | |
| Multiphysics Simulation of Hybrid Bonding Process-Induced Stress Effects on Quantum Transport in p-Type FinFET in Integrated Chiplets | 38 |
| <i>Liang Tian, Wencho Chen, Yizhang Liu, Shuo Zhang, Erping Li</i> | |
| Thermal Stress Effects on Quantum Transport in Gate-All-Around Nanosheet Field Effect Transistor in 3D Heterogeneously Integrated Circuits | 41 |
| <i>Yizhang Liu, Wencho Chen, Shuo Zhang, Liang Tian, Erping Li</i> | |

| | |
|--|----|
| Design of a Triple-Band and Ultra-Thin Absorber with Pixel Structure Based on Reinforcement Learning | 44 |
| <i>Ze-Ming Wu, Hai-Biao Chen, Rui Zhang, Zheng Li, Yi-Heng Wu, Xiao-Chun Li</i> | |
| AI-Enabled Layout Automation for Analog and RF IC: Current Status and Future Directions | 47 |
| <i>Chuyu Wang, Fan Yang, Keren Zhu</i> | |
| Deep Kernel Polynomial Chaos Expansion Technique for Uncertainty Quantification of Electronic Circuits | 50 |
| <i>Zheng Li, Ze-Ming Wu, Xiao-Chun Li</i> | |
| Ultrathin Conformal Transmitarray Via Huygens' Metasurface | 53 |
| <i>Xue Yun Guo, Rui Yuan Wu</i> | |
| Design of Elliptical Axicon Phased Metasurface for EM-Wave Diffusion, Enhanced Stealth, and RCS Reduction | 56 |
| <i>Mustafa K. Taher Al-Nuaimi, Guan-Long Huang</i> | |
| Design of Active Device for Reconfigurable Intelligent Surfaces Based on Multi-Port Network | 59 |
| <i>Qingda Chen, Zhuoqian Ao, Zhen Zhang, Yanrong Tao, Qiang Cheng</i> | |
| Broadband Low-Profile Antenna with Nonuniform Metasurface for 5G Applications | 62 |
| <i>Xiao-Feng Huang, Bei-Wen Lin, Jian-Hong Lin, Guang-Hong Wen, Rui Wu</i> | |
| A Compact Wideband Reconfigurable Reflectarray Element with Arbitrary Polarization Based on Liquid Crystals | 65 |
| <i>H. B. Zhang, D. Yu, Y. T. Wan, S. T. Yu</i> | |
| Coupling Reduction in 2D Antenna Array with Ultra-Small Spacing Using Phase-Shift Metasurface..... | 68 |
| <i>Hong Bin Wang, Yu Chen Xie, Fan Xiong, Xu Jie, Yi Hong Su, Cheng Wang, Yu Jian Cheng</i> | |
| Novel Spatial Three-Dimensional FSS with Elliptical Bandpass Response..... | 71 |
| <i>Hao Jiang, Yinghao Zhang, Mei Qian, Quan Xue</i> | |
| An E-Band 360°4-Bits Switched-Type Phase Shifter in 65-Nm CMOS Process for 300-GHz Phased Array Transmitter | 74 |
| <i>Yu-Hua Cheng, Yun-Shan Wang, Huei Wang</i> | |
| Design of a Switchable Microstrip Bandpass Filter with Single- And Dual-Band Functionality..... | 77 |
| <i>Ching-Wen Tang</i> | |
| A Ka-Band Low-Phase-Noise Phase-Locked Loop with Reconfigurable Output Network for Fundamental and Push-Push Modes | 80 |
| <i>Po-Yuan Chen, Hung-Shiu Chen, Wei-Han Chen, Kuei-Hao Huang, Hong-Yeh Chang</i> | |
| Miniature Dual-Band Quadrature Coupler for Millimeter Wave Applications..... | 83 |
| <i>Wei-Chih Chang, Yo-Shen Lin</i> | |
| Design of Miniaturized Low-Loss Suspended Stripline Diplexer | 86 |
| <i>Shaolong Guo, Bian Wu, Longqiang Ding</i> | |
| An Efficient Optimization Algorithm for Planar Direct Coupled Filters Based on the End-To-End Surrogate Model | 89 |
| <i>Gao Yang, Ge Juxiang, Chen Zhiyuan, Zhang Yanming, Chen Xiong, Wang Hailong</i> | |
| 28-GHz Low-Loss and High-Selectivity WIPD Filtering Power Divider | 92 |
| <i>Pei-Ling Chi, Yu-Hsien Chang, Tao Yang</i> | |

| | |
|--|-----|
| 28-GHz WIPD Bandpass Filter with Wide-Stopband Suppression | 95 |
| <i>Pei-Ling Chi, An-Ju Cheng, Tao Yang</i> | |
| Negative Coupling Realized by Groove Gap Waveguide (GGW) and Its Application for a CQ Waveguide Filter | 98 |
| <i>Weijun Li, Zai-Cheng Guo, Lei Zhu</i> | |
| Research on the Influence of Electrothermal Coupling on TSV Transmission Characteristics..... | 101 |
| <i>Xiangxiang Wang, Haining Yang, Yinji Cai, Na Li</i> | |
| A Campact GaN Dual-Band SPDT Switch with Coupled Technique..... | 104 |
| <i>Xu Yan, Jingyuan Zhang, Si-Ping Gao, Yongxin Guo</i> | |
| Overview of Wide-Stopband Substrate-Integrated Waveguide Bandpass Filters and Multiplexers | 107 |
| <i>Haowei Xie, Kang Zhou, Libo Zheng, Yi Liu</i> | |
| A Low-Loss 92–96 GHz Power Combiner Using Silicon-Integrated Suspended Line (Si-ISL)..... | 110 |
| <i>Hanyong Wang, Yongqiang Wang, Changzi Xie, Kaixue Ma</i> | |
| On the Design of GBW Extension Technique for Compact Broadband Amplifier Using High-Order Coupled Resonator in 65-Nm CMOS | 113 |
| <i>Xun Bao, Weiping Wu, Shi Chen, Yan Wang, Lei Zhang</i> | |
| Nanoplasma Devices for Terahertz Applications: Performance Simulation and Optimization (Invited Paper)..... | 116 |
| <i>Haiquan Zhao, Feiliang Chen, Xiangdong Wang, Ruihan Huang, Yazhou Wei, Lixin Sun, Mo Li, Jian Zhang</i> | |
| Terahertz Planar Dual-Polarization Quadrature Mixer for Fiber-THz-Fiber High-Speed Wireless Link (invited Paper)..... | 119 |
| <i>Yang Liu, Xiang Wu, Hao Jiang, Fan Yang, Feiliang Chen, Mo Li, Jian Zhang</i> | |
| Research on One-Dimensional Photonic Crystal Trace Analyte Detection and Sensing Based on 1.37THz..... | 122 |
| <i>Zihao Wang, Dexian Yan, Xiangjun Li, Lu Nie</i> | |
| All Optical Microwave Oscillator Based on Forward Brillouin Radial Acoustic Mode | 125 |
| <i>Wen Wang, Wenjun He, Yi Liu, Yajun You</i> | |
| Ultra-Narrow Band Microwave Photonic Filter Based on Brillouin Fiber Laser..... | 128 |
| <i>Sha Liu, Yajun You, Yi Liu, Wenjun He</i> | |
| Brillouin Fiber Laser for Differential Frequency Generation of Narrow Linewidth Terahertz Waves | 131 |
| <i>Yuan Liu, Yajun You, Yi Liu, Wenjun He</i> | |
| Research on Advanced Technologies of High-Performance CMOS mm-Wave FMCW Synthesizer | 134 |
| <i>Jiasheng Liang, Xiang Yi, Pei Qin, Haoshen Zhu, Wenquan Che, Quan Xue</i> | |
| Research Progress of Passive Attenuators ICs at Terahertz Regime..... | 137 |
| <i>Nengxu Zhu, Yiting Zhang, Fanyi Meng</i> | |
| A Wideband and Low-Phase-Noise Dual-Core Triple-Mode VCO with Auxiliary Magnetic Loop in 65-Nm CMOS | 140 |
| <i>Changsong Lin, Yuhui Li, Pei Qin, Xiang Yi, Haoshen Zhu, Quan Xue</i> | |

| | |
|--|-----|
| A W-Band Passive Phase Shifter with 0.42dB/1.9° RMS Magnitude/Phase Errors in 40nm CMOS (Invited Paper)..... | 143 |
| <i>Rongbin Liu, Junhong Liu, Guangyin Feng, Zhijian Chen, Yanjie Wang</i> | |
| A 94.4fs _{rms} Cryogenic Sub-Sampling PLL in 4K for Quantum Computing Applications | 146 |
| <i>Peng Shuting, Shen Fang, Fan Xiong, Xu Jie, Wang Cheng</i> | |
| Characterization and Study on MOSFET Source/Drain Series Resistance Down to 4 K..... | 149 |
| <i>Yuhuan Lin, Tianyue Wen, Yuxuan Zhou, Shilong Li, Zhizhao Ma, Hao Su, Shenghua Zhou, Yida Li, Longyang Lin, Hongyu Yu, Kai Chen</i> | |
| Characterization and Extraction Method Study on MOSFET Threshold Voltage DIBL Effects from 300 K Down to 10 K | 152 |
| <i>Zhizhao Ma, Hao Su, Yuhuan Lin, Shenghua Zhou, Feichi Zhou, Longyang Lin, Yida Li, Hongyu Yu, Kai Chen</i> | |
| Electromagnetic Parametric Modeling of Microstrip Structures: Combing Neural Networks and RLGC-Based Eigenfunctions | 155 |
| <i>Lixin Chen, Wei Zhang, Feng Feng, Zhehao Yan</i> | |
| Research on Reliability Assurance of Microvia Metallization on High Purity Alumina Substrate | 158 |
| <i>Ping Wang, Shicheng Yang, Nan Zhang</i> | |
| Advanced Electromagnetic Topology Optimization of Microstrip Line Filters Using Matrix Padé Via Lanczos (MPVL) Algorithm and Genetic Algorithm..... | 161 |
| <i>Xuewen Zhang, Feng Feng, Jing Jin, Jiali Zhang, Kaixue Mal, Qi-Jun Zhang</i> | |
| Parametric Modeling of Hairpin-Line Microstrip Bandpass Filter Using Pole-Zero-Based Neuro-TF Model | 164 |
| <i>Tianchen Zhao, Feng Feng, Wei Liu, Kaixue Mal, Qi-Jun Zhang</i> | |
| A Back Propagation Algorithm-Driven Design Method of Cantilever Beam..... | 167 |
| <i>Zhehao Yan, Xueliang Gu, Tong Zhai, Guangxin Li, Yunjie Qi, Yipeng Lu</i> | |
| A10-GHz Inductorless Type-II Sub-Sampling PLL with a Switched Loop Filter Achieving 127-fs RMS Jitter, -57.4-DBc Reference Spur and -266-DB FOM _N | 170 |
| <i>Xinming Zhang, Hongyu Ren, Zunsong Yang, Shuqiang Guo, Shiheng Yang, Bo Li</i> | |
| Design of the Self-Biased PLL Based Low-Power Low-Jitter Multi-Phase Clock Generator: An Overview (Invited Paper) | 173 |
| <i>Meiyi Gao, Zhongming Wei, Yongzheng Zhan, Zhao Zhang</i> | |
| The Design and Analysis for Improving the Power-Efficiency of Ring-VCO Based PLL (Invited Paper) | 176 |
| <i>Xinyu Yang, Jiaxu Liu, Jingrun Song, Yueduo Liu, Zihao Zhu, Hongshuai Zhang, Jiaxin Liu, Shiheng Yang</i> | |
| A V-Band High Linearity Down-Conversion Mixer Using Distributed Derivative Superposition Technique in 90-Nm CMOS Process..... | 179 |
| <i>Chung-Yao Lu, Yunshan Wang, Huei Wang</i> | |
| Voltage Controlled Oscillator Based Sensing for Frequency Synthesizer with Capacitor Switching..... | 182 |
| <i>Wen-Cheng Lai</i> | |
| A 24 GHz VCO in a 180 nm SiGe BiCMOS Process..... | 185 |
| <i>Peilin Xiao, Xuyang Lu</i> | |

| | |
|---|-----|
| The DC and RF Performance by Fe Doping Tail of AlGaN/GaN HEMTs with Different GaN Channel Layer Thicknesses | 188 |
| <i>Jie Dong, Ling Yang, Meng Zhang, Qian Yu, Hao Lu, Bin Hou</i> | |
| 1000W Shortwave Power Amplifier Temperature Dependent Characteristics Analysis | 191 |
| <i>Qian Lin, Mei-Qian Wang, Fei You, Ji-Hua Wu, Ying-Chun Lv</i> | |
| A 1.7-2.7 GHz High Linear Low Noise Amplifier | 195 |
| <i>Hai-Feng Wu, Qian Lin, Gang Xu, Rui-Lan Yang, Mei-Qian Wang, Lin-Sheng Liu</i> | |
| Research on Underground Space Signal Coverage Characteristics of Multi Band Wireless Ad Hoc Networks Based on Ray Tracing Method..... | 198 |
| <i>Simin Ma, Xiaotao Xu, Weidong Ma, Donghua Hu, Guoqiang Ning</i> | |
| Effect of Ground Solder Ball Failure on Signal Interference Between Channels..... | 201 |
| <i>Tianting Zhao, Kaixuan Song, Yue Zhuo, Chaoyi Wang, Qing Miao, Tianmeng Zhang, Jinchun Gao</i> | |
| A Highly Integrated Multi-Channel Receiver for X Band Applications..... | 205 |
| <i>Yu Ji, Xiaobo Cai, Jin Sun, Xia Peng</i> | |
| Design of a Frequency Conversion Front End Based on SIP | 208 |
| <i>Mingqiang Bai, Guanghua Yang, De Cai Zhang, Zhan Wang</i> | |
| Ultra-Wideband RF Transceiver Microsystem Based on Wafer Lever 3D Silicon Package | 211 |
| <i>Xiaolin Qi, Zhiheng Zhang, Xuequan Yin, Xiao Li, Yang Ning, Yang Dai</i> | |
| A High-Gain Antenna with Pattern and Polarization Reconfigurability..... | 214 |
| <i>Weidong Ma, Xiaotao Xu, Simin Ma, Donghua Hu, Dong Liu</i> | |
| A 1.52-DB-Insertion-Loss, V-Band Coupled Bandpass Filter with a Three-Dimensional Metal Coaxial Structure Using 3D Printing and MEMS Hybrid Technology..... | 217 |
| <i>Weibin Qin, Zhongliang Li, Tailong Shi, Weifeng Sun, Zhongyuan Fang</i> | |
| Ka-Band AFSIW Power Divider and Coupler for Millimeter-Wave Wireless Communication System | 220 |
| <i>Hong-Xi Wang, Shi-Bai Yu, Xiang Wang, Xian-Long Yang</i> | |
| A C-Band Performance-Enhanced FBAR Filter with Integrated Adjustable Inductors..... | 223 |
| <i>Huaiqiang Yu, Bin Cheng, Shiping Mao, Xi Wang, Lei Zhang, Yuting Tan, Yanjie Chen, Yunhao Peng, Like Deng</i> | |
| An Ultra-Wideband Planar Antenna with Radiating Element Notch and Ground Notch Characteristics | 227 |
| <i>Chengkai Li, Pengfei Zhang, Zhihong Yao, Wen Jiang, Shuxi Gong</i> | |
| The Design of Broadband Ultra-Wide-Angle Absorber | 230 |
| <i>Dong Han, Lingling Wang, Min Zhu, Xuedao Wang, Junhao Mei, Qingcheng Zhang</i> | |
| 340 GHz Single-Layer Antenna on Chip (AoC) Using Higher Order Mode Resonance Cavities | 233 |
| <i>Yumeng Chen, Peng Wu, Yuxin Ren, Wenhua Chen, Zhongjun Yu</i> | |
| A Helical Slot Antenna with Grid Reflector for Microwave Directional Ablation..... | 236 |
| <i>Wandi Lu, Wenquan Cao, Kunbo Cao, Chuang Wang, Yangkun Zhu</i> | |
| Design of Low-Profile Conformal Antenna in L Band..... | 239 |
| <i>Xiangcheng Lu, Qingbo Li</i> | |

| | |
|--|-----|
| Design of an Ultra-Wide Stopband DMS Microstrip Low-Pass Filter and Optimization with Tab-Transformer Neural Network | 242 |
| <i>Xu Ze, Yang Weiming, Yang Wutao, Pan Nengyuan, Wang Yonglin</i> | |
| A High Gain Wideband Amplifying Metasurface..... | 245 |
| <i>Yan Wang, Shaobin Liu, Feiyang Sun, Huan Liu</i> | |
| A Compact Class-F Broadband-Harmonic-Shaping VCO for Mm-Wave Applications | 248 |
| <i>Wenjie Zheng, Yanjie Wang, Zhichao Zhang, Xinlin Xia</i> | |
| Transformer-Feedback mm-Wave Injection-Locked Frequency Tripler with Enhanced Output Power..... | 251 |
| <i>Kaiyuan Du, Peng Wu, Ding He, Shaoqing Sun, Zhongjun Yu</i> | |
| A High-Gain Wideband Transimpedance Amplifier with Adaptive Phase Compensation | 254 |
| <i>Huazi Huang, Hua Chen, Mou Liu, Zhen Meng</i> | |
| Monolithic Transimpedance Amplifier Design for 343K-Ohm 150MHz Capacitive MEMS Resonator..... | 258 |
| <i>Hua Chen, Lijun Xiao, Jianwen Wu, Zhen Meng</i> | |
| A Low-Loss Dual-Band SIW Bandpass Filter (BPF) Based on Through-Silicon-Via (TSV) Technology | 262 |
| <i>Chenhui Fan, Xiaoxian Liu, Nuo Liu, Zhangming Zhu</i> | |
| A 0-62.50-MHz Configurable Multi-Segment DDFS Chirp Generator for Integrated Satellite Radar Applications in 65-Nm CMOS | 265 |
| <i>Yiqing Wang, Xueyong Zhang, Jiang Wu, Jiahao Liu, Jiayi Yuan, Weifeng Sun, Zhongyuan Fang</i> | |
| A 2-18G Multi-Stage Distributed Amplifier Using Chebyshev Matching Network for Efficiency Enhancement | 268 |
| <i>Keqing Qiu, Chenguang Li, Yichen Liu, Ruitao Wang, Jian Zhang, Yan Wang</i> | |
| An 8×8 Phased-Array Antenna System with Wide Axial-Ratio Bandwidth and Beam-Width for SATCOM Receiver..... | 271 |
| <i>Hao Jiang, Mei Qian, Quan Xue</i> | |
| A New Coding Scheme of a 2-Bit Amplitude Controlling Leaky-Wave Antenna for Generating Switchable Cosecant-Squared Radiation Pattern..... | 274 |
| <i>Yudong Zhang, Zheng Li, Junhong Wang</i> | |
| Wideband High-Gain Millimeter-Wave MUTC Photodiode Integrated Vivaldi Antenna | 277 |
| <i>Jiabin Ma, Ziwei Li, Zhijiao Chen, Haiyan Song, Zhanyu Yang</i> | |
| A Broadband Circularly-Polarized Transmitarray Based on Independent Control of Dual Linear Polarization..... | 280 |
| <i>Wu-Guang Zhao, Yantao Ao., Penghui Jian, Fan Wu, Wei Hong</i> | |
| Design of a 110-GHz On-Chip Antenna-Coupled Power-Adjustable Tripler Based on Schottky Diodes..... | 283 |
| <i>Ziru Chen, Xiang Gao, Dan Qiao, Huanxin Li, Heng Liu, Xiangyuan Bu, Jianping An</i> | |
| A 220-GHz Miniaturized Antenna-Coupled Mixer Based on Bi ₂ Sr ₂ CaCu ₂ O ₈ Josephson Junction Array..... | 286 |
| <i>Dan Qiao, Xiang Gao, Ziru Chen, Huanxin Li, Heng Liu, Xiangyuan Bu, Jianping An</i> | |

| | |
|---|-----|
| A 220-GHz Wireless Communication System Using a Quasi-Optical Cryogenic Receiver of High Sensitivity..... | 289 |
| <i>Huanxin Li, Dan Qiao, Xindi Yu, Liangbin Zhao, Ziru Chen, Heng Liu, Xiang Gao</i> | |
| Federated Learning-Empowered Resource Allocation Optimisation for E-Health IoT System | 292 |
| <i>Medhav Kumar Goonjur, Zhiran Wang, Matilda Isaac, Hengyan Liu, Shuangyao Huang, Bintao Hu</i> | |
| A Rectenna Array with Wide-Coverage Beamforming and Polarization-Insensitive Network | 295 |
| <i>Shuaiyi Guan, Wanyi Yang, Hao Zhang</i> | |
| Constant-Current-Output and High-Efficiency Class E Inverter with Wide-Range Load | 298 |
| <i>W. L. Zhou, X. Z. Zhou, S. Y. Luo, H. Zhang</i> | |
| Compact IoT Wireless Charging System with Impedance Matching Elimination | 301 |
| <i>Miao Qi, Zilin Liu, Matilda Isaac, Jingchen Wang, Bintao Hu, Wenzhang Zhang</i> | |
| A Review on Simultaneous Wireless Information and Power Transmission: Approaches and Designs..... | 304 |
| <i>Zeyu Liu, Jingchen Wang, Eng Gee Lim, Zhao Wang, Rui Pei, Wenzhang Zhang</i> | |
| Miniaturized High-Efficiency 5.8 GHz Rectifier Circuit for Wireless Power Transfer..... | 307 |
| <i>Hanjing Wang, Ziwei Li, Zhijiao Chen</i> | |
| Compact Band-Pass Filtering Antennas Enabled with Mixed Electric and Magnetic Couplings..... | 310 |
| <i>Xiaoming Chen, Zhentian Wu, Xin Fang, Zhixiang Huang</i> | |
| Design of Low-Profile Circularly-Polarized Patch Filtenna Based on Dual-Mode SIW Cavity..... | 313 |
| <i>Jiang Yu, Kang-Hong Yuan, Dong Yan, Kun-Zhi Hu, Dajiang Li, Zhiyuan Chen</i> | |
| Isolation Enhancement for Wideband Dipole Antenna Array Utilizing Parasitic Decoupling Element..... | 316 |
| <i>Haodong Zhang, Dong Yan, Zhiyuan Chen, Dajiang Li, Kunzhi Hu</i> | |
| Simple Single-Layer Miniaturized Filtenna Based on Multiple Shorted Patches..... | 319 |
| <i>Hao-Lan Zhou, Hao-Chun Tang, Dong Yan, Dajiang Li, Kun-Zhi Hu, Zhiyuan Chen</i> | |
| Evaluation of Current-Carrying Capacity of Chinese YK33 Copper-Based LTCC..... | 322 |
| <i>Shicheng Yang, Meijuan Xu, Zhanfu Wen, Shanze Li, Jia Xuzhou, Wang Feng</i> | |
| Study on the Preparation Process of Metal Thin-Film Based on Barium Titanate-Based Ceramic..... | 325 |
| <i>Nan Zhang, Ping Wang, Tingting Wang, Shicheng Yang</i> | |
| Tuner-Based and F_{50} Measurement of HEMT Noise Parameters Determining | 328 |
| <i>Yuanting Lyu, Zhichun Li, Ao Zhang, Jianjun Gao</i> | |
| Spiral Inductor ANN Scalable Model for 0.1um GaAs pHEMT Process..... | 331 |
| <i>Ma Lingmei, Song Xiaotian, Qian Rong, Wu Liang</i> | |
| Design and Optimization of AMC-Based Antenna for UHF RFID Metal-Resistant Tags | 334 |
| <i>Feng-Lin Gao, Zhao-Qi Li, Cong Wang, Hui Xu, Fei Gao</i> | |
| A Chipless RFID Sensor for Ethanol Solution Concentration Detection | 337 |
| <i>Zeyu Hou, Song Lin, Enkang Wu, Junge Liang</i> | |

| | |
|---|-----|
| Integrated Wireless Real-Time Glucose Sensing System Using Copper-Nickel Composite SPE Electrode..... | 340 |
| <i>Ruiwei Wang, Xing Liu, Junli Yin</i> | |
| Integrated Dual-Band Microwave Resonant Sensor with Microfluidic Sorting Chip for Biological Cell Detection..... | 343 |
| <i>Yan-Xiong Wang, Jun-Shuai Wu, Wen-Yi Zhu, Wen Jiang, Yan-Feng Jiang, Tian Qiang</i> | |
| Virtual Reality-Assisted EEG Biomarker to Identify the Neural Differentiation of Dementia by Graph Theory Analysis..... | 346 |
| <i>Shan Yang, Shanli Long, Nam-Young Kim, Do Hoon Kim</i> | |
| Dual-Polarized Magneto-Electric Dipole Array Antenna with Wide Range Scanning..... | 349 |
| <i>Hao-Ran Tao, Yong-Ling Ban, Qiang Sun</i> | |
| An Interdigital Capacitor Based Differential Microwave Sensor for Solid Measurement | 352 |
| <i>Jie Wei, Xiaocong Tang, Cong Wang</i> | |
| A Novel Microwave Sensor for Traditional Chinese Medicine Decoctions Detection..... | 355 |
| <i>Ming-Feng Xu, Jing Wu, Hua-Feng Li, Jin-Peng He, Zhong-Qi Zhang, Min Chen, Rui-Sen Chen, Guan-Long Huang, Zi-Yu Pang, Kam-Weng Tam</i> | |
| A 9 pJ/b Ultra-Low Power MEMS-Based OOK Transmitter in ISM-915 MHz Band for Pico-IoT Applications..... | 358 |
| <i>Ting Guo, Kai Tang, Chuanshi Yang, Hao Gao, Yuanjin Zheng</i> | |
| Research Progress of Transformer-Based mm-Wave Fundamental Oscillators in CMOS (invited) | 361 |
| <i>Yun Fang, Xiaoyang Zeng, Hao Gao</i> | |
| Research Progress of Silicon-Based V/E/W-Band Power Amplifiers | 364 |
| <i>Weiping Wu, Liang Chen, Xun Bao, Yan Wang, Lei Zhang</i> | |
| A 70.6–98.4GHz Power Amplifier with Equivalent Low-K Matching Network and Slot-Balun-Based Power Combiner in 40-Nm CMOS..... | 367 |
| <i>Yi Wu, Junhong Liu, Jiaxin Li, Guangyin Feng, Fanyi Meng, Yanjie Wang</i> | |
| A W-Band Amplifier in 0.1 μ m GaAs pHEMT Technology | 370 |
| <i>Yuren Mi, Jixin Chen, Zongxiang Wang, Peigen Zhou, Wei Hong</i> | |
| A High-Power-Density Synchronous GaN Class-F Rectifier MMIC for On-Chip MWPT Micro-System | 373 |
| <i>Jingyuan Zhang, Hao Zhang, Han Wang, Xu Yan, Yongxin Guo</i> | |
| Anti-Reverse Burning Design of LNA in High-Power TR..... | 376 |
| <i>Yujun Wang, Li Zhong</i> | |
| A 24-27GHz High Linearity LNA in 40nm CMOS Technology | 380 |
| <i>Yijing Zhong, Jingfeng Du, Yinggang Li</i> | |
| A Frequency Doubler with 40 dBc Fundamental Suppression in 0.1- μ m GaAs pHEMT | 383 |
| <i>Hongcheng Dong, Zhe Chen, Zichun Zheng, Qi Wu, Pinpin Yan, Peigen Zhou, Jixin Chen, Wei Hong</i> | |
| An 135GHz Direct-Digital 16-QAM Modulator in 28nm CMOS..... | 386 |
| <i>Pinqing Wang, Zhe Chen, Chao Yu, Jixin Chen, Wei Hong, Peigen Zhou</i> | |

| | |
|--|-----|
| Design of 18-40GHz Micro-Coaxial 0°/180° Hybrid Coupler | 389 |
| <i>Yang Li, Jing Zhou, Li Wang, Bo Li, Jiahao Zhao, Chunyu Dong</i> | |
| A Methodology for Extracting a Broadband Small-Signal Model of InP DHBT from 0.2 to 220 GHz | 392 |
| <i>Haiyan Lu, Jixin Chen, Wei Cheng, Hongqi Tao, Tangsheng Chen, Wei Hong</i> | |
| Ka-Band High-Linearity Attenuator with PVT Fluctuation Calibration for Temperature Compensation in 65-Nm CMOS | 395 |
| <i>Jianpeng Sun, Zhiqing Liu, Jinyi Hua, Minghua Zhao</i> | |
| A Ka-Band Transceiver Font-End with <2.5°/0.5-DB Phase/Gain Resolution, 11.8-DBm P _{sat} and 10.2-DBm OP _{1 dB} | 398 |
| <i>Zhiqiang Zhao, Jiazhi Ying, Yikun Wang, Jian Zhang, Xiangjie Yi, Houjun Sun, Wei Zhu, Kaiqiang Zhu</i> | |
| High Performance LNA Integration for Advanced RFFE Module SoC Applications in 65nm SOI Technology | 401 |
| <i>Ruofan Dai, Zhangli Liu, Fei Meng</i> | |
| A K-Band Common Source Low Noise Amplifier in 0.15-μm GaN/SiC HEMT Process | 404 |
| <i>Pingli Gao, Yang Lu, Qi Li, Chupeng Yi, Ziyue Zhao, Xin Liu, Ting Feng, Xiaohua Ma</i> | |
| A Ka-Band Variable Gain Amplifier with a Gain Adjustment Range of 16-DB in 65-Nm CMOS Process..... | 407 |
| <i>Dongwei Pang, Jun Wang, Hongliang Zhao, Xiaohu Wang, Yongfeng Gui</i> | |
| Design and Implementation of an X-Band Limiter Low Noise Amplifier | 410 |
| <i>Dahai Ni, Jinwei Chen, Hongbo Yin, Kun Chen, Yunfeng Lu, Decai Zhang</i> | |
| Design and Implementation of a DC - 20 GHz Ultra Broadband Distributed Low Noise Amplifier | 413 |
| <i>Dahai Ni, Jinwei Chen, Hongbo Yin, Chaolin Zeng, Yunfeng Lu, Kun Chen</i> | |
| A C-Band Current-Steering-Based Variable Gain Low Noise Amplifier with High Temperature Robustness..... | 416 |
| <i>Siyu Lin, Zhilin Chen, Yaxin Zhang, Min Lu, Jie Hu, Sheng Huang, Xingcun Li</i> | |
| A Ku-Band TRX Front-End with High Performance in 0.15-μm GaAs PHEMT Technology..... | 419 |
| <i>Qian Dong, Chenglong Liang, Yuzhou Tan, Zixun Gao, Ya Zhao, Xingguo Dong, Yihui Liu, Bingjun Tang, Zhuoqi Guo, Zhongming Xue, Li Geng</i> | |
| A High-Power-Density Stacked CMOS Power Amplifier Using a Triple-Coil Interweaved Parallel Combining Transformer | 422 |
| <i>Yiting Zhang, Nengxu Zhu, Fanyi Meng</i> | |
| A Performance Study of Layout in 0.13um CMOS Power Amplifier for 4G Mobile Front-End Module | 425 |
| <i>Shihai He, Linjian Xu, Hao Meng</i> | |
| An Active EMI Filter Based on Midpoint Current Detection Used in Motor Drive System..... | 428 |
| <i>Shengling Yang, Jian Wang, Ying Wang</i> | |
| A Capacitor-Less LDO with Fast Response and Transient Enhancement | 431 |
| <i>Kunling Yuan, Jia Fang</i> | |
| A Compact D-Band Power Amplifier with 7.8 dBm P _{sat} in 250 nm InP DHBT | 434 |
| <i>Yumeng Zhou, Yao Li, Weihua Yu</i> | |

| | |
|--|-----|
| Research on Self-Excitation Phenomena of Millimeter Wave Amplifier | 437 |
| <i>Enkai Liu, Tao Zhou, Yinshen Zhu</i> | |
| Design of D-Band Power Amplifier Based on 0.13 Um SiGe Process..... | 440 |
| <i>Xiaofeng Lu, Ziqiang Yang, Lian Hu, Qingfeng Li, Ning Cai, Shuguang Liu, Jinhao Zhou, Yaxin Zhang</i> | |
| Design of a Dual-Channel High-Isolation Up-Conversion Module | 443 |
| <i>Guanghua Yang, Facheng Zhang, Hongbo Yin, Mingqiang Bai</i> | |
| An Exponential Curvature-Compensate Bandgap Voltage Reference with Enhanced Power Supply Rejection..... | 446 |
| <i>Kunbo Cao, Yong Xu, Wandi Lu, Wenqi Li, Ziyue Li</i> | |
| A Ka-Band Isoflux Radiation Antenna by Using Thin Dielectric Ring Structure | 449 |
| <i>Hao Ouyang, Xue Ren, Huihao Jiang, Kangna Zhang</i> | |
| Parametric Modeling of the Series-Fed Patch Antenna Design Based on Deep Neural Network | 452 |
| <i>Hongming Zhang, Xin Dai, Zhen Zhang, Yanrong Tao, Qiang Cheng</i> | |
| Design of Controlled Radiation Pattern Antenna Based on Air-Ground Communication System | 455 |
| <i>Jia-Hong Sun, Ji Hu, Sai-Wai Wong, Jing-Yu Lin</i> | |
| 140 GHz Slow-Wave Structure Loaded SIW Miniaturized Butler Matrix for Multibeam Application..... | 458 |
| <i>Yihong Su, Yue Chen, Zuxing Wu, Zongrui He, Zhongqian Niu, Fan Xiong, Xu Jie, Cheng Wang, Bo Zhang</i> | |
| On-Chip Compact Surface Acoustic Wave Topological Delay Line Design..... | 461 |
| <i>Sun Yipeng, Wang Jiqian, Zhu Jianjun, Meng Wei, Wang Yuefei, Hanlei</i> | |
| Research on Large-Scale Fading Characteristics of Radio Propagation in High-Speed Maglev Millimeter Wave Communication System..... | 464 |
| <i>Tingjun Li, Xinhao Li, Haining Yang, Gengchen Lv, Xindong Wang, Gang Li, Chen Wu</i> | |
| Dual-Channel Millimeter Wave Field Strength Measurement System for High-Speed Maglev Train | 467 |
| <i>Yi Tian, Gengchen Lv, Mingwei Li, Yuanjian Di, Tingjun Li, Xinhao Li, Haining Yang</i> | |
| Wideband Single-Pole Double-Throw Switch Based on Phase Change Material GeTe for Millimeter-Wave Applications..... | 470 |
| <i>Chenyang Shuai, Yuejun Zheng, Qiang Chen, Yunqi Fu</i> | |

Author Index