

2024 IEEE International Conference on Data Mining (ICDM 2024)

**Abu Dhabi, United Arab Emirates
9-12 December 2024**

Pages 1-489



**IEEE Catalog Number: CFP24278-POD
ISBN: 979-8-3315-0669-8**

**Copyright © 2024 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP24278-POD
ISBN (Print-On-Demand):	979-8-3315-0669-8
ISBN (Online):	979-8-3315-0668-1
ISSN:	1550-4786

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2024 IEEE International Conference on Data Mining (ICDM) **ICDM 2024**

Table of Contents

Message from General Chairs	xxi
Message from Program Committee Chairs	xxii

Regular Papers

Feature Map Purification for Enhancing Adversarial Robustness of Deep Timeseries Classifiers	1
<i>Mubarak G. Abdu-Aguye (Mohamed Bin Zayed University of Artificial Intelligence (MBZUAI), UAE), Muhammad Zaigham Zaheer (Mohamed Bin Zayed University of Artificial Intelligence (MBZUAI), UAE), and Karthik Nandakumar (Mohamed Bin Zayed University of Artificial Intelligence (MBZUAI), UAE)</i>	
LISA: Learning-Integrated Space Partitioning Framework for Traffic Accident Forecasting on Heterogeneous Spatiotemporal Data	11
<i>Bang An (University of Iowa), Xun Zhou (Harbin Institute of Technology, Shenzhen), Amin Vahedian (Northern Illinois University), Nick Street (University of Iowa), Jinping Guan (Massachusetts Institute of Technology), and Jun Luo (Logistics and Supply Chain MultiTech R&D Centre)</i>	
Normalizing Self-Supervised Learning for Provably Reliable Change Point Detection	21
<i>Alexandra Bazarova (Skoltech, Russia), Evgenia Romanenkova (Skoltech, Russia), and Alexey Zaytsev (Skoltech, Russia)</i>	
Fast and Accurate Triangle Counting in Graph Streams Using Predictions	31
<i>Cristian Boldrin (University of Padova, Italy) and Fabio Vandin (University of Padova, Italy)</i>	
Graph Contrastive Learning with Adversarial Structure Refinement (GCL-ASR)	41
<i>Jiangwen Chen (Defense Innovation Institute, China), Kou Guang (Defense Innovation Institute, China), Huang Yan (Defense Innovation Institute, China), Qiyang Li (University of Electronic Science and Technology of China, China), and Tan Hao (University of Electronic Science and Technology of China, China)</i>	

Towards Cross-Domain Few-Shot Graph Anomaly Detection	51
<i>Jiazhen Chen (University of Waterloo), Sichao Fu (Huazhong University of Science and Technology), Zhibin Zhang (Chinese Academy of Sciences), Zheng Ma (University of Waterloo), Mingbin Feng (University of Waterloo), Tony S. Wirjanto (University of Waterloo), and Qinmu Peng (Huazhong University of Science and Technology)</i>	
HomoMGC: Homophily-Enhanced Adaptive Graph Refinement for Multi-View Graph Clustering .	61
<i>Man-Sheng Chen (Sun Yat-sen University, China), Xiao-Sha Cai (Sun Yat-sen University, China), Chang-Dong Wang (Sun Yat-sen University, China), Dong Huang (South China Agricultural University, China), Min Chen (South China University of Technology, China; Pazhou Laboratory, China), and Mohsen Guizani (Mohamed Bin Zayed University of Artificial Intelligence (MBZUAI), UAE)</i>	
A Novel Shadow Variable Catcher for Addressing Selection Bias in Recommendation Systems	71
<i>Qingfeng Chen (Guangxi University, China), Boquan Wei (Guangxi University, China), Debo Cheng (University of South Australia, Australia), Jiuyong Li (University of South Australia, Australia), Lin Liu (University of South Australia, Australia), and Shichao Zhang (Guangxi Normal University, China)</i>	
Continuous Exact Explanations of Neural Networks	81
<i>Alice Dethise (Nokia Bell Labs) and Marco Canini (KAUST)</i>	
Counterfactual Brain Graph Augmentation Guided Bi-Level Contrastive Learning for Disorder Analysis	91
<i>Guangwei Dong (Macquarie University), Xuexiong Luo (Macquarie University), Jing Du (Macquarie University), Jia Wu (Macquarie University), Shan Xue (Macquarie University), Jian Yang (Macquarie University), and Amin Beheshti (Macquarie University)</i>	
Resource2Box: Learning To Rank Resources in Distributed Search Using Box Embedding	101
<i>Ulugbek Ergashev (Binghamton University, USA), Geon Lee (KAIST, Republic of Korea), Kijung Shin (KAIST, Republic of Korea), Eduard C. Dragut (Temple University, USA), and Weiyi Meng (Binghamton University, USA)</i>	
Graph Community Augmentation with GMM-Based Modeling in Latent Space	111
<i>Shintaro Fukushima (Toyota Motor Corporation, Japan) and Kenji Yamanishi (The University of Tokyo, Japan)</i>	
TROPICAL: Transformer-based Hypergraph Learning for Camouflaged Fraudster Detection	121
<i>Venus Haghighi (Macquarie University, Australia), Behnaz Soltani (Macquarie University, Australia), Nasrin Shabani (Macquarie University, Australia), Jia Wu (Macquarie University, Australia), Yang Zhang (Macquarie University, Australia), Lina Yao (University of New South Wales, Australia; CSIRO's Data61, Australia), Quan Z. Sheng (Macquarie University, Australia), and Jian Yang (Macquarie University, Australia)</i>	
Scaling Disk Failure Prediction via Multi-Source Stream Mining	131
<i>Shujie Han (Northwestern Polytechnical University), Zirui Ou (Peking University), Qun Huang (Peking University), and Patrick P. C. Lee (The Chinese University of Hong Kong)</i>	

GQ*: Towards Generalizable Deep Q-Learning for Steiner Tree in Graphs	141
<i>Wei Huang (University of New South Wales, Australia), Hanchen Wang (University of Technology Sydney, Australia), Dong Wen (University of New South Wales, Australia), Xuefeng Chen (Chongqing University, China), Wenjie Zhang (University of New South Wales, Australia), and Ying Zhang (Zhejiang Gongshang University, China)</i>	
HFGNN: Efficient Graph Neural Networks using Hub-Fringe Structures	151
<i>Pak Lon Ip (University of Macau, China), Shenghui Zhang (University of Macau, China), Xuekai Wei (University of Macau, China), Tsz Nam Chan (Shenzhen University, China), and Leong Hou U (University of Macau, China)</i>	
Informative Subgraphs Aware Masked Auto-Encoder in Dynamic Graphs	161
<i>Pengfei Jiao (Hangzhou Dianzi University, China), Xinxun Zhang (Hangzhou Dianzi University, China), Mengzhou Gao (Hangzhou Dianzi University, China), Tianpeng Li (Tianjin University, China), and Zhidong Zhao (Hangzhou Dianzi University, China)</i>	
ELiCiT: Effective and Lightweight Lossy Compression of Tensors	171
<i>Jihoon Ko (KAIST), Taehyung Kwon (KAIST), Jinhong Jung (Soongsil University), and Kijung Shin (KAIST)</i>	
CounterFair: Group Counterfactuals for Bias Detection, Mitigation and Subgroup Identification	181
<i>Alejandro Kuratomi (Stockholm University, Sweden), Zed Lee (Stockholm University, Sweden), Panayiotis Tsaparas (University of Ioannina and Archimedes/Athena RC, Greece), Guilherme Dinis (Stockholm University, Sweden), Evaggelia Pitoura (University of Ioannina and Archimedes/Athena RC, Greece), Tony Lindgren (Stockholm University, Sweden), and Panagiotis Papapetrou (Stockholm University, Sweden)</i>	
RecCoder: Reformulating Sequential Recommendation as Large Language Model-Based Code Completion	191
<i>Kai-Huang Lai (Sun Yat-sen University, China; NetEase Games), Wu-Dong Xi (NetEase Games, China), Xing-Xing Xing (NetEase Games, China), Wei Wan (NetEase Games, China), Chang-Dong Wang (Sun Yat-sen University, China; Guangdong Provincial Key Laboratory of Intellectual Property and Big Data, China), Min Chen (South China University of Technology, China; Pazhou Laboratory, China), and Mohsen Guizani (Mohamed Bin Zayed University of Artificial Intelligence (MBZUAI), UAE)</i>	
Adaptive Graph Neural Networks for Cold-Start Multimedia Recommendation	201
<i>Zhen Li (Information Technology Center, China), Jibin Wang (Information Technology Center, China), Zhuo Chen (Information Technology Center, China), Kun Wu (Information Technology Center, China), Yuanzhen Wei (Information Technology Center, China), and Hai Huang (Beijing University of Posts and Telecommunications, China)</i>	
Scalable Order-Preserving Pattern Mining	211
<i>Ling Li (King's College London, UK), Wiktor Zuba (CWI, The Netherlands), Grigorios Loukides (King's College London, UK), Solon Pissis (CWI, The Netherlands; Vrije Universiteit, The Netherlands), and Maria Matsangidou (CYENS—Centre of Excellence, Cyprus)</i>	

GADIN: Generative Adversarial Denoise Imputation Network for Incomplete Data	221
<i>Dong Li (Liaoning University, China), Zhicong Liu (Liaoning University, China), Mingfeng Hu (Liaoning University, China), Baoyan Song (Liaoning University, China), and Xiaohuan Shan (Liaoning University, China)</i>	
Scalable Graph Classification via Random Walk Fingerprints	231
<i>Peiyan Li (LMU Munich, Germany), Honglian Wang (KTH Royal Institute of Technology, Sweden), and Christian Böhm (University of Vienna, Austria)</i>	
Utilitarian Online Learning from Open-World Soft Sensing	241
<i>Heng Lian (William & Mary, USA), Yu Huang (Seagate Technology, USA), Xingquan Zhu (Florida Atlantic University, USA), and Yi He (William & Mary, USA)</i>	
Contrastive Learning for Adapting Language Model to Sequential Recommendation	251
<i>Fei-Yao Liang (Sun Yat-sen University, China; NetEase Games), Wu-Dong Xi (NetEase Games, China), Xing-Xing Xing (NetEase Games, China), Wei Wan (NetEase Games, China), Chang-Dong Wang (Sun Yat-sen University, China; Guangdong Provincial Key Laboratory of Intellectual Property and Big Data, China), Min Chen (South China University of Technology, China; Pazhou Laboratory, China), and Mohsen Guizani (Mohamed Bin Zayed University of Artificial Intelligence (MBZUAI), UAE)</i>	
Towards Efficient Ridesharing via Order-Vehicle Pre-Matching Using Attention Mechanism	261
<i>Zhidan Liu (Hong Kong University of Science and Technology (Guangzhou)), Jinye Lin (Shenzhen University), Zhiyu Xia (Shenzhen University), Chao Chen (Chongqing University), and Kaishun Wu (Hong Kong University of Science and Technology (Guangzhou))</i>	
Align Along Time and Space: A Graph Latent Diffusion Model for Traffic Dynamics Prediction.....	271
<i>Yuhang Liu (Binghamton University, USA), Yingxue Zhang (Binghamton University, USA), Xin Zhang (San Diego State University, USA), Yu Yang (Lehigh University, USA), Yiqun Xie (University of Maryland, USA), Sahar Ghanipour Machiani (San Diego State University, USA), Yanhua Li (Worcester Polytechnic Institute, USA), and Jun Luo (Logistics and Supply Chain MultiTech R&D Centre, China)</i>	
DFDG: Data-Free Dual-Generator Adversarial Distillation for One-Shot Federated Learning	281
<i>Kangyang Luo (East China Normal University, China), Shuai Wang (East China Normal University, China), Yexuan Fu (East China Normal University, China), Renrong Shao (Naval Medical University, China), Xiang Li (East China Normal University, China), Yunshi Lan (East China Normal University, China), Ming Gao (East China Normal University, China), and Jinlong Shu (Shanghai Normal University, China)</i>	
High-Fidelity Diffusion Editor for Zero-Shot Text-Guided Video Editing	291
<i>Yan Luo (Hefei University of Technology, China), Zhichao Zuo (Hefei University of Technology, China), Zhao Zhang (Hefei University of Technology, China; Yunnan Key Laboratory of Software Engineering, China), Zhongqiu Zhao (Hefei University of Technology, China), Haijun Zhang (Harbin Institute of Technology, China), and Richang Hong (Hefei University of Technology, China)</i>	

Cross-Store Next-Basket Recommendation	301
<i>Liang-Chen Ma (Sun Yat-sen University, China), Ya Li (Guangdong Polytechnic Normal University, China), Zi-Feng Mai (Sun Yat-sen University, China), Fei-Yao Liang (Sun Yat-sen University, China), Chang-Dong Wang (Sun Yat-sen University, China; Guangdong Provincial Key Laboratory of Intellectual Property and Big Data, China), Min Chen (South China University of Technology, China; Pazhou Laboratory, China), and Mohsen Guizani (Mohamed Bin Zayed University of Artificial Intelligence (MBZUAI), UAE)</i>	
A Learned Approach to Index Algorithm Selection	311
<i>Chaohong Ma (Renmin University of China, China), Xiaohui Yu (York University, Canada), Yifan Li (York University, Canada), Aishan Maolinyazi (Renmin University of China, China), and Xiaofeng Meng (Renmin University of China, China)</i>	
Enhancing Embeddings Quality with Stacked Gate for Click-Through Rate Prediction	321
<i>Caihong Mu (Xidian University, China), Yunfei Fang (Xidian University, China), Jialiang Zhou (Xidian University, China), and Yi Liu (Xidian University, China)</i>	
Generating Realistic Tabular Data with Large Language Models	330
<i>Dang Nguyen (Deakin University, Australia), Sunil Gupta (Deakin University, Australia), Kien Do (Deakin University, Australia), Thin Nguyen (Deakin University, Australia), and Svetha Venkatesh (Deakin University, Australia)</i>	
Improving Time Series Encoding with Noise-Aware Self-Supervised Learning and an Efficient Encoder	340
<i>Duy A. Nguyen (University of Illinois Urbana - Champaign, USA), Trang H. Tran (Cornell University, USA), Huy Hieu Pham (VinUniversity, Vietnam), Phi Le Nguyen (Hanoi University of Science and Technology, Vietnam), and Lam M. Nguyen (Thomas J. Watson Research Center, USA)</i>	
Hierarchical Explanations for Text Classification Models: Fast and Effective	350
<i>Zhenyu Nie (Hunan University, China), Zheng Xiao (Hunan University, China), Huizhang Luo (Hunan University, China), Xuan Liu (Hunan University, China), and Anthony Theodore Chronopoulos (University of Texas, USA)</i>	
Warm-Starting Contextual Bandits under Latent Reward Scaling	360
<i>Bastian Oetomo (The University of Melbourne), R. Malinga Perera (Amazon Web Services (AWS)), Renata Borovica-Gajic (The University of Melbourne), and Benjamin I. P. Rubinstein (The University of Melbourne)</i>	
EMIT - Event-Based Masked Auto Encoding for Irregular Time Series	370
<i>Hrishikesh Patel (The University of Queensland, Australia), Ruihong Qiu (The University of Queensland, Australia), Adam Irwin (The University of Queensland, Australia; Queensland Children's Hospital, Australia), Shazia Sadiq (The University of Queensland, Australia), and Sen Wang (The University of Queensland, Australia)</i>	

A Bayesian Hierarchical Model for Orthogonal Tucker Decomposition with Oblivious Tensor Compression	380
<i>Matthew Pietrosanu (University of Alberta, Canada), Bei Jiang (University of Alberta, Canada), and Linglong Kong (University of Alberta, Canada)</i>	
Solving Combinatorial Optimization Problem over Graph through QUBO Transformation and Deep Reinforcement Learning	390
<i>Tianle Pu (National University of Defense Technology, China), Chao Chen (National University of Defense Technology, China), Li Zeng (National University of Defense Technology, China), Shixuan Liu (National University of Defense Technology, China), Rui Sun (National University of Defense Technology, China), and Changjun Fan (National University of Defense Technology, China)</i>	
ADOD: Adaptive Density Outlier Detection	400
<i>Li Qian (Ludwig Maximilian University of Munich, Germany; University of Vienna, Austria), Jing Qian (China Railway Hi-Tech Industry Corporation Limited, China), Xin Sun (City University of Macau, China), Wengang Guo (Tongji University, China), and Christian Böhm (University of Vienna, Austria)</i>	
Financial Risk Assessment via Long-Term Payment Behavior Sequence Folding	410
<i>Yiran Qiao (University of Chinese Academy of Sciences, China), Yateng Tang (Tencent Weixin Group, China), Xiang Ao (University of Chinese Academy of Sciences, China; Institute of Intelligent Computing Technology, CAS), Qi Yuan (University of Chinese Academy of Sciences, China), Ziming Liu (Tencent Weixin Group, China), Chen Shen (Tencent Weixin Group, China), and Xuehao Zheng (Tencent Weixin Group, China)</i>	
ChronoCTI: Mining Knowledge Graph of Temporal Relations among Cyberattack Actions	420
<i>Md Rayhanur Rahman (North Carolina State University), Brandon Wroblewski (North Carolina State University), Quinn Matthews (North Carolina State University), Brantley Morgan (North Carolina State University), Timothy Menzies (North Carolina State University), and Laurie Williams (North Carolina State University)</i>	
Transitivity-Encoded Graph Attention Networks for Complementary Item Recommendations	430
<i>Jin Shang (Amazon.com, United States), Yang Jiao (Amazon.com, United States), Chenghuan Guo (Amazon.com, United States), Minghao Sun (Iowa State University, United States), Yan Gao (Amazon.com, United States), Jia Liu (The Ohio State University, United States; Amazon.com, United States), Michinari Momma (Amazon.com, United States), Itetsu Taru (Amazon.com, United States), and Yi Sun (Amazon.com, United States)</i>	
Efficient Network Embedding by Approximate Equitable Partitions	440
<i>Giuseppe Squillace (IMT Lucca, Italy), Mirco Tribastone (IMT Lucca, Italy), Max Tschaikowski (Aalborg University, Denmark), and Andrea Vandin (Sant'Anna Pisa, Italy; DTU, Denmark)</i>	
Debunking Fake News in Online Social Networks without Text Analysis	450
<i>Xing Su (Macquarie University, Australia), Jian Yang (Macquarie University, Australia), Jia Wu (Macquarie University, Australia), and Zitai Qiu (Macquarie University, Australia)</i>	

Margin-Bounded Confidence Scores for Out-of-Distribution Detection	460
<i>Lakpa Tamang (Deakin University, Australia), Mohamed Reda Bouadjenek (Deakin University, Australia), Richard Dazeley (Deakin University, Australia), and Sunil Aryal (Deakin University, Australia)</i>	
TAN: A Tripartite Alignment Network Enhancing Composed Image Retrieval with Momentum Distillation	470
<i>Yongquan Wan (Shanghai University, China), Erhe Yang (Donghua University, China), Cairong Yan (Donghua University, China), Guobing Zou (Shanghai University, China), and Bofeng Zhang (Shanghai Polytechnic University, China)</i>	
SR-PredictAO: Session-Based Recommendation with High-Capability Predictor Add-On	480
<i>Ruida Wang (The Hong Kong University of Science and Technology, Hong Kong), Raymond Chi-Wing Wong (The Hong Kong University of Science and Technology, Hong Kong), and Weile Tan (The Hong Kong University of Science and Technology, Hong Kong)</i>	
Early Fire Detection based on Local Morphological Knowledge Matching	490
<i>Xinzhi Wang (Shanghai University, China), Mengyue Li (Anhui International Studies University, China), Nengjun Zhu (Shanghai University, China), Jiayan Qian (Shanghai University, China), and Zhanyi Zheng (Shanghai University, China)</i>	
MOSTream: A Modular and Self-Optimizing Data Stream Clustering Algorithm	500
<i>Zhengru Wang (Nvidia, China), Xin Wang (Ohio State University, USA), and Shuhao Zhang (Nanyang Technological University, Singapore)</i>	
Bi-Level User Modeling for Deep Recommenders	510
<i>Yejing Wang (City University of Hong Kong, China), Dong Xu (Xiaohongshu Inc, China), Xiangyu Zhao (City University of Hong Kong, China), Zhiren Mao (Xiaohongshu Inc, China), Peng Xiang (Xiaohongshu Inc, China), Ling Yan (Xiaohongshu Inc, China), Yao Hu (Xiaohongshu Inc, China), Zijian Zhang (Jilin University, China), Xuetao Wei (Southern University of Science and Technology, China), and Qidong Liu (Xi'an Jiaotong University, City University of Hong Kong, China)</i>	
Towards Dynamic University Course Timetabling Problem: An Automated Approach Augmented via Reinforcement Learning	520
<i>Yanan Xiao (Northeast Normal University, China), XiangLin Li (Northeast Normal University, China), Lu Jiang (Dalian Maritime University, China), Pengfei Wang (Chinese Academy of Sciences, China), Kaidi Wang (Macau University of Science and Technology, China), and Na Luo (Northeast Normal University, China)</i>	
APOLLO: Differential Private Online Multi-Sensor Data Prediction with Certified Performance	530
<i>Honghui Xu (Kennesaw State University, USA), Wei Li (Georgia State University, USA), Shaoen Wu (Kennesaw State University, USA), Liang Zhao (Kennesaw State University, USA), and Zhipeng Cai (Georgia State University, USA)</i>	
Probabilistic Matrix Factorization-Based Three-Stage Label Completion for Crowdsourcing	540
<i>Boyi Yang (China University of Geosciences, China), Liangxiao Jiang (China University of Geosciences, China), and Wenjun Zhang (China University of Geosciences, China)</i>	

Combining Self-Supervision and Privileged Information for Representation Learning from Tabular Data	550
<i>Haoyu Yang (University of Minnesota, USA), Michael Steinbach (University of Minnesota, USA), Genevieve Melton (University of Minnesota, USA), Vipin Kumar (University of Minnesota, USA), and Gyorgy Simon (University of Minnesota, USA)</i>	
PROMIPL: A Probabilistic Generative Model for Multi-Instance Partial-Label Learning	560
<i>Yin-Fang Yang (Southeast University, China), Wei Tang (Southeast University, China), and Min-Ling Zhang (Southeast University, China)</i>	
HyperTime: A Dynamic Hypergraph Approach for Time Series Classification	570
<i>Raneen Younis (Leibniz University Hannover, Germany) and Zahra Ahmadi (Hannover Medical School, Germany)</i>	
Adaptive Process-Guided Learning: An Application in Predicting Lake DO Concentrations	580
<i>Runlong Yu (University of Pittsburgh), Chonghao Qiu (University of Pittsburgh), Robert Ladwig (Aarhus University), Paul C. Hanson (University of Wisconsin-Madison), Yiqun Xie (University of Maryland), Yanhua Li (Worcester Polytechnic Institute), and Xiaowei Jia (University of Pittsburgh)</i>	
DISCO: A Hierarchical Disentangled Cognitive Diagnosis Framework for Interpretable Job Recommendation	590
<i>Xiaoshan Yu (Anhui University, China), Chuan Qin (Chinese Academy of Sciences, China; The Hong Kong University of Science and Technology (Guangzhou), China), Qi Zhang (Shanghai Artificial Intelligence Laboratory, China), Chen Zhu (University of Science and Technology of China, China), Haiping Ma (Anhui University, China), Xingyi Zhang (Anhui University, China), and Hengshu Zhu (Chinese Academy of Sciences, China)</i>	
Designing an Attack-Defense Game: How to Increase the Robustness of Financial Transaction Models via a Competition	600
<i>Alexey Zaytsev (Skoltech, Russia), Maria Kovaleva (Skoltech, Russia), Alex Natekin (Open Data Science, Russia), Evgeni Vorsin (Innotech, Russia), Valerii Smirnov (Lomonosov Moscow State University, Russia), Georgii Smirnov (Lomonosov Moscow State University, Russia), Oleg Sidorshin (Kazan Federal University, Russia), Alexander Senin (Lomonosov Moscow State University, Russia), Alexander Dudin (Kaspersky Lab, Russia), and Dmitry Berestnev (Zvuk, Russia)</i>	
Emotional Synchronization for Audio-Driven Talking-Head Generation	610
<i>Zhao Zhang (Hefei University of Technology, China; Yunnan Key Laboratory of Software Engineering, China), Yan Luo (Hefei University of Technology, China), Zhichao Zuo (Hefei University of Technology, China), Richang Hong (Hefei University of Technology, China), Yi Yang (Zhejiang University, China), and Meng Meng (Hefei University of Technology, China)</i>	

EEiF: Efficient Isolated Forest with e Branches for Anomaly Detection	619
<i>Yifan Zhang (Nanjing University of Information Science and Technology, China), Haolong Xiang (Nanjing University of Information Science and Technology, China; Jiangsu Province Engineering Research Center of Advanced Computing and Intelligent Services, China), Xuyun Zhang (Macquarie University, Australia), Xiaolong Xu (Nanjing University of Information Science and Technology, China; Jiangsu Province Engineering Research Center of Advanced Computing and Intelligent Services, China), Wei Fan (University of Oxford, England), Qin Zhang (Shenzhen University, China), and Lianyong Qi (University of Petroleum (East China), China)</i>	
Dual Cross-Stage Partial Learning for Detecting Objects in Dehazed Images	629
<i>Jinbiao Zhao (Hefei University of Technology, China), Zhao Zhang (Hefei University of Technology, China; Yunnan Key Laboratory of Software Engineering, China), Jiahuan Ren (Hefei University of Technology, China), Haijun Zhang (Harbin Institute of Technology, China), Zhongqiu Zhao (Hefei University of Technology, China), and Meng Wang (Hefei University of Technology, China)</i>	
Traffic Pattern Sharing for Federated Traffic Flow Prediction with Personalization	639
<i>Hang Zhou (Nanjing University of Science and Technology, China; Key Laboratory of Intelligent Perception and Systems for High-Dimensional Information of Ministry of Education, China; Jiangsu Key Laboratory of Image and Video Understanding for Social Security, China), Wentao Yu (Nanjing University of Science and Technology, China; Key Laboratory of Intelligent Perception and Systems for High-Dimensional Information of Ministry of Education, China; Jiangsu Key Laboratory of Image and Video Understanding for Social Security, China), Sheng Wan (Nanjing University of Science and Technology, China; Key Laboratory of Intelligent Perception and Systems for High-Dimensional Information of Ministry of Education, China; Jiangsu Key Laboratory of Image and Video Understanding for Social Security, China), Yongxin Tong (Beihang University, China), Tianlong Gu (Jinan University, China), and Chen Gong (Nanjing University of Science and Technology, China; Key Laboratory of Intelligent Perception and Systems for High-Dimensional Information of Ministry of Education, China; Jiangsu Key Laboratory of Image and Video Understanding for Social Security, China)</i>	
Adaptive Loss-aware Modulation for Multimedia Retrieval	649
<i>Jian Zhu (University of Science and Technology of China, China; Zhejiang Lab, China), Yu Cui (Zhejiang Lab, China), Lei Liu (University of Science and Technology of China, China), Zeyi Sun (Zhejiang Lab, China), Yuyang Dai (Zhejiang Lab, China), Xi Wang (Zhejiang Lab, China; The Chinese University of Hong Kong, China), Cheng Luo (Zhejiang Lab, China), and Li-Rong Dai (University of Science and Technology of China, China)</i>	
Efficiently Manipulating Structural Graph Clustering Under Jaccard Similarity	659
<i>ChuanYu Zong (Shenyang Aerospace University, China), Rui Fang (Shenyang Aerospace University, China), Meng-xiang Wang (China National Institute of Standardization, China), Tao Qiu (Shenyang Aerospace University, China), and Anzhen Zhang (Shenyang Aerospace University, China)</i>	

Short Papers

An Explainable Recommender System by Integrating Graph Neural Networks and User Reviews .	669
<i>Sahar Batmani (University of Kurdistan, Iran), Parham Moradi (RMIT University, Australia), Narges Heidari (Islamic Azad University, Iran), and Mahdi Jalili (RMIT University, Australia)</i>	
SHADE: Deep Density-Based Clustering	675
<i>Anna Beer (University of Vienna, Austria), Pascal Weber (University of Vienna, Austria; UniVie Doctoral School Computer Science, Austria), Lukas Miklautz (University of Vienna, Austria), Collin Leiber (Database Systems and Data Mining, Germany; Munich Center for Machine Learning, Germany), Walid Durani (Database Systems and Data Mining, Germany), Christian Böhm (University of Vienna, Austria), and Claudia Plant (University of Vienna, Austria; University of Vienna, Austria)</i>	
Handling Non-IID Data in Federated Learning Using Metaheuristic Optimization Techniques	681
<i>Amin Birashk (The University of Texas at Dallas, USA), Sadaf Md Halim (The University of Texas at Dallas, USA), and Latifur Khan (The University of Texas at Dallas, USA)</i>	
SemiFDA: Domain Adaptation in Semi-Supervised Federated Learning	687
<i>Michele Craighero (Politecnico di Milano, Italy), Giorgio Rossi (Politecnico di Milano, Italy), Beatrice Rossi (STMicroelectronics, Italy), Diego Carrera (STMicroelectronics, Italy), Diego Stucchi (STMicroelectronics, Italy), Pasqualina Fragneto (STMicroelectronics, Italy), and Giacomo Boracchi (Politecnico di Milano, Italy)</i>	
QUCE: The Minimisation and Quantification of Path-Based Uncertainty for Generative Counterfactual Explanations	693
<i>Jamie Duell (Nanyang Technological University), Monika Seisenberger (Swansea University), Hsuan Fu (Université Laval), and Xiuyi Fan (Nanyang Technological University)</i>	
Unsupervised Domain Adaptation for Action Recognition via Self-Ensembling and Conditional Embedding Alignment	699
<i>Indrajeet Ghosh (University of Maryland, United States), Garvit Chugh (Indian Institute of Technology Jodhpur, India), Abu Zaher Md Faridee (Amazon, United States), and Nirmalya Roy (University of Maryland, United States)</i>	
Influence-Aware Group Recommendation for Social Media Propagation	705
<i>Chengkun He (RMIT University, Australia), Xiangmin Zhou (RMIT University, Australia), Chen Wang (Data61 CSIRO, Australia), Longbing Cao (Macquarie University, Australia), Jie Shao (University of Electronic Science and Technology of China), and Zahir Tari (RMIT University, Australia)</i>	
D-Cube: Exploiting Hyper-Features of Diffusion Model for Robust Medical Classification	711
<i>Minhee Jang (Ewha Womans University, Korea), Juheon Son (Ewha Womans University, Korea), Thanaporn Viriyasaranon (Ewha Womans University, Korea), Junho Kim (NAVER AI Lab), and Jang-Hwan Choi (Ewha Womans University, Korea)</i>	

DiffFaiRec: Generative Fair Recommender with Conditional Diffusion Model	717
<i>Zhenhao Jiang (The Chinese University of Hong Kong, China) and Jicong Fan (The Chinese University of Hong Kong, China)</i>	
Graph Rhythm Network: Beyond Energy Modeling for Deep Graph Neural Networks	723
<i>Yufei Jin (Florida Atlantic University, USA) and Xingquan Zhu (Florida Atlantic University, USA)</i>	
Channel-Attentive Graph Neural Networks	729
<i>Tuğrul Hasan Karabulut (Boğaziçi University, Turkey) and İnci M. Baytaş (Boğaziçi University, Turkey)</i>	
MoRE-LLM: Mixture of Rule Experts Guided by a Large Language Model	735
<i>Alexander Koebler (Goethe University Frankfurt, Germany; Siemens AG, Germany), Ingo Thon (Siemens AG, Germany), and Florian Buettner (Goethe University Frankfurt, Germany; German Cancer Research Center (DKFZ), Germany)</i>	
SplitSEE: A Splittable Self-Supervised Framework for Single-Channel EEG Representation Learning	741
<i>Rikuto Kotoge (Osaka University, Japan), Zheng Chen (Osaka University, Japan), Tasuku Kimura (Osaka University, Japan), Yasuko Matsubara (Osaka University, Japan), Takufumi Yanagisawa (Osaka University, Japan), Haruhiko Kishima (Osaka University, Japan), and Yasushi Sakurai (Osaka University, Japan)</i>	
Periodic Prompt on Dynamic Heterogeneous Graph for Next Basket Recommendation	747
<i>Ru-Bin Li (Sun Yat-sen University, China), Man-Sheng Chen (Sun Yat-sen University, China), Xin-Yu Ding (Zhongkai University of Agriculture and Engineering, China), Chang-Dong Wang (Sun Yat-sen University, China), Sihong Xie (The Hong Kong University of Science and Technology (Guangzhou), China), Shuangyin Liu (Zhongkai University of Agriculture and Engineering, China), Min Chen (South China University of Technology, China), and Mohsen Guizani (Mohamed Bin Zayed University of Artificial Intelligence (MBZUAI), UAE)</i>	
Zero-Shot Link Prediction in Knowledge Graphs with Large Language Models	753
<i>Mingchen Li (University of Minnesota Twin Cities, USA), Chen Ling (Emory University, USA), Rui Zhang (University of Minnesota Twin Cities, USA), and Liang Zhao (Emory University, USA)</i>	
Enhancing Entity Alignment on Probabilistic Knowledge Graphs	761
<i>Yunfei Li (Swinburne University of Technology, Australia), Lu Chen (Swinburne University of Technology, Australia), Chengfei Liu (Swinburne University of Technology, Australia), Rui Zhou (Swinburne University of Technology, Australia), and Jianxin Li (Edith Cowan University, Australia)</i>	
Hypergraph-Enhanced Contrastively Regularized Transformer for Multi-Behavior E-commerce Product Recommendation	767
<i>Shuiying Liao (The Hong Kong Polytechnic University, Hong Kong) and P. Y. Mok (The Hong Kong Polytechnic University, Hong Kong)</i>	
Controllable Visit Trajectory Generation with Spatiotemporal Constraints	773
<i>Haowen Lin (University of Southern California, USA), John Krumm (University of Southern California, USA), Cyrus Shahabi (University of Southern California, USA), and Li Xiong (Emory University, USA)</i>	

CL4CO: A Curriculum Training Framework for Graph-Based Neural Combinatorial Optimization	779
<p><i>Yang Liu (Chinese Academy of Sciences, China), Chuan Zhou (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Peng Zhang (Guangzhou University, China), Zhao Li (Hangzhou Yugu Technology Co., Ltd., China), Shuai Zhang (Chinese Academy of Sciences, China), Xixun Lin (Chinese Academy of Sciences, China), and Xingdong Wu (Hefei University of Technology, China)</i></p>	
AnomalyLLM: Few-Shot Anomaly Edge Detection for Dynamic Graphs using Large Language Models.....	785
<p><i>Shuo Liu (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Di Yao (Chinese Academy of Sciences, China), Lanting Fang (Southeast University, China), Zhetao Li (Xiangtan University, China), Wenbin Li (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Kaiyu Feng (Beijing Institute of Technology, China), Xiaowen Ji (Southeast University, China), and Jingping Bi (Chinese Academy of Sciences, China)</i></p>	
FGLBA: Enabling Highly-Effective and Stealthy Backdoor Attack on Federated Graph Learning ...	791
<p><i>Qing Lu (Sun Yat-sen University, China), Miao Hu (Sun Yat-sen University, China), Di Wu (Sun Yat-sen University, China), Yipeng Zhou (Macquarie University, Australia), Mohsen Guizani (Mohamed Bin Zayed University of Artificial Intelligence, UAE), and Quan Z. Sheng (Macquarie University, Australia)</i></p>	
Towards Expressive Graph Representations for Graph Neural Networks	797
<p><i>Chengsheng Mao (Northwestern University, USA), Liang Yao (Tencent Inc., China), and Yuan Luo (Northwestern University, USA)</i></p>	
IIFE: Interaction Information Based Automated Feature Engineering	803
<p><i>Tom Overman (Northwestern University, USA), Diego Klabjan (Northwestern University, USA), and Jean Utke (Allstate Insurance Company)</i></p>	
Accurate and Fast Estimation of Temporal Motifs using Path Sampling	809
<p><i>Yunjie Pan (University of Michigan, USA), Omkar Bhalerao (University of California, USA), C. Seshadhri (University of California, USA), and Nishil Talati (University of Michigan, USA)</i></p>	
Multi-Hyperbolic Space-Based Heterogeneous Graph Attention Network	815
<p><i>Jongmin Park (Chungnam National University, South Korea), Seunghoon Han (Chungnam National University, South Korea), Jong-Ryul Lee (Chungnam National University, South Korea), and Sungsu Lim (Chungnam National University, South Korea)</i></p>	

Exploratory Combinatorial Optimization Problem Solving via Gauge Transformation	821
<i>Tianle Pu (National University of Defense Technology, China), Changjun Fan (National University of Defense Technology, China), Mutian Shen (Washington University, USA), Yizhou Lu (Big Data and Risk Management Research Center, China; University of International Business and Economics, China), Li Zeng (National University of Defense Technology, China), Zohar Nussinov (Washington University, USA; University of Oxford, UK; Sorbonne Université, France), Chao Chen (National University of Defense Technology, China), and Zhong Liu (National University of Defense Technology, China)</i>	
DynoGraph: Dynamic Graph Construction for Nonlinear Dimensionality Reduction	827
<i>Li Qian (Ludwig Maximilian University of Munich, Germany; University of Vienna, Austria), Claudia Plant (University of Vienna, Austria), Yalan Qin (Shanghai University, China), Jing Qian (China Railway Hi-Tech Industry Corporation Limited, China), and Christian Böhm (University of Vienna, Austria)</i>	
A Momentum Contrastive Learning Framework for Query-POI Matching	833
<i>Yuting Qiang (Alibaba Group, China), Jianbing Zheng (Alibaba Group, China), Lixia Wu (Alibaba Group, China), Haomin Wen (Beijing Jiaotong University), Junhong Lou (Alibaba Group, China), and Minhui Deng (Alibaba Group, China)</i>	
Rank Supervised Contrastive Learning for Time Series Classification	839
<i>Qianying Ren (University of Connecticut), Dongsheng Luo (Florida International University), and Dongjin Song (University of Connecticut)</i>	
Constructing ϵ -Constrained Sparsified β^s -Complexes using Space Partitioning Trees	845
<i>Rohit P. Singh (Univ of Wisconsin–Milwaukee, WI) and Philip A. Wilsey (Univ of Cincinnati, OH)</i>	
Futures Quantitative Investment with Heterogeneous Continual Graph Neural Network	851
<i>Zhizhong Tan (Macau University of Science and Technology, China), Min Hu (Southwestern University of Finance and Economics, China), Bin Liu (Southwestern University of Finance and Economics, China), and Guosheng Yin (The University of Hong Kong, China)</i>	
ExoTST: Exogenous-Aware Temporal Sequence Transformer for Time Series Prediction	857
<i>Kshitij Tayal (Oak Ridge National Laboratory, USA), Arvind Renganathan (University of Minnesota, USA), Xiaowei Jia (University of Pittsburgh, USA), Vipin Kumar (University of Minnesota, USA), and Dan Lu (Oak Ridge National Laboratory, USA)</i>	
Survival Analysis with Multiple Noisy Labels	863
<i>Donna Tjandra (University of Michigan, Michigan) and Jenna Wiens (University of Michigan, Michigan)</i>	

Interdependency Matters: Graph Alignment for Multivariate Time Series Anomaly Detection	869
<i>Yuanyi Wang (Beijing University of Posts and Telecommunications, China), Haifeng Sun (Beijing University of Posts and Telecommunications, China), Chengsen Wang (Beijing University of Posts and Telecommunications, China), Mengde Zhu (Beijing University of Posts and Telecommunications, China), Jingyu Wang (Beijing University of Posts and Telecommunications, China), Wei Tang (Huawei Translation Services Center, China), Qi Qi (Beijing University of Posts and Telecommunications, China), Zirui Zhuang (Beijing University of Posts and Telecommunications, China), and Jianxin Liao (Beijing University of Posts and Telecommunications, China)</i>	
Enhancing Distribution and Label Consistency for Graph Out-of-Distribution Generalization	875
<i>Song Wang (University of Virginia, USA), Xiaodong Yang (Visa Research, USA), Rashidul Islam (Visa Research, USA), Huiyuan Chen (Visa Research, USA), Minghua Xu (Visa Research, USA), Jundong Li (University of Virginia, USA), and Yiwei Cai (Visa Research, USA)</i>	
PC3: Enhancing Concurrency in High-Conflict Transactions with Prior Cascading Control	881
<i>Zhibin Wang (Xidian University, China), Jiangtao Cui (Xidian University, China), Xiyue Gao (Xidian University, China), Hui Zhang (Shanghai Yunxi Technology Co., Ltd., China), Guiqi Ren (Xidian University, China), Yixiao Liu (Xidian University, China), Hui Li (Xidian University, China; Shanghai Yunxi Technology Co., Ltd., China), and Kankan Zhao (Shanghai Yunxi Technology Co., Ltd., China)</i>	
An Efficient Graph Autoencoder with Lightweight Desmoothing Decoder and Long-Range Modeling	887
<i>Jinyong Wen (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Tao Zhang (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Chunxia Zhang (Beijing Institute of Technology, China), Shiming Xiang (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), and Chunhong Pan (Chinese Academy of Sciences, China)</i>	
Hi-Gen: Generative Retrieval For Large-Scale Personalized E-Commerce Search	893
<i>Yanjing Wu (Alibaba Group), Yinfu Feng (Alibaba Group), Jian Wang (Alibaba Group), Wenji Zhou (Alibaba Group), Yunan Ye (Alibaba Group), Rong Xiao (Alibaba Group), and Jun Xiao (Zhejiang University)</i>	
MetaSTC: A Backbone Agnostic Spatio-Temporal Framework for Traffic Forecasting	899
<i>Kexin Xu (Shanghai Jiao Tong University, China), Zhemeng Yu (Shanghai Jiao Tong University, China), Yucen Gao (Shanghai Jiao Tong University, China), Songjian Zhang (Didi Chuxing Technology Co., China), Jun Fang (Didi Chuxing Technology Co., China), Xiaofeng Gao (Shanghai Jiao Tong University, China), and Guihai Chen (Shanghai Jiao Tong University, China)</i>	
Cascading Multimodal Feature Enhanced Contrast Learning for Music Recommendation	905
<i>Qimeng Yang (Hangzhou Dianzi University, China; NetEase Inc., China), Shijia Wang (NetEase Inc., China), Da Guo (NetEase Inc., China), Dongjin Yu (Hangzhou Dianzi University, China), Qiang Xiao (NetEase Inc., China), Dongjing Wang (Hangzhou Dianzi University, China), and Chuanjiang Luo (NetEase Inc., China)</i>	

Matrix Profile for Anomaly Detection on Multidimensional Time Series	911
<i>Chin-Chia Michael Yeh (Visa Research), Audrey Der (UC Riverside), Uday Singh Saini (Visa Research), Vivian Lai (Visa Research), Yan Zheng (Visa Research), Junpeng Wang (Visa Research), Xin Dai (Visa Research), Zhongfang Zhuang (Visa Research), Yujie Fan (Visa Research), Huiyuan Chen (Visa Research), Prince Osei Aboagye (Visa Research), Liang Wang (Visa Research), Wei Zhang (Visa Research), and Eamonn Keogh (UC Riverside)</i>	
Addressing Delayed Feedback in Conversion Rate Prediction: A Domain Adaptation Approach ...	917
<i>Leisheng Yu (Rice University, United States), Yanxiao Cai (Rice University, United States), Lucas Chen (Rice University, United States), Minxing Zhang (Duke University, United States), Wei-Yen Day (Samsung Electronics America, United States), Li Li (Samsung Electronics America, United States), Rui Chen (Samsung Electronics America, United States), Soo-Hyun Choi (Samsung Electronics America, United States), and Xia Hu (Rice University, United States)</i>	
Generalized Sparse Additive Model with Unknown Link Function	923
<i>Peipei Yuan (Huazhong University of Science and Technology, China), Xinge You (Huazhong University of Science and Technology, China), Hong Chen (Huazhong Agricultural University, China), Xuelin Zhang (Huazhong Agricultural University, China), and Qinmu Peng (Huazhong University of Science and Technology, China)</i>	
A Parameter Update Balancing Algorithm for Multi-Task Ranking Models in Recommendation Systems	929
<i>Jun Yuan (Huawei Technologies Co., Ltd., China), Guohao Cai (Huawei Noah's Ark Lab, China), and Zhenhua Dong (Huawei Noah's Ark Lab, China)</i>	
2DXformer: Dual Transformers for Wind Power Forecasting with Dual Exogenous Variables	935
<i>Yajuan Zhang (Hebei University of Technology, China), Jiahai Jiang (Hebei University of Technology, China), Yule Yan (Hebei University of Technology, China), Liang Yang (Hebei University of Technology, China), and Ping Zhang (Hebei University of Technology, China)</i>	
Goal-Guided Generative Prompt Injection Attack on Large Language Models	941
<i>Chong Zhang (Xi'an Jiaotong-Liverpool University), Mingyu Jin (Xi'an Jiaotong-Liverpool University), Qinkai Yu (University of Liverpool), Chengzhi Liu (Xi'an Jiaotong-Liverpool University), Haochen Xue (Xi'an Jiaotong-Liverpool University), and Xiao-Bo Jin (Xi'an Jiaotong-Liverpool University)</i>	
Weakly-Supervised Graph Classification with Even a Single Key Subgraph Per Class	947
<i>Lu Zhang (Fudan University, China), Chenbo Zhang (Fudan University, China), Jihong Guan (Tongji University, China), and Shuigeng Zhou (Fudan University, China)</i>	
Reducing Unfairness in Distributed Community Detection	953
<i>Hao Zhang (Syracuse University), Malith Jayaweera (Northeastern University), Bin Ren (William & Mary), Yanzhi Wang (Northeastern University), and Sucheta Soundarajan (Syracuse University)</i>	

CAKD: A Correlation-Aware Knowledge Distillation Framework Based on Decoupling Kullback-Leibler Divergence	959
<i>Zao Zhang (Chinese Academy of Sciences, China; The University of Sydney, Australia), Huaming Chen (The University of Sydney, Australia), Pei Ning (Wuhan University of Technology, China), Nan Yang (The University of Sydney, Australia), and Dong Yuan (The University of Sydney, Australia)</i>	
Exploitation or Exploration Next? User Behavior Decoupling and Emerging Intent Modeling for Next-Item Recommendation	965
<i>Nengjun Zhu (Shanghai University, China), Lingdan Sun (Shanghai University, China), Xiangfeng Luo (Shanghai University, China), Jian Cao (Shanghai Jiao Tong University, China), Qi Zhang (Tongji University, China), and Xinjiang Lu (Baidu Research, China)</i>	
Multi-Modal Sarcasm Detection via Dual Synergetic Perception Graph Convolutional Networks ...	971
<i>Xingjie Zhuang (Guangxi Normal University, China) and Zhixin Li (Guangxi Normal University, China)</i>	

Author Index