

12th International on Molten Slags, Fluxes and Salts (MOLTEN2024)

Supporting the Transition to Sustainable
Technologies

Brisbane, Australia
17-19 June 2024

Volume 1 of 2

ISBN: 979-8-3313-1611-2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2024) by Australasian Institute of Mining & Metallurgy (AusIMM)
All rights reserved.

Printed by Curran Associates, Inc. (2025)

For permission requests, please contact Australasian Institute of Mining & Metallurgy (AusIMM)
at the address below.

Australasian Institute of Mining & Metallurgy (AusIMM)
P.O. Box 660
Carlton South Victoria 3053
Australia

Phone: 61 3 9658 6100
Fax: 61 3 9662 3662

publications@ausimm.com.au

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

CONTENTS

Volume 1

History of MOLTEN

- The MOLTEN Conference series and research trends in slags, fluxes and salts 1980–2023 3
P Hayes and D Fadhlurrahman

Experimental measurements of – Physico-chemical properties (viscosity, surface tension, conductivity...)

- Electrical conductivity measurement of $\text{CaO-Al}_2\text{O}_3\text{-CaF}_2$ slags by van der Pauw-Ohta Method 17
K Aya, T Sumita, N Saito and K Nakashima
- Methodology development of electrical conductivity measurements for non-ferrous slags 27
P-J Boeykens, R Starykh, M Shevchenko, L Scheunis, A Van den Bulck, E Jak, I Bellemans and K Verbeken
- Calcium based ternary nitrate salts for concentrating solar power applications 39
P Gandhre, V Shrotri and L Muhmood
- Analysis of the melting behaviour of CaF_2 -free welding fluxes using hot thermocouple technique 57
S L A Gowravaram and S Basu
- Assessment of phase evolution in $\text{CaO-MgO-Al}_2\text{O}_3\text{-SiO}_2$ system with varied $\text{Al}_2\text{O}_3/\text{SiO}_2$ ratio using *in situ* high-temperature Raman spectroscopy and X-ray scattering 73
F Gyakwaa, S Wang, H Singh, G King, Q Shu, W Cao, M Huttula and T Fabritius
- Effects of FeO/SiO_2 ratio and optical basicity on viscosity and melt structure of $\text{FeO-SiO}_2\text{-Al}_2\text{O}_3\text{-CaO-MgO-Cr}_2\text{O}_3$ melts 81
J Isaksson, A Andersson, A Lennartsson, F Gyakwaa, Q Shu and C Samuelsson
- Viscosity measurement of FeO-SiO_2 based slags under controlled oxygen partial pressures 91
H-R Lee, H Shin, S-C Shim and Y Kang
- Study on change in mould slag characteristics during casting Ti containing steel grades 101
P P Sahoo, M Ranjan, P Palai and C R Borra
- Ionic structure analysis of relaxed surface of molten oxide slags for surface tension modelling 107
M Suzuki
- In situ* analysis of steelmaking slags and mold fluxes at elevated temperatures using a remote fibre-optic Raman probe 117
H Tekle, B Zhang, T Sander, J D Smith, R E Gerald II, J Huang and R J O'Malley
- Viscosity of foaming fluid measured by falling-ball method 133
S Ueda, T Iwama, Y Mita and R Inoue

Monitoring Sb in lead refining using advanced techniques in Industry 4.0 <i>A Van den Bulck, T De Staercke, S Zummar and T Van Rompaey</i>	141
Effect of solid particle size on the viscosity of a secondary copper smelting slag <i>O Vergote, I Bellemans, K Verbeken and A Van den Bulck</i>	149
Relationship between thermal conductivity and structure of alkaline earth (Ca, Mg) aluminoborosilicate melts <i>S Yamada, H Aoki, A Nakayama and K Morita</i>	159
Quantitative studies on the microstructures of ternary CaO-Al ₂ O ₃ -SiO ₂ glasses, melts and correlation with their high-temperature viscosities <i>J You, X Tang, F Zhang, A Canizarès, C Bessada, L Lu, K Tang, Q Zhang and S Wan</i>	165
Viscosity evaluation of hot metal containing vanadium and titanium via a novel measurement technology and the thermodynamic analysis method <i>W Yu, J Wen, Z Jiang, P Hou, M Hu and C Bai</i>	181
Viscosity of CaO-aluminosilicate slags <i>Z Zhang and R G Reddy</i>	189

Experimental measurements of – Reaction/Process kinetics

Effect of carbon on the sintering kinetics of a single hematite pellet <i>R A Anand, N N Viswanathan and M M Pande</i>	201
Synthesis of actinide chlorides for molten salt preparation <i>P Chevreux, S Serp and M Duchateau</i>	211
Dissolution of quartz in Mn-slugs during production of SiMn alloy <i>S Jayakumari, V Canaguier and E Ringdalen</i>	219
Carburisation and melting of hot compacted iron in a coke bed <i>J Park, M Kim, I-K Suh, E Kim and J Lee</i>	231
Theoretical and experimental approaches to determine the mass transfer coefficient in the steel/slag/refractory system <i>M Schickbichler, E Karimi-Sibaki, A Kharicha and S K Michelic</i>	239
Sulfur loss from the slag during desulfurisation of liquid steel <i>A Sharma, M Jain, S Kumar, S Karosiya, M M Pande, N N Viswanathan and D Kumar</i>	251
Deoxidation of Ti-Ni alloy by the calcium and CaF ₂ -MgCl ₂ flux <i>Y Su, K S Park, J K Kim and J H Park</i>	261
Comparative dissolution behaviours of recycled cement paste and lime in EAF slag under static conditions <i>M Yang, Z Yan and Z Li</i>	267

Experimental measurements of – Thermodynamic properties, multi-phase equilibria, minor element distributions

Experimental study and thermodynamic modelling of phase equilibria in the FeO-FeO _{1.5} -SbO _{1.5} -SiO ₂ system in equilibrium with metal <i>H Abdeyazdan, M Shevchenko, J Grogan, D Graf and E Jak</i>	279
--	-----

Overview of the experimental phase equilibria studies of the Ni-Sn-S, Cu-Sb-S, Cu-Sn-S, Fe-Sb-As and Fe-Sn-As systems <i>M Akhtar, M Shevchenko and E Jak</i>	287
Distribution behaviour of B and P in Si-slag system at 1500°C <i>K Avarmaa, A Putera, J Chen, G Brooks and M A Rhamdhani</i>	301
Phase diagram study and thermodynamic modelling of the CaO-TiO ₂ -CaF ₂ system <i>J Bang and I-H Jung</i>	313
Chemical- and micro-analytical techniques for molten slags, mattes, speisses and alloys <i>J Chen, P Hayes and E Jak</i>	321
Coupled phase diagram experiments and thermodynamic modelling of the CaO-SiO ₂ -Ga ₂ O ₃ system for Ga recycling <i>W O Choe and I H Jung</i>	335
Increasing the deportment of titanium species to, and the stability field of pseudobrookite phase for valorisation of titaniferous slags <i>X C Goso, J Petersen and J Nell</i>	343
Effect of MgO concentration on phase evolution during steelmaking slag cooling process <i>W F Gu, J Diao, H Qin, H F Yu, Y Sasaki and S Ueda</i>	353
Studying the smelting behaviour of bauxite residue pellets reduced by hydrogen using high temperature thermal analysis <i>D Hariswijaya and J Safarian</i>	361
The effect of iron oxide on sulfide capacities of CaO-based molten slags <i>M Hasegawa and K Saito</i>	375
Effect of alumina on microstructures of iron ore sinters from the perspective of the phase equilibria of the CaO-SiO ₂ -Fe ₂ O ₃ -Al ₂ O ₃ system <i>M Hayashi, A Takahashi, Y Uchisawa, T Watanabe and M Susa</i>	389
The possibility of using an autogenous Hydrogen-DRI slag as a raw material for vanadium extraction <i>J Huss, A Vickerfält and N Kojola</i>	401
Solubility of nitrogen and inclusion characteristics in high aluminium steels <i>M Ishfaq and M M Pande</i>	413
Carbon distribution behaviour between molten iron and CaO-Al ₂ O ₃ -FeO-SiO ₂ -MgO slag at 1873 K <i>Y J Jun, G H Park and J H Park</i>	423
Thermodynamic behaviour of TiO ₂ in CaO-Al ₂ O ₃ -MgO-TiO ₂ slag at high temperatures <i>D Y Jung, Y J Jun, M J Lee, S J Park, S C Kang, Y-B Kang and J H Park</i>	427
Equilibrium distribution of Pb between copper metal and slags <i>T Kan and C Chen</i>	433
Distribution of Pb, Zn, Fe, As, Sn, Sb, Bi and Ni between oxide liquid and metal in the 'CuO _{0.5} '-CaO-AlO _{1.5} system in equilibrium with Cu metal at 1400°C <i>G Khartcyzov, M Shevchenko and E Jak</i>	447
<i>In situ</i> observation of phase transition of silico-ferrite of calcium and aluminium <i>H Kim, J Park and J Lee</i>	459

Phase equilibrium study in the sodium metasilicate primary phase field of PbO-Na ₂ O-SiO ₂ system between 800 and 1000°C <i>X Ling, E Moosavi-Khoonsari and M Barati</i>	471
Fusion of molten phase R&D into the metallurgical industry to drive circularity <i>S Nikolic, A Burrows, S L Nicol, O J Mendoza and B J Hogg</i>	477
Phase equilibria of Al ₂ TiO ₅ -Ti ₃ O ₅ pseudobrookite solid solution in the Al ₂ O ₃ -TiO _x system under various oxygen partial pressures <i>Y-J Park, W-Y Kim and Y-B Kang</i>	487
Boron removal through multistage refining treatment using CaO-SiO ₂ -Al ₂ O ₃ slag <i>A D P Putera, K L Avarmaa, H T B M Petrus, G A Brooks and M A Rhamdhani</i>	495
Activities of components in Ca ₂ SiO ₄ -Ca ₃ P ₂ O ₈ solid solution at 1573 K <i>K Saito and M Hasegawa</i>	505
Thermal analysis of molten salts and their mixtures with metals <i>D Sergeev, J Qi, S Gezgin, D Rapp, A Lichtinger, F Beckstein and M Müller</i>	517
Advancement in experimental methodologies to produce phase equilibria and thermodynamic data in multicomponent systems <i>M Shevchenko, D Shishin and E Jak</i>	531
Experimental and thermodynamic study of the phase equilibria in the NiO-CaO-FeO-Fe ₂ O ₃ system in air and in equilibrium with metal (Fe-Ni) alloy <i>S Sineva, M Shevchenko, D Shishin and E Jak</i>	559
Slag chemistry on the Moon <i>S P Singh, G A Brooks, M G Shaw, B Eisenbart, A R Duffy, M A Rhamdhani and A K Shukla</i>	569
Phase relationship of quaternary system FeO-Al ₂ O ₃ -SiO ₂ -‘V ₂ O ₃ ’ at 1873 K and its impact during melting of H-DRI for possible vanadium extraction <i>A Vickerfält, J Huss and J Martinsson</i>	581
Phase diagram of V ₂ O ₃ -FeO-SiO ₂ -CaO(15 mass%) system at 1623 K <i>B Yan, D Wang, T Deng, B Song and Q Shu</i>	585

Implementation of research outcomes by industry – Application of fundamental research to industrial practice

Understanding the side-blown furnace slag system at Glencore Nordenham’s lead plant – from theory to industrial application <i>A Abadias Llamas, A Kandalam and C Zschiesche</i>	599
Improving industrial copper processing operations through the application of thermodynamic fundamentals and advanced predictive tools <i>G R F Alvear Flores</i>	611
Visualisation of calculated thermodynamic properties by integration of FactSage™ with SEM-EDS element maps <i>N Barrett, S Mitra, E Copland, D O’Dea and T Honeyands</i>	625
Transient slag behaviour in the Direct Reduced Iron (DRI) and scrap-based Electric Arc Furnace (EAF) process – case study for high and low-grade DRI input <i>S Chatterjee, S K Panda and M A Van Ende</i>	635

Practicalities of the use of fayalite slags for recovery of metals from urban wastes <i>J Chen, S Nicol, B Hogg, E Jak and S Nikolic</i>	647
Research on <i>in situ</i> recovery technology of hot-dip galvanized dross <i>R Chu, X Deng and X Li</i>	651
Direct observation of the fayalite slag formation behaviour from large SiO ₂ grains <i>Y Goto, S Kawanishi, S Natsui, J Takahashi and H Nogami</i>	653
Combining the power of computational thermochemistry with the convenience of Python within the digital platforms of SMS group GmbH <i>S Khadhraoui, M Reuter, A Akouch, C Kirmse, T Yusuf, R Degel, N Borowski and E Hecker</i>	663
Hy ³ (Hy-cube) project – Hyundai Steel's carbon neutral strategy <i>H Kim and M J Sun</i>	671
Characterising bubble size distribution and generation position in iron oxide-containing slag smelting reduction <i>K Ohno and T Kon</i>	675
A study of heat and material balances in direct reduction plant with various conditions <i>M J Sun and H Kim</i>	685
Reducing CO ₂ emissions from the ferro-alloy and silicon production <i>M Tangstad and G M Tranell</i>	691
Thermal phosphorus – it's a hot commodity with a hot process <i>E Wingate, Y Liu, R Prasad, R Atmuri and W Liang</i>	705

Mathematical descriptions of – Physico-chemical property models

Combined molecular dynamics – experimental investigation of oxidic slag properties <i>I Bellemans, A Maslov, D Seveno and K Verbeken</i>	715
Molecular dynamics simulation of viscosity of selected pure oxide melts <i>A E Moiseev and A Kondratiev</i>	725
Evaluation of thermal conductivities of molten SiO ₂ -Al ₂ O ₃ -CaO slags <i>K Tang, M Zhu, J You, X Ma and G Tranell</i>	735
On the development of a viscosity model for molten multicomponent slag systems with several glass-forming, amphoteric and modifier oxides <i>G M Zhomin, A S Arkhipin and A Kondratiev</i>	743
Determining the properties of CaO-Al ₂ O ₃ -SiO ₂ slags from molecular dynamics simulation <i>M Zhu and J Safarian</i>	759

Mathematical descriptions of – Process simulations

Process modelling and high-throughput thermochemical calculations using ChemApp for Python <i>Ö K Büyüksulu, F Tang, M Baben and S Petersen</i>	771
--	-----

An investigation of potential wear occurring on refractory lining and coating formation – a remedy of wear in a basic oxygen steelmaking furnace using CFD modelling <i>R Chowdhury, S Mitra, G Evans, T Honeyands, B J Monaghan and D Scimone</i>	781
Modelling of gas-slag flow behaviour in the ironmaking blast furnace – a review <i>X F Dong, B J Monaghan and P Zulli</i>	795
Molten slag flow in an ironmaking blast furnace – a mesoscopic level investigation <i>X F Dong, A Jayasekara, D Sert, R Ferreira, P Gardin, S J Chew, D Pinson, B J Monaghan and P Zulli</i>	807
A phenomena-based model to investigate the possibility of scrap melting in an Open Slag Bath Furnace (OSBF) for green ironmaking <i>A Emami, S van der Sluijs, M van Ende and Y Tang</i>	821
Modelling of liquid/liquid interface movement during spindle rotation of refractory – slag corrosion test <i>H Lee, B Choi and Y Chung</i>	831
CFD modelling of slag fuming, with focus on freeze-lining formation <i>C M G Rodrigues, M Wu, M Chintinne, A Ishmurzin, G Hackl, N Voller, A Ludwig and A Kharicha</i>	839
Integrated process modelling for the Kalgoorlie Nickel Smelter <i>G Sartor, A Rich, D Grimsey, M White and R Forzatti</i>	847
Pyrometallurgical process simulations using CALPHAD thermodynamic databases <i>M-A Van Ende, N Kumar and I-H Jung</i>	857
Development of a nitrogen prediction model for 320 tonne converter <i>C M Yoon, C-H Eom, Y D Jeon and K S Kim</i>	871
Efficient material descriptions for modelling high-temperature processes <i>J H Zietsman</i>	877

Volume 2

Mathematical descriptions of – Thermodynamic databases and models

Thermodynamic modelling of species distribution in AlCl_3 :BMIC salts <i>M K Nahian and R G Reddy</i>	895
Continuous method of thermodynamic optimisation using first-derivative matrices for large multicomponent systems <i>E Nekhoroshev, D Shishin, M Shevchenko and E Jak</i>	901
Thermodynamic modelling of the Fe-Al-Ti-O system and evolution of Al-Ti complex inclusions during Ti-added ultra-low carbon steel production <i>Y-J Park and Y-B Kang</i>	915
Sulfur distribution ratio in iron and steelmaking slags <i>R G Reddy and A Yahya</i>	923

Challenges and limitations in development of large thermodynamic databases for multiple molten phases using the Modified Quasichemical Formalism <i>D Shishin, M Shevchenko, E Nekhoroshev and E Jak</i>	931
Prognostic models for electros slag remelting process and slag engineering <i>G Stovpchenko, L Medovar, L Lisova, D Stepanenko and D Togobitskaya</i>	949
Research on – Industrial slag/flux/molten salt design and optimisation	
Recent advances in understanding phosphorus in oxygen steelmaking <i>G Brooks</i>	965
Reoxidation of Al-killed ultra-low C steel by Fe ₂ O ₃ in CaO-Al ₂ O ₃ -MgO _{sat.} -Fe ₂ O slag representing RH slag by experiment and kinetic modelling <i>Y-M Cho, W-Y Cha and Y-B Kang</i>	971
Effect of liquefaction controlling components in carbon-free mould powder for the continuous casting of ultra-low carbon steels <i>N Gruber</i>	979
Fluxing options and slag operating window for Metso's DRI smelting furnace <i>J Hamuyuni, K Vallo, T Haimi, F Tesfaye, J Pihlasalo and M Lindgren</i>	997
Mixed alkali effect on structure of Al ₂ O ₃ -based slags <i>S H Hyun and J W Cho</i>	1007
Effect of solid-solved FeO and MnO on hydration of free MgO in steelmaking slag <i>R Inoue, N Kado, T Iwama and S Ueda</i>	1013
University research on molten slags, matte, speiss and metal systems for high temperature processing – challenges, opportunities and solutions <i>E Jak, M Shevchenko, D Shishin, E Nekhoroshev, J Chen and P Hayes</i>	1029
Genetic design of personalised slag for manufacturing die steel via electros slag remelting method and an industrial application case <i>Z H Jiang, Y M Li, J L Tian and J W Dong</i>	1061
Flux smelting behaviour of pre-reduced Mn ore by hydrogen at elevated temperatures <i>P Kumar and J Safarian</i>	1077
Machine learning for predicting chemical system behaviour of CaO-MgO-SiO ₂ -Al ₂ O ₃ steelmaking slags case study <i>B Laidens, W Bielefeldt and D Souza</i>	1087
Perspectives of chemical metallurgy fundamentals in slag innovation <i>S Lee and I Sohn</i>	1109
Effect of slag composition on titanium distribution ratio between ferrosilicon melt and CaO-SiO ₂ -Al ₂ O ₃ slag at 1773 K <i>M J Lee and J H Park</i>	1117
Using novel methods to characterise slag films for continuously casting challenging and innovative steel grades <i>Z Li, T Zhang, S Qin, X Yang, Z Yan, P Wilson and M A Williams</i>	1123

The recovery of pig iron from the Zimbabwean limonite-coal composite pellet <i>S Maritsa, S M Masuka and E K Chiwandika</i>	1135
Effect of SiO ₂ on the structure and crystallisation of CaF ₂ -CaO-Al ₂ O ₃ slag used in electroslag remelting <i>P M Midhun and S Basu</i>	1149
A machine learning model to predict non-metallic inclusion dissolution in the metallurgical slag <i>W Mu, C Shen, C Xuan, D Kumar, Q Wang and J H Park</i>	1169
Effect of C/A ratio on the crystallisation behaviour and structure of calcium-aluminate based alternative mold fluxes for casting medium and high Mn/Al steels <i>A Nigam, K Biswas and R Sarkar</i>	1177
Improving cobalt extraction through oxidative blowing of copper-nickel matte <i>R A Pakhomov, P V Malakhov, L V Krupnov and I M Dymov</i>	1187
Comparative study of oxide dissolution modelling in secondary steelmaking slags <i>N Preisser and S K Michelic</i>	1195
Impurity capacities of non-ferrous slags <i>R G Reddy</i>	1205
Flow investigation of multiphase manganese slags <i>V Rimal and M Tangstad</i>	1217
Improvement of the copper flash smelting furnace (FSF) and the slag cleaning furnace (SCF) process by advice-based control of silica and coke addition <i>A Schmidt, S Winkler, E Klaffenbach, A Müller, V Montenegro and A Specht</i>	1231
Characterisation and assessment of B ₂ O ₃ added LF slag <i>S Soumya Varanasi, K Sripushpa, M Bhaskara Venkata Rao, S Mahboob Basha and A Kamaraj</i>	1235
Slag-steel reactions in the refining of advanced high-strength steel <i>P Su, P C Pistorius and B A Webler</i>	1249
Crystallisation control of CaO-SiO ₂ -Al ₂ O ₃ -MgO system inclusion <i>Y Wang, S Sukenaga, W Z Mu, H Zhang, H W Ni and H Shibata</i>	1259
Effect of Al ₂ O ₃ /SiO ₂ ratio on structure and properties of mould flux for high-Al steel continuous casting <i>Q Wang, J Zhang, O Ostrovski, C Zhang and D Cai</i>	1267
Pushing the boundaries of slag operability – processing of high-MgO nickel concentrates with the Ausmelt TSL process <i>J Wood, J Coveney, S Creedy, D Grimsey and A Rich</i>	1281
A fundamental investigation on welding flux tunability geared towards high heat input submerged arc welding for shipbuilding applications <i>H Yuan, H Tian, Y Zhang, Z Wang and C Wang</i>	1297
Electrodeposition and electrochemical behaviour of molybdenum ions in ZnCl ₂ -NaCl-KCl molten salt <i>H Zhang, S Li, Z Lv and J Song</i>	1305

Development of solid waste-based flux and its application in out-of-furnace dephosphorisation of low-silicon hot metal <i>Z Zhao and Y Zhang</i>	1315
Analysis on composition and physical-chemical property change of PbO-bearing slag in Pb smelting <i>J X Zhao, Y R Cui, G Cao, G H Wang, B Li, M M Ren, Z M Wang and H P Gui</i>	1325
Slag volume effects on direct-reduced iron (DRI)-based electric furnace steelmaking <i>Q Zhuo, P C Pistorius and M N Al-Harbi</i>	1337
 Research on – New energy and metal production technologies	
An attempt towards ferrochromium production using molten oxide electrolysis <i>J Biswas, L Klemettinen, D Sukhomlinov, W Malan and D Lindberg</i>	1349
Ferroalloy extraction from a Zimbabwean chrome ore using a closed DC furnace <i>S Dandi, M J Masamvu, S M Masuka, S B Chinosengwa and E K Chiwandika</i>	1361
Production of molybdenum disilicide using a silicon-containing molten bath via the hot dipping method <i>J Gamutan, H Fukaya and T Miki</i>	1375
Reduction and melting behaviours of carbon – iron oxide composite using iron carbides and free carbon obtained by vapour deposition <i>R Higashi, D Maruoka, Y Iwami and T Murakami</i>	1387
Electrolytic reduction of metal sulfides/oxides in molten salts for sustainable metal production <i>X Hu, L Sundqvist Ökvist and J Björkqvall</i>	1395
Aluminothermic production of silicon using different raw materials <i>K Jakovljevic, N Simkhada, M Zhu, M Wallin and G Tranell</i>	1401
Manufacturing of FeSiB high-temperature phase change material by silicothermic reduction <i>J Jiao, M Wallin, W Polkowski and M Tangstad</i>	1413
Physical properties optimisation of the Zimbabwean limonite ore-carbon composite pellets as a sustainable feed for pig iron production <i>S M Masuka, D Simbi, S Maritsa and E K Chiwandika</i>	1423
State-of-the-art of electroslag refining and challenges in the control of ingot cleanliness <i>L Medovar, G Stovpchenko and G Jianjun</i>	1429
Hydrogen plasma in extractive metallurgy application <i>B Satritama, D Fellicia, M I Pownceby, S Palanisamy, A Ang, G A Brooks and M A Rhamdhani</i>	1445
Challenges facing non-ferrous metal production <i>P Taskinen and D Lindberg</i>	1455
The extraction of white phosphorus in molten salt <i>X Yang</i>	1465

Research on – Recycling and environment sustainability

The effect of FeO/SiO ₂ ratio on the feasibility of utilising iron silicate slags as supplementary cementitious materials <i>A Andersson, J Isaksson, L Brander, A Lennartsson, Å Roos and F Engström</i>	1471
Pyrometallurgical treatment of nickel smelting slag with biochar <i>D Attah-Kyei, D Sukhomlinov, M Tiljander, L Klemettinen, P Taskinen, A Jokilaakso and D Lindberg</i>	1481
An investigative study on the interfacial behaviour of waste graphite resource with liquid iron <i>S Biswal, S Udayakumar, F Pahlevani, N Sarmadi and V Sahajwalla</i>	1495
Distribution of impurity elements in oxygen-enriched top-blowing nickel smelting with Fe extraction-oriented slag adjustment <i>G Cao, J Zhao, J Wang, S Yue, B Li, J Zheng, Y Cui and H Zong</i>	1501
Lessons learned from attempts at minimising CO ₂ emissions in process metallurgy – pyrolysed secondary raw materials, bio-coke, and hydrogen as alternative reducing agents <i>F Diaz, M Sommerfeld, G Hovestadt, D Latacz and B Friedrich</i>	1519
A short review – hydrogen reduction of copper-containing resources <i>D M Fellicia, M I Pownceby, S Palanisamy, R Z Mukhlis and M A Rhamdhani</i>	1533
Smelting of different hydrogen-reduced bauxite residue-calcite pellets for iron and alumina recovery <i>M K Kar and J Safarian</i>	1543
Effect of mill-scale and calcined dolomite on high Al ₂ O ₃ sinter and its reduction behaviour <i>S J Kim, L Tomas da Rocha, S W Kim and S Jung</i>	1553
Slag-metal interfacial reactions in pyrometallurgical processing of industrial wastes for recovery of valuable metals <i>H J Kim, R R Kim, H S Park and J H Park</i>	1565
Towards integration of pyro- and hydrometallurgical unit operations for efficient recovery of battery metals from waste lithium-ion batteries <i>L Klemettinen, J Biswas, A Klemettinen, J Zhang, H O'Brien, J Partinen and A Jokilaakso</i>	1571
Physicochemical properties of steelmaking slags for the mitigation of CO ₂ emissions in steel sector <i>M J Lee, J H Heo and J H Park</i>	1585
Understanding zinc-containing species in basic oxygen steelmaking dust <i>R J Longbottom, D J Pinson, S J Chew and B J Monaghan</i>	1591
Effect of oxygen on the interfacial phenomena and metal recovery rate in recycling process <i>J Park, Y-B Kang and J H Park</i>	1603
Measuring circular economy through life cycle assessment – challenges and recommendations based on a study on recycling of Al dross, bottom ash and shavings <i>E Pastor-Vallés, A Vallejo-Olivares, G Tranell and J B Pettersen</i>	1609
A thermodynamic and sustainability assessment of PCB recycling through the secondary Cu smelting process <i>P Tikare, M Mohanasundaram, R Kumar and A Kamaraj</i>	1621

Melting behaviour investigation of municipal solid waste incineration fly ash samples from different incineration technologies for metal recovery – an integrated experimental and thermodynamic modelling approach 1631

E Soylu and G Tranell

Conversion of hard-to-use wastes to new raw materials for low-energy glass/mineral-wool manufacturing 1643

Z Yan, T Htet, S Zhang and Z Li

Research on – Refractory-melt interactions

Radical involved reaction and weak magnetic effect between alumina refractory and high alumina slags 1655

A Huang, S H Li and H Z Gu

On the stability of CaS in liquid steel containing alumina or spinel inclusions 1665

S Kumar, N N Viswanathan and D Kumar

Corrosion behaviour of ferrite and aluminite refractories in cryolite-aluminium melts 1675

R Z Mukhlis and M A Rhamdhani

The interaction between slag and MgO refractory at conditions relevant to nickel laterite ore smelting 1693

Y H Putra, Z Zulhan, A D Pradana, D R Pradana and T Hidayat

Author Index