

# **SPE Hydraulic Fracturing Technology Conference and Exhibition 2025**

The Woodlands, Texas, USA  
4 - 6 February 2025

Volume 1 of 2

ISBN: 979-8-3313-1759-1

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© (2025) by Society of Petroleum Engineers  
All rights reserved.

Printed with permission by Curran Associates, Inc. (2025)

For permission requests, please contact Society of Petroleum Engineers  
at the address below.

Society of Petroleum Engineers  
P. O. Box 833836  
Richardson, Texas 75083-3836

Phone: (800) 456-6863  
Fax: (972) 952-9435

[books@spe.org](mailto:books@spe.org)

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2633  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

# TABLE OF CONTENTS

## VOLUME 1

### **PIONEERING TECHNIQUES IN FRACTURING AND WELLBORE DIAGNOSTICS TO IMPROVE FIELD DEVELOPMENT**

|                                                                                                                                                            |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Stacked-Pay Development Insights from Routine Sealed Wellbore Pressure Monitoring (SWPM).....                                                              | 1   |
| <i>Brendan Elliott, Jackson Haffener, Trevor Ingle, Kyle Haustveit, Travis Black, Chris Ketter, Nick Ashley, Brett Green</i>                               |     |
| Acid Fracturing Treatment Design Optimization in North Sea Chalk Wells in Norway .....                                                                     | 15  |
| <i>Vibhas J. Pandey, Rodrigo Ruysschaert, Maxim Prosvirnov, Matthew M. Ferris</i>                                                                          |     |
| Simulation-Driven Operational Value Optimization Within Design Constraints: A Case Study in Applying Dynamic Stage Lengths at Execution Pace .....         | 42  |
| <i>B. Eidson, J. Lutey, A. Christensen, S. Hervo, F. Macklon</i>                                                                                           |     |
| Permian Ultra-Long Lateral Drillout and Intervention Using Hydraulic Completion Units .....                                                                | 64  |
| <i>J. Henson, E. J. Kamps, S. Vinasco, M. Tourigny, M. O'Brien, J. Frantz, J. Gonzales</i>                                                                 |     |
| A New Method to Quantify the Connections Between Wells Based on Pressure and Strain Responses Measured in a Monitoring Well .....                          | 82  |
| <i>Jingyu Liu, Kan Wu, Ge Jin, Thomas A. Blasingame</i>                                                                                                    |     |
| Successful Implementation CO2 Assisted Hydraulic Fracturing in a Deep and Low Permeability Sandstone Reservoir: First Case in Colombia .....               | 99  |
| <i>J. Reina, R. Zabala, J. Marin, J. Portela, J. Bahamon, S. Orozco, A. Prada, N. Orozco, R. Lozano, M. Torres, S. Kaminszczyk, H. Cifuentes, C. Reina</i> |     |
| Recent Developments and Utilization of Produced Water in Bakken Well Stimulations .....                                                                    | 112 |
| <i>D. D. Schmidt, G. Harms, A. Thiel, J. Neubeker, T. Hopfauf</i>                                                                                          |     |

### **PROPPANT TRANSPORT AND DISTRIBUTION FINDINGS FROM IN-BASIN AND LABORATORY INVESTIGATIONS: IMPACT ON COMPLETION DESIGN FOR UNCONVENTIONALS**

|                                                                                                                                                                                                                      |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Far-Field Drainage along Hydraulic Fractures: Insights from Integrated Modeling Studies in the Bakken and Permian Basin.....                                                                                         | 123 |
| <i>Ankush Singh, Mohsen Babazadeh, Craig Cipolla, Karan Dhuldhoya, Arjang Gandomkar, John Lassek, Ripu Manchanda, Michael McKimmy, Daniel Ramirez-Tamayo, Reza Safari, Mojtaba Shahri, Steve Smith, Mark McClure</i> |     |
| Impacts of Near and Far-Field Diverters on Proppant Transport in Complex Fracture Systems.....                                                                                                                       | 154 |
| <i>A. Bahri, J. L. Miskimins, A. D. Hill, D. Zhu</i>                                                                                                                                                                 |     |
| An Experimental Investigation of the Effect of Lithology, Pore Pressure, and Stress on the Magnitude of Induced Seismicity Events .....                                                                              | 175 |
| <i>Arun Sathyanath, Mukul M. Sharma</i>                                                                                                                                                                              |     |
| Avoiding Fatal Attractions: How to Prevent Production-Killing Interactions between Wet Sand and Stimulation Fluids .....                                                                                             | 191 |
| <i>Sarkis Kakadjian, Jarrett Kitchen, Amanuel Gebrekirstos</i>                                                                                                                                                       |     |

|                                                                                                                             |     |
|-----------------------------------------------------------------------------------------------------------------------------|-----|
| Turbidity in Frac Sand from Proximity Mines in the Permian Basin: Is it Detrimental to the Fracture System? .....           | 208 |
| <i>D. Anschutz, M. McGill, S. Fleming, C. Landis, T. Cage</i>                                                               |     |
| Achieving Uniform Proppant Distribution in Horizontal Wellbore Clusters Using CFD Modeling .....                            | 219 |
| <i>A. Bahri, J. L. Miskimins, S. Alajmei</i>                                                                                |     |
| New Crush Testing Method to Evaluate Proppant Performance Under Downhole Conditions.....                                    | 257 |
| <i>T. C. Nguyen, T. N. Dong, H. Yoo, T. K. Thieu</i>                                                                        |     |
| Gathering Useful Data from Crush Testing: Estimation of Proppant Permeability Using a Modified Kozeny-Carman Equation ..... | 274 |
| <i>Bryan Drebon, R. J. Duenckel, Kimberly Sutter</i>                                                                        |     |

## **FRACTURING ENHANCEMENTS AND SUSTAINABILITY**

|                                                                                                                                          |     |
|------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Utilizing Empirical Data and Theoretical Modeling to Build a Bigger Box and Increase Production .....                                    | 282 |
| <i>Tim Hilton, Connor Bradham, Dustin Aro, Robert Gibbons</i>                                                                            |     |
| Analysis of Acoustic Signals Generated by Proppant Slurry Flow Through Perforations .....                                                | 305 |
| <i>Jiayue Chen, Ding Zhu, A. D. Hill</i>                                                                                                 |     |
| Evaluating the Transition to Natural Gas-Powered Equipment in Hydraulic Fracturing: Challenges, Benefits, and Feasibility Analysis ..... | 323 |
| <i>M. Hollaway, R. Aune</i>                                                                                                              |     |
| The Quest for 100% Isolation During Multi-Stage Stimulations .....                                                                       | 334 |
| <i>Elias Peña, Ethan Etzel, Zachary Silva, Nathan Perego, Josh Gosney, Paul Simon</i>                                                    |     |
| Vaca Muerta: A Technical Approach to the Path of Sustainability in Water Reuse .....                                                     | 345 |
| <i>Rosario Daniela Velo, María Lila Arias, Mauro Iván Weimann, Nicolás Mottes, Sebastián Miguel Pérez</i>                                |     |
| Best Practices in Evaluating and Selecting New Friction Reducers for Permian and Marcellus Hydraulic Fracturing Operations .....         | 367 |
| <i>F. A. Muhammed, K. Sullivan, A. Bowers, G Middleton, R. Thorpe, C. Aften</i>                                                          |     |

## **INTEGRATING DIAGNOSTICS TO OPTIMIZE FIELD DEVELOPMENT**

|                                                                                                                                                                                                                         |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| A Unique Process Using a Modified Slickwater Treatment that Enables Optimized Depletion of Shales and Tight Reservoirs with and without Laterals and Less than Half the Sand Used for Typical Lateral Completions ..... | 384 |
| <i>John Ely, Jon Harper, Brad Wolters, Mark Jacoby</i>                                                                                                                                                                  |     |
| Design, Test, Evaluate, Repeat: Continuous Improvement of Field Development Through Field Testing and Modelling, a Marcellus Case Study .....                                                                           | 399 |
| <i>Stephane Pichon, Christopher Buchanan, Nikolay Khazov, Ryan Segstro, Carmen Gomez Rios, Miguel Slikas, Mirko Hernandez Depaz</i>                                                                                     |     |
| Monitoring the Effectiveness of a Bullhead Refrac Using Temporarily Deployed Fiber Optic Cable .....                                                                                                                    | 420 |
| <i>R. Traweek, J. Rice, T. Gattis, C. Chamberlain, M. Del Zoppo, P. Van Buskirk, P. Dutta</i>                                                                                                                           |     |
| Predicting Stage Isolation in the Vaca Muerta Formation Using Surface Pressure Diagnostics.....                                                                                                                         | 432 |
| <i>F. Verrastro, J. C. Bonapace, M. B. Rodriguez, L. Goñi</i>                                                                                                                                                           |     |

|                                                                                                                                                                                      |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| A New Concept of Enhanced Oil Recovery (EOR) in Permian Basin. Chlorine Dioxide (CLO <sub>2</sub> ) as Re-Stimulation Agent in Unconventional, Multi-Fractured Horizontal Wells..... | 448 |
| <i>Panagiotis Dalamarinis, Stephen Fusselman</i>                                                                                                                                     |     |
| Feature-Driven Interactions: The FDI Evolution.....                                                                                                                                  | 467 |
| <i>C. W. Seters, R. S. Leonard, R. Woodroof, T. Wood</i>                                                                                                                             |     |
| FDIs Observations and Analysis with Integrated Geo-Engineering Approach: Case Studies from Multiple Platforms in Sichuan Deep Shale Gas.....                                         | 475 |
| <i>Wang Weixu, Ma Shiyang, Shu Dongchu, Liu Zhaojian, Wang Fei, Wang Lipeng, Huang Yongjie, Liu Yuan, Wei Zheng</i>                                                                  |     |
| Practical Methods for Completing the SCOOP Woodford and Sycamore.....                                                                                                                | 489 |
| <i>James Calvin, Hap Pinkerton, Cameron Shepherd</i>                                                                                                                                 |     |

## **INNOVATIONS IN FRACTURED WELL PERFORMANCE: INTEGRATING ANALYTICS, STRATEGY, AND TECHNOLOGY FOR ENHANCED RECOVERY**

|                                                                                                                  |     |
|------------------------------------------------------------------------------------------------------------------|-----|
| Slicing the Onion of Multi-Variate Unconventional Stimulation Optimization .....                                 | 519 |
| <i>C. M. Pearson, G. Fowler, J. Rondon</i>                                                                       |     |
| Learnings from Over 5 Years of Design, Implementation, and Analysis of the Modified Flowback DFIT, DFIT-FBA..... | 534 |
| <i>C. R. Clarkson, D. Zeinabady, B. Zanganeh, S. Haqparast</i>                                                   |     |

## **VOLUME 2**

|                                                                                                                                |     |
|--------------------------------------------------------------------------------------------------------------------------------|-----|
| Incorporating Physical Observations into Analytical Models for Enhanced Well Performance Prediction in the Midland Basin ..... | 591 |
| <i>Adam Block, Cameron Cross, Carl Bernet, Charles Kang, Jessica Sufit, Mark McClure, Tim Yotter</i>                           |     |
| Near-Real-Time Detection of Frac Hits Using Machine Learning .....                                                             | 623 |
| <i>B. J. Spivey, E. Karantinos, J. E. Kaus, N. L. Adair, B. J. Abernathy, R. M. Brito</i>                                      |     |
| Strategic Multi-Bench Child Well Placement Amid Parent Well Production-Induced Stress Depletion in the Permian Basin .....     | 634 |
| <i>Yiwen Gong, Timothy P. McMahon</i>                                                                                          |     |
| New Hybrid Workflow for Field Development Planning and Execution: Early Time Fracs vs Long Term Production .....               | 649 |
| <i>J. D. Williams-Kovacs, D. Deryushkin, C. R. Clarkson</i>                                                                    |     |

## **COMPLETION HARDWARE, CASING DEFORMATION AND AUTOFRAC**

|                                                                                                                                        |     |
|----------------------------------------------------------------------------------------------------------------------------------------|-----|
| A Process for Evaluating and Optimizing Frac Plug Performance .....                                                                    | 668 |
| <i>Cody Douglas, Mark Watson, Dave Cramer, Matt White, Robin Schlittler</i>                                                            |     |
| Auto Frac: Improving Consistency and Control in Completions .....                                                                      | 692 |
| <i>E. Bogle, P. Stark</i>                                                                                                              |     |
| A Systematic Approach for Processing, Prioritising and Progressing Casing Deformation Understanding in Unconventional Reservoirs ..... | 702 |
| <i>M. Rylance, J. M. Montoya</i>                                                                                                       |     |

|                                                                                                                                |     |
|--------------------------------------------------------------------------------------------------------------------------------|-----|
| Advantages of Trailer-Mounted Gas Turbines Configuration for Electric Fracturing and Emissions Reduction with De-Flaring ..... | 717 |
| <i>M. J. Lozano Cruz, A. Mantini</i>                                                                                           |     |

## **DESIGN STRATEGIES AND DIAGNOSTICS**

|                                                                                                                                                                    |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Conventional and Unconventional Developments Part I: What Applies, Where and Why ? .....                                                                           | 729 |
| <i>M. Rylance, M. Pearson, G. Fowler, M. McClure</i>                                                                                                               |     |
| Conventional and Unconventional Development Part II: Extrapolation of Unconventional Horizontal Development to Low Permeability Reservoirs .....                   | 751 |
| <i>C. M. Pearson, G. Fowler, M. McClure, M. Rylance</i>                                                                                                            |     |
| Evaluating and Optimizing Completion Designs in the Niobrara Formation of Powder River Basin Using Multiple Diagnostic Datasets .....                              | 773 |
| <i>Matt Jones, Yu Zhao, Jack Borski, Jess Puyear, Jon Nilemo, Juan Fernandez, Kenneth Tan, Nikhil Kethireddy</i>                                                   |     |
| Adding Depth: The Superiority of Volumetric Perforation Erosion Analysis for Evaluating Stimulation Performance and Optimizing Completion Designs.....             | 800 |
| <i>Matt Jones, Charles Bourgeois, Trent Pehlke, Anthony Battistel, Cole Coupland, Gaurav Handa, Jon Nilemo, Kenneth Tan</i>                                        |     |
| Evaluation of Perforation Erosion and Fluid Allocation with Distributed Acoustic Sensing in Multi-Stage Fracture Stimulation .....                                 | 830 |
| <i>Yasuyuki Hamanaka, D. Zhu, A. D. Hill, Eric Kerr</i>                                                                                                            |     |
| Field Data Interpretation of Cross-Well Strain Measurements with Slippage Effect Using Single-Use Fiber in the Anadarko Basin.....                                 | 856 |
| <i>Xueling Song, Ge Jin, Kan Wu, Kevin Pelton, Trevor Ingle</i>                                                                                                    |     |
| Optimizing Fiber-Casing Coupling Efficiency for Horizontal Wellbores: A Lab-Scale Investigation Towards Improving Strain Measurements Using Disposable Fiber ..... | 874 |
| <i>Michel LeBlanc, Xueling Song, Casey Cox, Dane Byrd</i>                                                                                                          |     |
| Unifying DFOS Diagnostics to Describe Fracture Morphology .....                                                                                                    | 894 |
| <i>D. Byrd, T. Conner, C. Cox, F. Aljawfi</i>                                                                                                                      |     |

## **INNOVATIVE FRACTURING AND DIAGNOSTICS TECHNIQUES FOR GEOTHERMAL ENERGY**

|                                                                                                                               |     |
|-------------------------------------------------------------------------------------------------------------------------------|-----|
| 2024 Enhanced Geothermal System Hydraulic Fracturing Campaign at Utah FORGE.....                                              | 906 |
| <i>Kevin England, PeiJian Li, Pengju Xing, Joseph Moore, John McLennan</i>                                                    |     |
| Hydraulic Fracturing Design in Geothermal Wells: A Utah FORGE Case Study .....                                                | 935 |
| <i>Qianjun Liu, Meng Cao, Yuhao Ou, Mukul Sharma</i>                                                                          |     |
| Improving the Connectivity Between Injection and Production Wells in Enhanced Geothermal Systems Using Fiber Optic Data ..... | 956 |
| <i>Dana Jurick, Alan Reynolds, Mukul M. Sharma</i>                                                                            |     |
| Hydraulic Fracturing in Geothermal Reservoirs: The Utah Forge EGS and Newberry Superhot Projects .....                        | 970 |
| <i>A. Ghassemi, Ruwantha Ratnayake</i>                                                                                        |     |

|                                                                                                                                                                            |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Obtaining Connectivity and Conductivity of Fractures During Geothermal Fluid Circulation Shut-In from Hydro-Thermo-Geomechanical Modeling of Distributed Strain Data ..... | 983 |
| <i>Yuhao Ou, Qianjun Liu, Mukul Sharma</i>                                                                                                                                 |     |

|                                                                                                                                  |      |
|----------------------------------------------------------------------------------------------------------------------------------|------|
| Estimating the Inflow Distribution in Geothermal Wells During Fluid Circulation Using Distributed Fiber Optic Measurements ..... | 1006 |
| <i>Yuhao Ou, Mukul M. Sharma</i>                                                                                                 |      |

|                                                                                                                                                                                     |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Sequential Stimulation Technology -Thermal Lattice™ – To Enhance Connectivity Between Injectors and Producers for Super Hot Reservoir (SHR) Enhanced Geothermal Systems (EGS) ..... | 1029 |
| <i>W. M. El-Rabaa, H. H. Abass, G. B. Asher, N. Siddiqui</i>                                                                                                                        |      |

## **DIAGNOSTICS II**

|                                                                                                         |      |
|---------------------------------------------------------------------------------------------------------|------|
| Fracture Growth Through Microseismic Quiescent Zones: Indication of Stealth or Complex Fracturing?..... | 1045 |
| <i>S. C. Maxwell, S. Doss, R. Holman, B. Bryce</i>                                                      |      |

|                                                                                                                         |      |
|-------------------------------------------------------------------------------------------------------------------------|------|
| Bedding Plane Slippage and Fault Reactivation Captured by Cross-Well LFDAS Monitoring During Hydraulic Fracturing ..... | 1062 |
| <i>Wen Wang, Joseph Mjehovich, Liqing Chen, Ge Jin, Junfeng Li, Xiaosong Fu</i>                                         |      |

|                                                                                                                                                             |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| AI Enhanced Multi-Physics Imaging for Perforation Erosion Analysis: A Quantum Shift in the Accuracy and Efficiency of Unconventional Well Optimization..... | 1072 |
| <i>G. Roberts, S. Saha, S. Moreno, E. M. Viggen, T. Tynons</i>                                                                                              |      |

|                                                                                                           |      |
|-----------------------------------------------------------------------------------------------------------|------|
| Evaluating Offset Strain Response on a Single Wellbore Equipped with Permanent and Disposable Fiber ..... | 1089 |
| <i>C. Cox, F. Aljawfi, M. LeBlanc, G. D. Byrd</i>                                                         |      |

|                                                                                        |      |
|----------------------------------------------------------------------------------------|------|
| Flowback Analysis for Propped-Fracture Evaluation in Low-Permeability Reservoirs ..... | 1104 |
| <i>C. F. Silva-Escalante, B. R. Martinez-Perez</i>                                     |      |

|                                                                                                                      |      |
|----------------------------------------------------------------------------------------------------------------------|------|
| Evaluating the Effect of Input Model Uncertainties on Hydraulic Fracture Modeling and Pressure History Matching..... | 1117 |
| <i>A. Sarmah, H. Nasrabadi, R. Suarez-Rivera</i>                                                                     |      |

|                                                                                                             |      |
|-------------------------------------------------------------------------------------------------------------|------|
| Where is the Heart-Shape Fiber Response? Impact of Poroelasticity on Strain and Frac Height Estimation..... | 1135 |
| <i>Ruwantha Ratnayake, Ahmad Ghassemi</i>                                                                   |      |

|                                                                                                                                                              |      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Determining a Minimum Polymer Concentration to Optimize Dynamic Proppant Suspension and Transport at a Particular Shear Rate and Proppant Concentration..... | 1145 |
| <i>C. McGoran, C. Stephens</i>                                                                                                                               |      |

## **Author Index**