Optical Tomography and Spectroscopy of Tissue XVI

Sergio Fantini Paola Taroni Editors

27–29 January 2025 San Francisco, California, United States

Sponsored and Published by SPIE

Volume 13314

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in *Optical Tomography and Spectroscopy of Tissue XVI*, edited by Sergio Fantini, Paola Taroni, Proc. of SPIE 13314, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 1605-7422

ISSN: 2410-9045 (electronic)

ISBN: 9781510683761

ISBN: 9781510683778 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)

SPIE.ora

Copyright © 2025 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

vii Conference Committee

THEORY, MONTE CARLO, MACHINE LEARNING, AND PHANTOMS

| 13314 02 | Open-source 2D multispectral forward and inverse solver of the radiative transfer equation [13314-1] |
|----------|--|
| 13314 03 | Simple and versatile analytical model for continuous-wave fluorescence in multilayered turbid media under the diffusion approximation [13314-2] |
| 13314 04 | Extending application limits of scaling relations for time-resolved Monte Carlo simulations in diffuse optics (Invited Paper) [13314-3] |
| 13314 05 | Direct application of deep learning for diffuse optical tomography [13314-4] |
| 13314 07 | Absorption properties of common chromophores for tissue-mimicking phantoms in Intralipid and glass microspheres [13314-6] |
| | SPECTROSCOPY AND IMAGING OF TISSUE |
| 13314 09 | Comparison of frequency domain optical tomography with ultrasound imaging in the classification of joints of systemic lupus erythematosus patients [13314-8] |
| 13314 OB | Simple forward model of noncontact diffuse reflectance spectroscopy in a center- illuminated-area-detection geometry for measuring myoglobin forms in retail beef [13314-10] |
| | OXIMETRY AND SPECTROSCOPY OF MUSCLE |
| 13314 0D | Impact of adipose and bone tissues in diffuse optical measurements of skeletal muscle: in vivo data and theoretical simulations [13314-12] |
| 13314 0E | Effects of epidermal pigmentation on the accuracy of hyperspectral versus commercial near-infrared spectroscopy tissue oximeters [13314-13] |
| 13314 OF | Noncontact assessment of oxymyoglobin changes in beef during retail display using diffuse reflectance spectroscopy in a new configuration [13314-16] |
| 13314 0G | Preliminary investigation of partial optical path-lengths in pulse oximetry [13314-14] |

SFDI AND DIFFUSE REFLECTANCE 13314 OJ Structured light imaging mesoscopy for detection of embedded morphological changes in superficial tissues [13314-20] 13314 OK Computational defocus correction in spatial frequency domain imaging [13314-18] 13314 OL Speckle noise reduction in coherent spatial frequency domain imaging [13314-19] TIME-DOMAIN METHODS AND APPLICATIONS Spatial resolution of parameterized temporal data in l_0 -norm-based time-domain diffuse 13314 ON optical tomography (TD-DOT) [13314-22] Multiplying the number of effective channels in time-domain single-photon counting 1331400 applications [13314-23] 13314 OP Compressive illumination architecture for hyperspectral time-resolved near-infrared tissue **spectroscopy** [13314-24] 13314 0Q Large source-detector distance time-resolved measurements to probe adult lungs noninvasively [13314-25] 13314 OR Measurement of placental depth during time domain NIRS using deep learning [13314-26] 13314 OS Modeling of time domain diffuse Raman spectroscopy in a two-layer medium [13314-27] **BREAST IMAGING** Prospective study of quantitative broadband diffuse optical spectroscopy for differential 13314 OU diagnosis of suspicious breast lesions [13314-29] Errors induced by partial pathlength variations due to mammographic compression in 13314 0X dynamic diffuse optical breast imaging [13314-32] Improving the quality of diffuse optical tomography reconstruction with APU-Net: an 13314 0Y

Optical biomarkers for sepsis-related microcirculatory impairment (Invited Paper) [13314-34] Reproducibility of a hybrid time-resolved NIRS/DCS system: towards daily cerebral metabolism monitoring in the ICU [13314-35]

attention-based physical U-Net model [13314-33]

BRAIN I

| 133 | 314 11 | Monte Carlo simulations of time-of-flight resolved blood flow index: times-of-flight beyond 1ns permit selective measurement of pulsatile cerebral blood flow [13314-36] |
|-----|--------|--|
| 133 | 314 12 | Dual-slope near-infrared spectroscopy for selective sensitivity to cerebral hemodynamics [13314-37] |
| | | BRAIN II |
| 133 | 314 13 | NeuroDOT: a Matlab and Python toolbox for diffuse optical tomographic brain mapping (Invited Paper) [13314-38] |
| 133 | 314 14 | High framerate FD-fNIRS for auditory-inspired speech hemodynamic response function [13314-39] |
| 133 | 314 15 | Experimental evidence for anisotropic diffusion of light in white matter tissue [13314-40] |
| | | POSTER SESSION |
| 133 | 314 18 | Imaging dynamic targets through scattering media with chip-scale ultra-high density diffuse optical tomography [13314-58] |