PROCEEDINGS OF SPIE

Fiber Lasers XXII: Technology and Systems

Thomas Schreiber Matthias Savage-Leuchs Editors

27–31 January 2025 San Francisco, California, United States

Sponsored by SPIE

Cosponsored by Active Fiber Systems GmbH (Germany) NKT Photonics A/S (Denmark)

Published by SPIE

Volume 13342

Proceedings of SPIE 0277-786X, V. 13342

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in Fiber Lasers XXII: Technology and Systems, edited by Thomas Schreiber, Matthias Savage-Leuchs, Proc. of SPIE 13342, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510684324 ISBN: 9781510684331 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) SPIE.org Copyright © 2025 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

• The first five digits correspond to the SPIE volume number.

• The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

vii Conference Committee

INDUSTRIAL LASERS

- 13342 027kW single-mode ytterbium fiber laser with beam quality parameter M² < 1.1 and direct
diode pumping (Invited Paper) [13342-1]
- 13342 03 High-power, narrow-linewidth, reverse-pumped, Yb-doped fiber amplifier using novel 7+1:1 pump-signal combiner [13342-3]

VISIBLE AND MID-IR

- 13342 05 Get the most out of a fiber laser: from high-power CW to ultrafast operation, from visible to mid-infrared emission (Invited Paper) [13342-5]
- 13342 06 Towards power scaling of Er-doped fluoride fiber laser at 3.78µm [13342-6]

TWO MICRON FIBER LASER I

- 13342 0A Power scaling of narrow-linewidth holmium-doped fiber amplifiers with low noise and linear polarization [13342-10]
- 13342 0B High efficiency power-scalable monolithic Ho³⁺-doped triple clad fiber laser claddingpumped at 1.9µm [13342-11]
- 13342 OC Pair-induced quenching in holmium-doped fiber lasers and its impact on efficiency and operating wavelength [13342-12]

NOVEL LIGHT SOURCES

- 13342 0D Hollow-core fiber-based light sources for advanced semiconductor metrology and inspection (Invited Paper) [13342-13]
- 13342 OE Polarization maintaining, low noise, 32W, 1280nm Raman amplifier [13342-14]
- 13342 0G Continuously tunable green to red visible laser sources through harmonic conversion of cascaded Raman fiber lasers [13342-16]
- 13342 OH Record-low quantum defect efficient high-power diffraction-limited fiber laser [13342-17]

13342 01 Pulse-pumped, polarization maintaining, very-large-mode area erbium-doped fiber amplifier at low repetition rates [13342-18]

HIGH POWER FIBER LASERS

13342 OJ	Transverse mode instability and two-wave mixing in narrow linewidth Yb-doped fiber amplifiers (Invited Paper) [13342-19]
13342 OK	Control of modal energy exchange in transverse mode instability with travelling waves [13342-20]
13342 OL	Comparison of TMI thresholds in non-PM and PM fibers (Best Student Paper Award) [13342-21]
13342 OM	Static beam degradation due to two-wave-mixing long-period gain/loss gratings [13342-22]
13342 ON	Mitigation of transverse mode instability by incoherent combination in multicore fibers [13342-23]

TWO MICRON FIBER LASER II

- 13342 OP Splice-optimized all-fiber continuous-wave Tm3+-doped fiber laser emitting 680W at 2036nm [13342-25]
- 13342 0Q Pump noise transfer in a highly efficient, in-band pumped thulium-doped fiber amplifier [13342-26]

MULTIMODE, MULTICORE FIBER LASER

- 13342 05 Femtosecond CPA laser system emitting 261W average power, 1.75mJ pulse energy based on coherent combination of a 49-core fiber (Invited Paper) [13342-28]
- 13342 0T Pump absorption and amplification uniformity in rod-type, multicore fibers [13342-29]
- 13342 0U Precision manufacturing of multicore fibers for superior fiber laser performance [13342-30]
- 13342 0V **18-mJ pulse energy, 27-W average power, second harmonic generation in a Q-switched 49-core Yb-doped fiber laser** [13342-31]

ULTRAFAST LASERS I

13342 0X Femtosecond fiber regenerative amplifiers (Invited Paper) [13342-33]

- 13342 OY Towards a high repetition rate all-fiber ring Mamyshev oscillator [13342-34]
- 13342 10 Deep learning applied to coherent combining of fiber lasers: toward an experimental demonstration in a non-controlled environment [13342-36]

NARROW LINEWIDTH FIBER LASERS

- 13342 12 Output pulse energy from pulsed single-mode fiber amplifiers [13342-38]
- 13342 13 Single-frequency amplifier using polarization-maintaining Yb-doped 30/400 fiber [13342-39]
- 13342 14 Power scaling of single-frequency Yb³⁺ fiber amplifiers with highly absorbing standard LMA fibers [13342-40]

MANUFACTURING AND COMPONENTS

13342 16	A nested preform stacking approach for active photonic bandgap fiber fabrication [13342-43]
13342 17	Self-protecting index-adapting cladding light stripper [13342-44]
13342 18	Quasi-Bessel beam generation with an SMF-MMF structure [13342-45]
13342 19	Side-fused signal-pump combiner for triple clad fibers [13342-46]
	NOVEL FIBERS AND EFFECTS

- 13342 1C MW-level 7ps high-power MOPA system with ytterbium-doped spun tapered double-clad fiber [13342-49]
- 13342 1E Room-temperature Stark-split sub-level measurements in Yb-doped optical fibers using Purcell enhancement in microresonators [13342-51]

ULTRAFAST LASERS II

- 13342 1G Ultrashort pulse amplifier using a novel 40/250 polarization-maintaining Yb-doped multiclad fiber [13342-53]
- 13342 1H All-fiber 10-µJ class femtosecond thulium energy scalable CPA front-end platform based on long-term stable all-PM dissipative soliton oscillator [13342-54]
- 13342 11 Target-in-the-loop coherent combining of 7 fiber amplifiers up to 1km range with simultaneous phase and tip-tilt control [13342-55]

POSTER SESSION

13342 1K	All-PM fiber 51-fs mode-locked fiber laser at 1550nm [13342-57]
13342 1L	Nanosecond pulse generation in an all-fiber laser at 1706nm based on gain switching [13342-58]
13342 1N	PEDOT:PSS saturable absorber-based femtosecond fiber laser [13342-61]
13342 10	Power scaling of single-frequency Yb ³⁺ -doped phosphate fiber laser oscillators [13342-62]
13342 1P	Passively mode-locked Nd:fiber laser at 920nm [13342-63]
13342 1Q	Anti-resonant hollow-core fiber with highly birefringent meniscoid nested structure [13342-64]
13342 1R	Lossless in-line laser power monitoring in high-power fiber lasers [13342-65]
13342 15	5kW single-mode narrow-linewidth ytterbium fiber amplifier with M ² -value < 1.1 in all fiber format and direct diode pumping [13342-66]
13342 IT	Data-driven eigenmode estimation of optical fibers in TMI-regime by exploitation of physically constrained glass box machine learning model [13342-67]
13342 1U	Mode-locked all-fiber ring laser with GHz fundamental repetition rate [13342-68]
13342 1X	120µJ single-frequency linear-polarized 12-µm-core fiber amplifier based on pre-shaped seed pulse [13342-71]
13342 1Y	Spectrum suppression of high-peak-power pulsed single-frequency fiber MOPA by manipulation of pulse shape and corresponding nonlinear phase shifting [13342-72]
13342 1Z	Phase synchronization in tiled aperture coherent beam combining based on feedback from off-axis locations in far-field plane [13342-73]