

2024 12th International Conference on Affective Computing and Intelligent Interaction (ACII 2024)

**Glasgow, United Kingdom
15-18 September 2024**



**IEEE Catalog Number: CFP2464H-POD
ISBN: 979-8-3315-1644-4**

**Copyright © 2024 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP2464H-POD
ISBN (Print-On-Demand):	979-8-3315-1644-4
ISBN (Online):	979-8-3315-1643-7
ISSN:	2156-8103

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2024 12th International Conference on Affective Computing and Intelligent Interaction (ACII) **ACII 2024**

Table of Contents

Sponsors	xi
----------------	----

2024 12th International Conference on Affective Computing and Intelligent Interaction

Knowledge-Based Emotion Recognition using Large Language Models	1
<i>Bin Han (Institute for Creative Technologies, University of Southern California, United States), Cleo Yau (California State Polytechnic University-Pomona, United States), Su Lei (audEERING GmbH, Germany), and Jonathan Gratch (Institute for Creative Technologies, University of Southern California, United States)</i>	
Emotional Theory of Mind: Bridging Fast Visual Processing with Slow Linguistic Reasoning	10
<i>Yasaman Etesam (Simon Fraser University, Canada), Özge Nilay Yalçın (Simon Fraser University, Canada), Chuxuan Zhang (Simon Fraser University, Canada), and Angelica Lim (Simon Fraser University, Canada)</i>	
AffectRankTrace: A Tool for Continuous and Discrete Affective Annotation during Extended Usability Trials	19
<i>Sarra Graja (Abertay University, United Kingdom), P. George Lovell (Abertay University, United Kingdom), and Ken Scott-Brown (Abertay University, United Kingdom)</i>	
Emotional Expression Help Regulate the Appropriate Level of Cooperation with Agents	27
<i>Ryoya Ito (Gifu University, Japan), Celso M. de Melo (DEVCOM Army Research Laboratory, USA), Jonathan Gratch (University of Southern California, USA), and Kazunori Terada (Gifu University, Japan)</i>	
Multimodal Behavior Analysis and Impact of Culture on Affect	37
<i>Tara Nourivandi (University of South Florida, USA), Saandeep Aathreya (University of South Florida, USA), and Shaun Canavan (University of South Florida, USA)</i>	
Behind the Smile: Mental Health Implications of Mother-Infant Interactions Revealed Through Smile Analysis	46
<i>A'di Dust (University of Southern California, USA), Pat Levitt (Children's Hospital of Los Angeles, USA), and Maja Mataric (University of Southern California, USA)</i>	

AudioInsight: Detecting Social Contexts Relevant to Social Anxiety from Speech	55
<i>Varun Reddy (University of Virginia, USA), Zhiyuan Wang (University of Virginia, USA), Emma. R Toner (University of Virginia, USA), Maria A. Larrazabal (University of Virginia, USA), Mehdi Boukhechba (Johnson & Johnson Innovative Medicine, USA), Bethany A. Teachman (University of Virginia, USA), and Laura E. Barnes (University of Virginia, USA)</i>	
Large Language Models Produce Responses Perceived to be Empathic	63
<i>Yoon Kyung Lee (The University of Texas, USA), Jina Suh (Microsoft Research), Hongli Zhan (The University of Texas, USA), Junyi Jessy Li (The University of Texas, USA), and Desmond C. Ong (The University of Texas, USA)</i>	
Incremental Multimodal Sentiment Analysis for HAIs Based on Multitask Active Learning with Interannotator Agreement	72
<i>Thus Karnjanapatchara (Japan Advanced Institute of Science and Technology, Japan), Sixia Li (Japan Advanced Institute of Science and Technology, Japan), Candy Olivia Mawalim (Japan Advanced Institute of Science and Technology, Japan), Kazunori Komatani (Osaka University, Japan), and Shogo Okada (Japan Advanced Institute of Science and Technology, Japan)</i>	
EmojiHeroVR: A Study on Facial Expression Recognition under Partial Occlusion from Head-Mounted Displays	80
<i>Thorben Ortmann (Hamburg University of Applied Sciences, Germany), Qi Wang (University of the West of Scotland, United Kingdom), and Larissa Putzar (Hamburg University of Applied Sciences, Germany)</i>	
People Negotiate Better with Emotional Human-Like Virtual Agents than Android Robots	89
<i>Motoaki Sato (Gifu University, Japan), Takahisa Uchida (Osaka University, Japan), Yuichiro Yochikawa (Osaka University, Japan), Celso de Melo (DEVCOM Army Research Laboratory, USA), Jonathan Gratch (University of Southern California, USA), and Kazunori Terada (Gifu University, Japan)</i>	
How Do We Perceive the Intensity of Facial Expressions? The PIFE Dataset for Analysis Of Perceived Intensity	99
<i>Marina Tiuleneva (University of Trento, Italy), Emanuele Castano (University of Trento, Italy), and Radoslaw Niewiadomski (University of Genoa, Italy)</i>	
"I Think You Need Help! Here's Why": Understanding the Effect of Explanations on Automatic Facial Expression Recognition	108
<i>Sanjeev Nahulanthran (Monash University, Australia), Mor Vered (Monash University, Australia), Leimin Tian (Monash University and CSIRO Robotics, Australia), and Dana Kulic (Monash University, Australia)</i>	
Modeling the 'Kiss my Ass'-Smile: Appearance and Functions of Smiles in Negative Social Situations	116
<i>Mirella Hladký (German Research Center for Artificial Intelligence, Germany), Rúbia R. Guerra (University of British Columbia, Canada), Laura Cang (University of British Columbia, Canada), Karon E. MacLean (University of British Columbia, Canada), Patrick Gebhard (German Research Center for Artificial Intelligence, Germany), and Tanja Schneeberger (German Research Center for Artificial Intelligence, Germany)</i>	

Feeling-the-Beat: Enhancing Empathy and Engagement during Public Speaking through Heart Rate Sharing	125
<i>Prasanth Murali (Northeastern University, USA), Natasha Yamane (Northeastern University, USA), Javier Hernandez (Microsoft Research, USA), Stacy Marsella (Northeastern University, USA), Matthew Goodwin (Northeastern University, USA), and Timothy Bickmore (Northeastern University, USA)</i>	
VAD Emotion Control in Visual Art Captioning via Disentangled Multimodal Representation .	134
<i>Ryo Ueda (The University of Tokyo, Japan), Hiromi Narimatsu (NTT Communication Science Laboratories, Japan), Yusuke Miyao (The University of Tokyo, Japan), and Shiro Kumano (NTT Communication Science Laboratories, Japan)</i>	
Learning From, With and Without the Interdependencies of Valence-Arousal-Dominance and Their Connection with Basic Emotions	142
<i>Mihail Miller (University Computing Centre, University Leipzig, Germany), Stephan Klingner (University Computing Centre, University Leipzig, Germany), Ann-Kristin Meyer (Working Group MANGAN BUCHFUNK GmbH, Germany), and Richard Aude (University Computing Centre, University Leipzig, Germany)</i>	
How Preference Towards Robotic Agents Affects Choice Accuracy in Children with Autism Spectrum Disorder	151
<i>Lorenzo Parenti (Italian Institute of Technology (IIT), Italy), Ziggy O'Reilly (Italian Institute of Technology (IIT), Italy), Davide Ghiglino (Italian Institute of Technology (IIT), Italy), Federica Floris (Piccolo CottolengoGenovese di Don Orione, Italy), Tiziana Priolo (Piccolo CottolengoGenovese di Don Orione, Italy), Marwen Belkaid (CY Paris Cergy University ENSEA, CNRS, France), and Agnieszka Wykowska (Italian Institute of Technology (IIT), Italy)</i>	
Operationalising Social Bonding in Human-Robot Dyads Through Physiological and Biobehavioural Proxies of Oxytocin	159
<i>Imran Khan (University of Gothenburg, Sweden)</i>	
Surprise! Using Physiological Stress for Allostatic Regulation Under the Active Inference Framework	168
<i>Imran Khan (University of Gothenburg, Sweden) and Robert Lowe (University of Gothenburg, Sweden)</i>	
Prediction of Praising Skills Based on Multimodal Information	176
<i>Toshiki Onishi (Nihon University, Japan), Asahi Ogushi (Nihon University, Japan), Ryo Ishii (NTT Corporation, Japan), Atsushi Fukayama (NTT Corporation, Japan), and Akihiro Miyata (Nihon University, Japan)</i>	
The AffectToolbox: Affect Analysis for Everyone	185
<i>Silvan Mertes (University of Augsburg, Germany), Dominik Schiller (University of Augsburg, Germany), Michael Dietz (University of Augsburg, Germany), Elisabeth André (University of Augsburg, Germany), and Florian Lingenfels (University of Augsburg, Germany)</i>	

Varying the Context to Advance Affect Modelling: A Study on Game Engagement Prediction .	194
<i>Kosmas Pinitas (Institute of Digital Games, University of Malta, Malta), Nemanja Rasajski (Institute of Digital Games, University of Malta, Malta), Matthew Barthet (Institute of Digital Games, University of Malta, Malta), Maria Kaselimi (Institute of Digital Games, University of Malta, Malta), Konstantinos Makantasis (University of Malta, Malta), Antonios Liapis (Institute of Digital Games, University of Malta, Malta), and Georgios Yannakakis (Institute of Digital Games, University of Malta, Malta)</i>	
On Prompt Sensitivity of ChatGPT in Affective Computing	203
<i>Mostafa M. Amin (University of Augsburg, Germany; Technical University of Munich, Germany; AI R&D Team, SYNCPILOT GmbH, Germany) and Björn W. Schuller (University of Augsburg, Germany; Technical University of Munich, Germany; GLAM, Imperial College London, UK)</i>	
Recognizing Emotion Regulation Strategies from Human Behavior with Large Language Models ..	210
<i>Philipp Müller (DFKI, Germany), Alexander Heimerl (Augsburg University, Germany), Sayed Muddashir Hossain (DFKI, Germany), Lea Siegel (DFKI, Germany), Jan Alexandersson (DFKI, Germany), Patrick Gebhard (DFKI, Germany), Elisabeth André (Augsburg University, Germany), and Tanja Schneeberger (DFKI, Germany)</i>	
RobuSER: A Robustness Benchmark for Speech Emotion Recognition	219
<i>Antonia Petrogianni (Behavioral Signal Technologies, Greece), Lefteris Kapelonis (Behavioral Signal Technologies, Greece), Nikolaos Antoniou (Behavioral Signal Technologies, Greece), Sofia Eleftheriou (Behavioral Signal Technologies, Greece), Petros Mitseas (Behavioral Signal Technologies, Greece), Dimitris Sgouropoulos (Behavioral Signal Technologies, Greece), Athanasios Katsamanis (Behavioral Signal Technologies, Greece), Theodoros Giannakopoulos (Behavioral Signal Technologies, Greece), and Shrikanth Narayanan (Behavioral Signal Technologies SAIL, University of Southern California, USA)</i>	
SeSaMe: A Framework to Simulate Self-Reported Ground Truth for Mental Health Sensing Studies	228
<i>Akshat Choube (Northeastern University, USA), Vedant Das Swain (Northeastern University, USA), and Varun Mishra (Northeastern University, USA)</i>	
Decoding Hostility from Conversations through Speech and Text Integration	238
<i>Jingyu Xin (Syracuse University, USA), Brooks Gump (Syracuse University, USA), Stephen Maisto (Syracuse University, USA), Randall Jorgensen (Syracuse University, USA), Tej Bhatia (Syracuse University, USA), Vir Phoha (Syracuse University, USA), and Asif Salekin (Arizona State University, USA)</i>	
Emotion Contagion in Avatar-Mediated Group Interactions	247
<i>Erik van Haeringen (Vrije Universiteit Amsterdam, The Netherlands) and Charlotte Gerritsen (Vrije Universiteit Amsterdam, The Netherlands)</i>	
Closing the Affective Loop via Experience-Driven Reinforcement Learning Designers	257
<i>Matthew Barthet (University of Malta, Malta), Diogo Branco (University of Madeira, Portugal), Roberto Gallotta (University of Malta, Malta), Ahmed Khalifa (University of Malta, Malta), and Georgios N. Yannakakis (University of Malta, Malta)</i>	

Regret Emotion Based Reinforcement Learning for Path Planning in Autonomous Agents	266
<i>Gayathri Soman (Cochin University of Science and Technology, India), Judy M.V (Cochin University of Science and Technology, India), and Sanjay Madria (Missouri S&T, USA)</i>	
Unilateral Facial Action Unit Detection: Revealing Nuanced Facial Expressions	275
<i>Deniz Iren (Open Universiteit, The Netherlands) and Daniel Stanley Tan (Open Universiteit, The Netherlands)</i>	
Fusion of Spatial and Riemannian Features to Enhance Detection of Gait Adaptation Mental States During Rhythmic Auditory Stimulation	283
<i>Nicole Lai-Tan (University of Glasgow, UK), Marios G. Philiastides (University of Glasgow, UK), and Fani Deligianni (University of Glasgow, UK)</i>	
A Multimodal, Multilabel Approach to Recognize Emotions in Oral History Interviews	291
<i>Anargh Viswanath (Bielefeld University, Germany), Michael Gref (Niederrhein University of Applied Sciences, Germany), Teena Hassan (Bonn-Rhein-Sieg University of Applied Sciences, Germany), and Christoph Schmidt (Fraunhofer IAIS, Germany)</i>	
Emotion-Aware Speech Popularity Prediction: A Use-Case on Ted Talks	300
<i>Dimitrios Sgouropoulos (Behavioral Signal Technologies, Greece), Petros Mitseas (Behavioral Signal Technologies, Greece), Sofia Eleftheriou (Behavioral Signal Technologies, Greece), Theodoros Giannakopoulos (Behavioral Signal Technologies, Institute of Informatics and Telecommunications, NCSR Demokritos, Greece), Antonia Petrogianni (Behavioral Signal Technologies, Greece), Lefteris Kapelonis (Behavioral Signal Technologies, Greece), Nikolaos Antoniou (Behavioral Signal Technologies, Greece), Athanasios Katsamanis (Behavioral Signal Technologies, Institute for Language and Speech Processing, Greece), and Shrikanth Narayanan (SAIL, University of Southern California, USA)</i>	
A Paradigm to Investigate Social Signals of Understanding and their Susceptibility to Stress	309
<i>Jonas Paletschek (Bielefeld University, Germany), Jan Bleimling (Bielefeld University, Germany), David Johnson (Bielefeld University, Germany), and Hanna Drimalla (Bielefeld University, Germany)</i>	
The Strong Pull of Prior Knowledge in Large Language Models and Its Impact on Emotion Recognition	318
<i>Georgios Chochlakis (University of Southern California, USA), Alexandros Potamianos (National Technical University of Athens, Greece), Kristina Lerman (University of Southern California, USA), and Shrikanth Narayanan (University of Southern California, USA)</i>	
A Heterogeneous Multimodal Graph Learning Framework for Recognizing User Emotions in Social Networks	327
<i>Sree Bhattacharyya (The Pennsylvania State University, USA), Shuhua Yang (The Pennsylvania State University, USA), and James Z. Wang (The Pennsylvania State University, USA)</i>	
GPT-4 Emulates Average-Human Emotional Cognition from a Third-Person Perspective	337
<i>Ala Nekouvaht Tak (University of Southern California, USA) and Jonathan Gratch (University of Southern California, USA)</i>	

Analyzing Cultural Representations of Emotions in LLMs through Mixed Emotion Survey	346
<i>Shiran Dudy (Northeastern University, USA), Ibrahim Said Ahmad (Northeastern University, USA), Ryoko Kitajima (independent researcher), and Agata Lapedriza (Northeastern University, USA; Universitat Oberta de Catalunya, Spain)</i>	
Towards Addressing Label Ambiguity in Sequential Emotional Responses Through Distribution Learning	355
<i>Eduardo Gutierrez Maestro (Centre for Applied Autonomous Sensor Systems (AASS), Sweden), Hadi Banaee (Centre for Applied Autonomous Sensor Systems (AASS), Sweden), and Amy Loutfi (Centre for Applied Autonomous Sensor Systems (AASS), Sweden)</i>	
A Linguistic Analysis of the Impact of Team Interactions on Team Performance During Space Exploration Missions	362
<i>Projna Paromita (Texas A&M University, USA) and Theodora Chaspari (University of Colorado Boulder, USA)</i>	
Improving Continuous Emotion Annotation in Video Platforms via Physiological Response Profiling	370
<i>Swarnali Banik (Department of Computer Science and Information Systems, BITS Pilani Goa, India), Sougata Sen (Department of Computer Science and Information Systems, BITS Pilani Goa, India), Snehanshu Saha (Department of Computer Science and Information Systems, BITS Pilani Goa, India), and Surjya Ghosh (Department of Computer Science and Information Systems, BITS Pilani Goa, India)</i>	
AI Imagery: A Multisensory Approach to Anxiety Reduction with AI, Olfactory Stimuli, and Biofeedback-Enhanced Guided Imagery	378
<i>Judith Amores (Microsoft Research, USA), Kael Rowan (Microsoft Research, USA), Javier Hernandez (Microsoft Research, USA), and Mary Czerwinski (Microsoft Research, USA)</i>	
Author Index	395