

2024 31st Asia-Pacific Software Engineering Conference (APSEC 2024)

**Chongqing, China
3-6 December 2024**



**IEEE Catalog Number: CFP24154-POD
ISBN: 979-8-3315-3402-8**

**Copyright © 2024 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP24154-POD
ISBN (Print-On-Demand):	979-8-3315-3402-8
ISBN (Online):	979-8-3315-3401-1
ISSN:	1530-1362

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2024 31st Asia-Pacific Software Engineering Conference (APSEC) **APSEC 2024**

Table of Contents

Message from General Chairs	xiii
Organizing Committee	xv
Program Committee	xvii
Keynotes	xxi
Tutorials	xxiii

Technical Track

A DNN Fuzz Testing Method Based on Gradient-Weighted Class Activation Map	1
<i>Zhouning Chen (Sichuan University, China), Qiaoyun Liu (Sichuan University, China), Shengxin Dai (Sichuan University, China), and Qiuhui Yang (Sichuan University, China)</i>	
Adversarial Classification Rumor Detection Based on Social Communication Networks and Time Series Features	11
<i>Xinyu Zhang (Sun Yat-Sen University, China), Zixin Chang (Chongqing University, China), Li Li (Chongqing University, China), Wei Zhou (Chongqing University, China), and Junhao Wen (Chongqing University, China)</i>	
Analyzing and Detecting Toxicities in Developer Online Chatrooms: A Fine-Grained Taxonomy and Automated Detection Approach	21
<i>Junyi Tian (Zhejiang University, China), Lingfeng Bao (Zhejiang University, China), Shengyi Pan (Zhejiang University, China), and Xing Hu (Zhejiang University, China)</i>	
An Empirical Study of Cross-Project Pull Request Recommendation in GitHub	31
<i>Wenyu Xu (National University of Defense Technology, China), Yao Lu (National University of Defense Technology, China), Xunhui Zhang (National University of Defense Technology, China), Tanghaoran Zhang (National University of Defense Technology, China), Bo Lin (National University of Defense Technology, China), and Xinjun Mao (National University of Defense Technology, China)</i>	
An Empirical Study on Self-Admitted Technical Debt in Quantum Software	41
<i>Yuta Ishimoto (Kyushu University, Japan), Yuto Nakamura (Kyushu University, Japan), Ryota Katsube (Hitachi, Ltd., Japan), Naoto Sato (Hitachi, Ltd., Japan), Hideto Ogawa (Hitachi, Ltd., Japan), Masanari Kondo (Kyushu University, Japan), Yasutaka Kamei (Kyushu University, Japan), and Naoyasu Ubayashi (Waseda University, Japan)</i>	

AS-Fuzzer: An Optimized ADS Fuzzing Method via Scenario Segmentation and Parallel Evolution	51
<i>Fansong Chen (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Shenghao Lin (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Weicheng Lin (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Laile Xi (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Yongji Liu (Chinese Academy of Sciences, China), Lun Li (Chinese Academy of Sciences, China), and Hongsong Zhu (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China)</i>	
A Study of using Multimodal LLMs for Non-Crash Functional Bug Detection in Android Apps	61
<i>Bangyan Ju (University of Cincinnati, USA), Jin Yang (University of Cincinnati, USA), Tingting Yu (University of Connecticut, USA), Tamerlan Abdullayev (University of Cincinnati, USA), Yuanyuan Wu (University of Cincinnati, USA), Dingbang Wang (University of Connecticut, USA), and Yu Zhao (University of Cincinnati, USA)</i>	
Automatic Commit Range Identification of Untagged Version	71
<i>Yan Zhu (Zhejiang University, China), Lingfeng Bao (Zhejiang University, China), Chengjie Chen (Zhejiang University, China), Lexiao Zhang (Zhejiang University, China), Xin Yin (Zhejiang University, China), and Chao Ni (Zhejiang University, China)</i>	
CDHF: Coordination Driven Hybrid Fuzzing for EOSIO Smart Contracts	81
<i>Yongxu Han (Hebei University, China) and Meng Wang (Hebei University, China)</i>	
Classifying Bug Issue Types for Deep Learning-Oriented Projects with Pre-Trained Model	91
<i>Zixuan Zeng (Nanjing University of Aeronautics and Astronautics, China), Yu Zhao (Nanjing University of Aeronautics and Astronautics, China), and Lina Gong (Nanjing University of Aeronautics and Astronautics, China)</i>	
Data Conflicts-Guided Interleaved Thread Scheduling for Flaky Test Detection in Multithreaded Programs	101
<i>Tianzi Wang (Beijing University of Chemical Technology, P.R.China), Ruilian Zhao (Beijing University of Chemical Technology, P.R.China), Weiwei Wang (Beijing Institute of Petrochemical Technology, P.R.China), and Weixi Zhang (Beijing University of Chemical Technology, P.R.China)</i>	
Deep Learning and Data Augmentation for Detecting Self-Admitted Technical Debt	111
<i>Edi Sutoyo (University of Groningen, The Netherlands; Telkom University, Indonesia), Paris Avgeriou (University of Groningen, The Netherlands), and Andrea Capiluppi (University of Groningen, The Netherlands)</i>	
DupLLM: Duplicate Pull Requests Detection Based on Large Language Model	121
<i>Zhifang Liao (Central South University, China), Pei Liu (Central South University, China), Peng Lan (Central South University, China), and Ke Sun (Central South University, China)</i>	

Effective Model Replacement for Solving Objective Mismatches in Pre-Trained Model Compositions	131
<i>Arogya Kharel (KAIST, South Korea), KyeongDeok Baek (KAIST, South Korea), and In-Young Ko (KAIST, South Korea)</i>	
Effective Vulnerability Detection over Code Token Graph: A GCN with Score Gate Based Approach	141
<i>Nong Zou (Southwest University, China), Nan Li (Southwest University, China), Junxiang Zhang (Southwest University, China), Xiaomeng Wang (Southwest University, China), Lai Hong (Southwest University, China), and Tao Jia (Southwest University, China)</i>	
Enhancing Code Generation through Retrieval of Cross-Lingual Semantic Graphs	151
<i>Zhijie Jiang (National University of Defense Technology, China), Zejian Shi (Fudan University, China), Xinyu Gao (Fudan University, China), and Yun Xiong (Fudan University, China)</i>	
Enhancing Reentrancy Vulnerability Detection and Repair with a Hybrid Model Framework	161
<i>Mengliang Li (Zhejiang University; Hangzhou High-Tech Zone (Binjiang) Institute of Blockchain and Data Security), Xiaoxue Ren (Zhejiang University; Hangzhou High-Tech Zone (Binjiang) Institute of Blockchain and Data Security), Han Fu (Zhejiang University), Zhuo Li (State Street Technology(Zhejiang) Ltd), and Jianling Sun (Zhejiang University)</i>	
Enhancing the Transferability of Adversarial Attacks for End-to-End Autonomous Driving Systems	171
<i>Jingyu Zhang (City University of Hong Kong, China), Jacky Keung (City University of Hong Kong, China), Xiaoxue Ma (Hong Kong Metropolitan University, China), Yihan Liao (City University of Hong Kong, China), Yishu Li (Hong Kong Metropolitan University, China), and Yicheng Sun (City University of Hong Kong, China)</i>	
Exploring Depths of WebAudio: Advancing Greybox Fuzzing for Vulnerability Detection in Safari	181
<i>Jiashui Wang (Zhejiang University; Ant Group), Jiahui Wang (Zhejiang University), Jundong Xie (Ant Group), Zhenyuan Li (Zhejiang University), Yan Chen (Northwestern University), and Peng Qian (Zhejiang University)</i>	
Exploring the Potential of Large Language Models in Automatic Pull Request Title Generation: An Empirical Study	191
<i>Yitao Zuo (Central South University, China), Peng Lan (Central South University, China), and Zhifang Liao (Central South University, China)</i>	
FRELInker: A Novel Issue-Commit Link Recovery Model Based on Feature Refinement and Expansion with Multi-Classifer Fusion	201
<i>Bangchao Wang (Wuhan Textile University, China), Xinyu He (Wuhan Textile University, China), Hongyan Wan (Wuhan Textile University, China), Xiaoxiao Li (Wuhan Textile University, China), Jiaxu Zhu (Wuhan Textile University, China), and Yukun Cao (Wuhan Textile University, China)</i>	

HANTracer: Leveraging Heterogeneous Graph Attention Network for Large-Scale Requirements-Code Traceability Link Recovery	211
<i>Zhiyuan Zou (Wuhan Textile University, China), Bangchao Wang (Wuhan Textile University, China), Hongyan Wan (Wuhan Textile University, China), Huan Jin (Wuhan Textile University, China), Xiaoxiao Li (Wuhan Textile University, China), and Yukun Cao (Wuhan Textile University, China)</i>	
Improving Code Search with Hard Negative Sampling Based on Fine-Tuning	221
<i>Hande Dong (International Digital Economy Academy, China), Jiayi Lin (International Digital Economy Academy, China), Yanlin Wang (Sun Yat-sen University, China), Yichong Leng (University of Science and Technology of China, China), Jiawei Chen (Zhejiang University, China), and Yutao Xie (International Digital Economy Academy, China)</i>	
Integrating Feedback From Application Reviews into Software Development	231
<i>Omar Abdelaziz (University of Saskatchewan), Zadia Codabux (University of Saskatchewan), and Kevin Schneider (University of Saskatchewan)</i>	
Learning Heterogeneous Abstract Code Graph Representations for Program Comprehension	241
<i>Shenning Song (Jilin University, China), Mengxi Zhang (Jilin University, China), Shaoquan Li (Jilin University, China), and Huaxiao Liu (Jilin University, China)</i>	
ModelCS: A Two-Stage Framework for Model Search	251
<i>Lingjun Zhao (National University of Defense Technology, China), Zhouyang Jia (National University of Defense Technology, China), Jiaying Li (National University of Defense Technology, China), Haoran Liu (National University of Defense Technology, China), Linxiao Bai (National University of Defense Technology, China), and Shanshan Li (National University of Defense Technology, China)</i>	
Multi-Hierarchy Metamorphic Testing for Hyphenated Words in Machine Translation	261
<i>Rui Zhu (Nanjing University of Aeronautics and Astronautics, China), Chuanqi Tao (Nanjing University of Aeronautics and Astronautics, China; Nanjing University, China), and Jerry Gao (San Jose State University, USA)</i>	
On the Relative Value of Feature Selection Techniques for Code Smell Detection	271
<i>Zexian Zhang (Wuhan University of Technology, China), Lin Zhu (Wuhan Qingchuan University, China), Shuang Yin (Wuhan Qingchuan University, China), Shan Gao (Hokkaido University, Japan), Haoxuan Chen (Wuhan University of Technology, China), Wenhua Hu (Wuhan University of Technology, China), and Fuyang Li (Wuhan University of Technology, China)</i>	
Optimizing LLMs for Code Generation: Which Hyperparameter Settings Yield the Best Results?.....	281
<i>Chetan Arora (Monash University, Australia), Ahnaf Ibn Sayeed (Monash University, Australia), Sherlock Licorish (University of Otago, New Zealand), Fanyu Wang (Monash University, Australia), and Christoph Treude (Singapore Management University, Singapore)</i>	
Parallel Symbolic Execution for Smart Contracts with Load Balancing	291
<i>Xiaorui Nie (Hebei University, China) and Meng Wang (Hebei University, China)</i>	

Prioritizing Test Cases through Dual-Uncertainty Evaluating for Road Disease Detection System	301
<i>Chenxu Niu (Chongqing University, China), Huijun Liu (Chongqing University, China), Ao Li (Chongqing University, China), Tianhao Xiao (Chongqing University, China), Zhimin Ruan (China Merchants Chongqing Communications Technology Research&Design Institute Co. Ltd., China), Ling Xu (Chongqing University, China), and Yongxin Ge (Chongqing University, China)</i>	
Putting APIs in the Right Order with Gated Graph Neural Networks	311
<i>Ling Wan (Nanjing University, China), Ping Yu (Nanjing University, China), and Yuan Yao (Nanjing University, China)</i>	
SDEFL: A Lightweight Fault Detection and Localization Method for Deep Neural Networks	321
<i>Bo Yang (Beijing Forestry University, China), Jiawei Hu (Beijing Forestry University, China), and Jialun Cao (The Hong Kong University of Science and Technology, China)</i>	
Sound Floating-Point Neural Network Verification with MILP	333
<i>Shifu Yang (National University of Defense Technology, China), Liqian Chen (National University of Defense Technology, China), BangHu Yin (National University of Defense Technology, China), MingHao Li (National University of Defense Technology, China), Yuan Zhou (Intelligent Game and Decision Lab (IGDL), China), and Ji Wang (National University of Defense Technology, China)</i>	
SwFuzz: Structure-Sensitive WebAssembly Fuzzing	343
<i>Jiashui Wang (Zhejiang University & Ant Group), Ziyi Guo (Northwestern University), Xinlei Ying (Ant Group), Peng Qian (Zhejiang University), and Yan Chen (Northwestern University)</i>	
Unraveling the Potential of Large Language Models in Code Translation: How Far Are We?	353
<i>Qingxiao Tao (Shanghai Jiao Tong University, China), Tingrui Yu (Shanghai Jiao Tong University, China), Xiaodong Gu (Shanghai Jiao Tong University, China), and Beijun Shen (Shanghai Jiao Tong University, China)</i>	
Who is in Charge Here? Understanding How Runtime Configuration Affects Software along with Variables&Constants	363
<i>Chaopeng Luo (National University of Defense Technology, China), Yuanliang Zhang (National University of Defense Technology, China), Haochen He (Key Laboratory of Satellite Information Intelligent Processing and Application Research, China), Zhouyang Jia (National University of Defense Technology, China), Teng Wang (National Innovation Institute of Defense Technology, China), Shulin Zhou (National University of Defense Technology, China), Si Zheng (National University of Defense Technology, China), and Shanshan Li (National University of Defense Technology, China)</i>	
Why Not Just Look for Answers? Using A More Direct Way for API Recommendation	373
<i>Changxin Liu (Chongqing University, China), Ling Xu (Chongqing University, China), Wenhan Mu (Chongqing University, China), and Rui Qin (Chongqing University, China)</i>	

SEIP - Software Engineering in Practice

CoSTV: Accelerating Code Search with Two-Stage Paradigm and Vector Retrieval	383
<i>Dewu Zheng (Sun Yat-sen University), Yanlin Wang (Sun Yat-sen University), Wenqing Chen (Sun Yat-sen University), Jiachi Chen (Sun Yat-sen University), and Zibin Zheng (Sun Yat-sen University)</i>	
Energy Sustainability Coding, A Practical Use Case	393
<i>Benoit Lange (INRIA)</i>	
Large Language Models Empowered Online Log Anomaly Detection in AIOps	402
<i>Suqiong Zhang (Zhejiang Sci-Tech University, China), Dongyi Fan (Zhejiang Sci-Tech University, China), and Lili He (Zhejiang Sci-Tech University, China)</i>	
Leveraging Generative AI for Accelerating Enterprise Application Development: Insights from ChatGPT	412
<i>Asha Rajbhoj (Tata Consultancy Services, India), Tanay Sant (Tata Consultancy Services, India), Akanksha Somase (Tata Consultancy Services, India), and Vinay Kulkarni (Tata Consultancy Services, India)</i>	
Unveiling Cognitive Biases in Software Testing: Insights from a Survey and Controlled Experiment	422
<i>Eduard Paul Enoiu (Mälardalen University, Sweden), Alexandru Cusmaru (Siemens Mobility, Germany), and Jean Malm (Mälardalen University, Sweden)</i>	

ERA - Early Research Achievements

Actor of Things: Resilient and Efficient Distributed AIoT Applications in an Actor System	432
<i>Tianqi Ren (Nanjing University, China), Chun Cao (Nanjing University, China), and Jun Ma (Nanjing University, China)</i>	
A Study on C Code Defect Detection with Fine-Tuned Large Language Models	437
<i>Yue Wang (Beihang University, China), Xu Wang (Beihang University, China), Hongwei Yu (Beihang University, China), Fei Gao (Beijing Aerospace Automatic Control Institute, China), Xueshi Liu (Beijing Aerospace Automatic Control Institute, China), and Xiaoling Wang (Beijing Aeronautic Control Institute, China)</i>	
Autorepairability of ChatGPT and Gemini: A Comparative Study	442
<i>Chutweeraya Sriwilailak (Mahidol University, Thailand), Yoshiki Higo (Osaka University, Japan), Pongpop Lapvikai (Mahidol University, Thailand), Chaiyong Ragkhitwetsagul (Mahidol University, Thailand), and Morakot Choetkiertikul (Mahidol University, Thailand)</i>	
BugsInKube: A Collection of Reconciliation Bugs	447
<i>Kabilan Mahathevan (University of Moratuwa, Sri Lanka), Sivakajan Sivaparan (University of Moratuwa, Sri Lanka), Tharsha Sivapalarajah (University of Moratuwa, Sri Lanka), Sunimal Rathnayake (University of Moratuwa, Sri Lanka), and Ridwan Shariffdeen (National University of Singapore, Singapore)</i>	

Designing a Reactive Programming Language for Shape-Adaptive Computers	452
<i>Yusuke Izawa (Tokyo Metropolitan University, Japan), Junichiro Kadamoto (The University of Tokyo, Japan), Hidetsugu Irie (The University of Tokyo, Japan), and Shuichi Sakai (The University of Tokyo, Japan)</i>	
Designing Distributed Systems using SAT Solvers	457
<i>Puneet Bhateja (DA-IICT, India)</i>	
DEV-EYE: A Tool for Monitoring Bus Factor using Commit History	462
<i>Dan Muhindo Kazimoto (Mahidol University, Thailand), Morakot Choetkiertikul (Mahidol University, Thailand), Chaibong Ragkhitwetsagul (Mahidol University, Thailand), and Thanwadee Sunetnanta (Mahidol University, Thailand)</i>	
Enhancing Source Code Comment Generation via Retrieval-Augmented Generation with Design Document Term Dictionary	467
<i>Kazu Nishikawa (Hitachi, Ltd., Japan), Genta Koreki (Hitachi, Ltd., Japan), and Hideyuki Kanuka (Hitachi, Ltd., Japan)</i>	
GHA-BFP: Framework for Automated Build Failure Prediction in GitHub Actions	472
<i>Jiatai Li (National University of Defense Technology, China), Yang Zhang (National University of Defense Technology, China), Tao Wang (National University of Defense Technology, China), and Yiwen Wu (National University of Defense Technology, China)</i>	
Tool-Supported Development of ML Prototypes	477
<i>Selin Aydin (RWTH Aachen University, Germany) and Horst Lichter (RWTH Aachen University, Germany)</i>	
Towards Automation of Module Lazy Loading in Single-Page Web Applications	482
<i>Yizhi Mei (Oita University, Japan) and Tetsuo Kamina (Oita University, Japan)</i>	
Towards Filtering Out Deficient Pull Requests Collected through the GitHub API	487
<i>Bowen Tang (Ritsumeikan University, Japan), Xiqin Lu (Ritsumeikan University, Japan), and Katsuhisa Maruyama (Ritsumeikan University, Japan)</i>	
Towards Log-Based Execution Status Estimation using Graph Neural Networks	492
<i>Shimon Sumita (Osaka University, Japan), Hiroyuki Nakagawa (Osaka University, Japan; Okayama University, Japan), Shinobu Saito (NTT Computer and Data Science Laboratories, Japan), and Tatsuhiro Tsuchiya (Osaka University, Japan)</i>	
Uncovering the DevOps Landscape: A Scoping Review and Conceptualization Framework	497
<i>Xinrui Zhang (Carleton University, Canada) and Jason Jaskolka (Carleton University, Canada)</i>	

EDU - Software Engineering Education

A Snapshot of Software Testing Education and Instructional Interventions	502
<i>Nasir Mehmood Minhas (Mälardalen University, Sweden) and Ayodele A. Barrett (Mälardalen University, Sweden)</i>	

Pair Programming in Programming Courses in the Era of Generative AI: Students' Perspective.....	507
<i>Mario Simaremare (Institut Teknologi Del, Indonesia), Chandro Pardede (Institut Teknologi Del, Indonesia), Irma Tampubolon (Institut Teknologi Del, Indonesia), Daniel Simangunsong (Institut Teknologi Del, Indonesia), and Putri Manurung (Institut Teknologi Del, Indonesia)</i>	
Story Explorer: A Gamification Approach for Teaching Students How to Write Good User Stories	512
<i>Kun Lin (Inner Mongolia Normal University, China), Zhiguo Liu (Inner Mongolia Normal University, China), Chunhui Wang (Inner Mongolia Normal University, China), Tong Li (Beijing University of Technology, China), and Ye Zhai (Inner Mongolia Normal University, China)</i>	

POSTER

AFLGo_D: A Novel Power Schedule Scheme Considering Multiple Factors Dynamically for Directed Fuzzing	517
<i>Jiaxin Wang (Beihang University, China) and Zhitao He (Beihang University, China)</i>	
MRTCNN: A Lightweight Approach for Predicting Metamorphic Relations	519
<i>Bo Yang (Beijing Forestry University, China), Xu Wang (Chinese Academy of Sciences, China), and Huai Liu (Swinburne University of Technology, China)</i>	
CEGen: Cause-Effect Graph Generation using Large Language Models	521
<i>Hiroyuki Kirinuki (NTT Software Innovation Center, Japan)</i>	
Arising Challenges for Assuring Maritime Software Reliability in the AI Era	523
<i>Shuai Wang (DNV AS, Norway) and Knut Erik Knutsen (DNV AS, Norway)</i>	
A Two-Stage Approach for GitHub Issue Links Identification and Classification	525
<i>Yingying He (Nanjing University of Aeronautics and Astronautics, China) and Wenhua Yang (Nanjing University of Aeronautics and Astronautics, China)</i>	
Difference Syntax Trees for Characterising Student in Programming Course	527
<i>Kouta Aoki (Nara College, Japan) and Hidetake Uwano (Nara College, Japan)</i>	
Efficient Floating-Point Error Detection for Numerical Programs via Error-Free Transformations	529
<i>Wei Yao (Changsha University of Science & Technology), Jingke Zhang (Changsha University of Science & Technology), and Xin Yi (National University of Defense Technology)</i>	
Smells of Misunderstanding in File Path Patterns within Dockerignore	531
<i>Tomoki Nakamaru (The University of Tokyo, Japan)</i>	
Author Index	533