

2024 IEEE/WIC International Conference on Web Intelligence and Intelligent Agent Technology (WI-IAT 2024)

**Bangkok, Thailand
9-12 December 2024**

Pages 1-454



**IEEE Catalog Number: CFP24WEB-POD
ISBN: 979-8-3315-0495-3**

**Copyright © 2024 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP24WEB-POD
ISBN (Print-On-Demand):	979-8-3315-0495-3
ISBN (Online):	979-8-3315-0494-6

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2024 IEEE/WIC International Conference on Web Intelligence and Intelligent Agent Technology (WI-IAT) **WI-IAT 2024**

Table of Contents

Preface	xxiii
Conference Organization	xxvi
Program Committee	xxix
Sponsors	xxxiii

Volume 1: Full Papers

Web of People

A Comprehensive Approach Integrating Spot Atmosphere, User Situations, and Moods for Music Recommendation	1
<i>Da Li (Fukuoka University, Japan), Fumina Maruoka (Kyoto Sangyo University, Japan), Tadahiko Kumamoto (Chiba Institute of Technology, Japan), Shintaro Ono (Fukuoka University, Japan), and Yukiko Kawai (Kyoto Sangyo University, Japan)</i>	
TIMBRE: Efficient Job Recommendation on Heterogeneous Graphs for Professional Recruiters	8
<i>Éric Behar (Institut Polytechnique de Paris, France), Julien Romero (Institut Polytechnique de Paris, France), Amel Bouzeghoub (Institut Polytechnique de Paris, France), and Katarzyna Wegrzyn-Wolska (EFREI, France)</i>	
Cold-Start Service Recommendation Based on a Multi-Strategy Pre-Training Model	16
<i>Gang Xiao (China Jiliang University, China), Jiacheng Shi (China Jiliang University, China), Jiahuan Fei (China Jiliang University, China), Qibing Wang (China Jiliang University, China), Yuchen He (China Jiliang University, China), and Jiawei Lu (China Jiliang University, China)</i>	
Estimation of POI Characteristics Based on Visitor Mobility Behavior	23
<i>Landy Rajaonarivo (Kyushu University, Japan) and Tsunenori Mine (Kyushu University, Japan)</i>	
Automatic Rating for Each Evaluation Aspect Based on Hotel Review Analysis using Word Embedding	31
<i>Yujiro Hayashi (Kyoto Sangyo University, Japan), Jianwei Zhang (Iwate University, Japan), Yukiko Kawai (Kyoto Sangyo University, Japan), and Shinsuke Nakajima (Kyoto Sangyo University, Japan)</i>	

Self-Supervised Fine-Tuning for Neural Expert Finding	38
<i>Budhitama Subagdja (Singapore Management University, Singapore), Sanchari Dan (Cleartrip Pvt. Ltd, India), and Ah-Hwee Tan (Singapore Management University, Singapore)</i>	
Enhancing the Conformal Predictability of Context-Aware Recommendation Systems by using Deep Autoencoders	46
<i>Saloua Zammali (University of Tunis El-Manar, Tunisia), Siddhant Dutta (SVKM's DJ Sanghvi College of Engineering, India), and Sadok Ben Yahia (University of Southern Denmark, Denmark)</i>	
Exploring Divergence in Collective Perception to Noto Earthquake Through News Comment Data..	54
<i>Kunhao Yang (Yamaguchi University, Japan) and Mengyuan Fu (Waseda University, Japan)</i>	
A Comparative Analysis of Offensive Discourse in the 2021 Chilean Presidential Campaign on Twitter and WhatsApp	62
<i>Hernan Sarmiento (Millennium Institute for Foundational Research on Data (IMFD), Chile), Jorge Ortiz (University of Chile, Chile; Millennium Institute for Foundational Research on Data (IMFD), Chile; National Center for Artificial Intelligence (CENIA), Chile), Felipe Bravo-Marquez (University of Chile, Chile; Millennium Institute for Foundational Research on Data (IMFD), Chile; National Center for Artificial Intelligence (CENIA), Chile), Marcelo Santos (Universidad Diego Portales, Chile; Center for the Study of Media, Public Opinion, and Politics in Chile (MEPOP), Chile), and Sebastián Valenzuela (Pontificia Universidad Católica de Chile, Chile; Millennium Institute for Foundational Research on Data (IMFD), Chile; Millennium Nucleus on Digital Inequalities and Opportunities (NUDOS), Chile)</i>	
Finding Conflicts of Opinion in Citizen Participation Platforms	70
<i>William Aboucaya (INRIA; ACSS - Université Paris Sciences et Lettres), Oana Balalau (INRIA; Institut Polytechnique de Paris), Rafael Angarita (LIP6 - Sorbonne Université; Université Paris Nanterre), and Valérie Issarny (INRIA)</i>	
Enhancing User's Knowledge Gain Estimation in Search-as-Learning using Implied Knowledge	78
<i>Arno Lesage (Université Côte d'Azur, France), Hadi Nasser (Université Côte d'Azur, France), Célia Da Costa Pereira (Université Côte d'Azur, France), Cathy Esczut (Université Côte d'Azur, France), and Andrea G. B. Tettamanzi (Université Côte d'Azur, France)</i>	
Food KBQA Recommender: A Knowledge Base Question Answering System Powered Meal Plan Recommender	86
<i>Felix Bölz (Univ Lyon, France; University of Passau, Germany), Diana Nurbakova (Univ Lyon, France), Audrey Serna (Univ Lyon, France), Sylvie Calabretto (Univ Lyon, France), Lionel Brunie (Univ Lyon, France), and Harald Kosch (University of Passau, Germany)</i>	
Incorporating Classifier-Free Guidance in Diffusion Model-Based Recommendation	94
<i>Noah Buchanan (University of Arkansas, USA), Susan Gauch (University of Arkansas, USA), and Quan Mai (University of Arkansas, USA)</i>	
Synthetic Mobility Feature Generation for Mental Health Prediction using Diffusion Models	102
<i>Masahiro Suzuki (Sophia University, Japan), Megumi Kodaka (Sophia University, Japan), and Yusuke Fukazawa (Sophia University, Japan)</i>	

Mind2: Mind-to-Mind Emotional Support System with Bidirectional Cognitive Discourse Analysis	110
<i>Shi Yin Hong (University of Arkansas, USA), Uttamasha Oyshi (University of Arkansas, USA), Quan Mai (University of Arkansas, USA), Gibson Nkhata (University of Arkansas, USA), and Susan Gauch (University of Arkansas, USA)</i>	
Brain-inspired Diagnostic Model for Lung Nodules	117
<i>Huanan Bao (Chongqing University of Posts and Telecommunications, China), Guoyin Wang (Chongqing University of Posts and Telecommunications, China), Qun Liu (Chongqing University of Posts and Telecommunications, China), and Pengcheng Xu (Chongqing University of Posts and Telecommunications, China)</i>	
 Web of Data	
Reasoning Capabilities and Invariability of Large Language Models	125
<i>Alessandro Raganato (University of Milano-Bicocca, Italy), Rafael Peñaloza (University of Milano-Bicocca, Italy), Marco Viviani (University of Milano-Bicocca, Italy), and Gabriella Pasi (University of Milano-Bicocca, Italy)</i>	
LLMs Got the Funk: Leveraging LLM, Prompt Engineering and Fine-Tuning for Topic Modeling on Brazilian Funk Lyrics	133
<i>Jesus Yepez (Federal University of Rio Grande do Sul (UFRGS), Brazil), Bruno Tavares (Federal University of Rio Grande do Sul (UFRGS), Brazil), Fabíola Peres (Federal University of Rio Grande do Sul (UFRGS), Brazil), and Karin Becker (Federal University of Rio Grande do Sul (UFRGS), Brazil)</i>	
PROMET: Parameter-Efficient Few-Shot Fine-Grained Entity Typing with Implicit Mask Filling.....	141
<i>Riccardo Rubini (University of Milano-Bicocca), Manuel Vimercati (DataPizza s.r.l. and University of Milano-Bicocca), and Matteo Palmonari (University of Milano-Bicocca)</i>	
HouseOfTheDragonQA: Open-Domain Long-Form Context-Aware QA Pairs for TV Series	150
<i>Aritra Kumar Lahiri (Toronto Metropolitan University, Canada) and Qinmin Vivian Hu (Toronto Metropolitan University, Canada)</i>	
Unveiling the Source: Differentiating Human and Machine-Generated Texts in a Multilingual Setting	158
<i>Gurunam Singh Chhatwal (Wilfrid Laurier University, Canada) and Jiashu Zhao (Wilfrid Laurier University, Canada)</i>	
The 3SD Few-Shot Method for Detecting Stances on Twitter: A Case Study of Brazilian Stances on COVID Vaccination	166
<i>Karin Becker (Federal University of Rio Grande do Sul (UFRGS), Brazil), Jesus Daniel Yepez Rojas (Federal University of Rio Grande do Sul (UFRGS), Brazil), and André Mediate de Souza (Federal University of Rio Grande do Sul (UFRGS), Brazil)</i>	

GAF-Based Multimodal Time Series Data Fusion for Water Depth Monitoring in Headwater Streams	174
<i>Xiaohu Zhao (Beijing University of Technology, China), Kebin Jia (Beijing University of Technology, China), Yue Zhang (Beijing University of Technology, China), Zhonghua Sun (Beijing University of Technology, China), Jinchao Feng (Beijing University of Technology, China), and Wei Liu (Beijing University of Technology, China)</i>	
LAIP: Learned Adaptive Inspection Paths using Offline Reinforcement Learning	182
<i>Samuel Matloob (University of Central Florida, USA), Ayan Dutta (University of North Florida, USA), O. Patrick Kreidl (University of North Florida, USA), Swapnonel Roy (University of North Florida, USA), and Ladislau Bölöni (University of Central Florida, USA)</i>	
Survey Table Generation from Academic Articles	190
<i>Po-Chun Chen (National Taiwan University, Taiwan), Hen-Hsen Huang (Academia Sinica, Taiwan), and Hsin-Hsi Chen (National Taiwan University, Taiwan)</i>	
A Concise Multi-Document Extractive Summarization Approach on Product Reviews	198
<i>Nathaniel Benham (Brigham Young University, USA), Siqu Gao (Brigham Young University, USA), and Yiu-Kai Ng (Brigham Young University, USA)</i>	
TabLinkLLM: An LLM-Based Approach for Entity Linking in Tabular Data	206
<i>Iroshani Jayawardene (SINTEF AS, Norway), Roberto Avogadro (SINTEF AS, Norway), Ahmet Soylu (Kristiania University College, Norway), and Dumitru Roman (SINTEF AS, Norway; OsloMet – Oslo Metropolitan University, Norway)</i>	
Lifelong Graph Learning for Graph Summarization	215
<i>Jonatan Frank (Ulm University, Germany), Marcel Hoffmann (Ulm University, Germany), Nicolas Lell (Ulm University, Germany), David Richerby (University of Essex, UK), and Ansgar Scherp (Ulm University, Germany)</i>	
Multi-View Structural Graph Summaries	223
<i>Jonatan Frank (Ulm University, Germany), Andor Diera (Ulm University, Germany), David Richerby (University of Essex, UK), and Ansgar Scherp (Ulm University, Germany)</i>	

Web of Trust

Argument-Structured Justification Generation for Explainable Fact-Checking	231
<i>Xiaoou Wang (Université Côte d'Azur, France), Elena Cabrio (Université Côte d'Azur, France), and Serena Villata (Université Côte d'Azur, France)</i>	
Towards a Smart Asset Model for Digital Assets on Blockchains	239
<i>Vodelina Samatova (North Carolina State University, USA), Nodirbek Korchiev (North Carolina State University, USA), Sogolsadat Mansouri (North Carolina State University, USA), and Kemafor Anyanwu (North Carolina State University, USA)</i>	

Web of Agents

Using Two Colour Necklaces to Fairly Allocate Coalition Value Calculations	249
<i>Terry R. Payne (University of Liverpool, UK), Luke Riley (Quant, UK), Katie Atkinson (University of Liverpool, UK), and Paul Dunne (University of Liverpool, UK)</i>	
Incentives in Public Goods Games on Networks	257
<i>Yair Vakhin (Ben Gurion University of the Negev, Israel) and Amnon Meisels (Ben Gurion University of the Negev, Israel)</i>	
Deep Reinforcement Learning with Local Communications for Continuous Pathfinding Problems in Multi-Agent Systems	265
<i>Yosuke Fujisawa (Waseda University, Japan), Daiki Shimada (Waseda University, Japan), Yuki Miyashita (Waseda University, Japan), and Toshiharu Sugawara (Waseda University, Japan)</i>	
Developing A Chatbot: A Hybrid Approach using Deep Learning and RAG	273
<i>Vraj Kumar Patel (Lakehead University, Canada), Parth Tejani (Lakehead University, Canada), Jay Parekh (Lakehead University, Canada), Kai Huang (McMaster University, Canada), and Xing Tan (Lakehead University, Canada)</i>	
Development of a Participatory Policy Planning Tool Based on Multi-Agent Social Simulation.....	281
<i>Naoki Sugie (Ritsumeikan University, Japan), Mamoru Yoshizoe (Ritsumeikan University, Japan), and Hiromitsu Hattori (Ritsumeikan University, Japan)</i>	

Special Track on Fairness, Accountability, Transparency, and Generative Content in AI

EHSD : Explainable Hate Speech Detection Based on Pre-Trained Language Models with Rationale Learning and Multi-Task Learning	289
<i>Yuta Honjo (Iwate University, Japan), Jianwei Zhang (Iwate University, Japan), and Wei Zhang (Huazhong University of Science and Technology, China)</i>	
From Courts to Comprehension: Can LLMs Make Judgments More Accessible?	297
<i>Giovanni Pinna (University of Trieste, Italy), Davide Tugnoli (University of Trieste, Italy), Mara Bartole (University of Trieste, Italy), Luca Manzoni (University of Trieste, Italy), and Andrea De Lorenzo (University of Trieste, Italy)</i>	

Volume 2: Short Papers

Web of People

Cosmetic Item Recommendation Method Based on Similar User Extraction Considering Skin Type and Concerns	305
<i>Da Li (Fukuoka University, Japan), Amane Matsuoka (Kyoto Sangyo University, Japan), Fumiya Yamaguchi (Kyoto Sangyo University, Japan), Mayumi Ueda (Otemon Gakuin University, Japan), and Shinsuke Nakajima (Kyoto Sangyo University, Japan)</i>	

Alleviating the Cold-Start Problem in Recommender Systems using Error-Based Learning	310
<i>Ricardo Laanen (Erasmus University Rotterdam, the Netherlands) and Flavius Frasincar (Erasmus University Rotterdam, the Netherlands)</i>	
C2DRNet: Context-Commonsense Discrepancy Resolution Learning on Commonsense Attentive Network for Humor Recognition	316
<i>Yuta Sasaki (Iwate University, Japan), Jianwei Zhang (Iwate University, Japan), and Yuhki Shiraishi (Tsukuba University of Technology, Japan)</i>	
A System for Analyzing the Frequency of Product Feature Mentions in Review Videos	321
<i>Fumiya Yamaguchi (Kyoto Sangyo University, Japan), Aiko Kobayashi (Kyoto Sangyo University, Japan), Mayumi Ueda (Otemon Gakuin University, Japan), Da Li (Fukuoka University, Japan), and Shinsuke Nakajima (Kyoto Sangyo University, Japan)</i>	
Task Assignment in Crowdsourcing using Deep Knowledge Tracing	326
<i>Ryotaro Yamamoto (Ritsumeikan University, Japan), Zhang Yuxuan (Ritsumeikan University, Japan), Yohei Murakami (Ritsumeikan University, Japan), and Mondheera Pituxcoosuvann (Ritsumeikan University, Japan)</i>	
Estimating Knowledge Gain in Search As Learning: A Clustering-Based Approach to Inferring Learning Goals	333
<i>Hadi Nasser (Université Côte d'Azur, France), Célia da Costa Pereira (Université Côte d'Azur, France), Cathy Esczut (Université Côte d'Azur, France), and Andrea G. B. Tettamanzi (Université Côte d'Azur, France)</i>	
Robustness of the Compositional Data Approach in Bipolar Psychometric Likert Scales Big Skewed Data Analysis	338
<i>René Lehmann (FOM University of Applied Science, Germany) and Bodo Vogt (Otto von Guericke University, Germany)</i>	
Anomalous Speech Detection: Unleashing the Adaptive Power of VarietyDetect for Enhanced Short-Text Anomaly Detection through Transfer Learning and Self-Training	345
<i>Saugata Bose (University of Wollongong, Australia) and Guoxin Su (University of Wollongong, Australia)</i>	

Web of Data

Leveraging LLMs for Mental Health: Detection and Recommendations from Social Discussions	350
<i>Vaishali Aggarwal (TCS Research, India), Sachin Thukral (TCS Research, India), Krushil Patel (IIT Kharagpur, India), and Arnab Chatterjee (TCS Research, India)</i>	
A Framework for Synthetic Audio Conversations Generation using Large Language Models	355
<i>Kaung Myat Kyaw (King Mongkut's University of Technology Thonburi, Thailand) and Jonathan Hoyin Chan (King Mongkut's University of Technology Thonburi, Thailand)</i>	

Synthetic Data Generation with Large Language Models for Personalized Community Question Answering	360
<i>Marco Braga (University of Milano-Bicocca, Italy), Pranav Kasela (University of Milano-Bicocca, Italy), Alessandro Raganato (University of Milano-Bicocca, Italy), and Gabriella Pasi (University of Milano-Bicocca, Italy)</i>	
Leveraging Large Language Models for Medical Information Extraction and Query Generation	367
<i>Georgios Peikos (University of Milano-Bicocca, Italy), Pranav Kasela (University of Milano-Bicocca, Italy), and Gabriella Pasi (University of Milano-Bicocca, Italy)</i>	
Cross-Domain Hate Speech Detection for Content Moderation in Greek Social Networks	373
<i>Nikolaos Stylianou (Centre for Research and Technology Hellas, Greece), Theodora Tsikrika (Centre for Research and Technology Hellas, Greece), Stefanos Vrochidis (Centre for Research and Technology Hellas, Greece), and Ioannis Kompatsiaris (Centre for Research and Technology Hellas, Greece)</i>	
Estimating Anime Sacred Sites Based on Geolocalization by Hybrid Model of Classification and Regression	380
<i>Wang Weixiang (Tokyo University of Technology), Kaito Honda (Tokyo University of Technology), and Takayasu Fushimi (Tokyo University of Technology)</i>	
Moving Object Detection using Hybrid Yolo-v8 with Improved GAN	387
<i>Mukaram Safaldin (University of Sfax, Tunisia), Nizar Zaghdien (University of Sfax, Tunisia), and Mahmoud Mejdoub (University of Sfax, Tunisia)</i>	
What Makes a Place Feel Safe? Analyzing Street View Images to Identify Relevant Visual Elements	395
<i>Felipe Moreno-Vera (Fundação Getulio Vargas (FGV), Brazil), Bruno Brandoli (Fundação Getulio Vargas (FGV), Brazil), and Jorge Poco (Fundação Getulio Vargas (FGV), Brazil)</i>	
Spatio-Temporal Multi-Factor Network Based on Attention Mechanism for Traffic Prediction	400
<i>Yutong Li (Beijing University of Technology, China), Zhonghua Sun (Beijing University of Technology, China), Kebin Jia (Beijing University of Technology, China), Jinchao Feng (Beijing University of Technology, China), and XinKe Wang (Beijing GOTECH ITS Technology co., LTD, China)</i>	
A Knowledge-Based Sequential Sensor Selection Approach for Fast Object Classification	405
<i>Vincent Beugnet (Thales DMS France, Elancourt; LIPN, CNRS (UMR 7030), Villetaneuse), Nathalie Pernelle (LIPN, CNRS (UMR 7030), Villetaneuse), Manel Zarrouk (LIPN, CNRS (UMR 7030), Villetaneuse), Cyrille Enderli (Thales DMS France, Elancourt), and Ludovic Grivault (Thales DMS France, Elancourt)</i>	
A Multi-Population Surrogate-Assisted Algorithm Based on Granular-Ball K-Nearest Neighbors Classification for Expensive Optimization	411
<i>Haihuan Jiang (Chongqing University of Posts and Telecommunications, China), Guoyin Wang (Chongqing Normal University, China; Chongqing University of Posts and Telecommunications, China), Qun Liu (Chongqing University of Posts and Telecommunications, China), and Jiajia Cao (Chongqing University of Posts and Telecommunications, China)</i>	

Semantic and Structural Clustering for Enhancing Subgraph-Based Knowledge Graph Completion.....	416
<i>You-Syuan Chen (National Sun Yat-sen University, Taiwan), Cheng-Ru Wei (National Sun Yat-sen University, Taiwan), Tzi-Ping Gau (National Sun Yat-sen University, Taiwan), and Wei-Po Lee (National Sun Yat-sen University, Taiwan)</i>	
Fact-Centric Knowledge Web for Information Retrieval	421
<i>Reuben Sinha (Nagoya Institute of Technology, Japan) and Shun Shiramatsu (Nagoya Institute of Technology, Japan)</i>	
Modelling and Exploitation of Knowledge Graphs using Category Theory	426
<i>Marek Z. Reformat (University of Alberta, Canada; University of Social Sciences, Poland) and Tim Put (University of Alberta, Canada)</i>	
Measuring Spoken English Proficiency Level Based on IELTS Speaking Test using Machine Learning Models	433
<i>Dylan Mac Yves (King Mongkut's University of Technology Thonburi, Thailand) and Jonathan Hoyin Chan (King Mongkut's University of Technology Thonburi, Thailand)</i>	

Web of Things

LLM-Based Interoperable IoT Service Platform	438
<i>Ryutaro Yokotsuji (Okayama University, Japan), Donghui Lin (Okayama University, Japan), and Fumito Uwano (Okayama University, Japan)</i>	

Web of Trust

Malicious Web Links Detection Based on Image Processing and Deep Learning Models	445
<i>Claudia-Ioana Coste (Babes-Bolyai University, Romania)</i>	

Web of Agents

Utility-Profit Based Large Scale Simultaneous Coalition Structure Generation and Assignment in Constrained Environment	450
<i>Tuhin Kumar Biswas (National Institute of Technology, India), Ankit Roy (National Institute of Technology, India), and Animesh Dutta (National Institute of Technology, India)</i>	
Multi-Agent Traffic Simulations with Agent Control Based on Logic Programming Languages	455
<i>Mamoru Yoshizoe (Ritsumeikan University, Japan) and Hiromitsu Hattori (Ritsumeikan University, Japan)</i>	

Evaluating and Enhancing LLMs Agent Based on Theory of Mind in Guandan: A Multi-Player Cooperative Game under Imperfect Information	461
<i>Yauwai Yim (Hong Kong University of Science and Technology), Chunkit Chan (Hong Kong University of Science and Technology), Tianyu Shi (University of Toronto), Zheyue Deng (Hong Kong University of Science and Technology), Wei Fan (Hong Kong University of Science and Technology), Tianshi Zheng (Hong Kong University of Science and Technology), and Yangqiu Song (Hong Kong University of Science and Technology)</i>	

Special Track: Web in Industry, Society, Health and Smart Living, and the Web of Everything

Developing Metaverse Initiatives: Insights from a University Case Study	466
<i>Jiongbin Liu (Deakin University, Austria), William Yeoh (Deakin University, Austria), Shang Gao (Deakin University, Austria), Xiaoliang Meng (Wuhan University, China), and Yuhua Zhu (Wuhan University, China)</i>	
Intent-Based Qualification of Industry 4.0 Components	471
<i>Kaoutar Sadouki (Conservatoire National des Arts et Métiers, France), Elena Kornysheva (Conservatoire National des Arts et Métiers, France), and Nourhene Ben Rabah (Université Paris 1 Panthéon Sorbonne, France)</i>	

Special Track on Fairness, Accountability, Transparency, and Generative Content in AI

Optimization of Bias Mitigation in Word Embeddings: A Methodological Approach	478
<i>María José Zambrano (University of Chile, Chile; National Center for Artificial Intelligence (CENIA), Chile; Millennium Institute for Foundational Research on Data (IMFD), Chile) and Felipe Bravo-Marquez (University of Chile, Chile; National Center for Artificial Intelligence (CENIA), Chile; Millennium Institute for Foundational Research on Data (IMFD), Chile)</i>	

Volume 3: Workshop Papers

The 9th International Workshop on Integrated Social CRM (iCRM 2024)

Complaint Analysis in Fintech Domain: A Case Study in Brazilian Brokerage Firms	485
<i>Matheus L. Couto (Federal University of Western Pará, Brazil), Pedro H. C. Menezes (Federal University of Western Pará, Brazil), Olaf Reinhold (University of Cooperative Education Saxony, Germany), Ricardo Maracini (University of São Paulo, Brazil), Antonio F. L. Jacob (State University of Maranhão, Brazil), and Fábio M. F. Lobato (Federal University of Western Pará, Brazil)</i>	

An Analysis of Brazilian Journalistic Coverage of Complaints Platforms	491
<i>Jonathan O. Fernandez (Federal University of Western Pará, Brazil), Andrey S. Pontes (Federal University of Western Pará, Brazil), Solange O. Rezende (University of São Paulo, Brazil), Antonio F. L. Junior (State University of Maranhão, Brazil), and Fábio M. F. Lobato (Federal University of Western Pará, Brazil)</i>	
Shifting Sales Online Increases Customer Loyalty: Evidence from the Chinese and German Personal Computer Markets	497
<i>Takumi Kato (Meiji University, Japan)</i>	

The 5th International Workshop on AI for Social Good in the Connected World (AI4SG)

Bayesian Inference for the Evolving Epidemiological Characteristics: A Case Study of COVID-19 in Hong Kong	502
<i>Chenyang Zhang (Nanjing Tech University, P.R. China), Yineng Gao (Nanjing Tech University, P.R. China), Qi Tan (Nanjing Tech University, P.R. China), Yue Peng (Nanjing Tech University, P.R. China), and Benyun Shi (Nanjing Tech University, P.R. China)</i>	
Physics-Informed Neural Networks for Infectious Disease Modeling with Limited Data	508
<i>Jiwen Xia (Nanjing Tech University, P.R. China), Yineng Gao (Nanjing Tech University, P.R. China), Qi Tan (Nanjing Tech University, P.R. China), Yue Peng (Nanjing Tech University, P.R. China), and Benyun Shi (Nanjing Tech University, P.R. China)</i>	
Using LLMs to Analyze Antecedent, Behavior and Consequence Narrative Recordings in Behavioral Health Science	514
<i>Jeevan Sai Reddy Beedareddy (Curajoy, USA), Sesha Shai Datta Kolli (Curajoy, IL), and Haley Scheer (Curajoy, USA)</i>	
Exploring a Large Language Model Approach to Visual Appearance Prediction in Forensic Investigations	522
<i>Hima Thota (The Harker School, USA), Niraj Pandkar (San Jose State University, USA), Teng-Sheng Moh (San Jose State University, USA), and Mark Barash (San Jose State University, USA)</i>	
Strategic Disease Control via Complex Systems Modeling: Computational Methods and Empirical Validation of Population-Level Interventions and Individual Decision-Making	529
<i>Liu Feng (Hong Kong Baptist University, China), Yang Liu (Hong Kong Baptist University, China), and Jiming Liu (Hong Kong Baptist University, China)</i>	
A Multidimensional Link Prediction Method Based on the Node Itself and Common Neighbors Contributions	535
<i>Yuan Ran (Southwest University, China), Feifan Zhan (Southwest University, China), and Li Tao (Southwest University, China)</i>	
Connecting Researchers and Grant Opportunities: A Deep Learning Approach to Extract Data from Heterogenous Unstructured Sources	543
<i>Naif N. Alotaibi (University of Technology Sydney, Australia; Taif University, Saudi Arabia), Morteza Saberi (University of Technology Sydney, Australia), Madhushi Bandara (University of Technology Sydney, Australia), Omar K. Hussain (UNSW Canberra, Australia), and Husam Al-Najjar (University of Technology Sydney, Australia)</i>	

Applying Mixup for Time Series in Transformer-Based Human Activity Recognition	550
<i>Hiskias Melke Dingeto (Dongguk University, South Korea) and Juntae Kim (Dongguk University, South Korea)</i>	

WI-IAT 2024 Workshop on Web Intelligence Meets Brain Informatics (WImeetsBI)

Water Level Prediction at Cascade Pump Stations Based on Multi-Scale Augmented Temporal Decomposition Network	556
<i>Xumeng Shen (Beijing University of Technology, China), Yongchuan Yu (Beijing University of Technology, China), Jianzhuo Yan (Beijing University of Technology, China), Chunyi Hou (Beijing University of Technology, China), and Siyao Zhang (Dongbei University of Finance, China)</i>	
Automated Line Chart Information Extraction for Accelerated Data Analysis in Chemical Science using Neural Networks and Hough Transform	562
<i>Hairong Yan (Beijing University of Technology, China), Shaohan Yang (Beijing University of Technology, China), and Shaorui Sun (Beijing University of Technology, China)</i>	
TSAC-DRM: A Drug Recommendation Model Based on Two-Stage Attention Mechanism and Constraint Learning	568
<i>Shaofu Lin (Beijing University of Technology, China), Ziqian Qiao (Beijing University of Technology, China), and Jianhui Chen (Beijing University of Technology, China)</i>	
Spatiotemporal Feature Extraction of Dynamic Brain Networks and Its Application in EEG-Based Emotion Recognition	575
<i>Jiangyu Han (Chongqing University of Posts and Telecommunications, China), Qiangjian Zhong (Chongqing University of Posts and Telecommunications, China), Ruiting Lin (Chongqing University of Posts and Telecommunications, China), Pengcheng Zhu (University of Electronic Science and Technology of China, China), Nan Qiu (University of Electronic Science and Technology of China, China), and Peiyang Li (Chongqing University of Posts and Telecommunications, China)</i>	

The International Workshop on Information Retrieval and Artificial Intelligence

Advertisement Viewing Relevance Feedback Based on Users' Latent Expectations in Search Results	581
<i>Xinni Yang (Kyoto Sangyo University, Japan), Da Li (Fukuoka University, Japan), Shigenaga Hamaguchi (Kyoto Sangyo University, Japan), Shinsuke Nakajima (Kyoto Sangyo University, Japan), and Yukiko Kawai (Kyoto Sangyo University, Japan)</i>	
CCC: A Spreader Selection Approach to Control Spreading Dynamics in Complex Networks	589
<i>Suman Nandi (National Institute of Technology, India), Dwiparna Mandal (Delhi Technological University, India), and Animesh Dutta (National Institute of Technology, India)</i>	

The 13th International Workshop on Intelligent Data Processing (IDP)

An Analysis of College Students' Views on Translanguaging in Teaching—A Case Study of Students in NingboTech University	595
<i>Shi Cheng (NingboTech University, China) and Chen Ou (NingboTech University, China)</i>	
On the Contradictions in EFL Learners' Oral English Learning from the Perspective of Activity Theory	600
<i>Haoyun Wang (NingboTech University, China) and Chen Ou (NingboTech University, China)</i>	
Analyze Trolling Behavior Trends in Chinese Mobile Game Forums using Sentiment Analysis	606
<i>Yiming Ni (Hong Kong Baptist University, China), Paolo Mengoni (Hong Kong Baptist University, China), and Liang Lan (Hong Kong Baptist University, China)</i>	
Recent Trends in Web Intelligence and Agent Technology: Hybrid Topic Modeling Approaches	612
<i>Seçil Tezel (Izmir Katip Celebi University, Turkey), Veli Bahadır Can (Izmir Katip Celebi University, Turkey), and Sila Ovgu Korkut (Izmir Katip Celebi University, Turkey)</i>	

The 1st International Workshop on AI for Multimodal Learning and Applications

A Retrieval-Augmented Dialogue Framework for Multimodal Medical Consultation	618
<i>Xinsheng Zhang (Hubei University, China) and Yi Zhang (Hubei University, China)</i>	
Multimodal Information Enhancing for Reasoning Question and Answering	624
<i>Wu Hailiang (Hubei University, China), Chen Hui (Hubei University, China), and He Peng (Hubei University, China)</i>	
Zero-Shot Response-Aware Query Expansion Method for Conversational Retrieval	630
<i>Junmei Wang (Hangzhou Dianzi University, China), Xiadan Chen (Hangzhou Dianzi University, China), Puyu He (Hangzhou Dianzi University, China), Fengjing Zhang (Hangzhou Dianzi University, China), Luyun Wang (Hangzhou Vocational & Technical College, China), and Jinhua Sheng (Hangzhou Dianzi University, China)</i>	
Enhancing and Accelerating Image-Text Retrieval with Knowledge Graphs and FAISS	636
<i>Junmei Wang (Hangzhou Dianzi University, China), Jing Zeng (Hangzhou Dianzi University, China), and Jinhua Sheng (Hangzhou Dianzi University, China)</i>	

The 16th Natural Language Processing and Ontology Engineering (NLPOE2024)

Research on Ontology Construction Based on the Knowledge System of 'Compendium of Materia Medica'	642
<i>Ying Zhou (Shandong University of Traditional Chinese Medicine, China), Yang Zhou (Shandong University of Traditional Chinese Medicine, China), and Yao Liu (Institute of Scientific and Technical Information of China, China)</i>	
Construction of a Traditional Chinese Medicine Knowledge Graph Based on Structural Generation- Insights from Zheng Lei Ben Cao	646
<i>Guisheng Zhang (Shandong University of Traditional Chinese Medicine, China), Xuebo Li (Shandong University of Traditional Chinese Medicine, China), Yang Zhou (Shandong University of Traditional Chinese Medicine, China), and Yao Liu (Institute of Scientific and Technical Information of China, China)</i>	
A Study on the Compatibility Patterns of Prescriptions in Shengji Zonglu through the Integration of Structured and Text Mining	651
<i>Yanli Zhang (Shandong University of Traditional Chinese Medicine, China) and Ruixiang Wang (Shandong University of Traditional Chinese Medicine, China)</i>	
FAIR Metrics for Motivating Ethics in Peer Review	657
<i>Adam Craig (Hong Kong Baptist University, Hong Kong) and Carl Taswell (University of California, USA)</i>	
Visualizing Political Communication Trends Across Generations on X (Twitter): Insights through Topic Modeling and Word Clouds	665
<i>Prinwat Udomwisarnpat (School of Science King Mongkut's Institute of Technology Ladkrabang, Thailand), Kulsawasd Jitkajornwanich (Texas Tech University, USA), Obada Kraishan (Texas Tech University, USA), Panu Srestasatheirn (Geo-Informatics and Space Technology Development Agency (Public Organization), Thailand), Siam Lawawirojwong (Geo-Informatics and Space Technology Development Agency (Public Organization), Thailand), and Pattama Charoenporn (School of Science King Mongkut's Institute of Technology Ladkrabang, Thailand)</i>	

The International Workshop on Multi-Information Fusion (TIWMF 2024)

Optimized Data Preprocessing for Enhanced Deepfake Detection Accuracy	671
<i>Qiang Li (York University, Canada)</i>	
From Multi-Touch Attribution to Marketing Mix Modeling: Leveraging Multi-Information Fusion for Advanced Advertising Analytics	677
<i>Shunke Zhou (York University) and Quanli Pei (York University)</i>	
Dense Retrieval Systems with LLM-Based Query Expansion	682
<i>Zhizhang Wang (York University, Canada) and Quanli Pei (York University, Canada)</i>	

Machine Learning-Based Fake News Detection on Social Media	687
<i>Li Zeng (York University, Canada) and Xiaoci Tao (York University, Canada)</i>	
AI-Driven Personalized Healthcare: Leveraging Multimodal Data for Precision Medicine	693
<i>Rui Lin (York University, Canada)</i>	

The International Workshop on the Practical Applications of Artificial Intelligence in Tackling Real-World

Thai Venomous Snake Identification using Yolo	698
<i>Areerut Wongmaha (King Mongkut's University of Technology Thonburi, Thailand) and Tuul Triyason (King Mongkut's University of Technology Thonburi, Thailand)</i>	

The International Workshop on Exploring High Dimensional Data: Methods, Challenges, and Applications

Design of the All-Wheel Drive Control System for Electric Vehicles	704
<i>Lifeng Wang (Wuxi Vocational Institute of Commerce, China) and Hao Wang (Ludong University, China)</i>	
DE-GWO Optimized ADRC-Based Precision Feeding System for Horizontal Auger	708
<i>Jianan Wang (Qingdao University of Science and Technology, China), Haohua Qin (Qingdao University of Science and Technology, China), and Lantian Guo (Qingdao University of Science and Technology, China)</i>	
A Piglet Feed Intake Prediction Method Based on ConvBiLSTM Model	712
<i>Zhihao Li (Qingdao University of Science and Technology, China), Haohua Qin (Qingdao University of Science and Technology, China), Jianan Wang (Qingdao University of Science and Technology, China), Hongming Zhang (Qingdao University of Science and Technology, China), and Lantian Guo (Qingdao University of Science and Technology, China)</i>	
A Case Study of Cloud Query Performance Comparison Between SQL and NoSQL Database	716
<i>Sheng Chai (Northwest Missouri State University, USA) and Zhengrui Qin (Northwest Missouri State University, USA)</i>	

The International Workshop on AI and Computer Science

YOLO-GrapeNet: A Robust Model for Grape Disease Detection	722
<i>Yuanhe Dong (Hubei Normal University, China), Enze Li (Hubei Normal University, China), Yan Jia (Hubei Normal University, China), and Yong Zhuang (Hubei Normal University, China)</i>	
Research on Improved YOLOv5 Algorithm for Autonomous and Controllable Embedded Platforms ...	728
<i>Bo Su (Xidian University, China), Jingmin Li (Xidian University, China), Jinguang Chen (Huzhou College, China), and Han Liang (Xidian University, China)</i>	

Pseudo-Relevance-Driven Query Expansion using BERT	736
<i>Quanli Pei (York University, Canada), Shunke Zhou (York University, Canada), and Min Pan (Central China Normal University (CCNU), China)</i>	
Research on Fire Detection Algorithm Based on Improved YOLOv5	742
<i>Junyi Ma (Hubei Normal University, China), Yunmeng Li (Hubei Normal University, China), Mingyuan Qin (Hubei Normal University, China), and Qiang Tong (Hubei Normal University, China)</i>	
KeyColBERT-PRF: Optimized Text Retrieval via Keyword Augmentation	748
<i>Min Pan (Hubei Normal University, China), Yumin Xie (Hubei Normal University, China), Shuting Zhou (Hubei Normal University, China), Mengfei Gao (Hubei Normal University, China), Wenrui Xiong (Hubei Normal University, China), and Mao Wang (Hubei Normal University, China)</i>	
Reconstruction of a Hidden Page from Segmented Contours using Deep Learning	754
<i>Shunke Zhou (York University, Canada) and Quanli Pei (York University, Canada)</i>	
STVD: Synchronized Truck Video Dataset with RGB and IR Cameras for Continuous Truck Traffic Monitoring	760
<i>Jooyoung Yoo (University of Southern California, USA), Abdullah Alfarrarjeh (German Jordanian University, Jordan), Krish Sukhani (University of Southern California, USA), Seon Ho Kim (University of Southern California, USA), and Cyrus Shahabi (University of Southern California, USA)</i>	
Research on Teaching Design for AI-Enabled Higher-Order Thinking Cultivation	766
<i>Wenyan Ke (Hubei Normal University, China), Xuan Du (Hubei Normal University, China), Dan He (Hubei Normal University, China), and Min Pan (Hubei Normal University, China)</i>	
Protein Sequence Prediction Based on Feature Combination and Attention Mechanism	771
<i>Zeshan Hu (York University, Canada) and Quanli Pei (York University, Canada)</i>	
Dynamic Cuckoo Hash by Machine Learning Data Density	777
<i>Jinjun Liu (Hubei Normal University, China), Zelin Wang (Hubei Normal University, China), Zhenyi Fang (Hubei Normal University, China), and Minqi Wu (Hubei Normal University, China)</i>	
The Mode and Strategy of Generative Artificial Intelligence Enabling Teaching from the Perspective of Human-Computer Collaboration	783
<i>Peijie Zhou (Hubei Normal University, China), Haixia Xu (Hubei Normal University, China), and Yang Tan (Hubei Engineering Vocational College, China)</i>	
Multi-Modal Fake News Detection Aided by Multi-Viewpoint Representation from a Multi-Modal Large Language Model	788
<i>Yu Sun (Hubei Normal University, China), Xian Fu (Hubei Normal University, China), Zhuzhu Zhang (Hubei Normal University, China), Ningning Zhang (Hubei Normal University, China), Hui Zhang (Hubei Normal University, China), and Yaqiang Cao (Hubei Normal University, China)</i>	

Enabling Next-Generation Smart Homes through Bert Personalized Food Recommendations - RecipeBERT	796
<i>Divya Mereddy (Vanderbilt University, TN) and Jeevan Sai Reddy Beedareddy (Houzz, TN)</i>	
Bot Detection in Social Media using GraphSage and BERT	804
<i>Abhishek Deshmukh (San Jose State University, USA), Melody Moh (San Jose State University, USA), and Teng-Sheng Moh (San Jose State University, USA)</i>	
Qwen-Fin: Chinese Financial Sentiment Analysis Based on Fine-Tuned Large Language Model	812
<i>Zongwu Ke (Hubei Normal University, China), Zeyu Zhang (Hubei Normal University, China), Long Zhou (Hubei Normal University, China), Mingi Wu (Hubei Normal University, China), and Tao Zhang (Hubei Normal University, China)</i>	
Comparative Analysis of Incremental and Traditional Training Methods under Hardware Limitations: The ViViT Model Case	818
<i>Fernando Santos (Universidade Europeia, Portugal), André Sabino (Universidade Europeia, Portugal), and Jacinto Estima (University of Coimbra, Portugal)</i>	
Towards explaining emergent behavior in multi-agent systems micro-parameter space structuring with feature importance in Heatbug model	824
<i>Sergey Kovalchuk (ITMO University), Chao Li (ITMO University), and Oleg Kubryak (Moscow Power Engineering Institute)</i>	

The 3rd Workshop on Personalized QA and its Applications (PQAIA)

Leiden-Based Model for Detecting Anomalous Groups in Event Propagation	830
<i>Lingkai Li (Beijing Technology and Business University, China), Bo Li (Beijing Technology and Business University, China), Jingyuan Li (Beijing Technology and Business University, China), Renrui Duan (Beijing Technology and Business University, China), and Haiyang Wang (Institute of Network Technology, China)</i>	
BERT-KAIM: A Knowledge-Augmented Model for Domain-Specific Tasks with Learnable Activation Functions and Mixed Precision Training	836
<i>Haiyang Jiang (Beijing Technology and Business University, China), Yingying Liu (Beijing Technology and Business University, China), Haixiang Wang (Research and Development Center of TravelSky Technology Limited, China), Yao Zheng (Zhengzhou University, China), Kun Hou (Beijing Technology and Business University, China), Jingyun Li (Beijing Technology and Business University, China), and Haoliang Zhang (Beijing Technology and Business University, China)</i>	
Social Robot Detection Based on LLM and LSTM-LDA Model	842
<i>Sheng Wang (Beijing Technology and Business University, China), Jingyuan Li (Beijing Technology and Business University, China), Shiqi Sun (Chinese Academy of Sciences, China), Bo Li (Beijing Technology and Business University, China), Qiong Wu (Chinese Academy of Sciences, China), and Haoliang Zhang (Beijing Technology and Business University, China)</i>	

The International Workshop on Large Language Models in Practice

Expansion and Validation of Open-Domain Question and Answering: An Integrated Framework Based on Large Models	848
<i>Kun Hou (Beijing Technology and Business University, China), Shiqi Sun (Chinese Academy of Sciences, China), Haiyang Jiang (Beijing Technology and Business University, China), Haoliang Zhang (Beijing Technology and Business University, China), Jingyuan Li (Beijing Technology and Business University, China), Yingying Liu (Beijing Technology and Business University, China), and Haiyang Wang (Institute of Network Technology (Yantai), China)</i>	
A Course Recommendation Model Rooted in Heterogeneous Information Networks for Meta-Learning	854
<i>Haoliang Zhang (Beijing Technology and Business University, China), Jingyuan Li (Beijing Technology and Business University, China), Kun Hou (Beijing Technology and Business University, China), Renrui Duan (Beijing Technology and Business University, China), and Haiyang Li (Beijing Technology and Business University, China)</i>	
XAG: Enhancing Transparency by Integrating Explainable Artificial Intelligence with Large Language Models	860
<i>Takafumi Nakanishi (Musashino University, Japan)</i>	
Synthetic Data for Scam Detection: Leveraging LLMs to Train Deep Learning Models	868
<i>Pitipat Gumphusiri (Mahidol University International College, Thailand) and Tuul Triyason (King Mongkut's University of Technology Thonburi, Thailand)</i>	

The International Workshop on AI-Driven Information Processing: Advances in Speech, Language, and Signal Analysis

Smart Mine: The Role of Artificial Intelligence in Modern Coal Extraction	874
<i>Wenpeng Shi (Yankuang Energy Group Co., Ltd Dongtan Coal Mine, China), Jian Li (Yankuang Energy Group Co., Ltd Dongtan Coal Mine, China), Zhaosheng Chen (Yankuang Energy Group Co., Ltd Dongtan Coal Mine, China), Chen Zhang (Yankuang Energy Group Co., Ltd Dongtan Coal Mine, China), and Honggang Yang (Wuhan University of Technology, China)</i>	
A Temporal Normalization-Enhanced EfficientPhys for Learning Emotion Recognition	880
<i>Tao Hu (Central China Normal University, China), Yantao Wei (Central China Normal University, China), Qi Xu (Central China Normal University, China), and Kai Yang (Central China Normal University, China)</i>	
The Multicultural Characteristics and Functional Analysis of Language Landscape in Multilingual Community	886
<i>Xinyue Zhang (Shantou University, China), Junmei Wang (Hangzhou Dianzi University, China), and Jian Gao (Shantou University, China)</i>	

The 3rd International Workshop on the Fundamentals and Advances of Recommendation System

MCRecKit: An Open-Source Library for Multi-Criteria Recommendations 892
Yong Zheng (*Illinois Institute of Technology, USA*), David Xuejun Wang
(*Morningstar, Inc., USA*), and Qin Ruan (*University College Dublin, Ireland*)

The International Workshop on Balancing Innovation with Security

Pervasive Teledildonics: How AI Aims to Impact Human sexuality 898
Émile Chabot (*Université du Québec en Outaouais, Canada*), Emily
Jaworski (*Tamkang University, Taiwan*), and Patrice Renaud (*Université
du Québec en Outaouais, Canada*)

The International Workshop on AI Applications to Finance

Stock Price Prediction using Sentiment and Technical Analysis 904
Huaqi Gao (*York University, Canada*) and George Georgopoulos (*York
University, Canada*)

Author Index