

2025 IEEE International Conference on Software Analysis, Evolution and Reengineering (SANER 2025)

**Montreal, Quebec, Canada
4-7 March 2025**

Pages 1-441



**IEEE Catalog Number: CFP25102-POD
ISBN: 979-8-3315-3511-7**

**Copyright © 2025 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***** *This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP25102-POD
ISBN (Print-On-Demand):	979-8-3315-3511-7
ISBN (Online):	979-8-3315-3510-0
ISSN:	1534-5351

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

2025 IEEE International Conference on Software Analysis, Evolution and Reengineering (SANER)

SANER 2025

Table of Contents

Message from the General Co-Chairs and Program Co-Chairs	xvii
Organizing Committee	xx
Steering Committee	xxii
Program Committee	xxiii

Empirical Studies & LLM

Beyond pip Install: Evaluating LLM Agents for the Automated Installation of Python Projects	1
<i>Louis Milliken (KAIST, Republic of Korea), Sungmin Kang (KAIST, Republic of Korea), and Shin Yoo (KAIST, Republic of Korea)</i>	
On the Compression of Language Models for Code: An Empirical Study on CodeBERT	12
<i>Giordano d'Aloisio (University of L'Aquila, Italy), Luca Traini (University of L'Aquila, Italy), Federica Sarro (University College London, UK), and Antinisa Di Marco (University of L'Aquila, Italy)</i>	
Can Large Language Models Discover Metamorphic Relations? A Large-Scale Empirical Study	24
<i>Jiaming Zhang (University of Science and Technology Beijing, China), Chang-ai Sun (University of Science and Technology Beijing, China), Huai Liu (Swinburne University of Technology, Australia), and Sijin Dong (University of Science and Technology Beijing, China)</i>	
Revisiting the Non-Determinism of Code Generation by the GPT-3.5 Large Language Model	36
<i>Salimata Sawadogo (Université Joseph Ki-Zerbo, Burkina Faso), Aminata Sabane (Université Joseph Ki-Zerbo, Burkina Faso), Rodrique Kafando (Université Virtuelle du Burkina Faso, Burkina Faso), Abdoul Kader Kabore (Université du Luxembourg; Centre d'Excellence en IA (CITADEL), Burkina Faso), and Tegawendé F. Bissyande (Université du Luxembourg; Université Joseph Ki-Zerbo, Luxembourg)</i>	
Language Models to Support Multi-Label Classification of Industrial Data	45
<i>Waleed Abdeen (Blekinge Institute of Technology, Sweden), Michael Unterkalmsteiner (Blekinge Institute of Technology, Sweden), Krzysztof Wnuk (Blekinge Institute of Technology, Sweden), Alessio Ferrari (University College Dublin, Ireland; CNR - ISTI, Italy), and Panagiota Chatzipetrou (Örebro University, Sweden)</i>	

Software Maintenance and Evolution

How Effective are Large Language Models in Generating Software Specifications?	56
<i>Danning Xie (Purdue University, USA), Byoungwoo Yoo (UNIST, South Korea), Nan Jiang (Purdue University, USA), Mijung Kim (UNIST, South Korea), Lin Tan (Purdue University, USA), Xiangyu Zhang (Purdue University, USA), and Judy S. Lee (ADP, USA)</i>	
Why Do Developers Engage with ChatGPT in Issue-Tracker? Investigating Usage and Reliance on ChatGPT-Generated Code	68
<i>Joy Krishan Das (University of Saskatchewan, Canada), Saikat Mondal (University of Saskatchewan, Canada), and Chanchal K. Roy (University of Saskatchewan, Canada)</i>	
Evaluating ReLink for Traceability Link Recovery in Practice	80
<i>Ayberk Yaşa (Stash, Turkey), Cemhan Kaan Özaltan (RWTH Aachen University, Germany), Görkem Ayten (Bilkent University, Turkey), Fatih Kaplama (Bilkent University, Turkey), Ömercan Devran (Beko, Turkey), Baykal Mehmet Uçar (Beko, Turkey), and Eray Tüzün (Bilkent University, Turkey)</i>	
Development of Automated Software Design Document Review Methods using Large Language Models	91
<i>Takasaburo Fukuda (Fujitsu Limited, Japan), Takao Nakagawa (Fujitsu Limited, Japan), Keisuke Miyazaki (Fujitsu Limited, Japan), and Susumu Tokumoto (Fujitsu Limited, Japan)</i>	
Experiences on using Large Language Models to Re-Engineer a Legacy System at Volvo Group	102
<i>Vanshika Singh (North Carolina State University, USA; Volvo Group, USA), Caglar Korlu (Volvo Group, USA), Onur Orcun (Volvo Group, USA), and Wesley K. G. Assunção (North Carolina State University, USA)</i>	

Smart Contracts & Microservices

An Empirical Study on Microservices Deployment Trends, Topics and Challenges in Stack Overflow	113
<i>Amina Bouaziz (Laval University, Canada), Mohamed Aymen Saied (Laval University, Canada), Mohammed Sayagh (University of Quebec, Canada), Ali Ouni (University of Quebec, Canada), and Mohamed Wiem Mkaouer (University of Michigan-Flint, USA)</i>	
Deep Smart Contract Intent Detection	124
<i>Youwei Huang (Macau University of Science and Technology, Macao SAR; CAS, China), Sen Fang (North Carolina State University, USA), Jianwen Li (CAS, China; Beijing Normal University - Hong Kong Baptist University United International College, China), Bin Hu (Chinese Academy of Sciences, China), Jiachun Tao (CAS, China; Suzhou City University, China), and Tao Zhang (Macau University of Science and Technology, Macao SAR)</i>	
Enhancing Microservice Migration Transformation from Monoliths with Graph Neural Networks	136
<i>Deli Chen (Hainan University, China), Chunyang Ye (Hainan University, China), Hui Zhou (Hainan University, China), Shanyan Lai (Hainan University, China), and Bo Li (Hainan University, China)</i>	

Specification Mining for Smart Contracts with Trace Slicing and Predicate Abstraction	147
<i>Ye Liu (Nanyang Technological University, Singapore), Yixuan Liu (Nanyang Technological University, Singapore), Yi Li (Nanyang Technological University, Singapore), and Cyrille Artho (KTH Royal Institute of Technology, Sweden)</i>	
Towards Change Impact Analysis in Microservices-Based System Evolution	159
<i>Tomas Cerny (University of Arizona, USA), Gabriel Gouliis (University of Arizona, USA), and Amr S. Abdelfattah (University of Arizona, USA)</i>	
LLM-Based Generation of Solidity Smart Contracts from System Requirements in Natural Language: the AstraKode Case	170
<i>Gabriele De Vito (University of Salerno, Italy), Damiano D'Amici (AstraKode S.r.l., Italy), Fabiano Izzo (AstraKode S.r.l., Italy), Filomena Ferrucci (University of Salerno, Italy), and Dario Di Nucci (University of Salerno, Italy)</i>	

API and Dependency Analysis

Analysing Software Supply Chains of Infrastructure as Code: Extraction of Ansible Plugin Dependencies	181
<i>Ruben Opdebeeck (Vrije Universiteit Brussel, Belgium), Bram Adams (Queen's University, Canada), and Coen De Roover (Vrije Universiteit Brussel, Belgium)</i>	
Enhancing Automated Vulnerability Repair through Dependency Embedding and Pattern Store ...	193
<i>Qingao Dong (Beihang University), Yuanzhang Lin (Beihang University), Hailong Sun (Beihang University), and Xiang Gao (Beihang University)</i>	
Improving API Knowledge Comprehensibility: A Context-Dependent Entity Detection and Context Completion Approach using LLM	205
<i>Zhang Zhang (National University of Defense Technology, China), Xinjun Mao (National University of Defense Technology, China), Shangwen Wang (National University of Defense Technology, China), Kang Yang (National University of Defense Technology, China), Tanghaoran Zhang (National University of Defense Technology, China), Fei Gao (National University of Defense Technology, China), and Xunhui Zhang (National University of Defense Technology, China)</i>	
Pay Your Attention on Lib! Android Third-Party Library Detection via Feature Language Model	217
<i>Dahan Pan (Shanghai Jiao Tong University, China), Yi Xu (Shanghai Jiao Tong University, China), Runhan Feng (Shanghai Jiao Tong University, China), Donghui Yu (Shanghai Jiao Tong University, China), Jiawen Chen (Shanghai Jiao Tong University, China), Ya Fang (Shanghai Jiao Tong University, China), and Yuanyuan Zhang (Shanghai Jiao Tong University, China)</i>	
THINK: Tackling API Hallucinations in LLMs via Injecting Knowledge	229
<i>Jiaxin Liu (National University of Defense Technology, China), Yating Zhang (National University of Defense Technology, China), Deze Wang (National University of Defense Technology, China), Yiwei Li (National University of Defense Technology, China), and Wei Dong (National University of Defense Technology, China)</i>	

Software Testing & Debugging

A Multi-Language Tool for Generating Unit Tests from Execution Traces	241
<i>Gabriel Darbord (Univ. Lille, France), Nicolas Anquetil (Univ. Lille, France), Benoit Verhaeghe (Berger-Levrault, France), and Anne Etien (Univ. Lille, France)</i>	
CSE-WSS: Code Structure Enhancement Framework with Weighted Semantic Similarity for Changeset-Based Bug Localization	252
<i>Zhenghao Liu (South China University of Technology, China), Li Yuan (South China University of Technology, China), Jixin Wang (South China University of Technology, China), and Yi Cai (South China University of Technology, China)</i>	
From Bug Reports to Workarounds: The Real-World Impact of Compiler Bugs	264
<i>Zhixing He (Shanghai Jiao Tong University, China) and Hao Zhong (Shanghai Jiao Tong University, China)</i>	
Optimizing Class Integration Testing with Criticality-Driven Test Order Generation	276
<i>Yanru Ding (China University of Mining and Technology, China), Yanmei Zhang (China University of Mining and Technology, China), Guan Yuan (China University of Mining and Technology, China), Shujuan Jiang (China University of Mining and Technology, China), Wei Dai (China University of Mining and Technology, China), and Luciano Baresi (Politecnico di Milano, Italy)</i>	
Generating and Contributing Test Cases for C Libraries from Client Code: A Case Study	287
<i>Ahmed Zaki (Imperial College London), Arindam Sharma (Imperial College London), and Cristian Cadar (Imperial College London)</i>	

Software Analysis & Recommendation Systems

A First Look at Package-to-Group Mechanism: An Empirical Study of the Linux Distributions	299
<i>Dongming Jin (MoE, China; Peking University, China), Nianyu Li (ZGC National Laboratory, China), Kai Yang (ZGC National Laboratory, China), Minghui Zhou (MoE, China; Peking University, China), and Zhi Jin (MoE, China; Peking University, China)</i>	
Preprocessing is All You Need: Boosting the Performance of Log Parsers with a General Preprocessing Framework	310
<i>Qiaolin Qin (Polytechnique Montreal, Canada), Roozbeh Aghili (Polytechnique Montreal, Canada), Heng Li (Polytechnique Montreal, Canada), and Ettore Merlo (Polytechnique Montreal, Canada)</i>	

Boosting Large Language Models for System Software Retargeting: A Preliminary Study	321
<i>Ming Zhong (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Fang Lv (Chinese Academy of Sciences, China), Lulin Wang (Chinese Academy of Sciences, China), Lei Qiu (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Hongna Geng (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Huimin Cui (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), and Xiaobing Feng (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China)</i>	
Analyzing Logs of Large-Scale Software Systems using Time Curves Visualization	327
<i>Dmytro Borysenkov (Dynatrace Research, Austria), Adriano Vogel (Dynatrace Research, Austria), Sören Henning (Dynatrace Research, Austria; Johannes Kepler University, Austria), and Esteban Perez-Wohlfeil (Dynatrace Research, Austria)</i>	
Building Your Own Product Copilot: Challenges, Opportunities, and Needs	338
<i>Chris Parnin (Microsoft, USA), Gustavo Soares (Microsoft, USA), Rahul Pandita (GitHub), Sumit Gulwani (Microsoft, USA), Jessica Rich (Microsoft, USA), and Austin Z. Henley (Carnegie Mellon University)</i>	
Filter-Based Repair of Semantic Segmentation in Safety-Critical Systems	349
<i>Sebastian Schneider (Technical University of Munich, Germany), Tomas Sujovolsky (University of Buenos Aires, Argentina), Paolo Arcaini (National Institute of Informatics, Japan), Fuyuki Ishikawa (National Institute of Informatics, Japan), and Truong Vinh Truong Duy (AISIN CORPORATION, Japan)</i>	

Program Analysis

Adapting Knowledge Prompt Tuning for Enhanced Automated Program Repair	360
<i>Xuemeng Cai (Singapore Management University, Singapore) and Lingxiao Jiang (Singapore Management University, Singapore)</i>	
A Metric for Measuring the Impact of Rare Paths on Program Coverage	372
<i>Leo St. Amour (Virginia Tech, USA), Eli Tilevich (Virginia Tech, USA), and Muhammad Ali Gulzar (Virginia Tech, USA)</i>	
A Progressive Transformer for Unifying Binary Code Embedding and Knowledge Transfer	383
<i>Hanxiao Lu (Columbia University), Hongyu Cai (Purdue University), Yiming Liang (Purdue University), Antonio Bianchi (Purdue University), and Z. Berkay Celik (Purdue University)</i>	
Is This You, LLM? Recognizing AI-Written Programs with Multilingual Code Stylometry	394
<i>Andrea Gurioli (University of Bologna, Italy), Maurizio Gabbiroli (University of Bologna, Italy), and Stefano Zacchiroli (Institut Polytechnique de Paris, France)</i>	
SpeedGen: Enhancing Code Efficiency through Large Language Model-Based Performance Optimization	406
<i>Nils Purschke (Technical University of Munich, Germany), Sven Kirchner (Technical University of Munich, Germany), and Alois Knoll (Technical University of Munich, Germany)</i>	

StriCT-BJ: A String Constraint Benchmark from Real Java Programs	418
<i>Chi Zhang (University of Chinese Academy of Sciences, China) and Jian Zhang (University of Chinese Academy of Sciences, China)</i>	

Detect Prediction & Analysis

An Ensemble Learning Method Based on Neighborhood Granularity Discrimination Index and its Application in Software Defect Prediction	430
<i>Yuqi Sha (Qingdao University of Science and Technology, P. R. China), Feng Jiang (Qingdao University of Science and Technology, P. R. China), Qiang Hu (Qingdao University of Science and Technology, P. R. China), and Yifan He (Beijing Technology and Business University, P.R. China)</i>	
ALOGO: A Novel and Effective Framework for Online Cross-Project Defect Prediction	442
<i>Rongrong Shi (Beijing Jiaotong University, China), Yuxin He (Beijing Jiaotong University, China), Ying Liu (Beijing Jiaotong University, China), Zonghao Li (University of Michigan, USA), Jingxin Su (Beijing Jiaotong University, China), and Haonan Tong (Beijing Jiaotong University, China)</i>	
Cross-System Software Log-Based Anomaly Detection using Meta-Learning	454
<i>Yuqing Wang (University of Helsinki, Finland), Mika V. Mäntylä (University of Helsinki, Finland), Jesse Nyyssölä (University of Helsinki, Finland), Ke Ping (University of Helsinki, Finland), and Liqiang Wang (University of Central Florida, USA)</i>	
RADICE: Causal Graph Based Root Cause Analysis for System Performance Diagnostic	465
<i>Andrea Tonon (Huawei Ireland Research Center, Ireland), Meng Zhang (Huawei Nanjing R&D Center, China), Bora Caglayan (Huawei Ireland Research Center, Ireland), Fei Shen (Huawei Nanjing R&D Center, China), Tong Gui (Huawei Nanjing R&D Center, China), MingXue Wang (Huawei Ireland Research Center, Ireland), and Rong Zhou (Huawei Nanjing R&D Center, China)</i>	
Can We Trust the Actionable Guidance from Explainable AI Techniques in Defect Prediction?	476
<i>Gichan Lee (Hanyang University, Republic of Korea), Hansae Ju (Hanyang University, Republic of Korea), and Scott Uk-Jin Lee (Hanyang University, Republic of Korea)</i>	

Search & Similarity

BinEGA: Enhancing DNN-Based Binary Code Similarity Detection through Efficient Graph Alignment	488
<i>Shize Zhou (Zhejiang University, China), Lirong Fu (Hangzhou Dianzi University, China), Peiyu Liu (Zhejiang University, China), and Wenhui Wang (Zhejiang University, China)</i>	
Evaluating the Effectiveness and Efficiency of Demonstration Retrievers in RAG for Coding Tasks	500
<i>Pengfei He (University of Manitoba, Canada), Shaowei Wang (University of Manitoba, Canada), Shaiful Chowdhury (University of Manitoba, Canada), and Tse-Hsun Chen (Concordia University, Canada)</i>	

Stack Trace Deduplication: Faster, More Accurately, and in More Realistic Scenarios	511
<i>Egor Shibaev (Constructor University; JetBrains Research), Denis Sushentsev (JetBrains), Yaroslav Golubev (JetBrains Research), and Aleksandr Khvorov (Constructor University; JetBrains)</i>	
Industrial-Scale Neural Network Clone Detection with Disk-Based Similarity Search	522
<i>Gul Aftab Ahmed (Trinity College Dublin, Ireland), Muslim Chochlov (University of Limerick, Ireland), Abdul Razzaq (University of Limerick, Ireland), James Vincent Patten (University of Limerick, Ireland), Yuanhua Han (Huawei Technologies Co., Ltd., China), Guoxian Lu (Huawei Technologies Co., Ltd., China), Jim Buckley (University of Limerick, Ireland), and David Gregg (Trinity College Dublin, Ireland)</i>	

Software Ecosystem

CapAssess: An Endeavor to Assess and Enhance Linux Capabilities Utilization	533
<i>Jingzi Meng (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Yuewu Wang (University of Chinese Academy of Sciences, China), Lingguang Lei (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), JiWu Jing (University of Chinese Academy of Sciences, China), Pingjian Wang (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Chunjing Kou (University of Chinese Academy of Sciences, China), and Peng Wang (University of Chinese Academy of Sciences, China)</i>	
Service Extraction from Object-Oriented Monolithic Systems: Supporting Incremental Migration	545
<i>Soufyane Labsari (Univ. Lille, France), Imen Sayar (Univ. Lille, France), Nicolas Anquetil (Univ. Lille, France), Benoit Verhaeghe (Berger-Levrault, France), and Anne Etien (Univ. Lille, France)</i>	
Protect Your Secrets: Understanding and Measuring Data Exposure in VSCode Extensions	551
<i>Yue Liu (Monash University, Australia), Chakkrit Tantithamthavorn (Monash University, Australia), and Li Li (Beihang University, China)</i>	

Change Management & Program Comprehension

AdvFusion: Adapter-Based Knowledge Transfer for Code Summarization on Code Language Models..	
563	
<i>Iman Saberi (The University of British Columbia, Canada), Amirreza Esmaeili (The University of British Columbia, Canada), Fatemeh Fard (The University of British Columbia, Canada), and Fuxiang Chen (University of Leicester, United Kingdom)</i>	
EarlyPR: Early Prediction of Potential Pull-Requests from Forks	575
<i>Xiangchen Wu (Nanjing University, China), Liang Wang (Nanjing University, China), and Xianping Tao (Nanjing University, China)</i>	
The Hidden Challenges of Merging: A Tool-Based Exploration	587
<i>Luciana de Q. L. Gomes (Federal University of Campina Grande, Brazil), Melina Mongiovì (Federal University of Campina Grande, Brazil), Sabrina Souto (State University of Campina Grande, Brazil), and Everton L. G. Alves (Federal University of Campina Grande, Brazil)</i>	

On the Performance of Large Language Models for Code Change Intent Classification	598
<i>Issam Oukhay (ÉTS Montreal, Canada), Moataz Chouchen (Concordia University, Canada), Ali Ouni (ÉTS Montreal, Canada), and Fatemeh H. Fard (University of British Columbia, Canada)</i>	
Revisiting Method-Level Change Prediction: A Comparative Evaluation at Different Granularities	604
<i>Hiroto Sugimori (Institute of Science Tokyo, Japan) and Shinpei Hayashi (Institute of Science Tokyo, Japan)</i>	

Mining Software Repositories

An Empirical Study of Transformer Models on Automatically Templating GitHub Issue Reports ...	615
<i>Jin Zhang (Hunan Normal University, China; Changsha University of Science and Technology, China), Maoqi Peng (Hunan Normal University, China), and Yang Zhang (National University of Defense Technology, China)</i>	
How to Select Pre-Trained Code Models for Reuse? A Learning Perspective	627
<i>Zhangqian Bi (National Engineering Research Center for Big Data Technology and System, China; Huazhong University of Science and Technology, China), Yao Wan (National Engineering Research Center for Big Data Technology and System, China; Huazhong University of Science and Technology, China), Zhaoyang Chu (National Engineering Research Center for Big Data Technology and System, China; Huazhong University of Science and Technology, China), Yufei Hu (Huazhong University of Science and Technology, China), Junyi Zhang (Huazhong University of Science and Technology, China), Hongyu Zhang (Chongqing University, China), Guandong Xu (University of Technology Sydney, Australia), and Hai Jin (National Engineering Research Center for Big Data Technology and System, China; Huazhong University of Science and Technology, China)</i>	
Uncovering the Challenges: A Study of Corner Cases in Bug-Inducing Commits	639
<i>Atakan Şerifoğlu (Bilkent University, Turkey) and Eray Tüzin (Bilkent University, Turkey)</i>	
Does the Tool Matter? Exploring Some Causes of Threats to Validity in Mining Software Repositories	645
<i>Nicole Hoess (Technical University of Applied Sciences Regensburg, Germany), Carlos Paradis (No Affiliation, USA), Rick Kazman (University of Hawaii at Mānoa, USA), and Wolfgang Mauerer (Technical University of Applied Sciences Regensburg, Germany)</i>	

Code Quality and Refactoring

Evaluating Software Development Agents: Patch Patterns, Code Quality, and Issue Complexity in Real-World GitHub Scenarios	657
<i>Zhi Chen (Singapore Management University) and Lingxiao Jiang (Singapore Management University)</i>	

Evaluating the Effectiveness of LLMs in Fixing Maintainability Issues in Real-World Projects	669
<i>Henrique Nunes (Federal University of Minas Gerais, Brazil), Eduardo Figueiredo (Federal University of Minas Gerais, Brazil), Larissa Rocha (State University of Bahia, Brazil), Sarah Nadi (New York University Abu Dhabi, United Arab Emirates), Fischer Ferreira (Federal University of Itajubá, Brazil), and Geanderson Esteves (Federal University of Minas Gerais, Brazil)</i>	
Exploring the Potential of Llama Models in Automated Code Refinement: A Replication Study	681
<i>Genevieve Caumartin (Concordia University, Canada), Qiaolin Qin (Polytechnique Montreal, Canada), Sharon Chatragadda (Concordia University, Canada), Janmitsinh Panjrolia (Concordia University, Canada), Heng Li (Polytechnique Montreal, Canada), and Diego Elias Costa (Concordia University, Canada)</i>	
Exploring the Relationship between Technical Debt and Lead Time: An Industrial Case Study	693
<i>Bhuwan Paudel (Blekinge Institute of Technology, Sweden), Javier Gonzalez-Huerta (Blekinge Institute of Technology, Sweden), Ehsan Zabardast (Blekinge Institute of Technology, Sweden), and Eriks Klotins (Blekinge Institute of Technology, Sweden)</i>	

Software Security

Characterizing Logs in Vulnerability Reports: In-Depth Analysis and Security Implications	704
<i>Yao Shu (Wuhan University, China), Lianyu Zheng (Wuhan University, China), Jinfu Chen (Wuhan University, China), and Jifeng Xuan (Wuhan University, China)</i>	
Conan: Uncover Consensus Issues in Distributed Databases using Fuzzing-Driven Fault Injection	716
<i>Haojia Huang (Sun Yat-sen University), Pengfei Chen (Sun Yat-sen University), Guangba Yu (Sun Yat-sen University), Haiyu Huang (Sun Yat-sen University), Jia Chang (Huawei), Jun Li (Huawei), and Jian Han (Huawei)</i>	
Dissecting APKs from Google Play: Trends, Insights and Security Implications	728
<i>Pedro Jesús Ruiz Jiménez (University of Luxembourg, Luxembourg), Jordan Samhi (University of Luxembourg, Luxembourg), Tegawendé F. Bissyandé (University of Luxembourg, Luxembourg), and Jacques Klein (University of Luxembourg, Luxembourg)</i>	
WakeMint: Detecting Sleepminting Vulnerabilities in NFT Smart Contracts	740
<i>Lei Xiao (Sun Yat-sen University, China), Shuo Yang (Sun Yat-sen University, China), Wen Chen (China Southern Power Grid Company Limited, China), and Zibin Zheng (Sun Yat-sen University, China)</i>	
On Categorizing Open Source Software Security Vulnerability Reporting Mechanisms on GitHub..	751
<i>Sushawapak Kancharoendee (Mahidol University, Thailand), Thanat Phichitphanphong (Mahidol University, Thailand), Chanikarn Jongyingyos (Mahidol University, Thailand), Brittany Reid (Nara Institute of Science and Technology (NAIST), Japan), Raula Gaikovina Kula (Osaka University, Japan), Morakot Choetkertikul (Mahidol University, Thailand), Chaiyong Ragkhitwetsagul (Mahidol University, Thailand), and Thanwadee Sunetnanta (Mahidol University, Thailand)</i>	

Software Testing & Debugging

TRACETS4J: A Traceable Unit Test Generation Dataset	757
<i>Xuancheng Jin (Zhejiang University, China), Zhuang Liu (Zhejiang University, China), Junwei Zhang (Zhejiang University, China), Xing Hu (Zhejiang University, China), and Xin Xia (Zhejiang University, China)</i>	
Distinguishability-Guided Test Program Generation for WebAssembly Runtime Performance Testing	768
<i>Shuyao Jiang (The Chinese University of Hong Kong, China), Ruiying Zeng (Fudan University, China), Yangfan Zhou (Fudan University, China), and Michael R. Lyu (The Chinese University of Hong Kong, China)</i>	
Quantum Testing in the Wild: A Case Study with Qiskit Algorithms	780
<i>Neilson C. L. Ramalho (University of São Paulo, Brazil), Erico A. da Silva (University of São Paulo, Brazil), Higor A. de Souza (São Paulo State University, Brazil), and Marcos Lordello Chaim (University of São Paulo, Brazil)</i>	

SE Education and People

Hidden Figures in Software Engineering: A Replication Study Exploring Undergraduate Software Students' Awareness of Distinguished Scientists from Underrepresented Groups	786
<i>Ronnie de Souza Santos (University of Calgary, Canada), Italo Santos (Northern Arizona University, USA), Robson Santos (UFPE, Brazil), and Cleyton Magalhaes (UFRPE, Brazil)</i>	
Improving Evidence-Based Tech Hiring with GitHub-Supported Resume Matching	797
<i>Swanand Vaishampayan (Virginia Tech, USA), Muhammad Ali Gulzar (Virginia Tech, USA), and Chris Brown (Virginia Tech, USA)</i>	

Tool Demo and Showcase

AIOpsArena: Scenario-Oriented Evaluation and Leaderboard for AIOps Algorithms in Microservices	809
<i>Yongqian Sun (Nankai University), Jiaju Wang (Nankai University), Zhengdan Li (Nankai University), Xiaohui Nie (CAS), Minghua Ma (Microsoft), Shenglin Zhang (Nankai University), Yuhe Ji (Nankai University), Lu Zhang (Nankai University), Wen Long (Nankai University), Hengmao Chen (BizSeer), Yongnan Luo (Nankai University), and Dan Pei (Tsinghua University)</i>	
AutoGuard: Reporting Breaking Changes of REST APIs from Java Spring Boot Source Code	814
<i>Alexander Lercher (University of Klagenfurt, Austria), Clemens Bauer (University of Klagenfurt, Austria), Christian Macho (University of Klagenfurt, Austria), and Martin Pinzger (University of Klagenfurt, Austria)</i>	

ContractViz: Extending Eclipse Trace Compass for Smart Contract Transaction Analysis	819
<i>Xiaolin Liu (KTH Royal Institute of Technology, Sweden), Adel Belkhiri (École Polytechnique de Montréal, Canada), Mónica Jin (KTH Royal Institute of Technology, Sweden), Yi Li (Nanyang Technological University, Singapore), and Cyrille Artho (KTH Royal Institute of Technology, Sweden)</i>	
DATSO: A Difficulty Assessment Tool for Stack Overflow Questions	824
<i>Aman Swaraj (Indian Institute of Technology Roorkee), Neha Gujar (Indian Institute of Technology Roorkee), Manashree Kalode (Indian Institute of Technology Roorkee), Bhoomi Bonal (Indian Institute of Technology Roorkee), Krishna Agarwal (Indian Institute of Technology Roorkee), and Sandeep Kumar (Indian Institute of Technology Roorkee)</i>	
DragonRadar: Fuzzing Linux Kernel Deployed in Cloud-Native Environment	829
<i>Heyuan Shi (Central South University, China), Weibo Zhang (Central South University, China), Runzhe Wang (Alibaba Cloud Computing, China), Xiaohai Shi (Alibaba Cloud Computing, China), Guoyu Yin (Central South University, China), Shijun Chen (Central South University, China), Yuhang Chen (Central South University, China), Qiang Zhang (Hunan University, China), Jianzhong Liu (Tsinghua University, China), and Yuheng Shen (Tsinghua University, China)</i>	
GHAmmer: An Open Source Tool to Extract GitHub Actions Build Metrics	834
<i>Jasem Khelif (ÉTS Montreal, Canada), Yacine Benzina (ÉTS Montreal, Canada), Moataz Chouchen (Concordia University, Canada), Ali Ouni (ÉTS Montreal, Canada), Mohammed Sayagh (ÉTS Montreal, Canada), and Salah Bouktif (UAE University, UAE)</i>	
IFKG: An Intelligent Fault Diagnosis Tool with Knowledge Graph and Generative LLM	839
<i>Xixuan Yang (Peking University, China), Tong Jia (Peking University, China; National Key Laboratory of Data Space Technology and System, China), Ying Li (Peking University, China), and Gang Huang (National Key Laboratory of Data Space Technology and System, China)</i>	
LeakageDetector: An Open Source Data Leakage Analysis Tool in Machine Learning Pipelines	844
<i>Eman Abdullah AlOmar (Stevens Institute of Technology, USA), Catherine DeMario (Stevens Institute of Technology, USA), Roger Shagawat (Stevens Institute of Technology, USA), and Brandon Kreiser (Stevens Institute of Technology, USA)</i>	
MDRE-LLM: A Tool for Analyzing and Applying LLMs in Software Reverse Engineering	850
<i>Artur Boronat (University of Leicester, UK) and Javad Mustafa (University of Leicester, UK)</i>	

Short Paper & Posters

An Exploratory Study on the Impact of Change-Proneness as a Metric in Black-Box Test Suite Minimization	855
<i>Md. Siam (University of Dhaka, Bangladesh), Nafis Fuad Mridha (University of Dhaka, Bangladesh), and Kazi Sakib (University of Dhaka, Bangladesh)</i>	

Evaluating Multi-Modal LLMs for Automatically Recognizing Semantic Elements in UML Use Case Diagram Images	861
<i>Jameeddine Hassine (KFUPM, Saudi Arabia)</i>	
MultiMal: Multimodal Fusion Combining Graph and Entropy Features for Malware Detection	867
<i>Kaiyan He (Shanghai Jiao Tong University, China), Haining Lu (Shanghai Jiao Tong University, China), and Dawu Gu (Shanghai Jiao Tong University, China)</i>	
Reduce Before You Repair: Advantages of Combining Program Slicing with Automated Program Repair	873
<i>Omar I. Al-Bataineh (Gran Sasso Science Institute, Italy)</i>	
Towards Developing Effective Oracles to Reduce Patch Overfitting in Automated Program Repair	879
<i>Omar I. Al-Bataineh (Gran Sasso Science Institute, Italy)</i>	
Towards using LLMs in the Reverse Engineering of Software Systems to Object Constraint Language	885
<i>Hanan A. Siala (King's College London, UK) and Kevin Lano (King's College London, UK)</i>	
An Empirical Study of Vulnerability Handling Times in CPython	891
<i>Jukka Ruohonen (University of Southern Denmark)</i>	

Author Index