

PIAE Europe 2025

VDI-Berichte Volume 2446

Mannheim, Germany
26-27 March 2025

ISBN: 979-8-3313-1966-3

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2025) by VDI Verlag GmbH
All rights reserved.

Printed with permission by Curran Associates, Inc. (2025)

For permission requests, please contact VDI Verlag GmbH
at the address below.

VDI Verlag GmbH
VDI Platz 1
40468
Dusseldorf, Germany

Phone: 49 211 61 88-560
Fax: 49 211 61 99-97560

www.vdi-nachrichten.com

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

Content / Inhalt

1 Circular Economy/Kreislaufwirtschaft

Future Sustainable Car Materials – A Contribution to a Sustainable Circular Economy for Plastics in Automotive Engineering	1
Future Sustainable Car Materials – ein Beitrag zu einer nachhaltigen Kreislaufwirtschaft für Kunststoffe im Automobilbau	11
M. Schneebauer, BMW AG, Munich	
Post-consumer recyclates from end-of-life-vehicles	23
J. Schoberer, AUDI AG, Ingolstadt;	
M. Schlummer, L. Strobl, D. Arends, Fraunhofer IVV, Freising	

2 Manufacturing Processes 1/Fertigungsverfahren 1

Challenges and limitations of high-quality PCR regrinds in the interior and exterior according to the costly regulations of the ELV	39
Herausforderungen und Grenzen von hochwertigen PCR Regranulaten im In- und Exterieur nach den expensiven Regularien der ELV	49
D. Römhild, WIS Kunststoffe GmbH, Breitungen/Werra	
TPE compound utilizing core-back foam injection molding for automotive interior parts process simplification and recyclability improvement	59
S. Kamimura, Asahi Kasei Europe GmbH, Düsseldorf	
Expanded polypropylene beads done by foam extrusion for automotive applications – Revolutionizing the ePP market in automotive applications	67
A. Ballesteros Agudo, Sulzer Chemtech, Winterthur, Switzerland;	
G. Grestenberger, Borealis Polyolefine GmbH, Linz, Austria	

3 Interior/Interieur

Vehicle interiors from the perspective of sustainability – Alternative trim materials under discussion	77
S. Dietrich, A. Mondschein, H. Schulz, M. Meyer, FILK Freiberg Institute gGmbH, Freiberg	
TPE safety glass?! – An automotive application in the field of exterior trims	93
Sicherheitsglas durch TPE?! – Eine automobile Anwendung im Bereich der Exterieurblendens	101
E. Butsch, Sisecam Automotive, Bietigheim	



Automation – a pillar of the sustainable, high-quality interior	109
Automatisierung – Eine Säule des nachhaltigen, wertigen Innenraums	123
H. Meyer, M. Kaya, T. Taddigs, Volkswagen AG, Wolfsburg	

■ Exterior/Exterieur

Porsche adaptive front diffuser – from racetrack to street	139
Porsche Adaptiver Front Diffusor – Von der Rennstrecke auf die Straße	157
S. Harter, C. Bouvatier, S. Schoell, Porsche Aktiengesellschaft, Stuttgart	
Recyclate use and passive safety: components in the bumper of the new Audi A5	175
Rezyklateinsatz und passive Sicherheit: Bauteile im Stoßfänger des neuen Audi A5	193
F. Fischer, W. Dorfner, AUDI AG, Ingolstadt; S. Cannavò, SMP Deutschland GmbH, Bötzingen; A. Benndorf, M. Kirchberger, PCW GmbH, Eilenburg	

■ Lightweight Design 1/Leichtbau 1

Process combinations for the production of sustainable load-appropriate molded parts	209
Prozesskombinationen zur Herstellung nachhaltiger belastungsgerechter Formteile	219
F. Tautenhain, R. Rinberg, Institut für Strukturleichtbau, TU Chemnitz	
Method development for mapping the mold-filling process of thermoplastic compression-molded components with continuous-fiber reinforcement and complex rib structure	229
Methodenentwicklung zur Abbildung des Formfüllprozesses thermoplastischer Pressbauteile mit Endlosfaserverstärkung und komplexer Rippenstruktur	239
J. Rausch, AUDI AG, Neckarsulm; A. Suratkar, Fraunhofer Institut für chemische Technologie (ICT), Pfinztal; M. Hohberg, Simutence GmbH, Karlsruhe; A. Rau, ElringKlinger AG, Lenningen	

7 Plastics Electronics/Kunststoffelektronik

- Innovative EMI-Shielding plastics – Functional integration enabling weight and cost reduction in the example of a DC-DC converter application** 249
S. Lee, J. Heinisch, LG Chem, Frankfurt

- From ideation to validation – Low-pressure overmolding in ADAS cameras** 261
J. Houben, A. Sanap, Beyond Materials Corp, Tokyo, Japan

7 Sustainability 1/Nachhaltigkeit 1

- Uncovering the Material State: Potential of PA66 Fan Modules from End-of-Life Vehicles for Closed-Loop Recycling** 271
T. Baeyens, D. Kugele, Robert Bosch GmbH, Renningen; I. Taha, Faculty of Mechanical Engineering and Material Science, Aalen University of Applied Sciences, Aalen; F. Henning, Institute of Vehicle System Technology, Karlsruhe Institute of Technology, Karlsruhe

- Lignin – Next generation renewable resource for sustainable plastics BioForm project, bio-based and sustainable materials with vacuum forming for the automotive industry** 287
L. Jerpdal, Scania CV AB, Södertälje; C. Carrick, Lignin Industries AB, Knivsta; X. Wei, Royal Institute of Technology, Stockholm; A. Åhrlin, Autoform AB, Malung; A. Matsson, Autoform AB, Malung; M. Hedenqvist, Royal Institute of Technology, Stockholm; T. Prade, Swedish University of Agricultural Sciences, Alnarp; S. Bruder, Scania CV AB, Södertälje, Sweden

7 Simulation

- Enabling Reliable Virtual Prototyping with Digital Material Twins – The current state of the art from the perspective of a plastics manufacturer** 301
T. Rausch, Covestro Deutschland AG, Leverkusen

- Competitive Advantages Through Smart AI-Driven Engineering Wettbewerbsvorteile durch smartes KI-gestütztes Engineering** 311
W. Pelzer, U. Seefeldt, M.TEC ENGINEERING GmbH, Herzogenrath 323

Lightweight Design 2/Leichtbau 2

Sustainable Innovation – Achieving Net Zero with Function-Oriented Plastic Design, Tool Design, and Process Management 337

B. Trinkwalter, Head of Innovation, Innovationmanagement, Motherson DRSC Deutschland GmbH; S. Ostwald, Expert Research and Instrument Panel, Volkswagen AG

Ultrasound based measurement of mechanical properties of continuous fiber reinforced thermoplastic laminates – A non-destructive method to identify changes in fiber matrix adhesion 347

E. Moritzer, P. Brandes, L. Claes, B. Henning, Universität Paderborn

Recyclates/Rezyklate

A contribution to sustainable development – the use of recyclates in highly loaded applications 361

D. Spancken, J. Decker, E. Metzsch-Zilligen, Fraunhofer LBF, Darmstadt

Risk potential use of post-consumer recyclates – PCR

What the automotive industry can learn from the food and hygiene products industry 373

Risikopotential Einsatz von Post-Consumer Rezyklaten – PCR

Was die Automobil-Industrie von der Lebensmittel- und Hygieneartikelbranche lernen kann 383

H. Wunsch, E. Jantzen, GALAB Laboratories, Hamburg

Reliable component quality despite PCR recycled materials 395

S. Englich, Schwarz Plastic Solutions GmbH, Gilching; A. Chaloupka, NETZSCH Process Intelligence GmbH; N. Rudolph, NETZSCH-Gerätebau GmbH

Materials/Werkstoffe

Tier 1 Supplier Role in Boosting PCR Integration in Automotive Injection-Molded Products for a Circular Economy 405

M. Nowak, Simoldes Plastics, Wolfsburg

Sustainability and Circular Economy – Applying new sustainable materials into plastic parts 407

Y. Schnerb, UBQ Materials, Bergen op Zoom, The Netherlands

Expanded TPE – more than just a gap filler	419
Expandiertes TPE – mehr als nur ein Lückenfüller	421
M. Dietz, Woco Industrietechnik, Bad Soden-Salmünster	

Manufacturing Processes 2/Fertigungsverfahren 2

BIOPOLYMER PBS – The foreseeable future of plastics: from vision to concrete applications	423
BIOPOLYMER PBS – Die absehbare Zukunft der Kunststoffe: Von der Vision zur konkreten Anwendung	431
P. Putsch, CEO, M. Putsch, Head of Sales, Exipnos GmbH, Merseburg	
TPE as a recyclable alternative for sealings and haptic parts	439
K. Heilmann, F. Dresel, T. Köppl, Hexpol TPE GmbH, Lichtenfels	
Closing the Loop for Automotive Plastics — Sustainable Paint-Removal Technology to Realize Car-to-Car Recycling with High-Quality PCR	451
N. Thormann, Kingfa Sci. & Tech. Co., Ltd., Guangzhou, China; M. Klocke, Kingfa Sci. & Tech. (Europe) GmbH, Wiesbaden; C. Li, Kingfa Environmental Sci. & Tech. Spain SL, Spain	

Materials in Electric Drivetrain/ Materialien im elektrischen Antriebsstrang

New Bonding Technology Opens New Technical Opportunities for Hybrid Power Electronics	459
A. Lambrecht, Celanese, Sulzbach/Ts.; L. Malfatti, Röchling Automotive, Leifers, Italy	
Sustainable, new and useful: Pentatonic Green+ plastic battery housing	473
Nachhaltig, neu und nützlich: Kunststoffbatteriegehäuse Pentatonic Green+	489
M. Lipperheide, J. Pfaff, Kautex Textron GmbH & Co. KG, Bonn; S. Louis-Mossberg, Kautex Textron Iberica, S.L., Barcelona, Spain	

► Sustainability 2/Nachhaltigkeit 2

Driving Sustainability with Simulation – Mercedes-Benz frontend crash absorber structure with Borealis Fibremod™ PP	505
Mit Simulation zu mehr Nachhaltigkeit – Mercedes-Benz energieabsorbierendes Strukturelement im Frontend mit Borealis Fibremod™ PP	515
T. Epple, Borealis Polymere GmbH, Burghausen; K. Heldmaier, Mercedes-Benz Group, Sindelfingen; R. Raulf, HBPO GmbH, Lippstadt	
Recyclate use in the painted radiator grilles of the Audi A3 with implementation of a „post-industrial closed-loop“ approach	525
Rezyklateinsatz in den lackierten Kühlerschutzgittern des Audi A3 mit Realisierung eines „post-industrial closed-loop“-Ansatzes	543
W. Dorfner, F. Fischer, AUDI AG, Ingolstadt; W. Meschitz, Diepersdorf Plastic Manufacturing GmbH, Leinburg; C. Metzker, MOCOM Compounds GmbH & Co. KG, Hamburg	

► Market Requirements in the Plastics Industry/ Marktanforderungen in der Kunststoffindustrie

Implications of increasingly diverse markets & customer requests on a globally active automotive tier 1	561
K. Schmidt, JOYSONQUIN	
Method for determining the cost impact of tolerances on plastic components – How much does accuracy cost? How much does precision cost in the injection-molding process?	575
Methode zur Ermittlung der Kostenwirkungen von Toleranzen an Kunststoffbauteilen – Was kostet Genauigkeit? Wie viel kostet Präzision im Spritzgussprozess?	597
A. Falke, Doktorandin der Kunststofftechnik, FAU Erlangen-Nürnberg	

Plenary Session/Plenar-Session

How mobile injection-molding opens up new opportunities in cable assembly and assembly technology	619
Wie sich durch das mobile Spritzgießen neue Chancen in der Kabelkonfektionierung und der Montagetechnik ergeben	629
M. Stegelmann, M. Krahl, ANYBRID GmbH, Dresden; A. Al-Sheyyab, N. Gerber, Rehau Industries, Rehau; D. Weck, M. Gude, TU Dresden, Institut für Leichtbau und Kunststofftechnik, Dresden	