

PROCEEDINGS OF SPIE

Eighth International Workshop on Specialty Optical Fibers and Their Applications (WSOF 2025)

**Pavel Peterka
Kyriacos Kalli
John Ballato
Alexis Mendez**
Editors

**7–10 April 2025
Prague, Czech Republic**

Organized by
Institute of Photonics and Electronics of the Czech Academy of Sciences (Czech Republic)

Sponsored by
SG Controls and Fiber Optics Center (United States) • Rosendahl Nextrom (Finland)
NYFORS (Sweden) • Exail (France) • Fibercore (United Kingdom) • Optogear (Finland)
nLIGHT (United States) • nLIGHT (Finland) • NorthLab Photonics (Sweden) • Arnold Group (Germany)

Technical Sponsors
Czech Academy of Sciences (Czech Republic)
SPIE
City of Prague (Czech Republic)
Czech Optical Cluster (Czech Republic)

Published by
SPIE

Volume 13522

Proceedings of SPIE 0277-786X, V. 13522

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Eighth International Workshop on Specialty Optical Fibers and Their Applications (WSOF 2025)*, edited by Pavel Peterka, Kyriacos Kalli, John Ballato, Alexis Mendez, Proc. of SPIE 13522, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510688407

ISBN: 9781510688414 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2025 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL
LIBRARY**

SPIDigitalLibrary.org

Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

ix	<i>Conference Committee</i>
xiii	<i>Introduction</i>

FIBER FABRICATION

13522 06	Graded index active fiber for high-power laser application (Invited Paper) [13522-1]
13522 07	Index-matching of individual glass preforms: high-volume synthesis and high-precision refractive index measurements [13522-2]
13522 09	Thinly coated hollow-core fibers: how thin can we go? [13522-5]

BIOMEDICAL APPLICATIONS

13522 0B	Meta-fibers: merging nanophotonics and fiber optics via 3D nanoprinting for tailored beam manipulation (Invited Paper) [13522-6]
13522 0C	Deep brain temperature sensing using polymer fiber Bragg grating implants [13522-7]
13522 0D	Brain and spinal cord interrogation with multimaterial bidirectional interfaces based on polymer optical fibers [13522-8]
13522 0F	Fiber optic biosensor utilizing magneto-optic effect in hollow-core anti-resonant optic fiber [13522-10]

FIBER LASERS I

13522 0G	Influence of core codopants and components on laser properties of high-power holmium-doped silica all-fiber lasers (Invited Paper) [13522-17]
13522 0H	Highly-doped optical fibers for high-efficiency holmium lasers [13522-18]
13522 0I	BaF₂ nanoparticle-based erbium doped fibers [13522-19]

NONLINEAR EFFECTS

- 13522 OJ **Towards diffraction limited output via wavefront shaping in a record peak power, single-frequency, pulsed 1.5 μ m multimode fibre amplifier (Invited Paper)** [13522-20]
- 13522 OL **10dB Brillouin gain in silica nanofibers** [13522-22]

ADVANCED TECHNIQUES

- 13522 ON **A review of intrinsically low nonlinearity optical fibers** [13522-24]
- 13522 OP **Advanced plasma deposition and post-treatment techniques for creating all-silica optical fibers with tailored properties** [13522-26]
- 13522 OQ **Specialty capillaries and multi-core optical fibres for applications in imaging and multi-modal spectroscopy** [13522-27]

ADVANCES IN NON-SILICA FIBERS

- 13522 OS **Flexible fiber-based implantable neurophotonic interfaces with enhanced illumination volume** [13522-29]
- 13522 OT **Dy³⁺-doped phosphate glass fibers for yellow lasers** [13522-30]

HOLLOW-CORE FIBERS

- 13522 OV **Fabrication approach for aligned, n-core, multi-core fibers** [13522-32]
- 13522 OW **Simulation of gas flow and its effect on the optical properties of nested antiresonant nodeless hollow-core fibres** [13522-33]
- 13522 OX **Gas dynamics during fabrication of hollow-core optical fibers** [13522-34]
- 13522 OY **Laser beam mode shaper with heptagonal core anti-resonant hollow-core fiber** [13522-35]

FIBER LASERS II

- 13522 IO **Simplifying multicore fiber laser systems (Invited Paper)** [13522-11]
- 13522 II **Fabrication of an antiresonant hollow-core fibre for mid-infrared nonlinear Raman conversion in nitrogen pumped at 2 μ m (Best Student Paper)** [13522-12]

- 13522 12 **Further power scaling of diffraction-limited ytterbium fiber laser ~980nm** [13522-13]
- 13522 13 **Interactive, on-line software for Judd-Ofelt analysis: introduction and demonstration** [13522-14]
- 13522 14 **Single-mode operation of a pedestal-free 25 μ m core double-clad Tm-doped fiber with >50% efficiency for 2 μ m applications** [13522-15]
- 13522 15 **Multiring optical fibers doped with Tm³⁺ and Ho³⁺ for broadband profiled emission near 2 μ m** [13522-16]

SPECIALTY FIBERS FOR QUANTUM APPLICATIONS

- 13522 19 **Multi-node quantum key distribution network using existing underground optical fibre infrastructure (Invited Paper)** [13522-109]

FIBER SENSING I

- 13522 1C **Response of femtosecond laser-written fiber Bragg gratings during γ -radiation** [13522-42]
- 13522 1D **Advancements in fused silica step-index fibers: a comparative study of STU-D and STU preforms in attenuation and radiation resistance** [13522-43]
- 13522 1F **Fusion splice-embedding of diamonds in optical fibers for magnetic field sensing** [13522-45]

FIBER SENSING II

- 13522 1J **Enhancing distributed fiber sensing using novel nanocomposite-coated optical fibers** [13522-49]
- 13522 1K **Evolution of monolithic distributed fibre optic sensors** [13522-50]
- 13522 1L **Enhanced performance of Vernier multicore fiber sensors** [13522-51]

COMPONENTS AND DEVICES

- 13522 1M **Specialty fiber enabled broadband amplifiers (Invited Paper)** [13522-108]
- 13522 1N **Specialty optical fiber processing** [13522-52]
- 13522 1P **Improving the power handling capabilities of laser-machined, microstructured cladding light strippers through homogeneous stripping** [13522-54]

13522 1Q **Multiple higher-order mode generation using all-fibre structures** [13522-55]

13522 1R **Splicing of mid-IR fluoride fibers using filament heating** [13522-56]

POSTER SESSION

13522 1S **Design of thulium-doped fiber with microstructured core and air cladding** [13522-57]

13522 1W **Utilizing 3.6 μ m mid-IR fibre lasers beams for thermal lensing compensation in LIGO detectors** [13522-62]

13522 1X **A novel partial discharge sensor based on Ce/Tb co-doped fluorescent silica fiber** [13522-63]

13522 1Y **Technological approaches towards a monolithic visible Pr³⁺-doped fluoride glass fiber laser** [13522-64]

13522 1Z **Study on doping of specialty silica optical fibers for Tm-fiber lasers and amplifiers with antimony oxide** [13522-66]

13522 20 **Thermal effects on the Brillouin frequency shift in strained optical silica nanofibers** [13522-67]

13522 21 **Tapering 6LP few-mode fiber for multi-parameter sensing** [13522-68]

13522 22 **Fiber-based plasmonic microreactor for flow chemistry** [13522-69]

13522 23 **Optimizing differential mode delay and crosstalk in nested anti-resonant node-less hollow-core fibers for mode-division multiplexing** [13522-70]

13522 25 **Prototype polymer optical fibre sensors for reinforced concrete monitoring** [13522-72]

13522 26 **On-demand tapered optical fiber** [13522-74]

13522 27 **Hybrid anti-resonant negative-curvature optical fibers** [13522-75]

13522 28 **Analysis of transmitted gamma spectrum upon scintillator shading** [13522-76]

13522 29 **Towards the engineering of nanoparticles in optical fibers at the micrometer scale** [13522-77]

13522 2A **Effect of drawing process on optical properties of dual-wavelength fiber lasers** [13522-79]

13522 2B **The effect of one-dimensional core structure on thulium fiber laser properties** [13522-80]

- 13522 2C **Shaped pulse-based high dynamic range optical time domain reflectometry for hollow-core fiber characterization** [13522-81]
- 13522 2D **Pressure and refractive index sensing using a perfluorinated gradient index multimode speckle sensor** [13522-82]
- 13522 2E **ZBLAN fiber laser configuration for acetone pollutant sensing** [13522-83]
- 13522 2F **High power Yb-free Er-doped cladding pumped fiber amplifier for L-band operation** [13522-85]
- 13522 2G **Optical fibers doped with nitrogen-vacancy submicron diamonds as magnetic sensors** [13522-86]
- 13522 2H **Defining effective bending radius and stress-optic coefficient values using bend loss measurements** [13522-87]
- 13522 2I **Nondestructive and spatially resolved refractive index distribution analyses along specialty optical fibers** [13522-88]
- 13522 2J **ZnO-doped preform preparation approaches towards radioluminescent optical fibers (Best Student Poster)** [13522-89]
- 13522 2K **Quantum efficiency and background loss in low thulium concentration silica fibres** [13522-90]
- 13522 2L **Thulium-doped fiber laser with longitudinally segmented active fiber (Best Student Poster)** [13522-91]
- 13522 2M **The effect of ion pair dynamics on unsaturable absorption in holmium doped fibers** [13522-92]
- 13522 2N **Improved surface treatment for integration of fiber Bragg sensors in difficult environment** [13522-93]
- 13522 2P **Spectroscopy of thulium-doped fibers with depressed cladding for sources emitting around 1700nm** [13522-96]
- 13522 2Q **Femtosecond laser inscription of FBG in novel multifunctional fibre** [13522-97]
- 13522 2R **Comparative analysis of radiation-induced attenuation in PMMA and pure silica optical fibres for high-dose of ionising radiation** [13522-98]
- 13522 2S **Controlling the optical performance of a simply end-capped 4-tube hollow core fiber using selective gas pressure-controlled phase matching** [13522-99]
- 13522 2T **Minimising interconnection losses in hollow-core fibres using femtosecond laser-modified single-mode fibres** [13522-100]
- 13522 2U **Birefringent-filter-assisted actively Q-switched tuneable erbium-doped fibre ring laser** [13522-101]

- 13522 2V **Implementation of yttrium aluminium garnet nanoparticles in active optical fibers by nanoparticle deposition approach** [13522-102]
- 13522 2W **Magnetic field endoscopy using optical fibers and nitrogen-vacancy diamonds** [13522-103]
- 13522 2X **Application of a quasi-continuous wave thulium fiber laser in human urinary stone fragmentation** [13522-104]
- 13522 2Z **Rubber-integrated NP-doped optical fiber for distributed displacement sensing** [13522-106]