# PROCEEDINGS OF SPIE

# Ninth International Conference on Energy System, Electricity, and Power (ESEP 2024)

Yunfei Mu Mohan Lal Kolhe Ze Cheng Qian Xiao Editors

29 November – 01 December 2024 Tianjin, China

Organized by Tianjin University (China)

Sponsored by AEIC—Academic Exchange Information Centre (China)

Published by SPIE

**Volume 13632** 

Part One of Two Parts

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in *Ninth International Conference on Energy System, Electricity, and Power (ESEP 2024)*, edited by Yunfei Mu, Mohan Lal Kolhe, Ze Cheng, Qian Xiao, Proc. of SPIE 13632, Sevendigit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510691728

ISBN: 9781510691735 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)

SPIE.orc

Copyright © 2025 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

 $\hbox{Publication of record for individual papers is online in the SPIE Digital Library.}$ 



**Paper Numbering:** A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

## **Contents**

xv Conference Committee

## Part One

#### INTEGRATED ENERGY SYSTEM AND RESOURCE UTILISATION

| 13632 02 | Performance analysis of transcritical CO <sub>2</sub> air source heat pump system with different jet enthalpies [13632-205]   |
|----------|---|
| 13632 03 | Operational strategies for producing green hydrogen from photovoltaic power generation based on particle swarm optimization [13632-54]  |
| 13632 04 | Applications of graphene and dye-sensitized solar cells and their prospects [13632-188]   |
| 13632 05 | Cooperative operation optimization of offshore wind power and hybrid electric-hydrogen energy storage [13632-274]   |
| 13632 06 | Wind farm operation trend prediction based on Prony algorithm [13632-272]   |
| 13632 07 | Apply ICD technology to improve the development performance of super-heavy oil [13632-192]  |
| 13632 08 | Research on standard system of hydrogen quality control for PEMFC [13632-66]  |
| 13632 09 | Research on the influence of design tolerances on the pointing error of the fulcrum of the reflective surface of a heliostat [13632-61]   |
| 13632 0A | Difference analysis of thermal runaway between ternary battery and lithium iron phosphate battery based on ARC test [13632-19]  |
| 13632 OB | Numerical investigation of surface plasmon resonance enhancement in organic solar cells based on Ag-TiO <sub>2</sub> -ZnO grating structure [13632-23]  |
| 13632 OC | Analysis of power generation and economic performance of building-integrated photovoltaic technology based on the heuristic iterative five-parameter model: a case study of the office building of Gansu Institute of Architectural Design and Research [13632-7] |
| 13632 0D | The application of photonic crystals in the back reflection layer of silicon thin-film solar cells [13632-242]  |
| 13632 OE | Research on the application method of L oilfield structural characteristics in the prevention and control of casing damage in the N2 bottom standard layer [13632-58]   |

| 13632 OF | Carbon emission reduction measures and strategies for zero-carbon port: a case study of Chinese sea port [13632-141]                                       |
|----------|--|
| 13632 OG | Hybrid energy storage systems: combining battery and hydrogen storage for renewable energy supply stability [13632-158]                                    |
| 13632 OH | Rotational inertia-based adaptive control strategy for grid-forming hydrogen fuel cell system [13632-253]  |
| 13632 01 | Optimization of control strategies for distributed photovoltaic [13632-5]  |
| 13632 OJ | An improved simplified calculation formula for conductor jump height following ice shedding [13632-41]   |
| 13632 OK | Optimization scheduling of integrated energy systems based on improved distributed proximal policy gradient [13632-53]                                     |
| 13632 OL | Study on the influence of single coal seam mining on the stability of transmission tower [13632-36]  |
| 13632 OM | Construction and application of environmental impact assessment model for offshore wind farms based on geo-information system [13632-21]                   |
| 13632 ON | Comparison of soot combustion dynamics in the catalytic diesel particulate filters and non-catalytic diesel particulate filters [13632-137]                |
| 13632 00 | Corrosion and fracture of guyed rod used for 220KV transmission tower [13632-50]   |
| 13632 OP | Parallel charging and discharging control of lead-acid battery packs based on double hysteresis loop [13632-248]   |
| 13632 0Q | The low acidity tin chloride electrolyte makes the zinc-metal water battery have excellent reversibility and stability [13632-79]                          |
| 13632 OR | Effects of Zr substitution on TiMn-based AB <sub>2</sub> -type hydrogen storage alloy [13632-92]   |
| 13632 OS | Development status of zero-value detection technology for disk-type suspended insulator string of transmission line [13632-43]                             |
| 13632 OT | Numerical simulation analysis of hydraulic transient process of hydropower station based on field test [13632-110]   |
| 13632 OU | Impacts of orientation temperature on the insulation properties of biaxial orientated polypropylene film [13632-279]                                       |
| 13632 OV | Research on logging interpretation standards for reservoir thickness of the S reservoir formation [13632-177]  |
| 13632 OW | Capacity configuration of green hydrogen energy storage system for wind farm group based on correction condition generated adversarial network [13632-179] |

| 13632 OX | Operation optimization model based on wind hydrogen coupling system [13632-182]   |
|----------|---|
| 13632 OY | Preparation and detection of silver powder for solar cells by liquid phase reduction method [13632-117]   |
| 13632 OZ | Research and simulation implementation of maximum power point tracking algorithm for photovoltaic power generation system [13632-121]                                 |
| 13632 10 | Analysis of the application of photovoltaic and energy storage technologies at civil airports [13632-136]   |
| 13632 11 | Air-to-air UAV channel modelling for new energy grid-connected scenarios [13632-60]   |
| 13632 12 | Capacity allocation strategy of integrated energy system considering seasonal factors and flexible load [13632-184]   |
| 13632 13 | Comprehensive energy efficiency analysis of PV system with different spray cooling media [13632-124]  |
| 13632 14 | Overview of energy supply technologies for overhead transmission line monitoring equipment [13632-133]  |
| 13632 15 | Analysis and reflection on relay protection rejection accident of an offshore wind farm [13632-134]   |
| 13632 16 | Analysis of thermal conductivity nonuniformity in thermal energy storage systems using convolutional neural networks [13632-16]                                       |
| 13632 17 | A planning method for the siting and capacity-setting of wind energy storage considering nodal inertia [13632-244]  |
| 13632 18 | Design and implementation of energy storage site selection and sizing based on comprehensive evaluation of low voltage distribution areas [13632-114]                 |
| 13632 19 | Novel medical waste to power and hydrogen system with high-efficiency and zero-emission based on nitrogen plasma gasification: a techno-economic analysis [13632-103] |
| 13632 1A | Simulation study on flow distribution process of natural gas pipeline network based on optimized genetic algorithm [13632-202]  |
| 13632 1B | Co-assembly of monolayers through $\pi\text{-}\pi$ interactions for efficient inverted perovskite solar modules $[13632\text{-}172]$                                  |
| 13632 1C | Hidden environmental inequality utility of renewable energy allocation across regions: evidence from China based on MRIO model analysis [13632-115]                   |
| 13632 1D | Study on long-term power purchase agreements for renewable energy adapted to China's national conditions [13632-209]  |

| 13632 1E | Modeling and cost analysis of electric hydrogen fusion scenarios [13632-142]   |
|----------|--|
| 13632 1F | Distributed photovoltaic power prediction based on Solar-LLM [13632-190]   |
| 13632 1G | Short-term prediction of wind power based on fusion of traditional convolution and coding [13632-283]  |
|          | POWER SYSTEM OPERATION AND CONTROL TECHNOLOGIES  |
| 13632 1H | A novel joint peak shaving scheduling method for power systems considering carbon emissions [13632-1]  |
| 13632 11 | New day ahead dispatching method of power system with wind power under the target of carbon peak [13632-234]                                 |
| 13632 1J | Research on the design and protection of a new power system based on load-storage coordination and interaction of source network [13632-135] |
| 13632 1K | Segmentation tracker based on SiamMask for inspection video [13632-46]   |
| 13632 1L | Sparse electricity load forecasting based on ARIMA and random forest models [13632-69]   |
| 13632 1M | Electromechanical transient model and power emergency control of GFM-BESS [13632-47]   |
| 13632 1N | Research on corrosion detection methods and protective measures of GD in power system [13632-9]  |
| 13632 10 | Optimization and application of automatic voltage control strategy in a large hydropower station [13632-146]                                 |
| 13632 1P | Optimization and application of automatic generation control strategy in a large hydropower station [13632-51]                               |
| 13632 1Q | Research on lightning intrusion wave overvoltage detection in 35KV prefabricated cabin high voltage substation [13632-63]                    |
| 13632 1R | Research on text recognition method for construction work order images [13632-206]   |
| 13632 15 | Establishment and validation of battery equivalent circuit model based on multivariate experimental data [13632-235]                         |
| 13632 1T | Short-term power load combination forecasting method based on PSO-LSTM [13632-13]  |
| 13632 1U | Data-driven risk assessment and quantification of carbon emission capacity in power systems using machine learning techniques [13632-241]    |

| 13632 1V | A study of integral load transfer optimization for active distribution networks based on improved minimum spanning tree algorithm [13632-85]                          |
|----------|---|
| 13632 1W | Research on automatic aggregation method and control strategy of low-voltage customer outage data [13632-39]  |
| 13632 1X | Design of electromagnetic compatibility EMI fast scanning program control system based on LabVIEW [13632-68]  |
| 13632 1Y | Development of infrared thermal simulation platform for voltage-induced defects in arresters [13632-91]   |
| 13632 17 | Research on semi-supervised anomaly detection in automatic verification system of intelligent watt-hour meter based on direct push support vector machine [13632-257] |
| 13632 20 | Guide rail cleaning robot system [13632-27]   |
| 13632 21 | Planning of energy storage stations in new energy power systems based on k-means clustering [13632-106]   |
| 13632 22 | Prediction of spatiotemporal distribution of electric vehicle charging load in complex environments [13632-83]  |
| 13632 23 | A method for setting low excitation limit in an excitation system [13632-207]   |
| 13632 24 | A hybrid model for non-stationary power load forecasting [13632-28]   |
| 13632 25 | Study on influence of pinch temperature difference of evaporator on performance of ORC system [13632-24]  |
| 13632 26 | Research and application of active monitoring technology for power transmission and transformation construction safety in complex environments [13632-98]             |
| 13632 27 | Review of intelligent reconfiguration technology of ship integrated power system [13632-238]  |
| 13632 28 | Comparative analysis of external heating and nail penetration to trigger thermal runaway of lithium-ion battery [13632-175]   |
| 13632 29 | Research on the pathways for enhancing new power system services and their integration into new development paradigm [13632-64]                                       |
| 13632 2A | Flexible pile driver AC charging system based on situational awareness and interactive control [13632-38]   |
| 13632 2B | A new type power system task offloading and resource allocation based on AHP-DDPG [13632-105]   |
| 13632 2C | Research on suppressing single particle transient effect circuit of UC1825AL [13632-143]  |

| 13632 2D | The effect of energy storage and new energy installed capacity on the operation performance of power system [13632-125]                        |
|----------|--|
| 13632 2E | Simulation study of power frequency overvoltage and its suppression in power system [13632-129]  |
| 13632 2F | Application of power planning and design in power engineering design [13632-31]  |
| 13632 2G | Research on high efficiency low voltage and high current spaceborne secondary power supply $[13632\text{-}152]$                                |
| 13632 2H | Research on the principle of measuring the relative permittivity of glass insulators based or laser-induced breakdown spectroscopy [13632-232] |
| 13632 21 | An aggregation method for offshore wind power systems considering a wide frequency range [13632-104]   |
| 13632 2J | Study on reactive power rapid compensation technology based on reverse-blocking IGC1 [13632-57]  |
| 13632 2K | Static voltage stability analysis of power systems with wind farms [13632-198]   |
| 13632 2L | Multi-device identification with V-I trajectory for non-intrusive load monitoring based on multi-scale feature fusion [13632-127]              |
| 13632 2M | Development and analysis of high-efficiency AC power delivery systems in subsea operations [13632-107]   |
| 13632 2N | Research on oil-immersed transformer vacuum oil injection automatic control device [13632-180]   |
| 13632 20 | Research on decentralized power management strategy of hybrid energy storage system based on passive control [13632-132]                       |

## **Part Two**

#### POWER DRIVE AND POWER EQUIPMENT MODELLING

| 13632 2P | Study on interpolation method of full characteristic curve of reversible pump turbine [13632-65]                                    |
|----------|---|
| 13632 2Q | Calculation of corrosion deposition in valve cooling system considering high resistance of sediment [13632-280]                     |
| 13632 2R | Stray current corrosion suppression measures of aluminum radiator in converter valve cooling system [13632-228]                     |
| 13632 2S | Research on model optimization of electrohydraulic servo system for speed governor of pumped storage water turbine unit [13632-178] |

| 13632 2T | Identification and analysis of IGBT defects based on turn-off delay process [13632-20]  |
|----------|---|
| 13632 2U | Power device and circuit parasitic inductance analysis and research [13632-14]  |
| 13632 2V | Research on bolting process of capacitor tower inspection robot based on admittance control [13632-243]   |
| 13632 2W | Development of charging module for off-board charger of electric vehicle [13632-237]  |
| 13632 2X | Discharge characteristics of metal particles attached to the insulation rod of a circuit breaker under the action of impulse voltage [13632-99] |
| 13632 2Y | Power generation configuration based on hybrid user model self-learning algorithm [13632-44]  |
| 13632 2Z | Smooth control method for integrated energy coupled generator sets with a large number of EVs connected [13632-87]                              |
| 13632 30 | Incipient fault diagnosis of cable joints with data augmentation and neural network models [13632-226]  |
| 13632 31 | Characteristic analysis of chip heat sink based on numerical simulation [13632-163]   |
| 13632 32 | Prediction of critical condensation temperature for high voltage switchgear based on TimeGAN-augmented data [13632-82]                          |
| 13632 33 | Controlling strategy study on batteries imbalance based on SOC and voltage of cell [13632-236]  |
| 13632 34 | Dynamic threshold extraction method for bearing bush temperature based on different operating conditions of hydro-generator unit [13632-49]     |
| 13632 35 | Bidding model-based compensation method for reactive power loss reduction leveraging energy storage inverters [13632-148]                       |
| 13632 36 | Fault identification method for distribution lines interruption based on distributed power and high frequency signal injection [13632-76]       |
| 13632 37 | Simulation analysis of a circuit breaker closing resistor explosion due to a wildfire-induced fault [13632-17]                                  |
| 13632 38 | Multiphase buck converter control chip of transient enhanced peak current mode [13632-81]   |
| 13632 39 | Research on the method of locating abnormal line loss in substation area based on data mining technology [13632-56]                             |
| 13632 3A | CFD optimization study on heat transfer enhancement of air-cooled condenser spray   |

| 13632 3B | Sensorless control of PMSM based on super-twisting algorithm [13632-12]  |
|----------|--|
| 13632 3C | Finite element solution method for digital twin mechanism model categories of transmission and transformation equipment based on finite element analysis method [13632-22]                         |
| 13632 3D | Research on the integrated analysis method of different types of mechanism models for power transmission and transformation equipment [13632-122]  |
| 13632 3E | Research on the physical mechanism data space mapping method of power grid transmission and transformation equipment based on finite element analysis method [13632-130]                           |
| 13632 3F | Research on collaborative control method of virtual synchronous compensator based on supercapacitor energy storage [13632-88]  |
| 13632 3G | Research on the impact of soluble components in contaminations upon the pollution flashover characteristics of composite insulators [13632-149]  |
| 13632 3H | Multi-device cooperative reactive power optimization control strategy for high percentage distributed photovoltaic distribution grid based on proximal strategy optimization algorithm [13632-144] |
| 13632 31 | A new PWM modulation for three-phase isolated matrix modular AC-DC converter [13632-52]  |
| 13632 3J | Combining positive unlabeled and active learning for electrical insulator defect detection with incomplete annotations [13632-102]   |
| 13632 3K | Design of panoramic quadratic loop model based on logical-physical mapping [13632-265]   |
| 13632 3L | Construction and engineering application of power equipment production operation and maintenance knowledge graph [13632-101]   |
| 13632 3M | Optimization design of three-phase common box GIS double-break disconnector based on NSGA-II algorithm and improved BP neural network [13632-271]  |
| 13632 3N | Research on common mode voltage suppression strategy of T-type three-level inverter [13632-161]  |
| 13632 30 | Analysis of the influencing factors of the power angle curve distortion of the grid-forming doubly fed induction generator [13632-15]  |
| 13632 3P | Stability analysis of doubly-fed induction generator under direct voltage virtual synchronous generator control [13632-10]   |
| 13632 3Q | Distributed control of current unbalance compensation using PV [13632-72]  |
| 13632 3R | Research on application scenario design technology for newly aerospace power supply components based on mission profiles [13632-231]   |

| 13632 3S | Sliding mode and dual vector model predictive current control of PMSM [13632-33]   |
|----------|--|
| 13632 3T | Sensorless control of permanent magnet synchronous motor based on model predictive current control [13632-201]                   |
| 13632 3U | A low-noise amplifier with flexible noise and gain control [13632-112]   |
| 13632 3V | Research scheme on protection of single-core phase-shifting transformer [13632-159]  |
| 13632 3W | Research on armature position estimation for electromagnetic launcher based on B-dot probe [13632-89]                            |
| 13632 3X | Unified decoupling control for bimodal transformerless inverter [13632-151]  |
| 13632 3Y | A YOLOv8-based detection algorithm for insulator damage in transmission lines [13632-227]  |
| 13632 3Z | Design and calculation of positive equivalent reactance for the intermediate winding of three-winding transformer [13632-78]     |
| 13632 40 | Subsynchronous oscillation suppression of doubly-fed induction generator based on equivalent input disturbance [13632-138]       |
| 13632 41 | Current reference virtual synchronous generator strategy based on robust model prediction [13632-131]                            |
|          | SMART GRID SCHEDULING AND POWER MARKET RESEARCH  |
| 13632 42 | Identification of feasible regions for virtual power plants based on AST-GCN [13632-26]  |
| 13632 43 | Overview of the development history and key design technology research of floating wind power dynamic cables in China [13632-67] |
| 13632 44 | Ice melting method for distribution network lines using zero-sequence current based on adjustable reactors [13632-77]            |
| 13632 45 | Research on electric vehicle distribution network map segmentation method [13632-25]   |
| 13632 46 | A study of voltage-frequency coordinated control methods for high percentage new energy grids [13632-48]                         |
| 13632 47 | Multi-scenario power grid planning method based on sensitivity factors [13632-277]   |
|          |  |

| 13632 49 | Resilient and sustainable power grids: a framework for climate-adaptive planning [13632-281]  |
|----------|---|
| 13632 4A | Comparative research on energy consumption of pure electric heavy-duty vehicle under different driving conditions [13632-225]   |
| 13632 4B | A methodology for assessing the risk of power outages in weak regional distribution networks under extreme weather conditions [13632-86]                              |
| 13632 4C | Research on the optimal allocation of grid-forming energy storage access to a high proportion of new energy grids [13632-249]   |
| 13632 4D | Research on the electric power market space and the characteristics of external electricity acceptance demand in the east China power grid [13632-230]                |
| 13632 4E | A multi-scenario smart planning approach for distribution grids considering alternative energy storage [13632-84]   |
| 13632 4F | A satellite battery charging regulator based on superbuck topology coupled inductance [13632-200]   |
| 13632 4G | Analysis of power frequency current characteristics of single-phase reclosing in distribution network [13632-208]   |
| 13632 4H | Research on monitoring and prediction technology of distributed photovoltaic power generation based on grid clustering and meteorological group networking [13632-45] |
| 13632 41 | Study on carbon emission reduction accounting and optimization for residential electricity consumption [13632-156]  |
| 13632 4J | Study on the influence of distributed photovoltaic on line loss in distribution network [13632-154]   |
| 13632 4K | Machine learning-based early warning system for abnormal oil levels in hydroelectric power station pressure oil systems [13632-18]                                    |
| 13632 4L | Simulation of heterogeneous resource operation and analysis of energy storage regulation demand in provincial power grid [13632-140]                                  |
| 13632 4M | Application analysis of power distribution panel area based on big data [13632-59]  |
| 13632 4N | Rolling-optimization-based dispatch of MPSs for distribution network emergency regulation under extreme events [13632-6]  |
| 13632 40 | Resilient energy management for community microgrid utilizing aggregated adjustable capacity of electric vehicles [13632-128]   |
| 13632 4P | Research on output stability of MMC-type multi-port solid-state transformer under asymmetric grid [13632-34]  |
| 13632 4Q | Compression of power quality data using 3D representation [13632-199]   |

| 13632 4R  | Effect of power grid topology on performance of power line communication [13632-8]   |
|-----------|--|
| 13632 4\$ | SOE balancing scheme for lithium-ion batteries in microgrids based on VSG [13632-267]  |
| 13632 4T  | Analysis of electric energy storage technology based on energy internet [13632-195]  |
| 13632 4U  | A 28~38 GHz frequency source for 5G millimeter wave communication [13632-111]  |
| 13632 4V  | Control strategy of virtual synchronous generator under three-phase grid unbalance [13632-2]   |
| 13632 4W  | Evaluation of adjustable potential of industrial users based on the combination weighting method of entropy weight and coefficient of variation [13632-11] |
| 13632 4X  | Multimodal-based secure privacy-preserving power communication scheduling method [13632-109]   |
| 13632 4Y  | Multimodal-based intelligent secure electric power communication dispatching method [13632-108]  |
| 13632 4Z  | Intelligent fusion power communication scheduling method based on multi-modal semantics [13632-210]  |
| 13632 50  | Symmetrical optimization scheduling of DC distribution networks considering flow equilibrium [13632-278]   |
| 13632 51  | Study on the fitting function form in the JBN method for measuring relative permeability [13632-113]   |
| 13632 52  | Virtual power plant resource aggregation method based on dynamic reconstruction [13632-145]  |
| 13632 53  | Design of power communication terminal based on distribution network protection system [13632-123]   |
| 13632 54  | Research on long-term continuous operation model vehicle based on supercapacitors and wireless charging [13632-162]  |
| 13632 55  | Analysis of electricity price prediction by LSTM model based on attention mechanism [13632-118]  |
| 13632 56  | A parallel computing framework for common services of power grid computational deduction [13632-139]   |
| 13632 57  | An innovative multi-objective scheduling for virtual power plants employing a robust decision-making tactic [13632-100]                                    |
| 13632 58  | Research on the safety evaluation method of power grid dispatch automation based on multi-granularity proportional binary semantics [13632-197]            |

| 13632 59 | Research on the prediction and alarm mechanism of grid dispatch automation data based on the XGBoost-informer model [13632-93]  |
|----------|---|
| 13632 5A | Research on the automatic data security evaluation method of power grid dispatching based on combination empowerment [13632-97] |
| 13632 5B | Key PSE analysis of power grid dispatching automation based on improved PFM [13632-170]   |