PROCEEDINGS OF SPIE

Second International Conference on Optoelectronic Information and Optical Engineering (OIOE 2025)

Yang Yue Ming Jiang Qingyang Wei Editors

28 February – 2 March 2025 Dali, China

Organized by Chongaing University (China)

Sponsored by AEIC—Academic Exchange Information Centre (China)

Published by SPIE

Volume 13656

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in Second International Conference on Optoelectronic Information and Optical Engineering (OIOE 2025), edited by Yang Yue, Ming Jiang, Qingyang Wei, Proc. of SPIE 13656, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510692275

ISBN: 9781510692282 (electronic)

Published by

SPIF

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)

Copyright © 2025 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xiii Conference Committee

RESEARCH ON OPTOELECTRONIC MATERIALS AND DEVICES

13656 02	$K_2SiF_6:Mn^{4+},Na^{+}@K_2SiF_6 \ red \ phosphors \ for \ WLEDs \ with \ impressive \ thermal \ stability \ and \ water \ resistance \ prepared \ by \ surface-coated \ substrates \ [13656-30]$
13656 03	Highly doped concentration of Borate red phosphors for white light-emitting diodes [13656-157]
13656 04	Corrosion resistance study of hyperbranched imidazolium ionic polymers containing PF ₆ - anions [13656-170]
13656 05	High absorption efficiency of III-V nanowire array for photodetector [13656-74]
13656 06	A cost-effective ultra-trace platinum ion optical plasmonic sensor utilizing small molecule imidazoles [13656-133]
13656 07	Four-sided recessed fiber-optic magnetic field sensor based on surface plasmon resonance [13656-75]
13656 08	Multiband tunable perfect absorber based on composite polaritons [13656-178]
13656 09	Monolayer varifocal metalenses with low-loss phase change materials \$b ₂ \$ ₃ [13656-36]
13656 OA	Improved sparrow search algorithm for PV maximum power point tracking [13656-43]
13656 OB	Fiber optic biosensor based on gold nanoparticle-tagged targets for DNA detection [13656-130]
13656 OC	Fabrication and characterization of liquid crystal planar cylindrical lens array using pulsed polarization lithography [13656-29]
13656 0D	Enhancement of electrohydrodynamic printed PbS quantum dot photodiode performance via solvent engineering [13656-72]
13656 OE	Strain engineering the second-order nonlinearity of flexible DAST composite film [13656-149]
13656 OF	Electric field optimization and performance improvement of SiC multilevel trench JBS diodes with dual P-Well [13656-13]
13656 OG	Laser damage properties of brittle scratches on fused silica optical elements [13656-119]

13656 OH	Spectral shaping based on Nd,Y: SrF ₂ and Nd,Gd: SrF ₂ dual crystals [13656-84]
13656 01	High-capacity, ultra-thin, and transparent Zn-MnO ₂ supercapacitor based on metallic-mesh electrode [13656-19]
13656 OJ	High-yield synthesis of Cs ₄ PbBr ₆ /CsPbBr ₃ perovskite composites with high-fluorescence efficiency at room temperature [13656-158]
13656 OK	Fiber Bragg grating-based diaphragm pressure sensor [13656-104]
13656 OL	Osteoporosis characterization with x-ray induced acoustic computed tomography based on linear array [13656-96]
13656 OM	Exploration and research on inversion techniques for global rainbow phenomena [13656-125]
13656 ON	Wearable antenna design based on defective ground EBG structure [13656-138]
13656 00	MBCRL: a lightweight optical image processing model for imbalanced agricultural pest image recognition [13656-108]
13656 OP	Research on the improvement of alarm length in distributed optical fiber temperature sensing systems [13656-71]
13656 0Q	Research on the detection capabilities of low-light imaging systems on rotorcraft UAVs [13656-24]
13656 OR	Calibration experiment of optimal working voltage of the DKDP polarimeter [13656-99]
	OPTICAL FIBER COMMUNICATION AND SENSING TECHNOLOGY
13656 OS	Nonlinear Sagnac fiber interferometer based on coherent feedback control [13656-6]
13656 OT	Research on optimization of pulse optical amplification technology in large-scale fiber optical hydrophone demodulation system [13656-160]
13656 OU	Implementation of a clock synchronization algorithm resistant to dispersion broadening in high-speed communication system [13656-169]
13656 OV	Design of tunable ring resonators for resonant micro-optical gyroscopes [13656-44]
13656 OW	Research on the influence of hydrophone diameter on the towed noise of optical fiber hydrophone towed array [13656-73]
13656 0X	Design of an on-chip automatic power control circuit for hundred-gigabits optical transceiver [13656-70]

13656 OY	The research on adaptive error projecting indication technology for multicurved workpieces [13656-35]
13656 OZ	Fiber modulation transfer spectroscopy for laser stable frequency [13656-65]
13656 10	Parallel chaos generation via intensity-modulated optical injection for high-speed random bit generation [13656-26]
13656 11	In-process fiber optic monitoring of optical coating growth [13656-94]
13656 12	Solutions to the problem of inability to directly measure with Theodolite in spacecraft assembly [13656-165]
13656 13	Real-time defect detection of photovoltaic panels based on fiber optic chromatic confocal sensor [13656-88]
13656 14	Sensitivity characterization of surrounding refractive index sensing based on tilted fiber grating cutoff mode [13656-103]
13656 15	Mechanical analysis and finite element simulation of optical fiber sensor probe [13656-91]
13656 16	Research on three-dimensional velocity and distance measurement for FMCW LiDAR using multicore fiber [13656-17]
13656 17	Performance evaluation of different 6mm SiPMs for TOF-PET detectors [13656-136]
13656 18	Metasurface emitter array enabling mid-infrared spectral sensing [13656-37]
13656 19	Low-loss edge coupler based on thin-film lithium niobate [13656-173]
13656 1A	Towards intelligent optical communication systems: a data-driven channel estimation design [13656-86]
13656 1B	Enhancing underwater communication with polarized light [13656-54]
13656 1C	Sub-micron pattern methods optimized for GaN epitaxy and Micro-LEDs' LEE [13656-87]
13656 1D	Parameter design of piezoelectric vibrator for dry-coupled ultrasonic sensor [13656-128]
13656 1E	Optimizing wind field retrieval using CNN: a study on continuous scale selection with scatterometer data [13656-67]
13656 1F	A novel design of 2D FBG strain sensor [13656-95]
13656 1G	An FPGA-based high-precision time system for a satellite-borne aerosol monitoring payload [13656-145]

OPTICAL MEASUREMENT AND IMAGING TECHNOLOGY

13656 1H	Parametric study of pulsed eddy current detection probes [13656-61]
13656 11	Detection of pesticide residue by SERS-based microfluidics [13656-141]
13656 1J	Preparation of the SERS substrate for pesticide detection by femtosecond laser combined with chemical reaction [13656-15]
13656 1K	Hyperspectral camouflaged object detection based on dual-branch fusion network [13656-162]
13656 1L	High-speed transient imaging using a modular stroboscopic illumination system [13656-48]
13656 1M	Research on the measurement method of infrared emissivity distribution corrected by physical illumination equation [13656-117]
13656 1N	A computational compensation method for eliminating the interference of aberrations on objective measurement of intraocular scatter [13656-16]
13656 10	Phase imaging based on the Extended Nijboer-Zernike theory [13656-49]
13656 1P	Enhancement of terahertz radiation from hard water by ion-exchange softening [13656-116
13656 1Q	Optical film measurement based on optical coherence tomography with Vernier effect [13656-18]
13656 1R	Infrared gas image simulation based on computational fluid dynamics [13656-20]
13656 18	Design of a phase-shifted Bragg grating modulator based on metal dielectric nanowire plasmonic waveguides [13656-112]
13656 1T	Total cholesterol detection using the joint of ultraviolet, visible, and near infrared spectroscopy with machine learning [13656-11]
13656 1U	Unified resource detection of quantum entanglement and quantum coherence [13656-77]
13656 1V	Evaluation of GEMINI 2.0 FLASH THINKING EXP's understanding of CAD drawing: an example [13656-62]
13656 1W	A high-resolution range profile calculation method for random particle systems based on statistical models [13656-163]
13656 1X	FPGA design of driving timing for a large-area InGaAs shortwave infrared detector

13656 1Y	A flexible and automatic partial triple modular redundancy design based on fault injection simulation result [13656-59]
13656 1Z	Effect of oscillation frequency on the organization and properties of welded joints of 304 stainless steel by laser oscillation welding [13656-56]
13656 20	Widely tunable narrow-linewidth Ti: sapphire laser with high-repetition-rate [13656-124]
13656 21	An ultra-low power 4×28Gbps linear optical receiver for short-reach interconnects [13656-39]
13656 22	Terahertz wave transmission three-dimensional tomography based on a focal plane array detector [13656-60]
13656 23	Laser ultrasonic method for crystal orientation detection in nickel-based superalloys [13656-148]
	LASER TECHNOLOGY AND APPLICATIONS
13656 24	LD pumped Pr:YLF 360nm laser with 3.6W of CW power [13656-81]
13656 25	Mosaic aperture telescope deployment light spot simulation using wavefront splitting in low-sampling rate conditions [13656-3]
13656 26	Assembly error analysis and calibration for optical complex curved surface profile scanning inspection system [13656-118]
13656 27	Dual-wavelength switchable lasers based on optical parametric oscillations [13656-129]
13656 28	Research and design of key modules in the readout circuit for 3D laser focal plane [13656-57]
13656 29	Calibration and application of liquid crystal full-Stokes camera [13656-28]
13656 2A	High-performance yellow fiber laser based on a dysprosium-doped ZBLAN fiber [13656-132]
13656 2B	Portable NDIR carbon dioxide gas sensor with replaceable gas chambers [13656-107]
13656 2C	Behavioral-level modeling and simulation of phase-locked loop applied to 3D laser focal plane readout circuit [13656-164]
13656 2D	Anomalies in terahertz emission from liquid water induced by ultrashort laser pulses [13656-172]
13656 2E	Broadband soliton switchable mode-locked fiber laser [13656-177]
13656 2F	Experimental realization of inverse synthetic aperture Lidar azimuthal imaging [13656-144]

13656 2G	Impact of the stimulated Raman scattering on the high power 50/150 ring mode fiber laser welding [13656-93]
13656 2H	Narrow linewidth operation of a grazing-incidence dye laser with long cavity [13656-140]
13656 21	Effects of IEC-mode electrostatic-discharge on the performance of GaN-based blue laser devices [13656-156]
13656 2J	Application of UVC-LED technology in surface disinfection cabinets for small medical devices [13656-109]
13656 2K	Accurate collimation measurement of the torsion angle based on the image rotation of right-angle prism [13656-155]
13656 2L	Research on thermal shield structure for electron sources in electric propulsion [13656-152]
13656 2M	Investigation of the reaction kinetics of HTPB/AP/AI composites at high-heating rate [13656-97]
13656 2N	Infrared dim and small target detection algorithm based on improved Swin Transformer [13656-58]
	OPTOELECTRONIC INFORMATION PROCESSING AND SYSTEM DESIGN
13656 20	An anti-jamming method for intersection coplanar photoelectric target [13656-174]
	All difficulting memoral of intersection copianal photociccine ranger [10000 17 1]
13656 2P	Exploration of a scanning system based on phase-modulated Lidar [13656-51]
13656 2P 13656 2Q	
	Exploration of a scanning system based on phase-modulated Lidar [13656-51]
13656 2Q	Exploration of a scanning system based on phase-modulated Lidar [13656-51] Underwater 3D reconstruction technology based on structured light [13656-47] Gas pipeline signal recognition method based on shared convolution reparameterization
13656 2Q 13656 2R	Exploration of a scanning system based on phase-modulated Lidar [13656-51] Underwater 3D reconstruction technology based on structured light [13656-47] Gas pipeline signal recognition method based on shared convolution reparameterization lightweight algorithm for DAS [13656-1] Self-focusing of partially coherent pulsed beams with Lorentz non-uniform correlation
13656 2Q 13656 2R 13656 2S	Exploration of a scanning system based on phase-modulated Lidar [13656-51] Underwater 3D reconstruction technology based on structured light [13656-47] Gas pipeline signal recognition method based on shared convolution reparameterization lightweight algorithm for DAS [13656-1] Self-focusing of partially coherent pulsed beams with Lorentz non-uniform correlation [13656-34] Perimeter security intrusion recognition method for distributed optical fiber vibration sensing
13656 2Q 13656 2R 13656 2S 13656 2T	Exploration of a scanning system based on phase-modulated Lidar [13656-51] Underwater 3D reconstruction technology based on structured light [13656-47] Gas pipeline signal recognition method based on shared convolution reparameterization lightweight algorithm for DAS [13656-1] Self-focusing of partially coherent pulsed beams with Lorentz non-uniform correlation [13656-34] Perimeter security intrusion recognition method for distributed optical fiber vibration sensing system based on CBAM-ResNet [13656-171] Research on the femtosecond laser machining process of conical holes in quartz glass by

13656 2X	Research on optical inspection alignment system for semiconductor packaging printing machine [13656-106]
13656 2Y	${ m CO_2}$ gas temperature measurement based on dual comb spectroscopy with Voigt linear fitting using L-M algorithm [13656-38]
13656 2Z	Tunable infrared metasurface lens based on stretching deformation [13656-113]
13656 30	TargetGen: integrating target detail features for accurate image generation [13656-146]
13656 31	An integrated sensor-memory-computing CMOS image sensor with convolution computing capability [13656-166]
13656 32	Remote excitation and enhancement effect of fluorescent molecules [13656-10]
13656 33	Design of a two-color interferometer system on EAST [13656-105]
13656 34	Wearable EMG-Optics multimodal sensing system for abnormal gait recognition [13656-8]
13656 35	Few-mode fiber mode decomposition based on constraint-aware convolutional neural networks [13656-12]
13656 36	Development of a micro-Michelson interferometer with fiber optic sensing [13656-79]
13656 37	A novel fiber optic humidity sensor based on Mach-Zehnder interference and peanut structure [13656-31]
13656 38	Research on QSFP28 100Gbit/s SR BiDi optical module based on QSFP package [13656-120]
13656 39	Coaxial four reflection dual band wide field of view optical system [13656-55]
13656 3A	The route for generating flat-top beam from all-fiber random laser [13656-135]
13656 3B	Long-distance duplexing underwater wireless optical communication with a dual-band photon-counting system [13656-131]
	ADVANCED OPTOELECTRONIC TECHNOLOGIES AND CROSS-DISCIPLINARY APPLICATIONS
13656 3C	Quick and efficient method for identification of Dalbergia wood by GC-MS fingerprint [13656-100]
13656 3D	Design and research of a diabetic foot treatment device based on deep composite spectrum [13656-167]

13656 3E	Comparative selection and application of solar cell photovoltaic modules for water plants [13656-150]
13656 3F	Multiband selective absorber for laser-infrared stealth [13656-27]
13656 3G	A compact wideband curved microstrip antenna array for generation of multimode OAM [13656-90]
13656 3H	Solar cooling glass based on the Peltier effect: a new building energy-saving solution [13656-50]
13656 31	Research on the simulation method of multicolor temperature star charts based on OLEDs [13656-64]
13656 3J	High signal-noise ratio and low crosstalk black silicon quadrant photodetector [13656-40]
13656 3K	Assembly technology and application of solar thermal heliostat [13656-82]
13656 3L	Research on CO ₂ gas sensor and concentration inversion algorithm based on non-resonant photoacoustic spectroscopy [13656-126]
13656 3M	Static optical sorting of microparticles using the J_0 Bessel beam generated by cross-phase modulation [13656-122]
13656 3N	An intelligent heuristic detection algorithm for reflection analysis using terahertz time-domain spectroscopy [13656-92]
13656 30	A Bayesian mixed-effects model for multilayer thickness analysis using terahertz time-domain spectroscopy [13656-111]
13656 3P	Larger-range phase reconstruction of dual-wavelength digital holography based on shorter synthetic wavelength and linear programming [13656-25]
13656 3Q	Design of particle concentration monitoring device based on light scattering method [13656-32]
13656 3R	Technology of high-performance infrared detectors and its aerospace applications [13656-22]
13656 3\$	Research on image motion compensation model and error analysis for remote sensing imaging with TDI technology [13656-21]
13656 3T	Effect of LED red and blue light ratios on post-harvest grape quality [13656-45]
13656 3U	Iteratively weighted centroiding for edge-based modulation transfer function measurement method [13656-168]

13656 3V	High-speed multichannel synchronous acquisition system for wafer defect detection system [13656-127]
13656 3W	Adaptive threshold-based spectral separation method in adaptive optics [13656-123]
13656 3X	High-efficiency multipass cell pulse compression via spatiotemporal synergetic control [13656-7]
13656 3Y	A large-format framing tube [13656-98]
13656 3Z	Research on intelligent unmanned aircraft system based on multisensor sensing and its application in fault diagnosis of mountainous photovoltaic modules [13656-147]